

ENVIRONMENTAL SITE MANAGEMENT PLAN

FORMER VALLCO SHOPPING MALL 10123 NORTH WOLFE ROAD, CUPERTINO, CALIFORNIA

APRIL 2019 REVISED AUGUST 2019

PREPARED FOR:

VALLCO PROPERTY OWNER, LLC 965 PAGE MILL ROAD PALO ALTO, CALIFORNIA 94304

PREPARED BY:

WSP USA 2025 GATEWAY PLACE SUITE 348 SAN JOSE, CA 95110

TEL +1 408 453-6100 FAX +1 408 453-0496 WSP.COM/USA

SIGNATURES

PREPARED BY

Elena Robertson

Environmental Geologist

REVIEWED BY

Rick Freudenberger

Executive Vice President



TABLE OF CONTENTS

| 1 | INTRODUCTION | .1 | | | |
|------------|---|-----|--|--|--|
| 1.1 | SITE REDEVELOPMENT PLAN | . 1 | | | |
| 1.2 | OBJECTIVES OF ESMP | . 1 | | | |
| 1.3 | INTENDED USERS OF ESMP | . 1 | | | |
| 1.4 | PROJECT PERSONNEL | . 2 | | | |
| 2 | ENVIRONMENTAL CONDITIONS | .3 | | | |
| 2.1 | SITE SETTING | . 3 | | | |
| 2.2 | GEOLOGY & HYDROGEOLOGY | . 3 | | | |
| 2.3 | SUMMARY OF ENVIRONMENTAL CONDITIONS | . 4 | | | |
| 2.3.1 | Historical Site Use | . 4 | | | |
| 2.3.2 | Environmental Investigations | . 5 | | | |
| 2.3.3 | Analytical Results | | | | |
| 2.3.4 | Residential Screening Levels | . 8 | | | |
| 3 | CONSTRUCTION MEASURES | .9 | | | |
| 3.1 | ENVIRONMENTAL HEALTH AND SAFETY | . 9 | | | |
| 3.1.1 | Worker Health and Safety | . 9 | | | |
| 3.1.2 | Environmental Control Measures | . 9 | | | |
| 3.2 | POST- DEMOLITION SOIL SCREENING FOR AREAS CONCERN | | | | |
| 3.3 | PCB INVESTIGATION | 13 | | | |
| 3.4 | MANAGING STAINED OR ODOROUS SOIL | 14 | | | |
| 3.5 | PROTOCOLS FOR MANAGING SUBSURFACE STRUCTURES | 15 | | | |
| 3.6 | MANAGING EXCAVATED SOIL | 16 | | | |
| 3.6.1 | Disposal CharActerization Sampling | 16 | | | |
| 3.6.2 | Soil Disposal | 16 | | | |
| 3.7 | IMPORT SOIL | 16 | | | |
| 4 | REPORTING REQUIREMENTS | 17 | | | |
| ACRONYMS18 | | | | | |



| REFERENC | CES 19 |
|----------|--|
| FIGURES | |
| FIGURE 1 | SITE LOCATION MAP |
| FIGURE 2 | SHORING AND MASS EXCAVATION PLAN |
| FIGURE 3 | EXCAVATION CROSS SECTIONS FOR MALL REDEVELOPMENT |
| FIGURE 4 | DEMOLITION PHASING |
| FIUGRE 5 | SOIL BORING LOCATIONS |
| FIGURE 6 | SEARS TEST PIT LOCATIONS |
| FIGURE 7 | SEARS SOIL BORING LOCATIONS |
| FIGURE 8 | AREAS OF POTENTIAL CONCERN |

APPENDICES

APPENIX A SITE CHARACTERIZATION REPORT

APPENIX B RWQCB ENVIRONMENTAL SCREENING
LEVELS FOR CONSTRUCTION WORKERS

APPENIX C SEARS AUTOMOTIVE CENTER CLOSURE
PLAN

1 INTRODUCTION

On behalf of Vallco Property Owner, LLC (Vallco), WSP has prepared this Environmental Site Management Plan (ESMP) for the former Vallco Shopping Mall property located at 10123 North Wolfe Road in Cupertino, California (Site, Figure 1). This ESMP has been prepared to provide a framework to manage excavated soils during redevelopment activities at the Site.

1.1 SITE REDEVELOPMENT PLAN

The Site is anticipated to be used for commercial and residential buildings, subsurface and surface parking areas, and landscaping. In September 2018, the City of Cupertino (the City) approved a project for the Site that will include 2,402 residential units, up to 485,912 square feet of retail/entertainment uses, and 1,981,447 square feet of office uses. The project was approved pursuant to newly enacted legislation, SB 35. Approximately 10,500 parking spaces will be provided in both above-and below ground structures. The plan includes two publicly accessible town squares and a connected green roof.

Planned development includes extensive subsurface parking that will require excavation of soil to a depth of 20 to 30 ft-bgs across much of the Site (Figures 2 and 3). It is anticipated that between 1.4 and 1.8 million cubic yards of soil will be removed as part of the redevelopment. Based on information available in the California Geotracker database, the depth to groundwater beneath the Site is approximately 80 to 90 feet bgs; therefore, groundwater will not be encountered during the Site redevelopment activities.

Pre-redevelopment activities will include the demolition of the Mall building structures, including foundations and associated subsurface utilities, and all associated parking garages/structures. The Site demolition is expected occur in phases, as documented in Figure 4

1.2 OBJECTIVES OF ESMP

The purpose of this ESMP is to provide a process to properly evaluate, manage and dispose of excavated soil during demolition and redevelopment activities. The ESMP also includes procedures in the event that unknown contamination is encountered during excavation and grading activities.

This SMP is organized as follows:

Section 2: Environmental Conditions

Section 3: Construction Measures

Section 4: Reporting Requirements

1.3 INTENDED USERS OF ESMP

This ESMP is primarily intended to be used by the general contractor and the construction workers who may come into contact with soil beneath the Site. The ESMP presents measures to be implemented during construction by construction workers to mitigate potential risks to human health and the environment if

impacted soil is encountered. The ESMP also includes procedures to be followed if previously unknown contamination is encountered during construction activities.

The property owner is Vallco Property Owner, LLC (Vallco). The General Contractor (Contractor) for the project is anticipated to be Devcon Construction, Inc. (Devcon) of Milpitas, California.

The specific responsibilities for Vallco and the Contractor in connection with the redevelopment are described below.

- Property Owner/Vallco: As the property owner, Vallco is primarily responsible for any environmental issues related to redevelopment of the Site. Vallco is responsible for communication between the entities identified in this ESMP and for all interaction with the applicable regulatory agencies. For soils excavated during redevelopment, Vallco will profile soils to determine their disposition and will, as appropriate, select the appropriate disposal facilities for all soils generated from the activities through the redevelopment phase.
- **Contractor:** Contractor will be responsible for implementation of all pre-redevelopment elements, as well as those during redevelopment if impacted or suspect soil is encountered.

1.4 PROJECT PERSONNEL

The following personnel have been identified for the project. Personnel should be updated as the project progresses, as necessary.

| Property Owner/ Responsible Party (Site Management) | Vallco Property Owner, LLC 965 Page Mill Road Palo Alto, CA 94304 | Nandy Kumar nkumar@shcmllc.com Paul Hansen phansen@shcmllc.com |
|---|--|--|
| General Contractor | Devcon Construction Inc 690 Gibraltar Dr. Milpitas, CA 95035 | Daisy Pereira dpereira@Devcon-const.com |
| Environmental Consultant / Vallco Representative | WSP USA Inc. 2025 Gateway Place, Suite 348 San Jose, CA 95110 | Rick Freudenberger Rick.Freudenberger@wsp.com Elena Robertson Elena.Robertson@wsp.com |

2 ENVIRONMENTAL CONDITIONS

2.1 SITE SETTING

The Site is located at 10123 North Wolfe Road in Cupertino, California (Figure 1). The Site is owned by Vallco and is approximately 50 acres that is occupied by the mostly vacant Vallco Shopping Mall (the Mall). The Mall consists of one irregularly shaped two-story, steel- framed building (connected by bridge across Wolfe Road) and two small detached buildings. The two-story building is part of the enclosed former shopping Mall with approximately 1.5 million square feet of floor space that was constructed between 1974 and 1979 and renovated in 1988 and 2006. The Mall had approximately 110 tenant spaces and was anchored by Macy's, Sears, and J.C. Penney.

According to the U.S. Geological Survey Cupertino, California quadrangle (7.5-minute series) map, the ground elevation of the subject property is approximately 185 feet above mean sea level. The site is located on relatively flat land with the property sloping slightly to the northeast. The general area surrounding the Site is residential and commercial. The subject property is bound to the north by Highway 280 and to the east and south by Calabazas Creek.

The U. S. Department of Agriculture Soil Conservation Service indicates that the soils at the subject property are classified as Botella. The soils texture is identified as a clay loam. The bedrock underlying the property consists of rocks from the Quaternary Series.

2.2 GEOLOGY & HYDROGEOLOGY

The Site is located in the Santa Clara Valley, and is underlain by unconsolidated alluvial sediments, consisting of fine-grained (low permeability) deposits interbedded with coarse-grained (higher permeability) sediments. Soils encountered during an on-site soil investigation in October 2018 performed by WSP consisted predominately of clays followed by silty sands or poor and well graded sands. Fill material appeared as lean clays and extended between five to ten feet below ground surface (ft-bgs) and in some locations, as deep as 20 ft-bgs.

Based on information available in the California Geotracker database, a nearby site (TOSCO Global ID: TO608575840) measured groundwater ranging historically from 70.86 ft-bgs (May 2006) to 90.70 ft-bgs (December 2008) with a general groundwater flow direction of northeast. A Phase I Environmental Site Assessment (Phase I ESA) prepared by Cornerstone Earth Group (Cornerstone, 2018) identifies this groundwater zone as being perched and found only intermittently across the Site between depths of 80 and 95 ft-bgs. Groundwater elevations measured from previous on-site groundwater monitoring wells located at the former J.C. Penney automotive repair facility ranged from 120 to 140 ft-bgs between 1990 and 1993. Since excavation will only extend to 20 to 30 ft-bgs, groundwater is not expected to be encountered during re-development.

2.3 SUMMARY OF ENVIRONMENTAL CONDITIONS

2.3.1 HISTORICAL SITE USE

WSP performed a Phase I ESA of the Site, documented in a report dated January 7, 2014 and updated in a letter report dated January 11, 2016. The major findings of these reports are summarized below:

Based on a review of historical aerial photographs, prior to construction of the initial Mall buildings in 1974-1979, the area surrounding the Site was developed with orchards, agricultural land, and farmhouses.

A Sears Automotive Center was constructed at the property in 1970 on the southwest side of the Mall property. The Sears Automotive Center was referenced as a Leaking Underground Storage Tank (LUST) site on the state Geotracker website. Four gasoline and two motor oil underground storage tanks (USTs) were removed from the Sears Automotive Center site in 1985. Dispenser islands and product lines were removed from the site in 1994. Seven borings were installed and sampling was conducted in soil and groundwater in 1999 to assess hydrocarbon concentrations at the site. Groundwater was not encountered in any of the borings at a depth of 44 ft-bgs. Concentrations of ethylbenzene, total xylenes, and lead were reported below regulatory action levels and the site was granted case closure on December 6, 1999, with the Santa Clara Valley Water District (SCVWD) concluding that any residual contamination in the subsurface relating to the former USTs is minimal.

J.C. Penney, located adjacent and to the east of the Mall property, was also listed as a LUST site in the environmental database report. Two USTs, one 350-gallon diesel tank and one 350-gallon waste oil tank, were removed from the site on November 15, 1989. Three hundred and three tons of contaminated soil was removed from the UST excavations. A 750-gallon waste oil/water sump was closed in-place on January 21, 1994. Confirmation soil samples were collected beneath the oil/water sump prior to the closure; no contaminants of concern (COCs) were detected. Groundwater monitoring results collected from four monitoring wells installed on the J.C. Penney site indicated that there were no detectable levels of target chemical constituents. The site was granted case closure on September 1, 1994 by the SCVWD.

With the closure of the two former automotive centers, the Santa Clara County Fire Department (SCCFD) requires implementation of an approved closure plan. The Closure Plan for the Former Sears Automotive Center was submitted to the SCCFD on March 25, 2019 and approved by the SCCFD by letter dated April 11, 2019. A similar closure plan will be submitted to the SCCFD for the former J.C. Penney Automotive Center. The closure activities of the Sears and J.C. Penney premises will be monitored and coordinated with the SCCFD to ensure that no material residual hazardous materials or contaminants remain following closure. Any remaining subsurface sumps/separators will be properly abandoned or removed as part of the closure activities.

A closure plan for the Western portion of the mall was approved and implemented in November-December 2018. A similar closure plan for the Eastern portion of the mall will also be prepared and submitted to the SCCFD for review and approval. The closure activities addressed, among other things,

removal of one of the three generators within the mall and decommissioning of all the elevators in the West side of the mall (including removal of the hydraulic fluids). During the inspection of the elevators, there was no evidence of any release of hydraulic fluids. All these activities were conducted under the oversight of the SCCFD. With respect to the hydraulic fluids within the former elevators, a letter dated June 20, 2019 from the elevator manufacturer (KONE Inc.), confirmed that the hydraulic fluids within their elevators do not contain volatile organic compounds (VOCs) or polychlorinated biphenyls (PCBs). The SCCFD approved the West Side Closure Plan Letter report by their letter dated December 12, 2018.

Given the historical uses of portions of the Site, any future subsurface disturbance (excavation or fill) during redevelopment activities should be performed with care and an awareness of possible past releases of chemicals or petroleum products in these areas. To this end, this ESMP applies to all redevelopment activities to ensure that excavated soils are sampled and properly handled/disposed, unknown contamination, if encountered, is appropriately addressed, and that imported fill materials are screened/analyzed before their use on the property. These areas are each identified as potential areas of concern and will be handled in accordance with Section 3.2.

2.3.2 ENVIRONMENTAL INVESTIGATIONS

In addition to the investigations and Site data associated with the regulatory closure of the two former automotive facilities, three phases of soil investigations were conducted to (a) assess environmental site conditions in connection with the planned development and (b) address potential residual subsurface environmental concerns such as the historical agricultural use of the Site and the former Sears Automotive Center. A Site Characterization Report that summarizes analytical results and Site conditions was generated by WSP and is included as Appendix A. The Site Characterization Report includes data summary tables and respective laboratory analytical reports.

SOIL INVESTIGATIONS

In September 2016, Vallco retained Geosphere to conduct a subsurface investigation to collect various discrete soil samples at the Site as part of an accompanying geotechnical investigation. A total of eight borings were advanced. A total of 32 soil samples were collected and analyzed for volatile organic compounds (VOCs) by EPA method 8260B; semi-volatile organic compounds (SVOCs) by EPA method 8270D; polycyclic aromatic hydrocarbons (PAHs) by EPA method 8270D selected ion monitoring (SIM); total petroleum hydrocarbons (TPH) as gasoline (TPH-g), as diesel (TPH-d), and as motor oil (TPH-mo) by EPA Method 8015C; pesticides by EPA Method 8081; polychlorinated biphenyls (PCBs) by EPA method 8082A; title 22 metals; 2,3,7,8-tetrachlorodibenzodioxin (TCDD) by method 1613B; and asbestos by method 435.

In October 2018, Vallco retained WSP to conduct a further subsurface investigation at the Site to provide additional information concerning subsurface conditions across the entire Site. The investigation included the installation of 15 borings. Samples were collected for Title 22 metals by EPA Method 6010B; TPH-g, TPH-d, and TPH-mo by EPA Method 8015M; SVOCs and PAHs by EPA Method 8270; herbicides by EPA Method 8151; and pesticides by EPA Method 8081. All soil sample locations and depths were analyzed for Title 22 metals and TPH-g,-d, and -mo. Soil samples collected at depths of approximately 1 and 5 ft-bgs were additionally analyzed for SVOCs, PAHs, herbicides, and pesticides at all locations.

On January 10, 2019, WSP collected additional soil samples from seven boring locations on the south side of the Mall property, east of the former Sears Center, to address the potential for lead, pesticide, or arsenic impacts around former farmhouse buildings. Samples were collected by hand auger at the following depths, 0.5, 1, 2, and 3 ft-bgs. All samples were analyzed for pesticides (by EPA Method 8081A), and lead and arsenic (by EPA Method 6020). A summary of sample locations is included in Figure 5.

FORMER SEARS AUTOMOTIVE CENTER

As identified in Cornerstone's Phase I ESA, the Statewide Environmental Evaluation and Planning System (SWEEPS) UST database lists seven USTs as having been located at the Site and the records only confirm the removal of six USTs. Additionally, a building plan from 1969 for the former Sears Automotive center depicted a 1,000-gallon waste oil UST on the west side of the building. Accordingly, the Cornerstone Phase I ESA recommends further investigation, including a geophysical survey, to identify whether a seventh UST in the SWEEPS UST database remains at the former Sears Automotive Center.

To address the possibility that any USTs remain in the vicinity of the former Sears Automotive Center, WSP performed a geophysical ground penetrating radar (GPR) survey on January 25, 2019 and a series of test pits around a suspected abandoned access port on March 26, 2019. The GPR survey showed no evidence of any underground tanks on the west or east sides of the Sears automotive building. The test pits revealed that the suspected access port was an abandoned storm drain. A metal pipe was located beneath the abandoned storm drain that ran perpendicular to the building. The end of the pipe was found to be capped off and determined to be the pipe that lead to a former used oil tank (Figure 6). Additional description of field activities is included in the Site Characterization Report in Appendix A.

Although WSP's investigation discussed above clearly demonstrates that no UST remains beneath the former Sears Automotive Center, this area is still identified as a potential area of concern for purposes of this ESMP. Soil excavation work in this area will be handled as discussed in section 3.2 of this report.

As noted earlier, an East Side closure plan and a specific closure plan for the J.C. Penney Automotive Center will be submitted to the SCCFD for review and approval. All closure/demolition activities on the East Side of the mall will be carried out in a manner consistent with this ESMP.

If sampling results from implementation of the closure plans for the former Sears or J.C.Penney Automotive Centers indicate conditions are different from that anticipated in the ESMP, an addendum to the ESMP will be prepared.

2.3.3 ANALYTICAL RESULTS

All analytical soil results during this investigation were compared to three regulatory agency residential screening levels:

 Department of Toxic Substances Control (DTSC) Modified Screening Levels for residential soil (April 2019)

- Environmental Screening Levels (ESLs) for residential human health risks as established by the San Francisco Regional Water Quality Control Board (RWQCB) January 2019
- EPA Residential Screening Levels (for those constituents which lack DTSC Modified Screening Levels) residential screening levels (RSLs) (April 2019)

When making these comparisons, the most conservative screening level among the three references above was used. Thus, these comparisons are noted within this Report as being made to "collective screening levels" (CSLs). There are a few other specific comparisons to regulatory screening levels or standards noted in the text as appropriate.

No other metals (excluding cobalt and arsenic), TPH, SVOC, PAH, or herbicides were detected in any of the samples at concentrations that exceeded their CSLs. Arsenic was found to exceed CSLs in many samples. However, regulatory agencies do not require remediation of compounds that are below naturally-occurring background levels. Concentrations of naturally occurring arsenic in California may often be far above the CSLs. None of the arsenic concentrations in soil samples collected during the investigation of the Site exceeded the regional background level of 11 mg/kg for arsenic (Duvergé, December 2011). Additionally, results from samples collected for asbestos and 2,3,7,8-TCDD by Geosphere were all below laboratory reporting limits. Geosphere also analyzed samples for VOCs, of which only 2- Butanone (MEK) and methylene chloride were detected above laboratory reporting limits. Concentrations of methylene chloride did not exceed the CSL.

A total of 60 samples were analyzed for pesticides from 32 samples collected by Geosphere (8 borings) and 28 samples collected by WSP (21 borings) at various depths across the Site. Two of the 60 samples analyzed for pesticides contained dieldrin that exceeded the CSL There is no evidence to suggest the widespread presence of dieldrin at the Site above CSLs. A 95% upper confidence level of the mean (95% UCL) dieldrin concentration was calculated using EPA's ProUCL Version 5.1. The 95% UCL for dieldrin of $2.1~\mu g/kg$ is well below the CSLs.

Cobalt was detected in one out of the 102 samples analyzed for the compound at a concentration of 23 mg/kg, which is the same concentration as the residential CSL. The Kearney Foundation of Soil Science reported in 1996 (Kearny, 1996) that soil samples collected in northern California frequently contain higher concentrations of cobalt which they attributed to ultramafic and volcanic rocks found in the area. The detection of cobalt at the concentration of the CSL is isolated to only one sample of the 102 collected indicating there is no evidence to suggest the widespread presence of cobalt at the Site above applicable CSLs.

A total of 32 samples collected by Geosphere (8 borings) were analyzed for PCBs. Two samples contained detections of PCBs (both Arochlor 1254): E5-1 (523 μ g/kg) and E8-1 (25.6 μ g/kg). The results of those samples were compared to CSLs. Only the E5-1 sample collected at one foot bgs with 523 μ g/kg exceeded the CSL PCBs were not detected in the samples collected in the E-5 boring at five feet bgs (E5-2) and 10 feet bgs (E5-3). The PCB concentration in sample E5-1 is less than the most conservative High Occupancy Cleanup Level of 1,000 μ g/kg established in the Toxic Substances Control Act (TSCA; 40 CFR 761.61). TSCA's High Occupancy Cleanup Level is consistent with residential and commercial land use. ¹ Thus,

¹ As defined in TSCA, the term "high occupancy area" means any area where PCB remediation waste has been disposed of on-site and where occupancy for any individual not wearing dermal and respiratory protection for a calendar year is: 840 hours or more (an average of 16.8 hours or more per week) for non-porous surfaces and 335 hours or more (an average of 6.7 hours or more per week) for bulk PCB remediation waste. Examples could include a residence, school, day care center, sleeping

PCB concentrations detected at the site are below the TSCA health-protective value of 1 mg/kg and further assessment of PCBs would not be required under TSCA. In addition, since PCBs were not detected in 30 of 32 samples collected, there is no evidence to suggest the widespread presence of PCBs at the Site.

Despite the fact that the detection of PCBs at boring E-5 is less than the TSCA cleanup level, because the detection was above CSLs, the area from which the sample was taken will be further characterized prior to construction and excavated during redevelopment activities. Details of this characterization and removal of the PCBs are included within Section 3.3 of this Report.

Given that no analytes exceeded CSLs other than PCBs, dieldrin, cobalt, and arsenic, each of which is described and addressed above, WSP finds that historical agricultural operations at the Site did not impact soils with pesticide, arsenic, or lead contamination as identified in RECs 5 and 6. In addition, there was no evidence of any impacts/exceedances of CSLs for TPH (or any other constituents) in the samples from seven borings (Figure 7) in proximity to the former Sears Automotive Center.

2.3.4 RESIDENTIAL SCREENING LEVELS

Based on the above assessment of environmental conditions at the Site, soils containing COCs at levels that exceed CSLs are generally not anticipated to be encountered. As such, Site conditions during soil excavation should not pose an unacceptable risk to Site construction workers.

For purposes of this ESMP, four areas have been designated areas of potential concern at the Site: the former Sears Automotive Center, the former J.C. Penney Automotive Center, the Cupertino Ice Center, and an area where a single soil sample from boring E5 contained a concentration of PCBs that exceed the residential screening level. The excavation of soils in the automotive center areas will be handled as described in Section 3.2. The Cupertino Ice Center will be handled in the future Closure Plan for both the J.C. Penney Automotive Center and the eastern portion of the Mall (see section 3.5). The PCBs in soil will be addressed as described in Section 3.3. Any soil with notable staining or odor will be considered as impacted soil. If impacted soils are encountered during excavation (considered unlikely), impacted soil will be handled as described in section 3.4. CSLs as well as gross contamination levels and residential odor nuisance levels will be the screening levels that are applied to any unknown contamination that may be encountered during construction.

quarters, a single or multiple occupancy 40 hours per week work station, a school class room, a cafeteria in an industrial facility, a control room, and a work station at an assembly line (40 CFR 761.3).

3 CONSTRUCTION MEASURES

Following demolition of structures and utilities, soil inspection and sampling will be conducted as follows in order to arrange for proper disposition of the excavated soils as described in this section.

3.1 ENVIRONMENTAL HEALTH AND SAFETY

3.1.1 WORKER HEALTH AND SAFETY

The Contractor shall be responsible for its own Health and Safety Program (HASP), including exposure monitoring of its workers and subcontractors. Contractor and Vallco have the authority to stop work in cases where safety hazards are observed. The Contractor shall develop and maintain for the duration of the project a safety program that will effectively incorporate and implement all required safety provisions of OSHA, state-specific worker safety requirements, Uniform Fire Code, and standard industry practices.

The Contractor shall prepare a Site-specific HASP, compliant with U.S. Department of Labor, Occupational Safety and Health Administration (OSHA) as described in 29 CFR 1910.120 and CalOSHA as described in 8 CCR 5192. The Contractor shall provide Vallco a copy of the HASP prior to commencement of any activities requiring or recommending implementation of a HASP. The Contractor shall be solely responsible for the implementation of the HASP throughout the duration of Site work.

If unknown soil contamination is discovered through observation, monitoring, or laboratory analysis, soils will be screened as documented in section 3.4 and compared to the RWQCB ESLs for construction workers (Appendix B). If soil exhibits exceedances of the ESLs for construction workers, then workers that have the potential for exposure to the impacted soil should be at a minimum 40-hour Hazardous Waste Operations and Emergency Response (HAZWOPER) trained personnel, with foreman also having additional eight-hour supervisory training.

3.1.2 ENVIRONMENTAL CONTROL MEASURES

DUST CONTROL

The Contractor shall handle soil in a manner to minimize the potential for generation of airborne dust. The Contractor will monitor for airborne dust as required by its Health and Safety Plan. In accordance with Bay Area Air Quality Management District (BAAQMD) regulations, no visible dust may leave the site. The Contractor will be responsible for visually monitoring and implementing dust control measures such that no visible dust leaves the Site. Dust generating activities that will be mitigated include those associated with excavation activities, creation of soil stockpiles, truck traffic on unpaved areas of the Site, ambient wind traversing soil stockpiles, and loading of Site soil into transportation vehicles.

At a minimum, the Contractor shall conduct visual air monitoring to confirm the efficacy of dust control procedures. As appropriate, the Contractor shall modify demolition and construction procedures to control emissions of dust.

To address the potential for dust above applicable human health protection thresholds, the Contractor shall implement all applicable mitigation measures during construction. Dust control should be performed by applying water with a low-pressure spray system. Low volumes of potable, reclaimed and/or treated dewatering water should be routinely spread in areas where dust may be generated because of development activities. If observations of visible dust indicate that the dust control measures are not adequate, then the Contractor shall implement additional engineering control measures, i.e., if visual dust is observable. These additional measures should include, but are not limited to:

- change of work procedures;
- wetting of surfaces;
- covering of exposed soil with plastic sheeting;
- use of dust palliatives; and
- reducing vehicle speeds.

VAPOR MONITORING AND CONTROL

If excavation of soil contaminated with VOCs would occur based upon observation of staining, odors and/or soil sample results as described in Section 3.4, then vapor monitoring would be performed with a photo ionization detection (PID) meter both in the worker breathing zone and ambient air near the site perimeter for comparison to appropriate health risk thresholds. If health risk thresholds are exceeded, vapor control methods would be implemented such as spraying with water or vapor suppressant. If PID monitoring results do not exceed applicable thresholds for ambient air in the worker breathing zone, then perimeter ambient air monitoring would not be required.

EQUIPMENT CLEANING

Equipment (e.g., trucks and excavation equipment) that is exposed to Site soil during development activities will be cleaned prior to movement out of active work zones and leaving the Site. To minimize the spread of soil and dust, it is recommended that the equipment be dry-brushed for removal of material from the truck body and tires prior to exiting work zones. It is recommended that equipment exiting the Site be inspected and logged for compliance by the Contractor with the Site cleaning requirements.

If impacted soil is encountered, construction equipment and vehicles that contact impacted soil on the Site will be decontaminated prior to leaving the area of impacted soil associated with the Site. As above, decontamination methods will consist of scraping, brushing, and/or vacuuming to remove dirt on vehicle exteriors and wheels. If dry methods are not adequate, methods such as steam cleaning, high pressure washing, and cleaning solutions will be used. If generated, wash water resulting from decontamination activities will be collected and managed in accordance with all applicable laws and regulations.

STORMWATER

During Site development activities, storm water best management practices (BMPs) should be followed in accordance with the Contractor's Stormwater Pollution Prevention Plan (SWPPP) to be prepared for the Site. The BMPs for the Site development activities should include: use of fiber rolls; inlet protection; stabilized construction entrance; covering soil stockpiles with plastic sheeting or tarps during significant rainfall events; landscape and paving; street cleaning and catch basin cleaning.

If impacted soil or groundwater is encountered, stormwater pollution controls specific to environmental cleanup operations are intended to isolate stormwater in areas of cleanup operations and prevent contaminants from leaving the Site, co-mingling with water in other parts of the development project, or entering the stormwater system. Such controls will be based on BMPs such as those described in the California Stormwater Quality Association handbook for construction activities (CASQA, 2015). As described above, on-site sediment and erosion protection controls will be the primary methods for minimizing discharges of sediments from the Site.

STOCKPILE MANAGEMENT

Based on the results of soil investigations detailed herein, impacted soils are not anticipated to be encountered during construction excavation; however, isolated soil impacts from historical Site operations may be present.

During excavation, Vallco will oversee and will direct the Contractor to perform the following soil handling activities:

- Based upon soil investigations and observations during excavation, it is anticipated that the vast
 majority of excavated soil will not require special handling or segregation as impacted and will be
 stockpiled, moisture controlled, and completely covered to prevent fugitive dust.
- In the potential areas of concern, as described in Section 3.2, and with respect to soil that is otherwise odorous or stained, soil will be field screened by the Vallco representative for evidence of contaminant impacts, such as discoloration or staining, odors, unusual foreign materials, or organic vapors (measured by a photoionization detector). Using these indicators, the Vallco representative may direct the segregation of the soil into stockpiles, storage bins, or directly loaded into haul-off trucks for profiling and ultimate disposal to appropriate locations. Using these soil handling procedures, impacted soil will be segregated from non-impacted soil.
- The Contractor will be responsible for performing visual screening in other areas of the Site where it is highly unlikely that potentially impacted soil will be encountered. If such soil is encountered, the Contractor will notify Vallco and the procedures in Section 3.2 will be followed.
- Fill material and native material may also be separated during excavation based on characterization data or observations of impacts.
- If suspect impacted soil is to be segregated and stockpiled, the soil must be placed on a minimum 10-mil-thick polyethylene sheeting (or approved-equivalent impermeable sheet), completely covered and secured by the same impermeable sheeting, moisture controlled, and bermed when the soil is not actively being handled. All soil stockpiles must be covered at the end of each work day

and handled using BMPs under the site-specific SWPPP. The SWPPP shall be consistent and in accordance with all applicable local/state rules and regulations.

3.2 POST- DEMOLITION SOIL SCREENING FOR AREAS OF CONCERN

As identified in Section 2.3 and described below, there are two primary potential areas of concern at the Site: the former Sears Automotive Center, the former J.C. Penney Automotive Center. The Cupertino Ice Center is also an area that may require specific attention. The SCCFD requires implementation of the approved closure plan for the former Sears Automotive Center due to the presence of an oil-water separator, hydraulic lifts, petroleum fluid pipelines, battery storage area, and lead containing materials (WSP, 25 March 2019). Similarly, the J.C. Penney former automotive center will require a closure plan to address an abandoned in-place UST, the presence of hydraulic lifts, the existence of four inactive groundwater monitoring wells, and associated piping.

A closure plan for the Sears Automotive Center was submitted to the SCCFD (Appendix C) on March 25, 2019 and approved on April 11, 2019, and includes soil sampling under the oil-water separator, remnant piping and any other subsurface equipment for proper characterization and subsequent disposal.

A similar closure plan will be prepared for the J.C. Penney Automotive Center for submission to the SCCFD. The closure plan will also include soil sampling under buried piping as well as include attention to the removal of a 750-gallon UST abandoned in place. Additionally, the four inactive groundwater monitoring wells located on the J.C. Penney premises will be located and abandoned in accordance with the SCVWD well standards.

In addition, as noted in Cornerstone's Phase I ESA, refrigeration equipment located in the Cupertino Ice Center was observed to have oil staining and a spill (approximately 1 to 2 gallons) of oily water on the concrete floor slab. Cornerstone did not find it to be likely that the noted staining and spill would have significantly impacted underlying soil quality; however, to ensure underlying soil in this area is not impacted, the area will be surveyed as described below.

During excavation of the soil in these potential areas of concern (Figure 8), an Environmental Professional will be present to observe underlying soil for evidence of potential impacts and, if observed, collect soil samples in accordance with Section 3.4. The Environmental Professional will also walk the potential areas of concern on a 25-foot grid as follows:

Soil samples will be screened in the field for the presence of VOCs using the following screening method:

at a minimum, a representative soil sample will be collected from points on a 25 foot grid of the
area and placed into an unused re-sealable plastic bag with a minimum volume of one quart, until
the container is approximately one-half full;

- the plastic bag will be sealed and the soil within it will be crumbled by hand, if possible, to expose fresh surfaces;
- after at least 2 minutes, the plastic bag will be opened just enough to allow the probe of the organic vapor meter ("OVM") to be inserted into the headspace of the plastic bag;

if the OM reading exceeds the 25 parts per million by volume ("ppmv") continuously for 10 seconds or more, the soil will be considered "potentially contaminated with volatile chemicals." Then the procedures identified in Section 3.4 will be followed.

3.3 PCB INVESTIGATION

As noted in Section 2.3.3, a single sample from Geosphere boring E-5 one foot below ground surface (sample E5-1) contained PCBs at 523 μ g/kg, above the CSL, and is considered a potential area of concern. WSP located boring E-5 from surface evidence and markings and recorded its location using GPS. During redevelopment excavation activities, the soil in area surrounding the sample E5-1 will be addressed separately from the mass excavation; soil surrounding and area of sample E5-1 will be addressed as described below.

Additional step-out sampling for PCBs will be performed in the area of boring E-5 where PCBs were detected in soil at a concentration exceeding the CSL. This sampling will be performed prior to pavement removal or excavation in the area to ensure that appropriate health and safety measures (e.g., appropriately trained workers) and appropriate soil management protocols (e.g., decontamination and air monitoring as necessary based on PCBs concentrations) are performed during soil disturbing activities in the area of boring E-5.

Thus, before any excavation occurs, the following sequence will occur:

- A workplan for additional pre-excavation step-out sampling for PCBs in the area of boring E-5 will be prepared for review and approval by the City prior to issuing any demolition permits issued for the C-1 Area (Figure 4). All soil samples will be analyzed for PCBs using EPA Method 8082A.
- The results of the PCBs sampling will be provided to the City for review, with assistance from a qualified third-party consultant, prior to issuance of a permit that allows soil disturbance in the area of boring E-5.
- O If the additional sampling finds PCB levels that exceed residential screening levels, the City shall be notified and a determination will be made, in consultation with the City, as advised by a qualified third-party consultant, as to whether a regulatory agency should be contacted to determine if regulatory oversight is required, prior to issuance of a permit that allows soil disturbance in the area of boring E-5.
- If the PCBs levels in the additional samples are below residential screening levels, regulatory oversight would not be necessary, and removal of PCBs impacted soil in the vicinity of boring E-5 should be performed as described below.

An excavation workplan will be prepared following the sampling described above and submitted to the City for review and approval prior to issuance of the excavation permit. The limits of excavation for

removal of PCBs-impacted soil in the vicinity of boring E-5 as described above will be refined based on the findings from the additional PCBs sampling (e.g., the excavation boundary will extend to the locations of step-out samples where PCBs are below residential screening levels) and the step-out samples can serve as confirmation samples for the excavation of PCBs impacted soil.

All excavated soils will be segregated from other soil from the Site, stockpiled, and characterized for disposal at a properly licensed disposal facility.

3.4 MANAGING STAINED OR ODOROUS SOIL

If impacted soils are observed or encountered (visual staining, odor, etc.) during excavation (considered unlikely) anywhere on the Site, the Contractor shall promptly notify Vallco and the Vallco representative. To protect worker health and safety and to ensure accurate results, the Vallco representative shall conduct observations and, as necessary, conduct monitoring/sampling of the suspect media. Initial identification of hazardous substances will be performed by the Vallco representative based on visual olfactory observations, or monitoring with a photoionization detector (PID).

A Vapor Encroachment Assessment was performed and is detailed in the Site Characterization Report (SCR). The Assessment identified two potential onsite sources of VOCs: the Sears Automotive Center and the J.C. Penney Automotive Center, the two areas of most concern on the Site that will be specifically addressed by Closure Plans submitted to the SCCFD. Although these locations are unlikely to pose potential vapor concerns, we have outlined measures to apply in the event that unexpected VOCs are identified.

If newly found soil impacts are discovered during demolition, Site development activities, or during the screening of the potential areas of concern, the following actions shall be taken:

- 1 Initial Discovery: Prior to any activity by the Contractor in the immediate vicinity, the Vallco representative shall make an initial determination within the field using visual and olfactory observations and PID equipment. Upon the confirmation by the Vallco representative of the discovery of newly found soil impacts, operations within the immediate area shall cease and the Contractor should secure the area using suitable barriers (i.e., caution tape, construction fencing,, etc).
- **2 Evaluation**: If observations and field tests indicate impacted soil, the Vallco representative shall notify Vallco of the initial discovery of newly found soil impacts. Samples will be collected for laboratory analysis and any earthwork operations will remain suspended in the area of suspected impacted soil pending review of the laboratory analytical results. Soil samples will be analyzed for the following constituents:
 - TPH-g, TPH-d and TPH-mo using EPA Method 8015M;
 - VOCs using EPA Methods 5035 and 8260;
 - PCBs using EPA Method 8082A

- Cadmium, chromium, lead, nickel, and zinc by EPA Method 6020; and
- Moisture content to allow for conversion to dry weight for comparison to screening criteria.

The list of analytes should be modified accordingly if conditions or historical use in a given area indicate that other laboratory analyses would be appropriate.

Data Review: Excavation is being performed to a depth of more than 20 feet bgs across the site. If chemical concentrations are identified above CSLs within approximately three feet of any excavation bottom or sidewall as part of the waste profiling process or through investigation based on observation or odor, then, following completion of the excavation, Vallco will perform confirmation sampling to document removal of impacted soil to confirm that remaining soils meet unrestricted land use criteria (CSLs). Confirmation soil samples will be collected in a 25 foot x 25 foot grid over the identified impacted area. Analyses will be limited to those compounds that exceeded CSLs in the evaluation sample. If final confirmation sampling identifies chemical concentrations above CSLs in either the excavation bottom or sidewalls, then Vallco will notify the City and an appropriate regulatory agency, such as the Santa Clara County Department of Environmental Health (SCCDEH), DTSC, EPA, or the RWQCB. In addition, if contamination is discovered during excavation that requires reporting under applicable laws, Vallco will notify an appropriate regulatory agency in accordance with such laws. In such a case, Vallco would also provide notice to the City. In addition, documentation of the sampling, sampling results, and copies of the ESMP completion report will be submitted to the City and any such agency that becomes involved with the project. Excavated soil that is impacted will be stockpiled separately from unimpacted soil. Excavated impacted soil will be characterized and disposed of appropriately and separately from unimpacted soil.

3.5 PROTOCOLS FOR MANAGING SUBSURFACE STRUCTURES

As noted in Section 3.2, subsurface piping and components remain in the ground at the former Sears and J.C. Penney Automotive Centers. A closure plan for the former Sears Automotive Center has been submitted to and approved by the SCCFD (WSP, 25 March 2019) and a similar closure plan will be submitted for the former J.C. Penney Automotive Center and will also include the entire eastern portion of the Mall (including the Cupertino Ice Center). The closure plans include (or will include) details concerning soil sampling and specific analyses in general and specifically beneath and along underground piping paths to determine if there were any significant releases. In addition, a Vallco representative will be present during excavation activities in these two areas to ensure remaining subsurface equipment is properly removed and to observe underlying soil for evidence of potential impacts. Additionally, the four groundwater monitoring wells located at the J.C. Penney Automotive Center will be abandoned in accordance with the SCVWD well standards. A permit will be obtained from the SCVWD prior to the abandonment. A 750-gallon UST was abandoned in place at the J.C. Penney Automotive Center. Proper removal of this UST will be documented in the associated closure plan and coordinated in conjunction with the SCCDEH.

Although evidence suggests it is highly unlikely, special consideration is necessary if any unknown USTs are encountered. The removal of USTs is regulated by the SCCFD. The investigation and remediation of UST releases is regulated by SCCDEH, with oversight from the RWQCB. The Contractor shall

immediately notify Vallco upon discovering any UST at the property. Removal and sampling of the UST will be performed in accordance with permit requirements from the SCCFD.

If a non-UST below-grade structure that could have contained chemicals of concern is encountered during earthwork, the structure and associated piping or other appurtenances will be removed in accordance with applicable laws and regulations. Any stained and odorous soil will be sampled and managed in accordance the procedures described in Section 3.4.

3.6 MANAGING EXCAVATED SOIL

The excavated soil will be disposed of off-site. No soil will be reused onsite. Soil disposal arrangements will be managed by the General Contractor. Soil waste profile applications will be submitted to potential receiving facilities once the excavation contractor has determined which are to be considered for use. The waste profile applications will be prepared by Vallco and include submittal of all data produced at the site and clarification as to which areas are being evaluated for acceptance by the receiving facilities.

3.6.1 DISPOSAL CHARACTERIZATION SAMPLING

Based on existing soil analytical results, discussed in detail in the Site Characterization Report (Appendix A), excavated soil is expected to meet compliance with the CSLs. Additional profiling for off-site disposal of excavated soil will be handled in accordance with the receiving facility.

3.6.2 SOIL DISPOSAL

Any characterized "pre-existing" hazardous/impacted soil will be hauled offsite to the appropriate receiving facility and manifested with Vallco identified as the generator. The receiving facilities will be reviewed and approved by Vallco.

3.7 IMPORT SOIL

The only import soil anticipated at the site is topsoil and base rock. The contractor will be responsible to conform with DTSC's Information Advisory, Clean Imported Fill Material, October 2001 for screening of imported topsoil, base rock, and other material.

4 REPORTING REQUIREMENTS

A closure implementation report will be generated with the closure of the former Sears and J.C. Penney Automotive centers and submitted to the SCCFD, with a courtesy copy provided to the City. The soil screening performed at the former Sears and J.C. Penney Automotive centers will also be documented in an ESMP completion report and submitted to the SCCFD, with a copy to the City. If impacted soils are uncovered during excavation activities, the analysis and subsequent disposal of the impacted soil will be documented in the ESMP completion report.

ACRONYMS

μg/l micrograms per liter

EPA Environmental Protection Agency
EPA Environmental Protection Agency
ESA Environmental Site Assessment
ESL Environmental Screening Level

ESMP Environmental Site Management Plan

ft-bgs Feet below ground surface GPR Ground Penetrating Radar

LUST leaking underground storage tank

MDL method detection limit

PAH Polycyclic aromatic hydrocarbons

PCB Polychlorinated Biphenyl PID Photoionization detector

QA/QC quality assurance/quality control
REC Recognized Environmental Condition

RL reporting limit

RSL Regional Screening Level

RWQCB San Francisco Bay Regional Water Quality Control Board SCCDEH Santa Clara County Department of Environmental Health

SCCFD Santa Clara County Fire Department SCVWD Santa Clara Valley Water District SVOCs semi-volatile organic compounds

TCDD Tetrachlorodibenzodioxin
TPH total petroleum hydrocarbons

TPH-d total petroleum hydrocarbons as diesel
TPH-g total petroleum hydrocarbons as gasoline
TPH-mo total petroleum hydrocarbons as motor oil

USCS Unified Soil Classification System

UST underground storage tank

WSP WSP USA, Inc.

CSLs Collective Screening Levels

REFERENCES

Antea Group. 2013. Case Closure Request 76 (former BP) Service Station No. 11220, 19550 Stevens Creek Boulevard, Cupertino, California. December 05.

Cornerstone Earth Group. 2018. Phase I Environmental Site Assessment, Vallco Special Area Specific Plan Parcels, Cupertino, California. February 26.

Duverge. 2011. Establishing Background Arsenic in Soil of the Urbanized San Francisco Bay Region. December.

Kearny Foundation Special Report. 1996. Background Concentrations of Trace and Major Elements in California Soils. March.


Santa Clara Valley Water District. 1994. Underground Storage Tank (UST) Case Closure – J.C. Penney Store No., 10150 North Wolfe Road, Cupertino, CA 95014; Case No. 27H. September 1.


Santa Clara Valley Water District. 1999. Fuel Leak Site Case Closure – Sears Automotive Center, 10101 North Wolfe Road, Cupertino, CA 95014; Case No. 14-486. December 6.


WSP. 2014. Phase I Environmental Site Assessment, Vallco Fashion Mall, 10123 North Wolfe Road, Cupertino, California. January 7.

WSP. 2016. Updated Information to the January 7, 2014 Phase I Environmental Site Assessment, Vallco Fashion Mall in Cupertino, California. January 11.


FIGURES









EXCAVATION CROSS SECTIONS FOR MALL REDEVELOPMENT







APPENDIX

A SITE CHARACTERIZATION REPORT



SITE CHARACTERIZATION REPORT

FORMER VALLCO SHOPPING MALL 10123 NORTH WOLFE ROAD, CUPERTINO, CALIFORNIA

VALLCO PROPERTY OWNER LLC 965 PAGE MILL ROAD PALO ALTO, CALIFORNIA 94304

APRIL 2019 REVISED AUGUST 2019

WSP USA, Inc. 2025 Gateway Place Suite 348 San Jose, CA 95110 Tel: +1 408 453-6100 WSP.com

WSP CERTIFICATION

WSP certifies that this document was prepared in general accordance with ASTM E1903-11: Standard Practice for Environmental Site Assessments: Phase II Environmental Site Assessment Process (the "Practice") in that the User of this Report, Vallco Property Owner LLC (Vallco), and WSP defined the scope and objectives of the investigations documented herein in light of relevant factors, including "without limitation the substances released or possibly released at the property, the nature of the concerns presented by their presence or likely presence, the portion of the property to be investigated, the information already available, the degree of confidence needed or desired in the results, the degree of investigatory sampling and chemical testing needed to achieve such confidence, and any applicable time and resource constraints." Further, the objectives of the User were essentially those defined in Sections 1.2.1 through 1.2.4. in the Practice (Objectives 1 through Objective 4). Generally, the Significance and Use of the Practice involved a Scope of Work directed at evaluating environmental conditions at the Site to determine if conditions are consistent with the planned mixed commercial/residential use of the Site (Sections 4 and 5 of the Practice). In planning and carrying out the investigations, interpreting the results, and preparing this Site Characterization Report, WSP generally followed Sections 6, 7, 8, and 9 of the Practice and the Example Table of Contents for Phase II ESA Report—Option B Format.

Richard E. Freudenberger Executive Vice President

Ruhard & Freudenberg

Allen J. Waldman, P.G. Technical Manager

Expires 10/2019
No. 6323



TABLE OF CONTENTS

| EXECUTIVE SUMMARY1 | | | | | | |
|--------------------|--|----|--|--|--|--|
| 1 | INTRODUCTION | 5 | | | | |
| 1.1 | Purpose | 5 | | | | |
| 2 | BACKGROUND | 6 | | | | |
| 2.1 | Site Description and Previous Use | 6 | | | | |
| 2.2 | Geology and Hydrology | 6 | | | | |
| 2.3 | Site Use History | 7 | | | | |
| 2.3.1 | Former Sears Automotive Center | 7 | | | | |
| 2.3.2 | Historical Agricultural Use | 8 | | | | |
| 2.3.3 | Former J.C. Penney Automotive Center | 8 | | | | |
| 2.3.4 | Vallco Mall – East and West Buildings | 9 | | | | |
| 2.4 | Site Future Use | 9 | | | | |
| 2.5 | Planned Demolition | 10 | | | | |
| 3 | SITE ENVIRONMENTAL INVESTIGATIONS | 11 | | | | |
| 3.1 | Site Soil Investigations | 11 | | | | |
| 3.1.1 | 2016 GeoSphere Investigation | 11 | | | | |
| 3.1.2 | 2018 WSP Investigation | 11 | | | | |
| 3.1.3 | 2019 WSP Supplemental Investigation | 13 | | | | |
| 3.2 | Evaluation of Soil Investigation Results | 13 | | | | |
| 3.3 | Sears Automotive Center Investigation | 15 | | | | |
| 3.4 | Vapor Encroachment Screen | 16 | | | | |
| 4 | ANALYSIS AND CONCLUSIONS | 19 | | | | |
| 4.1 | Soil Analytical Results | 19 | | | | |
| 4.2 | Remaining Environmental Items | 20 | | | | |



| ACRONYM | S23 |
|----------|--|
| REFERENC | CES24 |
| FIGURES | |
| FIGURE 1 | BORING LOCATIONS |
| FIGURE 2 | SEARS AUTOMOTIVE CENTER-DETAIL OF BORINGS |
| FIGURE 3 | J.C. PENNEY AUTOMOTIVE MAINTENECE AREA-DETAIL OF FORMER TANKS/MONITORING WELLS |
| FIGURE 4 | EXCAVATION CROSS SECTIONS FOR MALL REDEVELOPMENT |
| FIGURE 5 | SHORING AND MASS EXCAVATION PLAN |
| FIGURE 6 | DEMOLITION PHASING |
| TABLES | |
| TABLE 1 | SUMMARY OF SOIL SAMPLES |
| TABLE 2 | SUMMARY OF SOIL METAL CONCENTRATIONS |
| TABLE 3 | SUMMARY OF SOIL TPH CONCENTRATIONS |
| TABLE 4 | SUMMARY OF SOIL SVOC & PAH CONCENTRATIONS |
| TABLE 5 | SUMMARY OF SOIL PESTICIDE CONCENTRATIONS |
| TABLE 6 | SUMMARY OF SOIL HERBICIDE CONCENTRATIONS |
| | |

APPENDICES

APPENDIX A SEARS CLOSURE REPORT
APPENDIX B J.C. PENNEY CLOSURE REPORT



APPENDIX C **GEOSPHERE REPORT** APPENDIX D ENTHALPY ANALYTICAL REPORT - 2018 SOIL **SAMPLING** MCCAMPBELL ANALYTICAL REPORTS APPENDIX E APPENDIX F **GPR SURVEY REPORT** APPENDIX G ENTHALPY ANALYTICAL REPORT - PIPE **SAMPLES** APPENDIX H SEARS AUTOMOTIVE CENTER CLOSURE CLOSURE LETTER REPORT-WEST SIDE OF APPENDIX I MALL APPENDIX J VAPOR ENCROACHMENT SCREEN

EXECUTIVE SUMMARY

On behalf of Vallco Property Owner LLC (Vallco), WSP has prepared this Site Characterization Report (Report) for the former Vallco Shopping Mall property located at 10123 North Wolfe Road in Cupertino, California (Site). This Report evaluates environmental conditions at the Site to determine if conditions are consistent with the planned mixed commercial/residential use of the Site.

In summary, based on the existing data for the Site, and subject to Vallco's compliance with County-approved closure plans during site demolition (discussed below), environmental conditions at the Site are fully consistent with the planned commercial/residential reuse of the Site and no areas of concern were identified that would warrant further investigation or remedial action.

All soil data collected during this investigation were compared to three regulatory agency screening levels:

- Department of Toxic Substances Control (DTSC) Modified Screening Levels for residential soil (April 2019)
- Environmental Screening Levels (ESLs) for residential human health risks as established by the San Francisco Regional Water Quality Control Board (RWQCB) January 2019
- EPA Residential Screening Levels (for those constituents which lack DTSC Modified Screening Levels) residential screening levels (RSLs) (April 2019)

When making these comparisons, the most conservative screening level among the three references above was used. Thus, these comparisons are noted within this Report as being made to "collective screening levels" (CSLs). There are a few other specific comparisons to regulatory screening levels or standards noted in the text as appropriate.

Previously Identified Environmental Conditions:

The primary areas on the Site that were previously identified in the Phase I Environmental Site Assessment (ESA) reports to contain Recognized Environmental Conditions (RECs) or potential environmental concerns are the following:

- Former Sears Automotive Center:
 - REC 1 The potential that a 1,000-gallon waste oil underground storage tank (UST) may be present on the west side of the Sears Center building.
 - REC 2 The presence of an oil-water separator and acid neutralization chamber on the east side of the Sears Center building.
 - REC 3 Vehicle lift components remain in the ground within the northern portions of the Sears Center.
 - REC 4 In 1986, Sears arranged for the removal of a 500-gallon UST, but no details regarding this UST were identified.
- Historical Agricultural Use:

REC 5 - There is a potential that residual pesticides from agricultural practices could remain in Site soil. If present, this soil may require appropriate management.

REC 6 - Soil adjacent to historical farmhouse buildings may have been impacted with lead-containing paint or pesticides. There is a potential that residual lead and pesticide concentrations could remain in On-Site soil near these structures.

- *Former J.C. Penney Automotive Facility*: The four historical groundwater monitoring wells are no longer in use and will need to be properly destroyed.
- <u>East and West Mall Buildings:</u> The Mall contained elevators, emergency generators, mechanical equipment, trash compactors, maintenance storage areas, and chemical storage areas consistent with typical Mall operations.

Resolution of RECs 1, 4, 5 and 6:

To address RECs 1,4,5 and 6 noted above, three phases of soil investigation (2016, 2018, and 2019), a ground penetrating radar (GPR) survey, and a test pit investigation were performed (2019). A total of 87 soil samples were analyzed from 29 borings taken at various depths across the Site. No metals (except cobalt and arsenic), total petroleum hydrocarbons (TPH), semi-volatile organic compounds (SVOCs), polycyclic aromatic hydrocarbons (PAHs), or herbicides and pesticides (except dieldrin) were detected in any of the samples at concentrations that exceeded the CSLs. For dieldrin, the 95% upper confidence level of the mean dieldrin concentration was below the CSLs. The detection of cobalt at the concentration of the CSL is isolated to only one sample of the 102 collected, indicating there is no evidence to suggest the widespread presence of cobalt at the Site above applicable screening levels. Arsenic was found to exceed CSLs in many samples. However, none of the arsenic concentrations in soil samples collected during the investigation of the Site exceeded the regional background level of 11 mg/kg for arsenic as determined by the RWQCB (Duvergé, December 2011)

A total of 32 samples collected from eight borings were analyzed for polychlorinated biphenyls (PCBs). Of the 32 samples, only two samples contained PCBs, and only one (E5-1), at 0.523 mg/kg, above the CSL for PCBs of 0.23 mg/kg. The PCB concentration in sample E5-1, however, is less than the most conservative High Occupancy Cleanup Level of 1,000 μ g/kg established in the Toxic Substances Control Act (TSCA; 40 CFR 761.61). Since 30 of 32 samples collected did not contain detectable levels of PCBs and only one sample exceeded the CSL, there is no evidence to suggest the widespread presence of PCBs at the Site. The noted lone detection of PCBs above the CSL has been identified and that area, along with the surrounding area, will be segregated, further characterized, and removed during redevelopment excavation activities. Details of the approach for the elevated PCB area are included in the environmental site management plan (ESMP) and described within Section 4.1 of this Report.

Overall, other than the single PCB detection, and detections of cobalt, dieldrin, and arsenic as described and addressed above, the data do not indicate any significant impacts to soil at the Site. More specifically, Site soils are not impacted by pesticides, arsenic, or lead from past agricultural operations at the Site, thereby addressing RECs 5 and 6.

To address the possibility that any USTs remain onsite, as noted in RECs 1 and 4, WSP performed a geophysical GPR survey on January 25, 2019 at and around the Sears Center. The survey showed no evidence of any underground tanks on the west or east sides of the Sears automotive building. Additionally, test pits were advanced on March 25, 2019 around a concrete box that was suspected to be an access port to a former UST without closure documentation. No UST was found. Together, the

geophysical survey and test pits confirm that no USTs remain in the Sears Center and resolve RECs 1 and 4.

Resolution of RECs 2 and 3, and Remaining Potential Environmental Concerns:

The remaining potential environmental concerns, including RECs 2 and 3, are most efficiently addressed as part of the demolition of existing structures and redevelopment activities and will be addressed at that time. Each is discussed below and will be specifically addressed during the referenced demolition and development activities.

SCCFD Closure Plans

The Santa Clara County Fire Department (SCCFD) requires implementation of an approved closure plan for the Sears Automotive Center and J.C. Penney Automotive Facility. A closure plan for the Sears Automotive Center was submitted to the SCCFD on March 25, 2019 and approved on April 11, 2019. The approved closure plan specifically address RECs 2 and 3, relating to the remaining presence of an oil-water separator, acid neutralization chamber, hydraulic lifts, and associated piping. The approved closure plan likewise addresses any risks associated with residual building materials, including the battery storage area.

A closure plan for the Western portion of the mall was approved and implemented in November-December, 2018. The closure activities addressed, among other things, removal of one of the three generators within the mall and decommissioning of all the elevators in the West side of the mall. With respect to the hydraulic fluids within the former elevators. KONE Inc., the elevator manufacturer issued a letter dated June 20, 2019 that states that KONE has not used hydraulic fluids within their elevators that contain volatile organic compounds (VOCs) or polychlorinated biphenyls (PCBs). The SCCFD approved a Closure Letter report by their letter dated December 12, 2018.

In addition to the closure plans for the two previous automotive centers, the two remaining emergency generators and the remaining elevators located in the Eastern portion of the Mall will be closed under a closure plan prepared for and approved by the SCCFD, resolving these potential environmental concerns.

Lastly, the planned development will require excavation of soil to depths of 20 to 30 feet below ground surface (ft-bgs) across most of the Site. If any residual stained soil or potential contamination is identified during demolition and redevelopment, such soil will be excavated and disposed of at a permitted, off-site disposal facility.

- Abandonment of Groundwater Monitoring Wells
 - The four groundwater monitoring wells located on the J.C. Penney premises will be located and abandoned under a permit from the Santa Clara Valley Water District (SCVWD).
- Building Demolition

Before conducting any renovation or demolition activities that might disturb potential asbestos, light fixtures, or painted surfaces, Vallco will ensure that it complies with all requirements for management and abatement of asbestos-containing materials, proper handling and disposal of fluorescent and mercury vapor light fixtures, building materials containing PCBs, and with all applicable requirements regarding lead-based paint.

1 INTRODUCTION

On behalf of Vallco, WSP has prepared this Site Characterization Report for the former Vallco Shopping Mall property located at 10123 North Wolfe Road in Cupertino, California (Site). This Report evaluates environmental conditions at the Site to determine if conditions are consistent with the planned mixed commercial/residential use of the Site.

1.1 PURPOSE

This Report evaluates environmental conditions at the Site to determine if conditions are consistent with the planned mixed commercial/residential use of the Site. The Report considers and specifically addresses each of the RECs identified in prior Phase I Environmental Site Assessments (Phase I ESAs) prepared for the Site, including the Phase I ESA prepared by WSP in 2014 and updated in 2016 (WSP 2014 and 2016, respectively), and the Phase I ESA prepared by Cornerstone Earth Group in 2018 (Cornerstone, 2018), and presents data obtained by WSP during soil and related investigations performed in 2018 and 2019.

The Report includes the following:

- A description of the site use history and planned development,
- Presentation and evaluation of results from soil investigations conducted by Geosphere Consultants, Inc. (Geosphere) (2016) and WSP (2018 and 2019), and
- Analyses of existing data, including recent testing performed by WSP, to address the RECs and potential open issues identified in the existing Phase I ESAs.

2 BACKGROUND

2.1 SITE DESCRIPTION AND PREVIOUS USE

The Site is located at 10123 North Wolfe Road in Cupertino, California (Figure 1). The Site is owned by Vallco and is approximately 50 acres that is occupied by the mostly vacant Vallco Shopping Mall (the Mall). The Mall consists of one irregularly shaped two-story, steel- framed building (connected by bridge across Wolfe Road) and two small detached buildings. The two-story building is part of the enclosed former shopping Mall with 1,115,000 square feet of floor space that was constructed between 1974 and 1979 and renovated in 1988 and 2006. The Mall had approximately 110 tenant spaces and was anchored by Macy's, Sears, and J.C. Penney. The two detached buildings included in the Mall were located north and northeast of the shopping mall at 10343 North Wolfe Road, Cupertino, California (formerly TGI Fridays) and 10330 North Wolfe Road, Cupertino, California (formerly Alexander's Steakhouse). There were former underground storage tanks at the Sears Automotive Center and J.C. Penney's (Figure 2 and Figure 3, respectively), which were removed under regulatory oversight in 1994 and 1999, respectively.

A public ice rink and cooling tower are in the northeastern portion of the Mall. Two three-level covered parking garages were located on the north and west sides of the Mall, respectively. A separate parking garage is located north of the former Macy's store. Outdoor asphalt-paved parking areas were located on the west, south, and east, adjacent to Sears, on the north and on the south side of J.C. Penney, on the north side of TGI Fridays, and on the north side of Alexander's Steakhouse (Figure 1). Today the Mall is mostly vacant, although existing tenants remain, including the ice rink, a bowling alley, a restaurant and a fitness facility.

The area surrounding the Site is residential and commercial. Prior to construction of the Mall, the Site contained orchards since at least 1939. Based on review of historical aerial photographs, the southeastern portion of the Site included buildings that appear to have been associated with the former agricultural activities (Figure 1). The Site was used as a retail shopping mall since at least 1979.

2.2 GEOLOGY AND HYDROLOGY

The Site is located in the Santa Clara Valley, and is underlain by unconsolidated alluvial sediments, consisting of fine-grained (low permeability) deposits interbedded with coarse-grained (higher permeability) sediments. Soils encountered during WSP's soil investigation in October 2018 consist predominately of clays followed by silty sands or poor and well graded sands. Fill material appeared as lean clays and extended between five to ten ft-bgs and in some locations, as deep as 20 ft-bgs.

Based on information available in the California Geotracker database, a nearby site (TOSCO Global ID: TO608575840) measured groundwater ranging historically from 70.86 ft-bgs (May 2006) to 90.70 ft-bgs (December 2008) with a general groundwater flow direction of northeast. Cornerstone's Phase I ESA Report (Cornerstone, 2018) identifies this groundwater zone as being perched and found only intermittently across the Site between depths of 80 and 95 ft-bgs. Groundwater elevations measured from previous on-site groundwater monitoring wells located at the former J.C. Penney automotive repair facility ranged from 120 to 140 ft-bgs between 1990 and 1993.

2.3 SITE USE HISTORY

WSP performed a Phase I ESA of the Site, documented in a Report dated January 7, 2014 and updated in a letter report dated January 11, 2016, that summarizes the historical uses of the property. Historical uses that may have impacted soil or groundwater beneath the Site are summarized in sections 3.3.1 through 3.3.4 below. Additionally, sections 3.3.1 through 3.3.3 include the RECs identified in Cornerstone's Phase I ESA Report (Cornerstone, 2018). In addition to the identified RECs, Cornerstone and WSP identified several potential environmental concerns that WSP also addresses in this Report.

2.3.1 FORMER SEARS AUTOMOTIVE CENTER

A Sears Automotive Center was constructed at the property in 1970 on the southwest side of the Mall property and was referenced as a Leaking Underground Storage Tank (LUST) site on the state Geotracker website. Existing documentation contained in the Geotracker website shows the removal of two 12,000-gallon and two 5,000-gallon gasoline USTs, one 550- gallon UST, and one 550 UST and product dispensers from the Sears Automotive Center site in 1985. Dispenser islands and product lines were removed from the site in 1994. Seven borings were installed and sampling was conducted in soil and groundwater in 1999 to assess hydrocarbon concentrations at the site. Groundwater was not encountered in any of the borings to a depth of 44 ft-bgs. Concentrations of ethylbenzene, total xylenes, and lead were reported below regulatory action levels and the Santa Clara Valley Water District (SCVWD) granted case closure for the site on December 6, 1999. The SCVWD concluded that residual contamination in the subsurface from the former USTs is minimal. SCVWD's closure report is included in Appendix A.

Cornerstone's Phase I ESA identified four RECs in association with the former Sears Automotive Center, including two relating to the former USTs.

- REC 1 Documents reviewed during Cornerstone's study, as well as their observations at the Site, indicate that a 1,000-gallon waste oil UST may be present on the west side of the Sears Automotive Center building. No documents pertaining to the removal of the UST or the evaluation of soil quality at the UST location were identified. There is a potential that this UST, if present, may have impacted soil, soil vapor and/or ground water at the Site.
- REC 2 An oil-water separator (connected to floor drains within the building) and an acid neutralization chamber (connected to drains within a former battery storage room and located outside the southeast corner of the building) were identified during their study on the east side of the Sears Automotive Center building (Figure 2). There is a potential that these features may have impacted soil, soil vapor and/ or ground water at the Site.
- REC 3 Vehicle lift components (e.g., outer lift cylinder casings and possibly associated hydraulic fluid piping and reservoirs) remain within the northern portions of the Sears Automotive Center that is not underlain by the basement. There is a potential that these features may have impacted soil and/or ground water at the Site.
- REC 4 In 1986, Sears, Roebuck and Company established a contract with K.E. Curtis
 Construction Company for the removal of a 500-gallon UST. No details regarding the contents
 or location of the UST were described in the contract, and no other records pertaining to a UST

- removal at Sears in 1986, or later, were identified. There is a potential that this unidentified UST may have impacted soil, soil vapor, and/or ground water at the Site.
- Details concerning measures to address these RECs are contained in Sections 4.2, 4.3, 5.1, and 5.2 of this report.

2.3.2 HISTORICAL AGRICULTURAL USE

Based on a review of historical aerial photographs, the area surrounding the Site was developed with orchards, agricultural land, and farmhouses before construction of the initial Mall buildings in 1974-1979.

Cornerstone identified two RECs associated with the past agricultural use of the Site.

- REC 5 There is a potential that residual pesticides from agricultural practices could remain in Site soil. If present, this soil may require appropriate management.
- REC 6 Soil adjacent to structures that may have been painted with lead-containing paint (i.e. historic farmhouse buildings) can become impacted with lead as a result of the weathering and/or peeling of painted surfaces. Soil near wood framed structures also can be impacted by pesticides historically used to control termites. There is a potential that residual lead and pesticide concentrations could remain in On-Site soil resulting from the prior residence and outbuildings previously located on the southeast portion of the Site.

Details concerning measures to address RECs 5 and 6 are contained within Section 5.1 of this report.

2.3.3 FORMER J.C. PENNEY AUTOMOTIVE CENTER

J.C. Penney operated an automotive maintenance facility from the Mall's construction circa 1974 until 1985. J.C. Penney, located on the east side of the Mall property, was referenced as a LUST site in the Cornerstone Phase I report. Two USTs, one 350-gallon diesel tank and one 350-gallon waste oil tank, were removed from the site on November 15, 1989. Three hundred and three tons of contaminated soil were removed from the UST excavations. A 750-gallon waste oil/water sump was closed in-place on January 21, 1994. Soil samples were collected beneath the oil/water sump prior to the closure; no contaminants of concern (COCs) were detected. Groundwater monitoring results collected from four monitoring wells installed on the J.C. Penney site indicated that there were no detectable levels of target chemical constituents in groundwater. The site was granted case closure on September 1, 1994 by the SCVWD; a copy of the closure report is included as Appendix B.

Cornerstone identified REC 3 (vehicle lift components remaining in ground) as also applying to the J.C. Penney Automotive facility. Cornerstone identified one additional environmental concern associated with the J.C. Penney facility:

• Four historic groundwater monitoring wells will need to be properly destroyed as they are no longer in use. The Cornerstone Report anticipated that this will likely occur as part of the

demolition/redevelopment activities. The location of the groundwater monitoring wells is detailed in Figure 3.

Details concerning measures to address each of these concerns are contained in Section 5.2 of this report.

2.3.4 VALLCO MALL - EAST AND WEST BUILDINGS

The Vallco Mall is two stories and contains 110 retail spaces that were used for a variety of purposes from retail and recreation (ice-skating) to restaurants. As such, the Mall contained elevators, emergency generators, mechanical equipment, trash compactors, maintenance storage areas, and chemical storage area in association with typical Mall operations.

Cornerstone and WSP each identified the following environmental concerns in association with the planned demolition of the existing Mall structures.

- Prior to the demolition of the twenty elevators located across the Site, a closure plan will need to be submitted and approved by the Santa Clara County Fire Department (SCCFD).
- Three emergency generators were identified at the Site. The generators will need to be removed in accordance with the approved closure plan before demolition activities occur.
- Due to the age of the Mall buildings, there is a potential that building materials may contain
 asbestos, lead based paint, PCBs, and fluorescent or mercury vapor light fixtures. Before
 conducting any renovation or demolition activities that might disturb potential asbestos, light
 fixtures, or painted surfaces, management and abatement of asbestos-containing materials,
 proper handling and disposal of fluorescent and mercury vapor light fixtures, PCB-containing
 building materials, and compliance with all applicable requirements regarding lead-based paint.

These concerns are addressed in Section 5.2 of this report.

2.4 SITE FUTURE USE

The Site is anticipated to be used for commercial and residential buildings, subsurface and surface parking areas, and landscaping. In September 2018, the City of Cupertino approved a project for the Site that proposes 2,402 residential units, up to 485,912 square feet of retail/entertainment uses, and 1,981,447 square feet of office uses. Approximately 10,500 parking spaces will be provided in both above-and below ground structures. The plan includes two publicly accessible town squares and a connected green roof.

Relevant to this investigation, planned development includes extensive subsurface parking that will require excavation of soil to a depth of 20 to 30 ft-bgs across much of the Site (Figures 4 and 5). As discussed in Section 3.2 above, the depth to groundwater is approximately 80 to 90 ft-bgs; therefore, groundwater will not be encountered during the Site redevelopment activities.

2.5 PLANNED DEMOLITION

Pre-redevelopment activities will include the demolition of the Mall building structures, including foundations and associated subsurface utilities, and all associated parking garages/structures. The Site demolition will occur in phases, as documented in Figure 6.

3 SITE ENVIRONMENTAL INVESTIGATIONS

3.1 SITE SOIL INVESTIGATIONS

In addition to the investigations and Site data associated with the regulatory closure of the two former automotive facilities (Appendices A and B), three phases of soil investigations were conducted to assess environmental site conditions in connection with the planned development. Table 1 provides a summary of the sampling locations, rationale, and analyses performed.

3.1.1 2016 GEOSPHERE INVESTIGATION

In September 2016, Vallco retained Geosphere to conduct a subsurface investigation to collect various discrete soil samples at the Site as part of an accompanying geotechnical investigation. Geosphere drilled a total of eight borings using a mobile direct push GeoProbe® DT-22. Specifically, boring E-1 went to a maximum depth of 50 feet, E-2 to a depth of 45 feet, E-3 to a depth of 35 feet, and E-4 through E-8 to a depth of 20 feet each. The soil was continuously sampled in five foot intervals, with discrete samples being collected at depths of 1', 5', 10', 15', 20', 30', 40', and 50', where applicable (Table 1). Sample nomenclature was marked as boring identification (E1 through E8) followed a depth designation (1 through 8), the depth designation of 1 corresponded to 1 ft-bgs, the depth designation of 2 corresponded to 5 ft-bgs, etc. Samples were collected for volatile organic compounds (VOCs) by EPA method 8260B; semi-volatile organic compounds (SVOCs) by EPA method 8270D; polycyclic aromatic hydrocarbons (PAHs) by EPA method 8270D selected ion monitoring (SIM); total petroleum hydrocarbons (TPH) as gasoline (TPH-g), as diesel (TPH-d), and as motor oil (TPH-mo) by EPA Method 8015C; pesticides by EPA Method 8081; polychlorinated biphenyls (PCBs) by EPA method 8082A; title 22 metals; 2,3,7,8-tetrachlorodibenzodioxin (TCDD) by method 1613B; and asbestos by method 435. Following the completion of drilling, the boreholes were backfilled using grout and excess auger cuttings. The locations of the Geosphere borings are included on Figure 1 and results are presented in the attached Data Tables. The Geosphere report is included as Appendix C.

3.1.2 2018 WSP INVESTIGATION

In October 2018, Vallco retained WSP to conduct a further subsurface investigation at the Site to provide additional information concerning subsurface conditions across the entire Site. The investigation included the installation of 15 borings, each to a depth of 20 ft-bgs as, depicted on Figure 1. Seven borings were concentrated in the area of the Sears Automotive Center to determine if there were any residual effects from the former underground fuel and motor oil tanks and other previous operations at the Sears Center.

DRILLING PROCEDURES

A GeoProbe® 7822DT direct push drill rig run by an external generator or a GeoProbe® 7800 truck mounted direct push drill rig was used to advance each boring down to the targeted depth of 20 ft-bgs. Each drill rig was equipped with a 5-foot Macro Core® continuous core sampler with acetate sleeves, which created a 2.5-inch diameter hole. All drilling was conducted by Trinity Drilling, Inc. of Santa Cruz, California, a C-57 licensed driller.

The recovered soil core from each boring was visually logged by a WSP geologist using the Unified Soil Classification System (USCS). Soil cores were then initially screened for VOCs by a photoionization detector (PID) to determine if sample depths should be adjusted to intercept potential areas of contamination. Soil samples were then collected into laboratory-supplied containers and submitted to the lab for analysis. At the completion of each boring location, borings were backfilled with Portland type I/II cement.

DECONTAMINATION PROCEDURES

All subsurface drilling equipment was decontaminated before use at the Site. The drillers utilized wet techniques to decontaminate equipment. Disposable equipment intended for one-time use was not decontaminated, but was packaged for appropriate disposal.

The sampling rod went through a wet decontamination between each boring location and between each boring run advancement. The shoe of the sampling rod went through a wet decontamination after each run and between boring locations. A wet decontamination was completed by scrubbing the equipment in a non-phosphate detergent followed by two separate tap-water rinses.

INVESTIGATION DERIVED WASTE

All soil cuttings and decontamination and rinse water were contained in separate Department of Transportation authorized drums. The drums were temporarily placed in a secure area on-site. The waste was disposed of in accordance with applicable local, state, and federal regulations.

SOIL SAMPLE COLLECTION AND ANALYSIS

During soil boring advancement, soil samples were collected from five depths of approximately 1, 5, 10, 15, and, 20 ft-bgs as shown in Table 1. The final soil sample collection depths varied slightly based on PID detections during initial screening.

Soil samples were analyzed by Enthalpy Analytical (Enthalpy) of Berkley, California excluding herbicides, whose analysis was subcontracted to Eurofins of Garden Grove, California. Enthalpy and Eurofins are California ELAP certified laboratories. Samples were collected for Title 22 metals by EPA Method 6010B; TPH-g, TPH-d, and TPH-mo by EPA Method 8015M; SVOCs and PAHs by EPA Method 8270; herbicides by EPA Method 8151; and pesticides by EPA Method 8081. All soil sample locations and depths were analyzed for Title 22 metals and TPH-g, -d, and -mo.

Soil samples collected at depths of approximately 1 and 5 ft-bgs were additionally analyzed for SVOCs, PAHs, herbicides, and pesticides at all locations. Additional soil samples collected for SVOCs, PAHs, herbicides, and pesticides at approximate depths of 10, 15, and 20 ft-bgs, were submitted to the laboratory and placed on hold for analysis pending results of the shallower soil samples. All soil samples were collected into laboratory supplied, unpreserved 16 ounces (oz.) or 4 oz. clear jars.

All soil samples collected during the investigation were classified in the field according to the USCS. To aid in the estimation of the percentages of sand and fine-grained material (i.e. silt size and clay-sizes particles) in the soil, the geologists sieved the samples through a #200 mesh field sieve which retains the sand-size material and allows the fine-grained particles to pass.

QUALITY CONTROL METHODOLOGY

An equipment blank was collected once during the soil sampling event for quality control (QC) purposes (EB-1). The equipment blank was prepared by pouring store-bought distilled water on and through the shoe of the sampling rod and into sample containers for SVOC and TPH-g, -d, and -mo analysis. No compounds were detected at concentrations greater than laboratory reporting limits in the equipment blank.

A QC report was additionally provided by the laboratory that includes method blank summaries, blank spike and surrogate recovery summaries, laboratory control sample/laboratory control sample duplicate summaries, and matrix spike/matrix spike duplicate (MS/MSD) summaries. The analytical reports for soil samples are provided in Appendix D.

3.1.3 2019 WSP SUPPLEMENTAL INVESTIGATION

On January 10, 2019, WSP collected additional soil samples from seven boring locations on the south side of the Mall property, east of the former Sears Center (Figure 1), to address the potential for lead, pesticide, or arsenic contamination around former farmhouse buildings. Samples were collected by hand auger at the following depths, 0.5, 1, 2, and 3 ft-bgs (Table 1). All samples were analyzed for pesticides (by EPA Method 8081A), and lead and arsenic (by EPA Method 6020). All re-usable sampling equipment (i.e. hand auger) was decontaminated prior to use at the Site and between boring locations. Soil samples were collected directly into laboratory-supplied clear jar containers and submitted under chain of custody procedures to McCampbell Analytical Inc. of Pittsburg, California, a commercial analytical laboratory certified by the State of California Department of Health Services. A QC report was provided by the laboratory that includes method blank summaries, blank spike and surrogate recovery summaries, laboratory control sample/laboratory control sample duplicate summaries, and matrix spike/matrix spike duplicate (MS/MSD) summaries. The analytical report for this supplementary soil sampling is provided in Appendix E.

3.2 EVALUATION OF SOIL INVESTIGATION RESULTS

The results for Metals, TPH, SVOCs, PCBs, Herbicides, and Pesticides from both the Geosphere investigation (samples are prefixed by E1 to E8 followed by designation (1 to 8) as to depth of sample collection) and the WSP investigations (prefixed by S-1 to S-8, W1-to W-6 and E-2 followed by a designation noting the sample depth) are included the Data Tables.

All analytical soil results during this investigation were compared to three regulatory agency residential screening levels:

 Department of Toxic Substances Control (DTSC) Modified Screening Levels for residential soil (April 2019)

- Environmental Screening Levels (ESLs) for residential human health risks as established by the San Francisco Regional Water Quality Control Board (RWQCB) January 2019
- EPA Residential Screening Levels (for those constituents which lack DTSC Modified Screening Levels) residential screening levels (RSLs) (April 2019)

When making these comparisons, the most conservative screening level among the three references above was used. Thus, these comparisons are noted within this Report as being made to "collective screening levels" (CSLs). There are a few other specific comparisons to regulatory screening levels or standards noted in the text as appropriate.

No metal (excluding cobalt and arsenic), TPH, SVOC, PAH, or herbicides were detected in any of the samples at concentrations that exceeded their respective CSLs. Arsenic was found to exceed CSLs in many samples. However, regulatory agencies do not require remediation of compounds that are below naturally-occurring background levels. Concentrations of naturally occurring arsenic in California may often be far above the CSLs. None of the arsenic concentrations in soil samples collected during the investigation of the Site exceeded the regional background level of 11 mg/kg for arsenic as determined by the RWQCB (Duvergé, December 2011). In addition, no TPH, SVOC, PAH, herbicides, or pesticides were detected in any sample at concentrations that exceeded the RWQCB gross contamination levels or residential odor nuisance levels. Additionally, results from samples collected for asbestos, and 2,3,7,8-TCDD by Geosphere were all below laboratory reporting limits. Geosphere also analyzed samples for VOCs, of which only 2- Butanone (MEK) and methylene chloride were detected above laboratory reporting limits. Concentrations of methylene chloride did not exceed the CSL.

A total of 32 samples collected by Geosphere (8 borings) were analyzed for PCBs. Two samples contained detections of PCBs (both Aroclor 1254): E5-1 (0.523 mg/kg) and E8-1 (0.0256 mg/kg). The results of those samples were then compared to the CSLs for residential human health risks. Only the E5-1 sample collected at one foot bgs at 0.523 mg/kg exceeded the CSL of 0.23 mg/kg. PCBs were not detected in the samples collected in the E-5 boring at five feet bgs (E5-2) and 10 feet bgs (E5-3). The PCB concentration in sample E5-1 is less than the most conservative High Occupancy Cleanup Level of 1,000 µg/kg established in the Toxic Substances Control Act (TSCA; 40 CFR 761.61). The High Occupancy Cleanup Level is consistent with residential and commercial land use. Thus, under TSCA, PCB concentrations detected at the site are below the TSCA health-protective value of 1,000 µg/kg and further assessment of PCBs would not be required. In addition, since PCBs were not detected in 30 of 32 samples collected, there is no evidence to suggest the widespread presence of PCBs at the Site.

Even though the detection of PCBs at boring E-5 is less than the TSCA cleanup level, the detection location and surrounding area will be segregated, further characterized, and properly disposed of during redevelopment excavation activities and confirmation sampling will be performed to ensure complete

_

¹ High occupancy area means any area where PCB remediation waste has been disposed of on-site and where occupancy for any individual not wearing dermal and respiratory protection for a calendar year is: 840 hours or more (an average of 16.8 hours or more per week) for non-porous surfaces and 335 hours or more (an average of 6.7 hours or more per week) for bulk PCB remediation waste. Examples could include a residence, school, day care center, sleeping quarters, a single or multiple occupancy 40 hours per week work station, a school class room, a cafeteria in an industrial facility, a control room, and a work station at an assembly line (40 CFR 761.3).

removal of the PCB detection area. Details of this approach to the PCBs are included in the ESMP and described within Section 4.1 of this Report.

A total of 60 samples were analyzed for pesticides from 32 samples collected by Geosphere (8 borings) and 28 samples collected by WSP (21 borings) at various depths across the Site. The results of those samples were then compared to CSLs for human health risks. Two of the 60 samples analyzed for pesticides contained dieldrin that exceeded the CSLs. There is no evidence to suggest the widespread presence of dieldrin at the Site above applicable CSLs. A 95% upper confidence level of the mean (95% UCL) dieldrin concentration was calculated using EPA's ProUCL Version 5.1. The 95% UCL for dieldrin of $2.1 \,\mu\text{g/kg}$ is well below the CSLs.

Cobalt was detected in one out of the 102 samples analyzed for the compound at a concentration of 23 mg/kg, which is the same concentration as the CSL. The Kearney Foundation of Soil Science reported in 1996 (Kearny, 1996) that soil samples collected in northern California frequently contain higher concentrations of cobalt which they attributed to ultramafic and volcanic rocks found in the area. The detection of cobalt at the concentration of the CSL is isolated to only one sample of the 102 collected indicating there is no evidence to suggest the widespread presence of cobalt at the Site above applicable CSLs.

Given that no analytes exceeded CSLs other than PCBs, dieldrin, cobalt, and arsenic, each of which is described and addressed above, WSP finds that historical agricultural operations at the Site did not impact soils with pesticide, arsenic, or lead contamination as identified in RECs 5 and 6.

3.3 SEARS AUTOMOTIVE CENTER INVESTIGATION

To address the possibility that any USTs remain onsite, as noted in RECs 1 and 4, WSP performed a geophysical GPR survey on January 25, 2019 around the former Sears Center. The survey consisted of a metal sweep performed with a Fisher TW-6 MiScope to determine the presence of any metal pipes leading to or from the suspected area of the former tanks and a GPR scan performed with a MALA easy locator to determine if there were any indications of an underground storage tank present beneath the ground surface. The survey showed no evidence of any underground tanks on the west or east sides of the Sears automotive building. The survey report is included as Appendix F.

In addition to the GPR survey, during WSP's 2018 soil investigation, one boring (S-6-R) was positioned directly adjacent to a concrete box suspected to be an access port to the suspect 1,000-gallon (or 500 gallon) UST(s). The drill rig was only able to advance to approximately 11 ft-bgs, where refusal occurred. The boring consisted mostly of pea gravel, a common backfill material. The drillers suspected that refusal was due to presence of concrete. It is noted in Blaine Tech Services (BTS) sampling report during tank removal of the other USTs at the Sears Automotive Center (BTS, 1985) that the tanks were mounted on concrete anchoring slabs. There is no documentation that the concrete anchoring slabs were removed during UST removal and therefore were likely left in-place when the pits were backfilled, explaining the presence of concrete at 11 ft-bgs where refusal was met.

Although the GPR survey did not detect any tank features, at the request of Vallco, WSP excavated four test pits around a square concrete box that was suspected to be a potential access port for a UST. The concrete box was removed and the area and box were inspected. The concrete box was determined to be an abandoned storm drain inlet. The basis for this was primarily because a plastic pipe led from the box to an existing storm drain inlet approximately 1 foot northwest. The piping had concrete within it

leading to the conclusion that the storm drain was abandoned by backfilling with concrete. No odor or staining was noted and there were no signs of access ports to a UST.

Another test pit continued beneath the area of the concrete box. At approximately 3 feet below ground surface (ft-bgs) a metal pipe was encountered that aligned in an east- west direction. In order to determine the extent of the metal pipe, another test pit was dug approximately five feet west of the pit that first found the pipe, and this second pit encountered the end of the pipe. The end of the pipe was approximately 33 feet west of the Sears Automotive Building. The pipe end was clearly capped off. Based upon the Sears Automotive Center Case Closure report, prepared by the SCVWD (SVWD,1999), this pipe was determined to be the pipe that led to the former used motor oil tank on the west side of the Sears Automotive building.

To ensure no UST was buried in place near the end of the capped pipe, additional test pits were placed approximately 5 feet north and 5 feet south of the pipe end. No UST or additional piping was observed. During the soil disturbance activities, no odor or staining was noted. All of the above data confirms that the suspect UST is no longer present at the Site, thereby addressing RECs 1 and 4.

Two soil samples were collected under the observed pipe, one beneath a section of the exposed pipe closest to the building and one beneath the pipe end cap. Samples were submitted to Enthalpy and were analyzed for TPH-mo by EPA method 8015B. TPH-mo was detected at 74 mg/kg in the sample collected beneath the pipe cap. TPH-mo was not detected in the other sample collected beneath the pipe. The detection of TPH-mo beneath the pipe cap is far below the CSL of 12,000 mg/kg and the gross contamination level of 5,100 mg/kg and is considered residual TPH-mo that may have resulted when the pipe was cut and capped. Sample results are contained in Appendix G.

3.4 VAPOR ENCROACHMENT SCREEN

The purpose of a Vapor Encroachment Screening Evaluation is to assess whether VOCs are present or are likely present in the vadose zone either on or near the site; if such vapors are present or likely to be present, further evaluation could be warranted to assess the potential for vapor intrusion. Using the Environmental Data Resources, Inc. (EDR) Vapor Encroachment Worksheet, WSP prepared a Vapor Encroachment Screen (VES) consistent with ASTM Standard E2600-15, Standard Guide for Vapor Encroachment Screening. A copy of the VES is included as Appendix J.

WSP identified sites from the EDR database search within the Vallco property and within a one-mile radius of the Vallco property address (10123 North Wolfe Road) southwest or upgradient of the Vallco property (groundwater flows to the northeast) that either 1) exhibited a release of petroleum products or VOCs, and/or contained USTs, or 2) engaged in a business that could potentially have released VOCs to the subsurface soils within or upgradient of the Vallco property. The VES identified the following sites under Standard Environmental Records that met these criteria:

 Former Sears Automotive Center within the Vallco property at 10101 Wolfe Road: As noted in this report, the site contained fuel and oil USTs as well as hydraulic lifts. (Note: The Bay Club Silicon Valley listing is a duplicate of the Sears Automotive Center; both are listed at the same address)

- Former J.C. Penney Automotive Center within the Vallco property at 10150 Wolfe Road: Also noted in this report, the former J.C. Penney operations included a diesel fuel UST and a waste oil UST.
- One Hour Martinizing by Lee (aka One Hour Cleaners by Lee) at 10045 E. Estates Drive (approximately 0.1 to 0.3 miles southwest (upgradient) of the Vallco property). This was a retail dry cleaners that used the VOC tetrachloroethene (PCE) for dry cleaning. There is no evidence in the EDR database to suggest a release of PCE occurred; the site is not listed on Geotracker. Based on the depth to groundwater (up to 40 feet below ground surface) and no evidence of a release from this location, it is considered highly unlikely that this site could be a potential source of soil vapors beneath the Vallco property.
- Wardrobe Custom Cleaners at 19705 Stevens Creek Boulevard (approximately 0.1 to 0.3 miles southwest (upgradient) of the Vallco property), This was a retail dry cleaners that used the VOC tetrachloroethene (PCE) for dry cleaning. There is no evidence in the EDR database to suggest a release of PCE occurred; the site is not listed on Geotracker Based on the depth to groundwater (up to 40 feet below ground surface) and no evidence of a release from this location, it is considered highly unlikely that this site could be a potential source of soil vapors beneath the Vallco property.

Considering the VES findings, further evaluation of the potential for vapor intrusion was performed, including a review of available data and the inclusion of measures to address any risk of vapor intrusion from the former operations noted above:

- O As noted above, the former Sears Automotive Center underwent closure under oversight by the SCVWD. Benzene and toluene were not detected and ethylbenzene, and total xylenes were reported below current regulatory action levels (RWQCB Tier 1 soil ESLs; January 2019) in soil samples collected from seven soil borings. The SCVWD concluded that residual contamination in the subsurface from the former USTs was minimal; SCVWD granted case closure for the site on December 6, 1999. Thus, no residual VOCs above current ESLs existed at the time of closure and the potential for vapor intrusion is highly unlikely.
- O As noted above, the former J.C. Penney Automotive Center also underwent closure under oversight by the SCVWD. Soil samples were collected beneath the oil/water sump prior to the closure; benzene, ethylbenzene, and xylenes concentrations were not detected and toluene was below current regulatory action levels (RWQCB Tier 1 soil ESLs; January 2019). Groundwater samples collected from four monitoring wells installed on the J.C. Penney site indicated that there were no detectable levels of target VOCs in groundwater at the time of closure. The site was granted case closure on September 1, 1994 by the SCVWD. Thus, no residual VOCs were present in soil or groundwater \above current ESLs at the time of closure and the potential for vapor intrusion is highly unlikely.
- O As an additional measure of protection, the ESMP includes a process to screen subsurface soils on a 25 ft by 25 ft grid for VOCs, and to further sample and characterize excavated soil, if warranted, during demolition and slab removal at the former Sears and J.C. Penney Automotive Centers. In addition, the closure plan for the former Sears Automotive Center includes targeted soil sampling for VOCs at the location of the oil-water separator, acid neutralization system, and associated piping. Similar sampling will be included, as appropriate, in the closure plan for the former J.C. Penney Automotive Center.

O To address any potential vapor intrusion from the two dry cleaners located offsite southwest across Stevens Creek Boulevard from the Vallco property and to the west of the Vallco property, the planned development includes subsurface parking that will result in the excavation of soil within the Vallco property along Stevens Creek to a depth of approximately 20 feet below ground surface. Thus, if any residual VOCs are present near the Vallco property, the development will be underlain by subgrade parking that will be on a separate ventilation system from the overlying occupied buildings, thereby mitigating the potential for vapor intrusion.

4 ANALYSIS AND CONCLUSIONS

4.1 SOIL ANALYTICAL RESULTS

As noted in Section 3.2, a single sample from Geosphere boring E-5 one foot below ground surface (sample E5-1) contained PCBs at 0.523 mg/kg, above the CSL of 0.23 mg/kg, and is considered a potential area of concern. WSP located boring E-5 from surface evidence and markings and recorded its location using GPS. During redevelopment excavation activities, the soil in area surrounding the sample E5-1 will be addressed separately from the mass excavation; soil surrounding and in the area of sample E5-1 will be addressed as described below.

Additional step-out sampling for PCBs will be performed in the area of boring E-5 where PCBs were detected in soil at a concentration exceeding the CSL This sampling will be performed prior to pavement removal or excavation in the area to ensure that appropriate health and safety measures (e.g., appropriately trained workers) and appropriate soil management protocols (e.g., decontamination and air monitoring as necessary based on PCBs concentrations) are performed during soil disturbing activities in the area of boring E-5.

An excavation workplan will be prepared following the sampling described above. The limits of excavation for removal of PCBs-impacted soil in the vicinity of boring E-5 as described above will be refined based on the findings from the additional PCBs sampling (e.g., the excavation boundary will extend to the locations of step-out samples where PCBs are below CSLs) and the step-out samples can serve as confirmation samples for the excavation of PCBs impacted soil.

All excavated soils will be segregated from other soil from the Site, stockpiled, and characterized for disposal at a properly licensed disposal facility.

No other areas of concern were identified that would warrant remedial actions to be taken or further investigation.

Of note, there was no evidence of any impacts/exceedances of CSLs for TPH (or any other constituents) in the samples from seven borings in proximity to the former Sears Automotive Center. There is also no evidence of any impacts/exceedances of CSLs in shallow soil samples collected throughout the Site in the footprint of historical orchards or from the seven hand-augured borings in proximity to historical farm house buildings with the exceptions of PCBs, dieldrin, cobalt, and arsenic as described and addressed in this Section and Section 3.2 above.

The sampling performed and resulting data summarized in this report specifically address and resolve RECs 1,4, 5 and 6 identified in Cornerstone's Phase I ESA, as well as the RECs previously identified by WSP. Soil sampling for pesticides, lead, and arsenic showed that there is no residual soil contamination from historical agricultural land use or residual contamination from former lead-based paint suspected to have been used on farmhouse buildings, which resolves RECs 5 and 6 in the Cornerstone Phase I ESA report.

Additionally, there were no detections of TPH over CSLs in samples collected around the former Sears Automotive Center (Borings S-1 through S-7) or in samples collected around the former J.C. Penney Automotive Center (Boring E-2). Based on the historical operations in these two former UST areas and, as recommended in WSP's Phase I ESA and update letter, subsurface disturbance will be performed

with care and an awareness of the past USTs in these areas. The GPR survey and the test pits support the conclusion that there are no existing or suspect former USTs remaining in the former Sears Automotive Center area, thus addressing RECS 1 and 4 in the Cornerstone Phase I report.

Finally, the closure activities relating to the Sears and J.C. Penney premises will be monitored and coordinated with the SCCFD to ensure that no aboveground residual hazardous materials or contaminants remain following closure. Any remaining oil-water separator, acid neutralization chamber, hydraulic lifts, petroleum fluid pipelines, battery storage area, and asbestos containing material will be properly abandoned or removed as part of the closure activities. During excavation of the soil for redevelopment activities in these potential areas of concern as well as the single elevated PCB detection described in Section 3.2, an Environmental Professional will be present to observe underlying soil for evidence of potential impacts and, if observed, collect soil samples in accordance with the ESMP. As discussed previously, the planned development will require excavation of soil to depths of 20 to 30 feet bgs across most of the Site. If any residual stained soil or potential contamination is identified during demolition and redevelopment, such soil will be excavated and disposed of at a permitted, off-site disposal facility.

4.2 REMAINING ENVIRONMENTAL ITEMS

Investigative efforts have resolved RECs 1, 4, 5, and 6. The remaining RECs 2 and 3 and the environmental issues related to re-development and demolition activities will be addressed, under SCCFD oversight, at that time. These issues consist of the following:

SCCFD CLOSURE PLANS

A closure plan for the Western portion of the mall was approved and implemented in November-December, 2018. The closure activities addressed, among other things, removal of one of the three generators within the mall and decommissioning of all the elevators in the West side of the mall. With respect to the hydraulic fluids within the former elevators. KONE Inc., the elevator manufacturer provided a letter dated June 20, 2019 confirming that KONE has not used hydraulic fluids within their elevators that contain volatile organic compounds (VOCs) or polychlorinated biphenyls (PCBs).

Other closure activities in the Western portion of the mall included:

- 1. Removal of seven empty drums from a storage area of west garage
- 2. Removal and proper disposal of batteries from the AMC movie theater's inverter system
- 3. The cleaning and removal of all grease interceptors
- 4. Removal and proper disposal of miscellaneous paint and other waste.

Additionally, an Asbestos and Lead (Pb) Survey and Evaluation Report dated October 26, 2018 and a Limited Lead (Pb) Testing Report dated October 31, 2018 were prepared and these reports provide the demolition contractor with the necessary information to ensure that these materials are properly identified and will be safely removed and properly disposed of during demolition activities.

The approved closure activities for the Western portion of the mall are described in a Closure Letter report prepared by WSP dated December 11, 2018. The SCCFD approved this Closure Letter report by

their letter dated December 12, 2018. The KONE Inc. letter and the referenced Closure Letter and SCCFD approval letter are included in Appendix I of this report.

The SCCFD requires implementation of an approved closure plan for the former Sears Automotive Center due to the presence of an oil-water separator, acid neutralization chamber, hydraulic lifts, petroleum fluid pipelines, battery storage area, and lead containing materials, as well as for the J.C. Penney former automotive center due to the presence of hydraulic lifts and associated piping. A closure plan for the former Sears Automotive Center was submitted to the SCCFD on March 25, 2019 and approved on April 11, 2019 (Appendix H). During the demolition of the structures and removal of the paved surfaces, the equipment, piping, and materials will be removed and the soils beneath them will be sampled to ensure that there have been no releases of any hazardous materials. These closure activities relating to the Sears and J.C. Penney premises will be monitored and coordinated with the SCCFD to ensure that no aboveground or belowground residual hazardous materials or contaminants remain following closure. These activities will address RECs 2 and 3.

In addition to the closure plans for the two former automotive centers, a closure plan for the Eastern portion of the Mall will be submitted to SCCFD for approval and will resolve the remaining identified environmental concerns in this portion of the mall, including the two remaining generators and the remaining elevators.

ABANDONMENT OF GROUNDWATER MONITORING WELLS

The four groundwater monitoring wells located on the J.C. Penney premises will be located and abandoned in accordance with the SCVWD Well Standards. A permit will be obtained from the SCVWD prior to the abandonment. The preferred method of abandonment will be to drill out the wells to the total depth of the well and backfill with grout, as appropriate and necessary. This action will resolve this environmental concern.

DEMOLITION OF BUILDINGS

Before conducting any renovation or demolition activities that might disturb potential asbestos, light fixtures, or painted surfaces, Vallco will ensure that it complies with all requirements for management and abatement of asbestos-containing materials, proper handling and disposal of fluorescent and mercury vapor light fixtures, PCB-containing building materials, and with all applicable requirements regarding lead-based paint. Testing for asbestos, lead, and PCB containing material has been implemented in the west side of the Mall as part of the SCCFD closure plan. Compliance with these required and standard procedures will address these identified environmental concerns.

PCB SOIL DETECTION

As noted in Section 4.1, a single sample from Geosphere boring E-5 one foot below ground surface (sample E5-1) contained PCBs at 0.523 mg/kg, above the CSL of 0.23 mg/kg, and is considered a potential area of concern. Additional step-out sampling for PCBs will be performed in the area of boring E-5 where PCBs were detected in soil at a concentration exceeding the CSL This sampling will be performed prior to pavement removal or excavation in the area. An excavation workplan will be prepared following the sampling described above. The limits of excavation for removal of PCBs-impacted soil near boring E-5 will be refined based on the findings from the additional PCBs sampling (e.g., the excavation boundary will extend to the locations of step-out samples where PCBs are below

| CSLs) and the step-out samples can serve as confirmation samples for the excavation of PCBs in | mpacted |
|--|---------|
| soil. | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| SITE CHARACTERIZATION REPORT | WSDIIS |

ACRONYMS

μg/l micrograms per literCOC Contaminants of ConcernCSL Collective Screening Levels

EPA Environmental Protection Agency
ESA Environmental Site Assessment
ESL Environmental Screening Level

ESMP Environmental Site Management Plan

ft-bgs feet below ground surface GPR Ground Penetrating Radar

LUST leaking underground storage tank

MDL method detection limit mg/kg milligram per kilogram

PAH Polycyclic aromatic hydrocarbons

PCB Polychlorinated Biphenyl PID Photoionization detector

QA/QC quality assurance/quality control
REC Recognized Environmental Condition

Regional Board San Francisco Bay Regional Water Quality Control Board

RL reporting limit

RSL Regional Screening Level

SCCFD Santa Clara County Fire Department SCVWD Santa Clara Valley Water District SVOCs semi-volatile organic compounds

TCDD Tetrachlorodibenzodioxin
TPH total petroleum hydrocarbons

TPH-d total petroleum hydrocarbons as diesel
TPH-g total petroleum hydrocarbons as gasoline
TPH-mo total petroleum hydrocarbons as motor oil

USCS Unified Soil Classification System

UST underground storage tank

WSP WSP USA, Inc.

REFERENCES

Antea Group. 2013. Case Closure Request 76 (former BP) Service Station No. 11220, 19550 Stevens Creek Boulevard, Cupertino, California. December 05.

Blaine Tech Services (BTS). 1985. Soil Sampling at Sears Automotive Center, Vallco, Cupertino California. April 11.

Cornerstone Earth Group. 2018. Phase I Environmental Site Assessment, Vallco Special Area Specific Plan Parcels, Cupertino, California. February 26.

Duverge. 2011. Establishing Background Arsenic in Soil of the Urbanized San Francisco Bay Region. December.

Kearny Foundation Special Report. 1996. Background Concentrations of Trace and Major Elements in California Soils. March.


Santa Clara Valley Water District. 1994. Underground Storage Tank (UST) Case Closure – J.C. Penny Store No., 10150 North Wolfe Road, Cupertino, CA 95014; Case No. 27H. September 1.


Santa Clara Valley Water District. 1999. Fuel Leak Site Case Closure – Sears Automotive Center, 10101 North Wolfe Road, Cupertino, CA 95014; Case No. 14-486. December 6.


WSP. 2014. Phase I Environmental Site Assessment, Vallco Fashion Mall, 10123 North Wolfe Road, Cupertino, California. January 7.


WSP. 2016. Updated Information to the January 7, 2014 Phase I Environmental Site Assessment, Vallco Fashion Mall in Cupertino, California. January 11.


FIGURES











TABLES

Table 1 Sample Rationale and Analysis Former Vallco Mall

| Location | Collection Date (a) | Drilling Method | Approximate Depth (ft bgs) | Purpose | | Herbicides | Title 22 Metals | Lead & Arsenic | TPHg | TPHd, mo | VOCs | SVOCs | PAHs | PCBs | Asbestos | 2,3,7,8- TCDD |
|------------------------|------------------------|--------------------|---|---|---|------------|-----------------|----------------|------|----------|------|-------|------|----------|-----------|---------------|
| | | 1 | Potential surface releases at Sears Automotive Center | | | | | | | | | | | | | |
| | | | ~ | Historical agricultural activities | X | - | X | | X | X | | X | | - | \dashv | _ |
| S-1 & S-2 10/30/2018 | Direct Push | 5 | Potential releases near USTs southeast of Sears Automotive Center | X | X | X | | X | X | | X | | | _ | _ | |
| | | 10 | Potential releases near USTs southeast of Sears Automotive Center | | | X | | X | X | | X | | | \dashv | _ | |
| | | | 15 | Potential releases near USTs southeast of Sears Automotive Center | | | X | | X | X | | Х | | | _ | _ |
| | | | 20 | Potential releases near USTs southeast of Sears Automotive Center | | | X | | X | X | | X | | 4 | 4 | _ |
| | | D: (D 1 | 1 | Potential releases near oil-water separator east of Sears Automotive Center Historical agricultural activities | x | X | X | X | X | X | | х | | | | |
| 02901 | 10/20/2019 | | 5 | Potential releases near oil-water separator east of Sears Automotive Center | Х | | Х | | х | Х | | х | | | | |
| S-3 & S-4 10/30/2018 | Direct Push | 10 | Potential releases near oil-water separator east of Sears Automotive Center | | | Х | | Х | Х | | Х | | | | | |
| | | 15 | Potential releases near oil-water separator east of Sears Automotive Center | | | Х | | Х | Х | | Х | | | | | |
| | | | 20 | Potential releases near oil-water separator east of Sears Automotive Center | | | Х | | х | Х | | х | | | | |
| S-5 through | | 1 | Potential surface releases at Sears Automotive Center Historical agricultural activities | X | х | х | X | X | X | | х | | | | | |
| | | 5 | Potential releases near Sears Automotive Center | X | - | X | 1 | X | X | | X | | | \dashv | _ | |
| S-8 | 10/30/2018 | Direct Push | 10 | Potential releases near Sears Automotive Center | | | X | | X | X | | Х | | | 1 | \neg |
| | | | 15 | Potential releases near Sears Automotive Center | | | Х | | Х | Х | | Х | | | 1 | |
| | | | 20 | Potential releases near Sears Automotive Center | | | Х | | х | Х | | х | | | 1 | |
| | | 1 | Spatial characterization on west side of Wolfe Road Historical agricultural activities | х | х | х | х | | х | | X | | | | | |
| W-1 through | 10/21/2010 | <i>.</i> | 5 | Spatial characterization across former Mall | X | X | X | | X | X | | X | | | \dashv | |
| W-5 10/31/2018 | Direct Push | 10 | Spatial characterization across former Mall | 1 | | X | | X | X | | Х | | | | _ | |
| | | 15 | Spatial characterization across former Mall | | | X | | X | X | | Х | | | - | \exists | |
| | | 20 | Spatial characterization across former Mall | | | X | | X | X | | Х | | | 1 | \neg | |
| | | 1 | Spatial characterization across former Mall Historical agricultural activities | | | | | | | | | | | T | | |
| | | | | X | 1 | 1 | X | X | X | | Х | | | \dashv | \dashv | |
| E-2 | 10/31/2018 | Direct Push | 5 | Spatial characterization across former Mall | X | X | X | | X | X | | X | | | \dashv | _ |
| | | 10 | Spatial characterization across former Mall | | | X | | X | X | | X | | | \dashv | \dashv | |
| | | 15 | Spatial characterization across former Mall | | | X | | X | X | | X | | | \dashv | \dashv | |
| | | 20 | Spatial characterization across former Mall | | | X | | X | X | | X | | | | | |

WSP Page 1 of 3

Table 1
Sample Rationale and Analysis
Former Vallco Mall

| Location | Collection Date (a) | Drilling Method | Approximate Depth (ft bgs) | Purpose | Pesticides | Herbicides | Title 22 Metals | Lead & Arsenic | TPHg | TPHd, mo | VOCs | SVOCs | PAHs | PCBs | Asbestos 2,3,7,8- TCDD | |
|-------------------|------------------------|--------------------|----------------------------|--|------------|------------|-----------------|----------------|------|----------|------|-------|------|------|---------------------------|--|
| CD 001 | | | 0.5 | Historical agricultural buildings and activities | X | | | Х | | | | | | | | |
| SB-001 through | 1/10/2019 | Hand Auger | 1 | Historical agricultural buildings and activities | X | | | X | | | | | | | | |
| SB-007 | 1/10/2019 | Halid Augel | 2 | Historical agricultural buildings and activities | X | | | X | | | | | | | | |
| SB-007 | | | 3 | Historical agricultural buildings and activities | Х | | | Х | | | | | | | | |
| | | | 0 | Historical agricultural activities | | | | | | | | | | | | |
| | | | 0 | Spatial characterization across former Mall | X | | X | | X | Х | X | X | X | X | X X | |
| | | | 5 | Spatial characterization across former Mall | X | | X | | X | x | X | X | X | X | x x | |
| E-1 | 9/6/2016 | Direct Push | 10 | Spatial characterization across former Mall | X | | х | | X | х | x | x | x | X | x x | |
| | | | 15 | Spatial characterization across former Mall | X | | X | | X | х | X | X | X | X | x x | |
| | | | 20 | Spatial characterization across former Mall | Х | | Х | | Х | х | х | Х | х | Х | x x | |
| | | | 35 | Spatial characterization across former Mall | х | | Х | | х | х | х | х | х | х | хх | |
| | | | 0 | Historical agricultural activities | | | | | | T | | | | | | |
| | | | 0 | Spatial characterization across former Mall | X | | X | | X | X | X | X | X | X | x x | |
| T. 0 | 0.1512.04.5 | D . D. 1 | 5 | Spatial characterization across former Mall | X | | X | | x | x | x | x | x | X | x x | |
| E-2 | 9/6/2016 | Direct Push | 10 | Spatial characterization across former Mall | X | | X | | X | х | X | X | X | X | x x | |
| | | | 20 | Spatial characterization across former Mall | X | | Х | | Х | х | х | Х | X | Х | x x | |
| | | | 30 | Spatial characterization across former Mall | Х | | Х | | х | х | х | х | х | х | хх | |
| | | | 0 | Historical agricultural activities | | | | | | T | | | | | | |
| | | | 0 | Spatial characterization across former Mall | X | | X | | X | X | X | X | X | X | x x | |
| E-3 | 9/6/2016 | Direct Push | 5 | Spatial characterization across former Mall | X | | X | | x | x | x | x | x | X | x x | |
| | | | 15 | Spatial characterization across former Mall | Х | | Х | | Х | х | х | Х | X | Х | хх | |
| | | | 25 | Spatial characterization across former Mall | X | | Х | | х | х | х | х | х | Х | x x | |
| | | | 0 | Historical agricultural activities | | | | | | | | | | | | |
| E-4 through | 0/6/2016 | Discoul D. di | 0 | Spatial characterization across former Mall | X | | X | | X | x | X | X | X | X | x x | |
| E-6 | 9/6/2016 | Directi Push | 5 | Spatial characterization across former Mall | X | | X | | X | x | X | X | X | X | x x | |
| | | | 10 | Spatial characterization across former Mall | X | | X | | X | X | X | X | X | X | x x | |
| | _ | | 0 | Historical agricultural activities | | | | | | Т | | | | | | |
| | | | | Spatial characterization across former Mall | X | _ | X | | _ | - | _ | | _ | X | x x | |
| E-7 | 9/6/2016 | Direct Push | 5 | Spatial characterization across former Mall | X | | X | | X | X | X | X | X | X | x x | |
| | | | 10 | Spatial characterization across former Mall | Х | | X | | X | x | x | X | X | X | x x | |
| | | | 20 | Spatial characterization across former Mall | Х | | X | | X | x | x | X | X | X | x x | |

WSP Page 2 of 3

Sample Rationale and Analysis Former Vallco Mall

| Location | Collection Date (a) | Drilling Method | Approximate Depth (ft bgs) | Purpose | Pesticides | Herbicides | Title 22 Metals | Lead & Arsenic | TPHg | TPHd, mo | VOCs | SVOCs | PAHs | PCBs | Asbestos | 2,3,7,8- TCDD |
|----------|--------------------------------|-------------------------------|---|---|------------|------------|-----------------|----------------|------|----------|------|-------|------|------|----------|---------------|
| | | | 0 | Historical agricultural activities | | | | | | | | | | | | |
| | | | | Spatial characterization across former Mall | X | | X | | X | X | X | X | X | X | X | X |
| T. 0 | 0/6/2016 | D: . D 1 | 5 | Spatial characterization across former Mall | X | | X | | X | X | X | X | X | x | x | X |
| E-8 | E-8 9/6/2016 Direct Push 10 15 | 10 | Spatial characterization across former Mall | X | | X | | X | X | X | X | X | X | X | X | |
| | | 15 Spatial characterization a | | Spatial characterization across former Mall | Х | | X | | Х | X | х | х | Х | х | Х | Х |
| | 20 Spatial chara | | 20 | Spatial characterization across former Mall | Х | | X | | Х | X | х | х | X | х | X | X |

Abbreviations

ft bgs: feet below ground surface

PCBs: polychorinated biphenyls by EPA Method 8082

PAHs: polycyclic aromatic hydrocarbons by EPA Method 8270

TPHg: total petroleum hydrocarbons as gasoline by EPA Method 8015M

TPHd, mo: total petroleum hydrocarbons as diesel and motor oil by EPA Method 8015M

SVOCs: semi-volatile organic compounds by EPA Method 8270

VOCs: volatile organic compounds by EPA Method 8260 TCDD: Tetrachlorodibenzodioxin by EPA method 1613B

Notes:

(a) Samples from 2016 were collected by Geosphere. Samples from 2018 were collected by WSP

WSP Page 3 of 3

Table 2
Summary of Metal Concentrations
Former Vallco Mall

| Sample ID[1][2] | Antimony (mg/kg) | Arsenic [6] (mg/kg) | <u>Barium</u> (mg/kg) | Beryllium (mg/kg) | Cadmium (mg/kg) | Chromium (mg/kg) | Cobalt (mg/kg) | <u>Copper</u> (mg/kg) | <u>Lead</u> (mg/kg) | Mercury (mg/kg) |
|-------------------------|---------------------|---------------------|--------------------------|----------------------|--------------------|--|-------------------|--------------------------|--|---|
| S-1-(1) | 0.54 J | | 160 | 0.45 | 0.19 J | | 15 | 31 | 7.1 | 0.052 |
| S-1-(1) S-1-(5) | 0.49 J | 3.1 | 140 | 0.52 | 0.18 J | | 16 | 29 | 6.4 | 0.05 |
| | 0.33 J | 4.1 | 200 | 0.64 | 0.10 J | | 21 | 46 | 8.1 | 0.049 |
| S-1-(10) | | | 73841.74 | | | | | 37 | 5.7 | 0.088 |
| S-1-(15) | 0.23 J | 3 | 130 | 0.57 | 0.2 J | THE RESERVE TO SHARE THE PARTY OF THE PARTY | 18 | THE RESERVE TO SHARE | STREET, STREET, SQUARE, STREET, SQUARE, STREET, SQUARE, SQUARE | 0.099 |
| S-1-(20) | 0.45 J | 4 | 100 | 0.47 | 0.2 J | | 11 | 28 | 7.6 | 0.062 |
| S-2-(1) | 0.46 J | | 190 | 0.54 | 0.18 J | | 18 | 41 | | 0.032 |
| S-2-(5) | 0.45 J | | 180 | 0.42 | 0.19 J | | 13 | 28 | 5.1 | 0.032 |
| S-2-(10) | 0.38 J | 3 | 250 | 0.47 | 0.18 J | and the second second second second | 14 | 27 | 5.1 | A STATE OF THE OWNER, WHEN THE PARTY OF THE |
| S-2-(15) | 0.29 J | 3.9 | 110 | 0.46 | 0.13 J | | 10 | 30 | 6 | 0.12 |
| S-2-(20) | 0.55 J | 4.1 | 110 | 0.5 | 0.2 J | | 11 | 27 | 6.4 | 0.13 |
| S-3-(1) | 0.53 J | | 230 | 0.43 | 0.24 J | | 12 | 29 | 5.9 | 0.06 |
| S-3-(5) | 0.44 J | 3.9 | 150 | 0.55 | 0.2 J | | 18 | 41 | 7.6 | 0.055 |
| S-3-(10) | 0.81 J | 2.5 | 150 | 0.53 | 0.2 J | AND REAL PROPERTY. | 16 | 28 | 5.5 | 0.042 |
| S-3-(15) | 0.28 J | 4.9 | 98 | 0.56 | 0.15 J | The second secon | 10 | 29 | 7.5 | 0.081 |
| S-3-(20) | 0.64 J | 3.9 | 120 | 0.47 | 0.17 J | | 10 | 26 | 6.2 | 0.095 |
| S-4-(1) | 0.45 J | | 160 | 0.51 | 0.26 | 78 | 17 | 39 | 15 | 0.053 |
| S-4-(5) | 0.37 J | 3.1 | 190 | 0.5 | 0.18 J | | 19 | 34 | 6.9 | 0.087 |
| S-4-(10) | 0.4 J | 3.3 | 140 | 0.53 | 0.18 J | TOTAL ALGORITHMS AND ADDRESS OF THE PARTY OF | 18 | 37 | 7.2 | 0.039 |
| S-4-(15) | 0.51 J | 6.2 | 150 | 0.69 | 0.25 | 54 | 14 | 42 | 10 | 0.093 |
| S-4-(20) | 0.61 J | 5 | 110 | 0.55 | 0.23 J | | 13 | 32 | 7.6 | 0.12 |
| S-5-(1) | 0.46 J | | 180 | 0.57 | 0.15 J | | 16 | 37 | 7.4 | 0.054 |
| S-5-(5) | 0.53 J | 4.1 | 180 | 0.57 | 0.19 J | | 19 | 43 | 8.3 | 0.052 |
| S-5-(10) | 0.44 J | 3.2 | 150 | 0.62 | 0.24 | 94 | 17 | 39 | 6.7 | 0.061 |
| S-5-(15) | 0.7 J | 2.7 | 99 | 0.45 | 0.095 J | | 13 | 26 | 4.4 | 0.044 |
| S-5-(20) | 0.3 J | 2.8 | 82 | 0,33 | 0.1 J | | 8.4 | 23 | 4.6 | 0.082 |
| S-6-(1) | 0.45 J | 2.7 | 150 | 0.32 | 0.17 J | | 10 | 25 | 12 | 0.065 |
| S-6-(5) | 0.46 J | 3.1 | 100 | 0.42 | 0.17 J | | 14 | 27 | 6.3 | 0.052 |
| S-6-(10) | 0.4 J | 4.8 | 120 | 0.48 | 0.15 J | | 11 | 26 | 6.8 | 0.071 |
| S-6-(15) | 0.34 J | 4.9 | 110 | 0.57 | 0.19 J | THE RESERVE OF THE PARTY OF THE | 11 | 30 | 7.2 | 0.18 |
| S-6-(20) | 0.15 J | 3.7 | 120 | 0.46 | 0.19 J | 80 | 17 | 33 | 5.8 | 0.12 |
| S-7-(2) | 0.34 J | 2.7 | 120 | 0.48 | 0.19 J | | 15 | 35 | 8.2 | 0.67 |
| S-7-(5) | 0.45 J | 4 | 160 | 0.54 | 0.19 J | | 16 | 34 | 7.1 | 0.056 |
| S-7-(10) | 0.51 J | 4.1 | 130 | 0.57 | 0.19 J | | 16 | 38 | 7.2 | 0.071 |
| S-7-(15) | 0.3 J | 4.1 | 78 | 0.51 | 0.17 J | 49 | 11 | 26 | 6.5 | 0.12 |
| S-7-(20) | 0.9 J | 2.6 | 69 | 0.37 | 0.12 J | 40 | 10 | 31 | 4.8 | 0.11 |
| S-8-(1) | 0.85 J | 1.8 | 110 | 0.23 | 0.29 | 33 | 8.3 | 15 | 2.9 | 0.036 |
| S-8-(5) | 0.5 J | 3.8 | 190 | 0.6 | 0.37 | 88 | 20 | 41 | 7.8 | 0.052 |
| S-8-(10) | 0.41 J | 3.6 | 120 | 0.51 | 0.35 | 71 | 13 | 30 | 6.5 | 0.054 |
| S-8-(15) | 0.57 J | 4.9 | 120 | 0.53 | 0.27 J | 52 | 12 | 30 | 7 | 0.13 |
| S-8-(20) | 0.55 J | 4.5 | 110 | 0.51 | 0.36 | 49 | 12 | 33 | 7.1 | 0.043 |
| SLs Residential (mg/kg) | 11 | 11 [4] | 15,000 | 16 | 78 | | 23 | 3,100 | 80 | 13 |
| SLs Residential (mg/kg) | 31 | 12 [4] | 15,000 | 16 | 71 | | 23 | 3,100 | 80 | 1 |

Table 2
Summary of Metal Concentrations
Former Valico Mall

| | Antimony | Arsenic | <u>Barium</u> | Beryllium | Cadmium | Chromium | <u>Cobalt</u> | Copper | Lead | Mercury |
|-----------------------------------|----------|---------|---------------|-----------|---------|----------|---------------|---------|---------|---------|
| Sample ID[1][2] | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) |
| W-1-(1) | 0.71 | | 140 | 0.41 | 0.33 | 60 | 14 | 35 | 8.2 | 0.083 |
| W-1-(5) | 0.43 | 5.1 | 150 | 0.53 | 0.33 | 61 | 15 | 37 | 8 | 0.14 |
| W-1-(10) | 0.39 | 4.9 | 140 | 0.55 | 0.44 | 51 | 13 | 30 | 8.3 | 0.083 |
| W-1-(15) | 0.33 | 5.3 | 130 | 0.56 | 0.37 | 47 | 13 | 34 | 8.3 | 0.14 |
| W-1-(20) | 2 U | 4.5 | 160 | 0.59 | 0.33 | 79 | 18 | 39 | 7.2 | 0.11 |
| W-2-(2) | 2 U | 2.8 | 130 | 0.57 | 0.3 | 60 | 13 | 27 | 5.3 | 0.059 |
| W-2-(5) | 1.9 U | 5.2 | 97 | 0.67 | 0.31 | 56 | 15 | 39 | 5.4 | 0.11 |
| W-2-(10) | 2 U | 3.7 | 81 | 0.6 | 0.35 | 58 | 11 | 35 | 5 | 0.12 |
| W-2-(15) | 2 U | 4.1 | 100 | 0.64 | 0.29 | 47 | 11 | 37 | 6.3 | 0.13 |
| W-2-(20) | 1.9 U | 3.5 | 110 | 0.55 | 0.71 | 60 | 9.7 | 26 | 4.9 | 0.081 |
| W-3-(1) | 2 U | 3.4 | 460 | 0.24 | 0.45 | 27 | 8.6 | 19 | 1.1 | 0.24 |
| W-3-(5) | 2 U | 5 | 99 | 0.69 | 0.35 | 57 | 16 | 43 | 6.7 | 0.15 |
| W-3-(10) | 2 U | 3.9 | 84 | 0.59 | 0.31 | 54 | 12 | 29 | 5.1 | 0.076 |
| W-3-(15) | 1.9 U | 5.9 | 130 | 0.68 | 0.36 | 53 | 13 | 39 | 8.1 | 0.073 |
| W-3-(20) | 1.9 U | 5.9 | 130 | 0.76 | 0.44 | 44 | 13 | 33 | 9.1 | 0.16 |
| W-4-(1) | 2 U | 5 | 200 | 0.72 | 0.43 | 88 | 18 | 40 | 8 | 0.13 |
| W-4-(5) | 1.9 U | 4 | 150 | 0.61 | 0.37 | 58 | 14 | 26 | 6.3 | 0.063 |
| W-4-(10) | 2 U | 8.1 | 180 | 0.95 | 0.57 | 71 | 23 | 58 | 12 | 0.11 |
| W-4-(15) | 0.65 J | 5.8 | 130 | 0.61 | 0.38 | 51 | 14 | 36 | 8.6 | 0.13 |
| W-4-(20) | 0.26 J | 5 | 130 | 0.6 | 0.48 | 51 | 13 | 34 | 8.3 | 0.088 |
| W-5-(1) | 0.33 J | 3.5 | 210 | 0.55 | 0.4 | 70 | 17 | 37 | 7.4 | 0.058 |
| W-5-(5) | 0.4 J | 2.5 | 79 | 0.3 | 0.25 | 33 | 8.2 | 15 | 5.4 | 0.089 |
| W-5-(10) | 0.54 J | 3.9 | 130 | 0.52 | 0.4 | 75 | 17 | 37 | 7.4 | 0.076 |
| W-5-(15) | 0.4 J | 4.5 | 130 | 0.53 | 0.39 | 55 | 12 | 26 | 7.2 | 0.09 |
| W-5-(20) | 0.47 J | 4.4 | 100 | 0.51 | 0.43 | 63 | 16 | 38 | 7.3 | 0.11 |
| E-2-(1) | 1.9 U | 2.5 | 180 | 0.7 | 0.44 | 82 | 20 | 37 | 6.7 | 0.038 |
| E-2-(5) | 1.8 U | 3.3 | 150 | 0.67 | 0.42 | 81 | 18 | 35 | 9 | 0.061 |
| E-2-(10) | 2 U | 4 | 200 | 0.68 | 0.37 | 86 | 17 | 38 | 7.6 | 0.072 |
| E-2-(15) | 1.9 U | 3.6 | 220 | 0.68 | 0.39 | 83 | 20 | 30 | 6.4 | 0.072 |
| E-2-(20) | 2 U | | 170 | 0.73 | 0.36 | 81 | 16 | 37 | 8.5 | 0.033 |
| SLs Residential (mg/kg) | 11 | 11 [4] | 15,000 | 16 | 78 | | 23 | 3,100 | 80 | 13 |
| SLs Residential (mg/kg) - THQ 1.0 | 31 | 12 [4] | 15,000 | 16 | 71 | ** | 23 | 3,100 | 80 | 1 |

Table 2
Summary of Metal Concentrations
Former Vallco Mall

| [2][3] | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt | Copper | <u>Lead</u> | Mercury (mg/kg) |
|------------------------------------|--------------|---------|---------|---------------|----------------|-------------|-----------------|-----------------|------------------------|--------------------|
| Sample ID ^{[2][3]} | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) 1 U | (mg/kg) | (mg/kg) 13 U | (mg/kg) 25.4 | (mg/kg) 7.4 | (mg/kg) 0.087 |
| E1-1 | 5 U | 2.5 | 344 | 1.3 U | | 32.9 | | 38.1 | 7. 4 9.1 | 0.045 |
| E1-2 | 4.7 U | 3.5 | 174 | 1.2 U | 0.94 U | 84.9 | 19.7 | | 4.8 U | 0.043 |
| E1-3 | 4.8 U | 24 U | 76.4 | 1.2 U | 0.96 U | 54.7 | 12 U | 23.3 | | 0.063 |
| E1-4 | 3.7 U | 3 | 96.7 | 0.92 U | 0.74 U | 89.6 | 19.6 | 30.2 | 7.3 | |
| E1-8 | 3.7 U | 3.6 | 90.9 | 0.93 U | 0.74 U | 27.8 | 9.3 U | 19.3 | 7.4 | 0.45 |
| E2-1 | 3.2 U | 3.3 | 111 | 0.81 U | 0.65 U | 50.9 | 13 | 27.1 | 7.7 | 0.092 0.04 U |
| E2-2 | 3.4 U | 3.1 | 218 | 0.86 U | 0.69 U | 74.4 | 16.1 | 35 | 9.3 | |
| E2-3 | 3.9 U | 3.1 | 198 | 0.97 U | 0.78 U | 79.8 | 18.8 | 36.4 | 9.3 | 0.038 U |
| E2-5 | 4.3 U | 3.7 | 164 | 1.1 U | 0.86 U | 72.6 | 17.7 | 37 | 8.5 | 0.1 |
| E2-7 | 4.6 U | 3 | 128 | 1.1 U | 0.92 U | 67.7 | 16.1 | 35 | 7.6 | 0.093 |
| E3-1 | 3.5 U | 3.2 | 152 | 0.88 U | 0.7 U | 62 | 14.2 | 29.6 | 8.1 | 0.042 |
| E3-2 | 4.1 U | 2.7 | 143 | 1 U | 0.83 U | 65.1 | 15.2 | 30.9 | 9.1 | 0.042 |
| E3-4 | 3.4 U | 3.2 | 147 | 0.86 U | 0.69 U | 66.1 | 15.5 | 30.6 | 7.4 | 0.1 |
| E3-6 | 3.8 U | 3.1 | 120 | 0.94 U | 0.75 U | 78.1 | 12.6 | 27.7 | 6.9 | 0.062 |
| E4-1 | 4.2 U | 3.9 | 172 | 1.1 U | 0.85 U | 82.5 | 17.9 | 39 | 9.6 | 0.098 |
| E4-2 | 3.7 U | 4.5 | 167 | 0.92 U | 0.74 U | 65.3 | 16.7 | 32 | 10.5 | 0.044 |
| E4-3 | 4.4 U | 4.7 | 140 | 1.1 U | 0.88 U | 58.7 | 15.8 | 34.1 | 9.7 | 0.12 |
| E5-1 | 3.3 U | 3.8 | 364 | 0.83 U | 0.66 U | 66.6 | 14.7 | 33.1 | 15.7 | 0.09 |
| E5-2 | 4.6 U | 4.1 | 158 | 1.1 U | 0.92 U | 74.1 | 16.5 | 33.5 | 14.4 | 0.048 |
| E5-3 | 4.5 U | 2.9 | 136 | 1.1 U | 0.89 U | 73.2 | 16.9 | 33.3 | 8.1 | 0.045 |
| E6-1 | 3.6 U | 3.5 | 135 | 0.91 U | 0.73 U | 77.3 | 16.5 | 35.1 | 15.1 | 0.13 |
| E6-2 | 4.8 U | 3.5 | 199 | 1.2 U | 0.96 U | 78.8 | 18.1 | 37 | 9 | 0.056 |
| E6-4 | 4.2 U | 2.4 | 135 | 1.1 U | 0.85 U | 82.3 | 18.3 | 34 | 7.7 | 0.047 |
| E7-1 | 4.7 U | 2.4 U | 156 | 1.2 U | 0.94 U | 69 | 14.8 | 33.9 | 10.3 | 0.048 |
| E7-2 | 4.2 U | 3 | 164 | 1.1 U | 0.84 U | 71.4 | 19.3 | 34.9 | 9.2 | 0.039 U |
| E7-3 | 4.4 U | 2.7 | 139 | 1.1 U | 0.88 U | 69 | 17.2 | 33.4 | 7.6 | 0.04 U |
| E7-5 | 4.2 U | 4.2 | 115 | 1.1 U | 0.84 U | 56.7 | 11.4 | 31.1 | 8.5 | 0.12 |
| E8-1 | 4.8 U | 3.7 | 142 | 1.2 U | 0.95 U | 70.4 | 14.6 | 33.8 | 37.5 | 0.12 |
| E8-2 | 4.6 U | 3 | 177 | 1.2 U | 0.93 U | 76.3 | 17.6 | 35.5 | 9.1 | 0.037 U |
| E8-3 | 3.8 U | 3.1 | 112 | 0.95 U | 0.76 U | 77.5 | 18.1 | 33.5 | 8.2 | 0.055 |
| E8-4 | 4.5 U | 4.4 | 86.7 | 1.1 U | 0.89 U | 49.5 | 11.1 | 25.1 | 8.2 | 0.065 |
| E8-5 | 4.7 U | 3.6 | 115 | 1.2 U | 0.93 U | 48.9 | 12 U | 27.3 | 7.4 | 0.086 |
| ESLs Residential (mg/kg) | 11 | 11 [4] | 15,000 | 16 | 78 | <u>u</u> €: | 23 | 3,100 | 80 | 13 |
| RSLs Residential (mg/kg) - THQ 1.0 | 31 | 12 [4] | 15,000 | 16 | 71 | ** | 23 | 3,100 | 80 | 1 |

Table 2
Summary of Metal Concentrations
Former Vallco Mall

| | Molybdenum | <u>Nickel</u> | <u>Selenium</u> | <u>Silver</u> | Thallium | Vanadium | Zinc |
|-----------------------------|------------|---------------|-----------------|---------------|-----------------|----------|--|
| Sample ID ^{[1][2]} | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) 4 4 6 5 4 4 4 6 5 5 7 5 6 5 5 6 5 5 6 5 4 4 4 2 5 4 4 2 3 4 4 2 3 4 4 4 4 4 4 4 4 4 4 4 4 |
| S-1-(1) | 0.39 | 87 | 2 U | 0.27 U | 0.53 U | | 49 |
| S-1-(5) | 0.26 J | 74 | 2 U | 0.26 U | 0.53 U | 69 | 47 |
| S-1-(10) | 0.25 J | 110 | 2 U | 0.27 U | 0.54 U | 64 | 6.5 |
| S-1-(15) | 0.24 J | 85 | 2 U | 0.25 U | 0.49 U | 81 | 52 |
| S-1-(20) | 0.58 | 57 | 1.9 U | 0.24 U | 0.48 U | 43 | 40 |
| S-2-(1) | 0.19 J | 86 | 1.9 U | 0.24 U | 0.49 U | 52 | 58 |
| S-2-(5) | 0.76 | 67 | 2 U | 0.25 U | 0.51 U | 60 | 4. |
| S-2-(10) | 1.5 | 68 | 2 U | 0.27 U | 0.54 U | 66 | 4: |
| S-2-(15) | 0.41 | 61 | 1.9 U | 0.24 U | 0.47 U | 43 | 4 |
| S-2-(20) | 0.53 | 58 | 2 U | 0.26 U | 0.52 U | 41 | 1 1 E 4 |
| S-3-(1) | 0.58 | 55 | 2 U | 0.26 U | 0.53 U | 46 | 43 |
| S-3-(5) | 0.3 | 96 | 2 U | 0.25 U | 0.5 U | 60 | 6 |
| S-3-(10) | 0.32 | 80 | 2 U | 0.25 U | 0.51 U | 75 | 4 |
| S-3-(15) | 0.7 | 64 | 1.9 U | 0.23 U | 0.46 U | 45 | 52 |
| S-3-(20) | 0.55 | 50 | 1.9 U | 0.24 U | 0.48 U | 39 | 47 |
| S-4-(1) | 0.36 | 84 | 1.9 U | 0.24 U | 0.49 U | 60 | 64 |
| S-4-(5) | 0.29 | 90 | 2 U | 0.27 U | 0.54 U | 59 | 51 |
| S-4-(10) | 0.33 | 82 | 2 U | 0.26 U | 0.52 U | 54 | 54 |
| S-4-(15) | 0.91 | 67 | 1.8 U | 0.23 U | 0.46 U | 53 | 73 |
| S-4-(20) | 0.67 | 63 | 2 U | 0.27 U | 0.54 U | 46 | 56 |
| S-5-(1) | 0.21 J | 92 | 2 U | 0.27 U | 0.53 U | 50 | 55 |
| S-5-(5) | 0.24 J | 100 | 2 U | 0.26 U | 0.52 U | 62 | 63 |
| S-5-(10) | 0.3 | 73 | 1.8 U | 0.23 U | 0.46 U | 76 | 50 |
| S-5-(15) | 0.67 | 59 | 2 U | 0.26 U | 0.52 U | 56 | 42 |
| S-5-(20) | 0.53 | 31 | 1.9 U | 0.23 U | 0.46 U | 45 | 4 |
| S-6-(1) | 1.1 | 53 | 2 U | 0.27 U | 0.55 U | 39 | 70 |
| S-6-(5) | 0.31 | 71 | 2 U | 0.25 U | 0.51 U | 46 | 45 |
| S-6-(10) | 0.75 | 56 | 2 U | 0.27 U | 0.54 U | 46 | 50 |
| S-6-(15) | 0.69 | 63 | 2 U | 0.25 U | 0.49 U | 43 | 52 |
| S-6-(20) | 0.37 | 85 | 2 U | 0.27 U | 0.54 U | 66 | 46 |
| S-7-(2) | 0.3 | 68 | 2 U | 0.27 U | 0.53 U | 56 | 60 |
| S-7-(5) | 0.35 | 80 | 2 U | 0.26 U | 0.53 U | 53 | 58 |
| S-7-(10) | 0.44 | 59 | 1.9 U | 0.23 U | 0.47 U | 68 | 58 |
| S-7-(15) | 0.68 | 56 | 2 U | 0.25 U | 0.5 U | 39 | 45 |
| S-7-(20) | 0.63 | 40 | 2 U | 0.27 U | 0.54 U | 49 | 44 |
| S-8-(1) | 0.37 | 50 | 1.8 U | 0.23 U | 0.45 U | 23 | 26 |
| S-8-(5) | 0.19 J | 99 | 1.9 U | 0.24 U | 0.47 U | 60 | 57 |
| S-8-(10) | 0.22 J | 64 | 1.9 U | 0.24 U | 0.47 U | 54 | 48 |
| S-8-(15) | 0.63 | 63 | 2 U | 0.27 U | 0.54 U | 46 | 49 |
| S-8-(20) | 0.74 | 59 | 2 U | 0.26 U | 0.52 U | 48 | 49 |
| SLs Residential (mg/kg) | 390 | 820 | 390 | 390 | 0.78 | 390 | 23,000 |
| SLs Residential (mg/kg) | 390 | 820 | 390 | 390 | 0.78 | 390 | 23,000 |

WSP Page 5 of 8

Table 2
Summary of Metal Concentrations
Former Vallco Mall

| | Molybdenum | <u>Nickel</u> | Selenium | Silver | <u>Thallium</u> | <u>Vanadium</u> | <u>Zinc</u> |
|-----------------------------------|------------|---------------|----------|---------|-----------------|--|-------------|
| Sample ID[1][2] | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) | (mg/kg) |
| W-1-(1) | 0.84 | 79 | 2 U | 0.26 U | 0.52 L | 51 | 55 |
| W-1-(5) | 0.46 | 93 | 2 U | 0.25 U | 0.49 L | 48 | 56 |
| W-1-(10) | 0.64 | 54 | 2 U | 0.25 U | 0.5 L | 45 | 64 |
| W-1-(15) | 0.68 | 69 | 1.9 U | 0.24 U | 0.48 U | 43 | 57 |
| W-1-(20) | 0.13 J | 100 | 2 U | 0.25 U | 0.49 L | 61 | 57 |
| W-2-(2) | 0.23 J | 55 | 2 U | 0.27 U | 0.55 L | 59 | 48 |
| W-2-(5) | 0.13 J | 62 | 1.9 U | 0.24 U | 0.48 U | 68 | 55 |
| W-2-(10) | 0.21 J | 69 | 2 U | 0.27 U | 0.55 U | 66 | 53 |
| W-2-(15) | 0.2 J | 50 | 2 U | 0.26 U | 0.52 L | 68 | 50 |
| W-2-(20) | 2 | 57 | 1.9 U | 1.1 | 0.48 L | 56 | 4 |
| W-3-(1) | 0.31 | 47 | 2 U | 0.27 U | 0.54 L | 29 | 31 |
| W-3-(5) | 0.23 J | 79 | 2 U | 0.27 U | 0.53 L | 70 | 54 |
| W-3-(10) | 0.21 J | 65 | 2 U | 0.26 U | 0.53 U | 63 | 4! |
| W-3-(15) | 0.26 | 74 | 1.9 U | 0.24 U | 0.49 U | 55 | 5: |
| W-3-(20) | 0.61 | 65 | 1.9 U | 0.24 U | 0.47 L | 55 | 6 |
| W-4-(1) | 0.2 J | 96 | 2 U | 0.25 U | 0.5 L | 71 | 64 |
| W-4-(5) | 0.17 J | 66 | 1.9 U | 0.23 U | 0.47 U | 60 | 5 |
| W-4-(10) | 0.54 | 120 | 2 U | 0.27 U | 0.53 U | 79 | 8: |
| W-4-(15) | 0.72 | 70 | 2 U | 0.25 U | 0.5 U | 49 | 6 |
| W-4-(20) | 0.65 | 59 | 1.9 U | 0.24 U | 0.49 U | 49 | 6 |
| W-5-(1) | 0.23 J | 91 | 2 U | 0.25 U | 0.5 U | 46 | 5 |
| W-5-(5) | 0.23 J | 43 | 2 U | 0.27 U | 0.54 U | 27 | 3: |
| W-5-(10) | 0.3 | 97 | 2 U | 0.27 U | 0.53 U | 52 | 5 |
| W-5-(15) | 0.61 | 58 | 2 U | 0.25 U | 0.5 U | 45 | 5 |
| W-5-(20) | 0.41 | 72 | 1.9 U | 0.24 U | 0.48 U | 54 | 5 |
| E-2-(1) | 0.11 J | 92 | 1.9 U | 0.24 U | 0.47 U | | 5 |
| E-2-(5) | 0.23 U | 85 | 1.8 U | 0.23 U | 0.45 U | 68 | 5 |
| E-2-(10) | 0.25 U | 100 | 2 U | 0.25 U | 0.5 U | THE PARTY OF THE P | 5' |
| E-2-(15) | 0.23 U | 85 | 1.9 U | 0.23 U | 0.47 U | 72 | 4 |
| E-2-(20) | 0.19 J | 89 | 2 U | 0.26 U | 0.52 U | 66 | 5 |
| SLs Residential (mg/kg) | 390 | 820 | 390 | 390 | 0.78 | 390 | 23,000 |
| SLs Residential (mg/kg) - THQ 1.0 | 390 | 820 | 390 | 390 | 0.78 | 390 | 23,000 |

Table 2
Summary of Metal Concentrations
Former Vallco Mall

| Sample ID ^{[2][3]} | Molybdenum (mg/kg) | <u>Nickel</u> (mg/kg) | <u>Selenium</u> (mg/kg) | Silver (mg/kg) | Thallium (mg/kg) | Vanadium (mg/kg) | <u>Zinc</u> (mg/kg) |
|-----------------------------------|-----------------------|--------------------------|----------------------------|-------------------|---------------------|---------------------|------------------------|
| E1-1 | 13 U | 36.7 | 5 U | 2.5 U | 2.5 U | 37.2 | 44.7 |
| E1-2 | 12 U | 105 | 4.7 U | 2.4 U | 2.4 U | 64.1 | 58.3 |
| E1-3 | 12 U | 48.7 | 4.8 U | 2.4 U | 136-13-11-11 | 59.5 | |
| E1-4 | 9.2 U | 87.6 | 3.7 U | 1.8 U | 1.8 U | 69 | 48.5 |
| E1-8 | 9.3 U | 36.2 | 3.7 U | 1.9 U | 1.9 U | 31.2 | 47.5 |
| E2-1 | 8.1 U | 69.1 | 3.2 U | 1.6 U | 1.6 U | 36.5 | 46 |
| E2-2 | 8.6 U | 94.4 | 3.4 U | 1.7 U | 1.7 U | 47.2 | 52.6 |
| E2-3 | 9.7 U | 100 | 3.9 U | 1.9 U | 1.9 U | 49.2 | 54.8 |
| E2-5 | пu | 95.6 | 4.3 U | 2.2 U | 2.2 U | 53.4 | 53.8 |
| E2-7 | 11 U | 90.8 | 4.6 U | 2.3 U | 2.3 U | 44.5 | 56.5 |
| E3-1 | 8.8 U | 70.9 | 3.5 U | 1.8 U | 1.8 U | 47.2 | 55.2 |
| E3-2 | 10 U | 77.5 | 4.1 U | 2.1 U | 2.1 U | 50 | 52 |
| E3-4 | 8.6 U | 78.2 | 3.4 U | 1.7 U | 1.7 U | 54.7 | 47 |
| E3-6 | 9.4 U | 65.5 | 3.8 U | 1.9 U | 1.9 U | 66.7 | 47.7 |
| E4-1 | 11 U | 101 | 4.2 U | 2.1 U | 2.1 U | 61.4 | 59.7 |
| E4-2 | 9.2 U | 82.4 | 3.7 U | 1.8 U | 1.8 U | 52.5 | 56.6 |
| E4-3 | 11 U | 93.7 | 4.4 U | 2.2 U | 2.2 U | 49.2 | 58 |
| E5-1 | 8.3 U | 72.5 | 3.3 U | 1.7 U | 1.7 U | 60.9 | 61.9 |
| E5-2 | 11 U | 86.1 | 4.6 U | 2.3 U | 2.3 U | 59.6 | 64.6 |
| E5-3 | 11 U | 86.9 | 4.5 U | 2.2 U | 2.2 U | 52.2 | 52.9 |
| E6-1 | 9.1 U | 82.6 | 3.6 U | 1.8 U | 1.8 U | 60.3 | 58 |
| E6-2 | 12 U | 98.4 | 4.8 U | 2.4 U | 2.4 U | 54 | 57.1 |
| E6-4 | 11 U | 81.8 | 4.2 U | 2.1 U | 2.1 U | 63.9 | 47.9 |
| E7-1 | 12 U | 82.5 | 4.7 U | 2.4 U | 2.4 U | 51.2 | 52.2 |
| E7-2 | 11 U | 96.6 | 4.2 U | 2.1 U | 2.1 U | 41.8 | 53 |
| E7-3 | 11 U | 68.6 | 4.4 U | 2.2 U | 2.2 U | 60.1 | 51.9 |
| E7-5 | 11 U | 68.4 | 4.2 U | 2.1 U | 2.1 U | 46.4 | 52.7 |
| E8-1 | 12 U | 81.1 | 4,8 U | 2.4 U | 2.4 U | 52.2 | 54 |
| E8-2 | 12 U | 93.4 | 4.6 U | 2.3 U | 2.3 U | 52.7 | 52.7 |
| E8-3 | 9.5 U | 83.1 | 3.8 U | 1.9 U | 1.9 U | 53.9 | 49 |
| E8-4 | 11 U | 61.8 | 4.5 U | 2.2 U | 2.2 U | 44.9 | 49.6 |
| E8-5 | 12 U | 62.6 | 4.7 U | 2.3 U | 2.3 U | 43 | 50 |
| SLs Residential (mg/kg) | 390 | 820 | 390 | 390 | 0.78 | 390 | 23,000 |
| SLs Residential (mg/kg) - THQ 1.0 | 390 | 820 | 390 | 390 | 0.78 | 390 | 23,000 |

Summary of Metal Concentrations Former Vallco Mall

Notes:

- mg/kg = micrograms per kilogram
- ESLs Residential = Environmental Screening Levels (ESLs) for direct exposure to human health for residential shallow soil exposure as established by the San Francisco (SF) Water Board, revised January 2019. Screening levels listed are for either cancer risk or non-cancer hazards; if a screening level for both cancer risk and non-cancer hazards existed, the lower screening level was listed.
- RSLs Residential = Regional Screening Levels (RSLs) for exposure to cancer/noncancer residential soil established by the Department of Toxic Substances Control (DTSC), revised April 2019 and the Environmental Protection Agency (EPA), revised May 2019.
 - U = compound was not detected at a concentration greater than the reporting limit shown
 - J = compound was detected at a concentration less than the laboratory reporting limit, but greater than the method detection limit
 - B = analyte detected in the associated method blank and in the sample
 - -- = not applicable or not available
 - [1] Samples collected by WSP on 10/30 & 10/31/18. Sample nomenclature is as follows: "sample location (sample depth)". Gray gradient indicates increased depth.
 - [2] Bold results indicate the concentration is greater than the reporting limit; results in red font indicate exceedance of screening levels.
 - [3] Samples collected by Geosphere consultants, inc. on September 6, 2016
 - [4] Risk-based screening level concentrations of arsenic in soil are often below naturally occurring (background) concentrations. DTSC recognizes 12 mg/kg as the upper bound estimate for background concentrations in California. SF Water Board cited that Duvergé (2011) conducted a study of regional background concentrations of arsenic and proposed an upper estimate for background arsenic (99th percentile) of 11 mg/kg.
 - [5] Samples collected by WSP on 1/10/2019. Sample nomenclature is as follows: "sample type sample location (depth)".
 - [6] All Arsenic concentrations are below background concentrations established by the SF Water Board and DTSC.

WSP Page 8 of 8

Table 3
Summary of TPH Concentrations
Former Vallco Mall

| Sample ID[11[2] | TPH-g (mg/kg) | TPH-d (mg/kg) | | TPH-mo (mg/kg) | | | | | |
|--|--|--|--------|-------------------|-------|--------------|--|--|--|
| S-1-(1) | 1 U | (mg/kg) | Y | 270 | rg) | | | | |
| S-1-(1) S-1-(5) | 1.1 U | 1.3 | Y | 3.3 | J | | | | |
| S-1-(10) | 1.1 U | | JY | 5.5 | U | | | | |
| The same of the sa | And the Control of th | and the second s | - | - | _ | SOCIO | | | |
| S-1-(15) | 1 U | | JY | 5 | U | 752 | | | |
| S-1-(20) | 1.1 U | | JY | 1.8 | | JY | | | |
| S-2-(1) | 1.1 U 1.1 U | 1100 | JY | 5.3 | | | | | |
| S-2-(5) | 1.1 U | 11 22 | Y | 260 500 | | | | | |
| S-2-(10) | 1.1 U | The second second | JY | 500 | U | - | | | |
| S-2-(15) S-2-(20) | 1.1 U | | JY | 5 | U | Aller water | | | |
| S-3-(1) | 0.93 U | 68 | Y | 1,600 | U | 10 | | | |
| S-3-(1) | 1 U | | JY | 2.1 | | JY | | | |
| S-3-(10) | 1.1 U | 2.2 | Y | 8.2 | | JI | | | |
| S-3-(15) | 1.1 U | The second secon | JY | 15 | Daily | Pint. | | | |
| S-3-(20) | 0.94 U | 1.2 | Y | 11 | MIN | 1 | | | |
| S-4-(1) | 1.1 U | 14 | Y | 34 | - 4 | V | | | |
| S-4-(5) | 1.1 U | 6.4 | Y | 100 | | | | | |
| S-4-(10) | 1.1 U | 0.4 | Y | 9.1 | | | | | |
| S-4-(15) | 1 U | 3.8 | Y | 68 | 100 | District. | | | |
| S-4-(20) | 1.1 U | 1.1 | Y | 13 | 5000 | 2500 | | | |
| S-5-(1) | 0.95 U | 13 | Y | 34 | | | | | |
| S-5-(5) | 1.1 U | 1.3 | Y | 2.1 | J | | | | |
| S-5-(10) | 0.99 U | 4.6 | Y | 97 | œ. | | | | |
| S-5-(15) | IU | | IY | 5 | U | | | | |
| S-5-(20) | 0.94 U | 1.2 | Y | 18 | 369 | 4396 | | | |
| S-6-(1) | 0.91 U | 68 | Y | 790 | _ | | | | |
| S-6-(5) | 0.94 U | 4 | Y | 37 | | | | | |
| S-6-(10) | 0.94 U | 0.59 | Y | 5 | | UI | | | |
| S-6-(15) | 1 U | | TY | 5 | | UI | | | |
| S-6-(20) | 1.1 U | 0.57 | TY. | 5 | U | ALC: | | | |
| S-7-(2) | 3.2 Y | 61 | | 21 | | | | | |
| S-7-(5) | 0.97 U | 0.96 J | | 1.7 | J | | | | |
| S-7-(10) | 1.1 U | 0.74 | Y | 5 | U | | | | |
| S-7-(15) | 0.14 J | 0.57 | Y | 5 | U | 27 11 | | | |
| S-7-(20) | 10 | 0.83 | Y | 1.6 | | JB | | | |
| S-8-(1) | 1 U | 36 | Y | 1,100 | | | | | |
| S-8-(5) | 1 U | 0.76 | Y | 1.5 | | JB | | | |
| S-8-(10) | 1.1 U | 0.7 | Y | 5 | | UE | | | |
| S-8-(15) | 0.94 U | 0.85 J | Y | 1.7 | J | | | | |
| S-8-(20) | 1.1 U | 0.7 | Y | 2.2 | J | 25110 | | | |
| SLs Residential (mg/kg) | 430 | 260 | | 12,000 | | | | | |
| SLs Residential (mg/kg) | RSLs are for T | PH aliphatic and ar | omatic | analytes or | ıly | | | | |

Table 3

Summary of TPH Concentrations

Former Vallco Mall

| C | ТРН-д | TPH-d | ТРН-то |
|--------------------------|---------|----------------------------|--------------|
| Sample ID[1][2] | (mg/kg) | (mg/kg) | (mg/kg) |
| W-1-(1) | 1 U | 12 Y | 220 |
| W-1-(5) | 0.94 U | 1.1 Y | 12 B |
| W-1-(10) | 0.93 U | 2.3 Y | 14 |
| W-1-(15) | 1 U | 1.4 Y | 20 |
| W-1-(20) | 0.91 U | 0.61 J | 5 U |
| W-2-(2) | 0.93 U | 5.5 J | 98 |
| W-2-(5) | 0.94 U | 0.61 J | 1.9 J |
| W-2-(10) | 0.93 U | 0.74 J | 3.8 J |
| W-2-(15) | 0.99 U | 2.4 B Y | 2.4 J |
| W-2-(20) | 1.1 U | 41 B Y | 440 |
| W-3-(1) | 0.93 U | 4.7 B Y | 25 |
| W-3-(5) | 1.1 U | 2.4 B Y | 2.4 J |
| W-3-(10) | 0.97 U | 1.9 B Y | 2.2 J |
| W-3-(15) | 0.93 U | 1.1 B Y | 5 U |
| W-3-(20) | 1.1 U | 1.6 B Y | 2.1 J |
| W-4-(1) | 1.1 U | 4.5 B Y | 11 |
| W-4-(5) | 1.1 U | 3 Y | 14 |
| W-4-(10) | 1.1 U | 1.5 Y | 6 |
| W-4-(15) | 0.94 U | 0.6 J | 2.1 J |
| W-4-(20) | 1.1 U | 1.1 Y | 15 |
| W-5-(1) | 0.97 U | 1.7 Y | 4.5 JYZB |
| W-5-(5) | 0.92 U | 0.7 JY | 5.8 B |
| W-5-(10) | 0.93 U | 0.71 JY | 3.3 JYZB |
| W-5-(15) | 1 U | 0.66 JY | 7.5 B |
| W-5-(20) | 1.1 U | 0.83 JY | 3.3 JB |
| E-2-(1) | 0.91 U | 0.79 J | 2.8 J |
| E-2-(5) | 1.1 U | 11 Y | 44 |
| E-2-(10) | 0.93 U | 1.5 Y | 13 |
| E-2-(15) | 1.1 U | 2.7 Y | 28 |
| E-2-(20) | 0.91 U | 1.5 Y | 3.1 J |
| ESLs Residential (mg/kg) | 430 | 260 | 12,000 |
| RSLs Residential (mg/kg) | | TPH aliphatic and aromatic | |

Table 3

Summary of TPH Concentrations
Former Vallco Mall

| | ТРН-д | TPH-d | TPH-mo |
|-----------------------------|----------------|------------------------|-------------------|
| Sample ID ^{[2][3]} | (mg/kg) | (mg/kg) | (mg/kg) |
| E1-1 | 2.7 U | 120 J | 841 |
| E1-2 | 2.5 U | 2.4 U | 2.4 U |
| E1-3 | 2.4 U | 2.5 U | 2.5 U |
| E1-4 | 2.2 U | 2.5 U | 2.78 J |
| E1-8 | 2.5 U | 2.6 U | 2.6 U |
| E2-1 | 2.4 U | 2.86 J | 11.4 |
| E2-2 | 2.2 U | 2.5 U | 2.5 U |
| E2-3 | 2.6 U | 2.6 U | 2.6 U |
| E2-5 | 2.6 U | 2.5 U | 2.5 U |
| E2-7 | 2.7 U | 2.6 U | 2.6 U |
| E3-1 | 2.8 U | 2.5 U | 6.52 |
| E3-2 | 2.5 U | 4.6 J | 6.48 |
| E3-4 | 2.7 U | 2.4 U | 2.4 J |
| E3-6 | 2.4 U | 2.5 U | 2.5 U |
| E4-1 | 2.2 U | 2.5 U | 3.6 J |
| E4-2 | 2.6 U | 2.5 U | 2.5 U |
| E4-3 | 3.1 U | 2.5 U | 2.5 U |
| E5-1 | 2.8 U | 88.3 | 218 |
| E5-2 | 2.4 U | 3.02 J | 10.8 |
| E5-3 | 2.1 U | 2.5 U | 3.77 J |
| E6-1 | 2.8 U | 6.24 | 23.9 |
| E6-2 | 2.2 U | 2.5 U | 7.59 |
| E6-4 | 2.3 U | 2.5 U | 3.42 J |
| E7-1 | 2.1 U | 10.1 | 29.7 |
| E7-2 | 2.1 U | 2.5 U | 5.22 |
| E7-3 | 2.1 U | 2.5 U | 2.5 U |
| E7-5 | 2.4 U | 2.5 U | 2.5 U |
| E8-1 | 1.9 U | 10.5 | 44.5 |
| E8-2 | 2.1 U | 2.5 U | 7.88 |
| E8-3 | 1.9 U | 2.5 U | 2.5 U |
| E8-4 | 2.4 U | 2.5 U | 2.5 U |
| E8-5 | 2.2 U | 2.5 U | 2.5 U |
| ESLs Residential (mg/kg) | 430 | 260 | 12,000 |
| RSLs Residential (mg/kg) | RSLs are for T | PH aliphatic and aroma | tic analytes only |

Summary of TPH Concentrations Former Vallco Mall

Notes:

mg/kg = micrograms per kilogram

- ESLs Residential = Environmental Screening Levels (ESLs) for direct exposure to human health for residential shallow soil exposure as established by the San Francisco (SF) Water Board, revised January 2019. Screening levels listed are for either cancer risk or non-cancer hazards; if a screening level for both cancer risk and non-cancer hazards existed, the lower screening level was listed.
- RSLs Residential = Regional Screening Levels (RSLs) for exposure to cancer/noncancer residential soil established by the Department of Toxic Substances Control (DTSC), revised April 2019 and the Environmental Protection Agency (EPA), revised May 2019.
 - U = compound was not detected at a concentration greater than the reporting limit shown
 - J = compound was detected at a concentration less than the laboratory reporting limit, but greater than the method detection limit
 - Y = Sample exhibits chromatographic pattern which does not resemble standard
 - B = compound was detected in associated method blank
 - Z = Sample exhibits unknown single peak or peaks
 - -- = not applicable or not available
 - [1] Samples collected by WSP on 10/30 & 10/31/18. Sample nomenclature is as follows: "sample location (sample depth)". Gray gradient indicates increased depth.
 - [2] Bold results indicate the concentration is greater than the reporting limit; results in red font indicate exceedance of screening levels.
 - [3] Samples collected by Geosphere consultants, inc. on September 6, 2016

WSP Page 4 of 4

Table 4
Summary of SVOC and PAH Concentrations
Former Vallco Mall

| Sample ID[1][2][3] | ESL Residential (µg/kg) ^[4] | RSLs Residential (µg/kg) ^[5] | S-1-(1) (μg/kg) | | S-1-(5) (μg/kg) | | S-2-(1) (μg/kg) | | S-2-(5) (μg/kg) | | S-3-(1) (μg/kg) | | S-3-(5) (μg/kg) | - 1 |
|----------------------------|--|---|--------------------|---|--------------------|---|--------------------|-----|--------------------|---|--------------------|---|--------------------|-----|
| Naphthalene | 3.80E+03 | 2.0E+03 | 320 | U | 10 | U | | J | 1,000 | U | 990 | U | 10 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 250 | U | 10 | U | | J | 1,000 | U | 990 | U | 10 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 210 | U | 10 | U | 10 | וני | 1,000 | U | 1,000 | U | 10 | U |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 210 | U | 9 | U | 8.8 | J | 880 | U | 870 | U | 8.8 | U |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 210 | U | 9 | U | 9 1 | J | 900 | U | 890 | U | 9 | U |
| Benzo(g,h,i)perylene | ma. | | 210 | U | 10 | U | 10 | J | 1,000 | U | 1,000 | U | 10 | U |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 210 | U | 9 | U | 9.5 | J | 950 | U | 940 | U | 9.5 | U |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 210 | U | 13 | U | 13 | J | 1,300 | U | 1,300 | U | 13 | U |
| Chrysene | 1.10E+05 | 1.1E+05 | 210 | U | 11 | U | 11 | ונ | 1,100 | U | 1,100 | U | 11 | U |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 210 | U | 9 | U | 9.4 | J | 940 | U | 930 | U | 9.4 | U |
| Di-n-butylphthalate | | 6.3E+06 | 240 | U | 12 | U | 12 | J | 1,200 | U | 1,200 | U | 12 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 210 | U | 9 | U | 8.9 | J | 890 | U | 880 | U | 8.9 | U |
| Pyrene | 1.80E+06 | 1.8E+06 | 210 | U | 11 | U | 11 | IJ | 1,100 | U | 1,100 | U | 11 | U |
| 1-Methylnaphthalene | | 9.9E+03 | 1220 | | 221 | | ; : | | *** | | | | ** | |

Table 4
Summary of SVOC and PAH Concentrations
Former Vallco Mall

| | ESL Residential | RSLs Residential | S-4-(1) | | S-4-(5) | | S-5-(1) | | S-5-(5) | | S-6-(1) | | S-6-(5) | |
|----------------------------|------------------------|------------------------|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|
| Sample ID[1][2][3] | (μg/kg) ^[4] | (μg/kg) ^[5] | (µg/kg) | | (μg/kg) | | (μg/kg) | | (µg/kg) | | (μg/kg) | | (μg/kg) | |
| Naphthalene | 3.80E+03 | 2.0E+03 | 100 | U | 99 | U | 13 | U | 10 | U | 250 | U | 20 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 100 | U | 99 | U | 9.9 | U | 10 | U | 250 | U | 20 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 100 | U | 100 | U | 8.4 | U | 10 | U | 250 | U | 20 | U |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 88 | U | 87 | U | 8.4 | U | 8.8 | U | 220 | U | 18 | U |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 90 | U | 89 | U | 8.4 | U | 9 | U | 220 | U | 18 | U |
| Benzo(g,h,i)perylene | | | 100 | U | 100 | U | 8.4 | U | 10 | U | 250 | U | 20 | U |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 95 | U | 94 | U | 8.4 | U | 9.6 | U | 240 | U | 19 | U |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 130 | U | 130 | U | 9 | J | 13 | U | 330 | U | 26 | U |
| Chrysene | 1.10E+05 | 1.1E+05 | 110 | U | 110 | U | 8.4 | U | 11 | U | 280 | U | 23 | U |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 94 | U | 92 | U | 8.4 | U | 9.4 | U | 230 | U | 19 | U |
| Di-n-butylphthalate | | 6.3E+06 | 120 | U | 120 | U | 9.5 | U | 12 | U | 300 | U | 24 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 89 | U | 87 | U | 8.4 | U | 8.9 | U | 220 | U | 18 | U |
| Pyrene | 1.80E+06 | 1.8E+06 | 110 | U | 110 | U | 8.4 | U | 11 | U | 270 | U | 22 | U |
| 1-Methylnaphthalene | | 9.9E+03 | | | | | - | | | | | | | |

Table 4
Summary of SVOC and PAH Concentrations
Former Vallco Mall

| Sample ID[1][2][3] | ESL Residential (µg/kg) ^[4] | RSLs Residential (µg/kg) ^[5] | S-7-(2) (μg/kg) | | S-7-(5) (μg/kg) | | S-8-(1) (µg/kg) | | S-8-(5) (μg/kg) | | W-1-(1) (μg/kg) | | W-1-(5) (μg/kg) | |
|----------------------------|--|---|--------------------|---|--------------------|---|--------------------|---|--------------------|---|--------------------|---|--------------------|---|
| Naphthalene | 3.80E+03 | 2.0E+03 | 150 | J | 13 | U | 990 | U | 13 | U | 1,300 | U | 26 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 590 | | 9.9 | U | 990 | U | 10 | U | 990 | U | 20 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 52 | U | 8.3 | U | 1,000 | U | 8.5 | U | 840 | U | 17 | U |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 44 | U | 8.3 | U | 870 | U | 8.5 | U | 840 | U | 17 | U |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 45 | U | 8.3 | U | 890 | U | 8.5 | U | 840 | U | 17 | U |
| Benzo(g,h,i)perylene | | | 51 | U | 8.3 | U | 1,000 | U | 8.5 | U | 840 | U | 17 | U |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 48 | U | 8.3 | U | 940 | U | 8.5 | U | 840 | U | 17 | U |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 66 | U | 8.5 | U | 1,300 | U | 8.6 | U | 850 | U | 17 | U |
| Chrysene | 1.10E+05 | 1.1E+05 | 57 | U | 8.3 | U | 1,100 | U | 8.5 | U | 840 | U | 17 | U |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 47 | U | 8.3 | U | 930 | U | 8.5 | U | 840 | U | 17 | U |
| Di-n-butylphthalate | | 6.3E+06 | 61 | U | 12 | J | 1,200 | U | 9.6 | U | 950 | U | 19 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 44 | U | 8.3 | U | 870 | U | 8.5 | U | 840 | U | 17 | U |
| Pyrene | 1.80E+06 | 1.8E+06 | 55 | U | 8.3 | U | 1,100 | U | 8.5 | U | 840 | U | 17 | U |
| 1-Methylnaphthalene | == | 9.9E+03 | 7# | | 22 | | <u> </u> | | 244 3 | | | | 1440 | |

Table 4
Summary of SVOC and PAH Concentrations
Former Vallco Mall

| Sample ID[1][2][3] | ESL Residential (µg/kg) ^[4] | RSLs Residential (µg/kg) ^[5] | W-2-(2) (μg/kg) | | W-2-(5) (μg/kg) | | W-3-(1) (μg/kg) | | W-3-(5) (μg/kg) | | W-4-(1) (μg/kg) | | W-4-(5) (μg/kg) | |
|----------------------------|--|---|--------------------|---|--------------------|---|--------------------|---|--------------------|---|--------------------|---|--------------------|---|
| Naphthalene | 3.80E+03 | 2.0E+03 | 260 | U | 13 | U | 100 | U | 10 | U | 50 | U | 50 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 200 | U | 9.9 | U | 100 | U | 10 | U | 50 | U | 50 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 170 | U | 8.4 | U | 100 | U | 10 | U | 51 | U | 51 | U |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 170 | U | 8.4 | U | 88 | U | 8.9 | U | 44 | U | 44 | U |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 170 | U | 8.4 | U | 90 | U | 9.1 | U | 45 | U | 45 | U |
| Benzo(g,h,i)perylene | | . 2 | 170 | U | 8.4 | U | 100 | U | 10 | U | 50 | U | 51 | U |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 170 | U | 8.4 | U | 95 | U | 9.6 | U | 47 | U | 48 | U |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 170 | U | 8.5 | U | 130 | U | 13 | U | 65 | U | 65 | U |
| Chrysene | 1.10E+05 | 1.1E+05 | 170 | U | 8.4 | U | 110 | U | 11 | U | 56 | U | 57 | U |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 170 | U | 8.4 | U | 93 | U | 9.5 | U | 46 | U | 47 | U |
| Di-n-butylphthalate | = | 6.3E+06 | 190 | U | 11 | J | 120 | U | 12 | U | 60 | U | 61 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 170 | U | 8.4 | U | 88 | U | 9 | U | 44 | U | 44 | U |
| Pyrene | 1.80E+06 | 1.8E+06 | 170 | U | 8.4 | U | 110 | U | 11 | U | 54 | U | 55 | U |
| 1-Methylnaphthalene | | 9.9E+03 | | | | | 45 | | -21 | | 2449 | | | |

Table 4

Summary of SVOC and PAH Concentrations
Former Vallco Mall

| | ESL Residential | RSLs Residential | W-5-(1) | | W-5-(5) | E-2-(1) | | E-2-(5) | |
|----------------------------|------------------------|------------------------|---------|---|---------|--------------------|---|---------|---|
| Sample ID[1][2][3] | (μg/kg) ^[4] | (μg/kg) ^[5] | (μg/kg) | | (µg/kg) | (µg/kg) | | (µg/kg) | |
| Naphthalene | 3.80E+03 | 2.0E+03 | 13 | U | 26 U | 13 | U | 130 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 9.9 | U | 20 U | 9.8 | U | 99 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 8.4 | U | 17 U | 8.3 | U | 83 | U |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 8.4 | U | 17 U | 8.3 | U | 83 | U |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 8.4 | U | 17 U | 8.3 | U | 83 | U |
| Benzo(g,h,i)perylene | | | 8.4 | U | 17 U | 8.3 | U | 83 | U |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 8.4 | U | 17 U | 8.3 | U | 83 | U |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 8.5 | U | 17 U | 18 | J | 85 | U |
| Chrysene | 1.10E+05 | 1.1E+05 | 8.4 | U | 17 U | 8.3 | U | 83 | U |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 8.4 | U | 17 U | 8.3 | U | 83 | U |
| Di-n-butylphthalate | | 6.3E+06 | 9.5 | U | 19 U | 9.4 | U | 95 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 8.4 | U | 17 U | 8.3 | U | 83 | U |
| Pyrene | 1.80E+06 | 1.8E+06 | 8.4 | U | 17 U | 8.3 | U | 83 | U |
| 1-Methylnaphthalene | | 9.9E+03 | | | | (94); | | (44) | |

Table 4
Summary of SVOC and PAH Concentrations
Former Vallco Mall

| <u>Sample ID</u> [1][2][3] | ESL Residential (µg/kg) ^[4] | RSLs Residential (µg/kg) ^[5] | E1-1 ^[6] (μg/kg) | | E1-2 ^[6] (μg/kg) | | E1-3 ^[6] (μg/kg) | | E1-4 ^[6] (μg/kg) | | E1-8 ^[6] (μg/kg) | | Ε2-1 ^[6] (μg/kg) | |
|----------------------------|--|---|--------------------------------|---|--------------------------------|---|--------------------------------|---|--------------------------------|---|--------------------------------|---|--------------------------------|---|
| Naphthalene | 3.80E+03 | 2.0E+03 | 110 | U | 26 | U | 27 | U | 27 | U | 26 | U | 26 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 178 | J | 26 | U | 27 | U | 27 | U | 26 | U | 26 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 14 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.3 | U |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 29.7 | J | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.3 | U |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 41.6 | J | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.3 | U |
| Benzo(g,h,i)perylene | == | | 31.6 | J | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.3 | U |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 20.3 | J | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.3 | U |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 33 | U | 38.8 | J |
| Chrysene | 1.10E+05 | 1.1E+05 | 55.3 | | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.3 | U |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 17.6 | J | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.3 | U |
| Di-n-butylphthalate | | 6.3E+06 | 67 | U | 66 | U | 66 | U | 66 | U | 66 | U | 67 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 14 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.3 | U |
| Pyrene | 1.80E+06 | 1.8E+06 | 68 | U | 16 | U | 17 | U | 17 | U | 16 | U | 16 | U |
| 1-Methylnaphthalene | 22 | 9.9E+03 | 168 | J | 26 | U | 27 | U | 27 | U | 26 | U | 26 | U |

Table 4
Summary of SVOC and PAH Concentrations
Former Vallco Mall

| | ESL Residential | RSLs Residential | E2-2 ^[6] | | E2-3 ^[6] | | E2-5 [6] | | E2-7 ^[6] | | E3-1 ^[6] | | E3-2 ^[6] | |
|----------------------------|------------------------|------------------------|---------------------|---|---------------------|---|----------|---|---------------------|---|---------------------|---|---------------------|---|
| Sample ID [1][2][3] | (μg/kg) ^[4] | (μg/kg) ^[5] | (μg/kg) | | (μg/kg) | | (μg/kg) | | (μg/kg) | | (μg/kg) | | (μg/kg) | |
| Naphthalene | 3.80E+03 | 2.0E+03 | 27 | U | 26 | U | 26 | U | 27 | U | 26 | U | 27 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 27 | U | 26 | U | 26 | U | 27 | U | 26 | U | 27 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 3.4 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.4 | U |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 3.4 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.4 | U |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 3.4 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.4 | U |
| Benzo(g,h,i)perylene | | <u></u> 0 | 3.4 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.4 | U |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 3.4 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.4 | U |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 33 | U | 33 | U | 33 | U | 34 | U | 33 | U | 33 | U |
| Chrysene | 1.10E+05 | 1.1E+05 | 3.4 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.4 | U |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 3.4 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.4 | U |
| Di-n-butylphthalate | | 6.3E+06 | 66 | U | 66 | U | 66 | U | 67 | U | 66 | U | 67 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 3.4 | U | 3.2 | U | 3.3 | U | 3.4 | U | 3.2 | U | 3.4 | U |
| Pyrene | 1.80E+06 | 1.8E+06 | 17 | U | 16 | U | 16 | U | 17 | U | 16 | U | 17 | U |
| 1-Methylnaphthalene | ## · | 9.9E+03 | 27 | U | 26 | U | 26 | U | 27 | U | 26 | U | 27 | U |

Table 4
Summary of SVOC and PAH Concentrations
Former Vallco Mall

| | ESL Residential | RSLs Residential | E3-4 ^[6] | | E3-6 ^[6] | | E4-1 ^[6] | | E4-2 ^[6] | | E4-3 ^[6] | | E5-1 ^[6] | |
|----------------------------|------------------------|------------------------|---------------------|---|---------------------|---|---------------------|---|---------------------|---|---------------------|---|---------------------|-----|
| Sample ID[1][2][3] | (μg/kg) ^[4] | (μg/kg) ^[5] | (μg/kg) | | (μg/kg) | _ |
| Naphthalene | 3.80E+03 | 2.0E+03 | 28 | U | 27 | U | 27 | U | 26 | U | 27 | U | 26 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 28 | U | 27 | U | 27 | U | 26 | U | 27 | U | 26 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 3.4 | U | 3.3 | U | 3.4 | U | 3.3 | U | 3.4 | U | 24.6 | |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 3.4 | U | 3.3 | U | 3.4 | U | 3.3 | U | 3.4 | U | 23.3 | |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 3.4 | U | 3.3 | U | 3.4 | U | 3.3 | U | 3.4 | U | 19.4 | |
| Benzo(g,h,i)perylene | - 1-71 1-71 | | 3.4 | U | 3.3 | U | 3.4 | U | 3.3 | U | 3.4 | U | 40.2 | - 1 |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 3.4 | U | 3.3 | U | 3.4 | U | 3.3 | U | 3.4 | U | 7.3 | J |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 33 | U | 34 | U | 33 | U | 34 | U | 33 | U | 34 | U |
| Chrysene | 1.10E+05 | 1.1E+05 | 3.4 | U | 3.3 | U | 3.4 | U | 3.3 | U | 3.4 | U | 85.8 | |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 3.4 | U | 3.3 | U | 3.4 | U | 3.3 | U | 3.4 | U | 12.6 | J |
| Di-n-butylphthalate | | 6.3E+06 | 66 | U | 67 | U | 67 | U | 68 | U | 66 | U | 67.0 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 3.4 | U | 3.3 | U | 3.4 | U | 3.3 | U | 3.4 | U | 9.3 | J |
| Pyrene | 1.80E+06 | 1.8E+06 | 17 | U | 17 | U | 17 | U | 16 | U | 17 | U | 30.9 | J |
| 1-Methylnaphthalene | | 9.9E+03 | 28 | U | 27 | U | 27 | U | 26 | U | 27 | U | 26.0 | U |

Table 4
Summary of SVOC and PAH Concentrations
Former Vallco Mall

| | ESL Residential | RSLs Residential | E5-2 ^[6] | | E5-3 ^[6] | | E6-1 ^[6] | | E6-2 ^[6] | | E6-4 ^[6] | | E7-1 ^[6] | | E7-2 ^[6] | |
|----------------------------|------------------------|------------------------|---------------------|---|---------------------|---|---------------------|---|---------------------|---|---------------------|---|---------------------|---|---------------------|---|
| Sample ID [1][2][3] | (μg/kg) ^[4] | (μg/kg) ^[5] | (μg/kg) | | (μg/kg) | | (μg/kg) | | (μg/kg) | | (µg/kg) | | (μg/kg) | | (μg/kg) | |
| Naphthalene | 3.80E+03 | 2.0E+03 | 26 | U | 27 | U | 26 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 26 | U | 27 | U | 26 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 3.3 | U | 3.4 | U | 3.3 | U |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 3.3 | U | 3.4 | U | 3.3 | U |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 3.3 | U | 3.4 | U | 4.0 | J | 3.4 | U | 3.4 | U | 3.4 | U | 3.3 | U |
| Benzo(g,h,i)perylene | | | 3.3 | U | 3.4 | U | 3.3 | U |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 3.3 | U | 3.4 | U | 3.3 | U |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 33 | U |
| Chrysene | 1.10E+05 | 1.1E+05 | 3.3 | U | 3.4 | U | 4.9 | J | 3.4 | U | 3.4 | U | 3.4 | U | 3.3 | U |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 3.3 | U | 3.4 | U | 3.3 | U |
| Di-n-butylphthalate | | 6.3E+06 | 67 | U | 66 | U | 66 | U | 67 | U | 67 | U | 67 | U | 66 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 3.3 | U | 3.4 | U | 3.3 | U |
| Pyrene | 1.80E+06 | 1.8E+06 | 16 | U | 17 | U |
| 1-Methylnaphthalene | | 9.9E+03 | 26 | U | 27 | U | 26 | U |

Table 4
Summary of SVOC and PAH Concentrations
Former Vallco Mall

| | ESL Residential | RSLs Residential | E7-3 [6] | | E7-5 ^[6] | | E8-1 ^[6] | | E8-2 ^[6] | | E8-3 ^[6] | | E8-4 ^[6] | | E8-5 ^[6] | - 1 |
|----------------------------|------------------------|------------------------|----------|---|---------------------|---|---------------------|---|---------------------|---|---------------------|---|---------------------|---|---------------------|-----|
| Sample ID[1][2][3] | (μg/kg) ^[4] | (μg/kg) ^[5] | (μg/kg) | | (µg/kg) | | (μg/kg) | | (µg/kg) | | (μg/kg) | | (μg/kg) | | (μg/kg) | |
| Naphthalene | 3.80E+03 | 2.0E+03 | 27 | U | 27 | U | 26 | U | 26 | U | 27 | U | 26 | U | 26 | U |
| 2-Methylnaphthalene | 2.40E+05 | 1.9E+05 | 27 | U | 27 | U | 26 | U | 26 | U | 27 | U | 26 | U | 26 | U |
| Benzo(a)anthracene | 1.10E+03 | 1.1E+03 | 3.4 | U | 3.4 | U | 3.3 | U | 3.2 | U | 3.3 | U | 3.3 | U | 3.3 | U |
| Benzo(a)pyrene | 1.10E+02 | 1.1E+02 | 3.4 | U | 3.4 | U | 3.3 | U | 3.2 | U | 3.3 | U | 3.3 | U | 3.3 | U |
| Benzo(b)fluoranthene | 1.10E+03 | 1.1E+03 | 3.4 | U | 3.4 | U | 3.3 | U | 3.2 | U | 3.3 | U | 3.3 | U | 3.3 | U |
| Benzo(g,h,i)perylene | | | 3.4 | U | 3.4 | U | 3.3 | U | 3.2 | U | 3.3 | U | 3.3 | U | 3.3 | U |
| Benzo(k)fluoranthene | 1.10E+04 | 1.1E+04 | 3.4 | U | 3.4 | U | 3.3 | U | 3.2 | U | 3.3 | U | 3.3 | U | 3.3 | U |
| bis(2-Ethylhexyl)phthalate | 3.90E+04 | 3.9E+04 | 33 | U | 33 | U | 33 | U | 33 | U | 33 | U | 33 | U | 33 | U |
| Chrysene | 1.10E+05 | 1.1E+05 | 3.4 | U | 3.4 | U | 3.3 | U | 3.2 | U | 3.3 | U | 3.3 | U | 3.3 | U |
| Dibenz(a,h)anthracene | 1.10E+02 | 2.8E+01 | 3.4 | U | 3.4 | U | 3.3 | U | 3.2 | U | 3.3 | U | 3.3 | U | 3.3 | U |
| Di-n-butylphthalate | | 6.3E+06 | 67 | U | 67 | U | 67 | U | 67 | U | 66 | U | 66 | U | 67 | U |
| Indeno(1,2,3-cd)pyrene | 1.10E+03 | 1.1E+03 | 3.4 | U | 3.4 | U | 3.3 | U | 3.2 | U | 3.3 | U | 3.3 | U | 3.3 | U |
| Pyrene | 1.80E+06 | 1.8E+06 | 17 | U | 17 | U | 16 | U | 16 | U | 17 | U | 17 | U | 16 | U |
| 1-Methylnaphthalene | | 9.9E+03 | 27 | U | 27 | U | 26 | U | 26 | U | 27 | U | 26 | U | 26 | U |

Summary of SVOC and PAH Concentrations Former Vallco Mall

Notes:

- ug/kg = millograms per kilogram
 - U = compound was not detected at a concentration greater than the method detection limit shown
 - J = compound was detected at a concentration less than the laboratory reporting limit, but greater than the method detection limit
 - ND = compound was not detected at a cocentration greater then the method detection limit
 - -- = not applicable or not available
 - [1] Samples collected by WSP on 10/30 & 10/31/18. Sample nomenclature is as follows: "sample location (sample depth)".
 - [2] Bold results indicate the concentration is greater than the reporting limit.
 - [3] Only SVOCs or PAHs detected above the method detection limit in at least one boring are shown. All other SVOC or PAH compounds were not detected
 - [4] Environmental Screening Levels (ESLs) for direct exposure to human health for residential shallow soil exposure as established by the San Francisco (SF) Water Board, revised January 2019. Screening levels listed are for either cancer risk or non-cancer hazards; if a screening level for both cancer risk and non-cancer hazards existed, the lower screening level was listed.
 - [5] Regional Screening Levels (RSLs) for exposure to cancer/noncancer residential soil established by the Department of Toxic Substances Control (DTSC), revised April 2019 and the Environemental Protection Agency (EPA), revised May 2019. Concentration in μg/kg.
 - [6] Samples collected by Geosphere consultants, inc. on Semptember 6, 2016

WSP Page 11 of 11

Table 5
Summary of Pesticide Concentrations
Former Vallco Mall

| | 4,4'-D] | DD | 4,4'-I | DE | | 4,4'-I | DT | | Ald | rin | alpha- | внс | alpha-Chlo | rdane ^[5] |
|--------------------------|---------|-----|---------|-----|---|---------------|-----|-----|---------|-----|---------|-----|------------|----------------------|
| Sample ID[1][2][8] | (μg/k | g) | (μg/l | kg) | | (μg/ l | kg) | | (μg/l | kg) | (μg/ | kg) | (μg/k | g) |
| S-1-(1) | 1.5 | U | 19 | J | | 11 | J | | 0.61 | U | 1 | U | 1.8 | U |
| S-1-(5) | 0.079 | U | 9.1 | | # | 3.4 | | | 0.061 | U | 0.1 | U | 0.18 | U |
| S-2-(1) | 0.57 | J | 3.5 | | # | 1.3 | J | | 0.06 | U | 0.099 | U | 0.18 | U |
| S-2-(5) | 1.6 | U | 1.6 | U | | 1.8 | U | | 1.2 | U | 2 | U | 3.6 | U |
| S-3-(1) | 4 | U | 4 | U | | 4.5 | U | | 3 | U | 5 | U | 8.9 | U |
| S-3-(5) | 0.59 | J C | 3.3 | | # | 0.34 | U | | 0.061 | U | 0.1 | U | 0.18 | U |
| S-4-(1) | 6.3 | # | 65 | | # | 1.2 | J | С | 0.14 | J | C 0.23 | J | 0.18 | U |
| S-4-(5) | 0.079 | U | 0.098 | U | | 0.089 | U | | 0.06 | U | 0.099 | U | 0.18 | U |
| S-5-(1) | 0.16 | U | 0.18 | J (| 2 | 0.65 | U | | 0.12 | U | 0.2 | U | 0.35 | U |
| S-5-(5) | 0.48 | J | 1.5 | J | | 0.088 | U | | 0.06 | U | 0.098 | U | 0.17 | U |
| S-6-(1) | 0.15 | U | 1.2 | J | | 0.33 | U | | 0.091 | U | 0.087 | U | 0.14 | U |
| S-6-(5) | 1.6 | U | 1.6 | U | | 1.7 | U | | 1.2 | U | 2 | U | 3.5 | U |
| S-7-(2) | 3.2 | С | 63 | | # | 7.4 | | C # | 0.97 | J | C 0.09 | U | 4.2 | C # |
| S-7-(5) | 0.19 | J C | 0.88 | J | | 0.85 | J | | 0.061 | U_ | 0.1 | U | 0.18 | U |
| S-8-(1) | 0.81 | U | 1.5 | J (| 2 | 0.92 | U | | 0.62 | U | 1 | U | 1.8 | U |
| S-8-(5) | 0.082 | U | 0.082 | U | | 0.092 | U | | 0.062 | U | 0.1 | U | 0.18 | U |
| W-1-(1) | 0.16 | U | 0.16 | U | | 0.18 | U | | 0.13 | U | 0.21 | U | 0.37 | U |
| W-1-(5) | 0.08 | U | 0.08 | U | | 0.09 | U | | 0.061 | U | 0.1 | U | 0.18 | |
| W-2-(2) | 1.5 | J C | 0.08 | | | 38 | | # | 0.46 | U | 0.44 | U | 0.7 | |
| W-2-(5) | 0.078 | U | 0.078 | U | | 0.088 | U | | 0.06 | U | 0.099 | U | 0.18 | U |
| W-3-(1) | 0.078 | U | 0.35 | J | | 0.088 | U | | 0.06 | U | 0.099 | U | 0.18 | U |
| W-3-(5) | 0.08 | U | 0.08 | U | | 0.09 | U | | 0.061 | U | 0.1 | U | 0.18 | U |
| W-4-(1) | 2.4 | | 35 | | | 13 | | # | 0.061 | U | 0.1 | U | 0.15 | J C |
| W-4-(5) | 0.079 | U | 0.079 | U | | 0.09 | U | | 0.061 | U | 0.1 | U | 0.18 | U |
| W-5-(1) | 0.15 | U | 1.7 | J | | 0.77 | J | | 0.061 | U | 0.1 | U | 0.18 | U |
| W-5-(5) | 0.082 | U | 0.082 | U | | 0.092 | U | | 0.063 | U | 0.1 | U | 0.18 | |
| E-2-(1) | 0.08 | U | 0.33 | J | | 0.09 | U | | 0.061 | U | 0.1 | U | 0.18 | U |
| E-2-(5) | 47 | # | 81 | | # | 1.7 | U | | 4.2 | J | 0.5 | U | 1.2 | J C |
| ESLs Residential (μg/kg) | 2.7E+03 | | 1.8E+03 | | | 1.9E+03 | | | 3.5E+01 | | | | 4.8E+02 | |
| RSLs Residential (µg/kg) | 1.9E+03 | | 2.0E+03 | | | 1.9E+03 | | | 3.9E+01 | | 8.6E+01 | | 1.7E+03 | |

Table 5
Summary of Pesticide Concentrations
Former Vallco Mall

| | 4,4'-DDD | 4,4'-DDE | 4,4'-DDT | Aldrin | alpha-BHC | alpha-Chlordane [5][|
|-------------------------|----------|----------|----------|---------|---------------------|----------------------|
| Sample ID [2][3][8] | (μg/kg) | (μg/kg) | (μg/kg) | (μg/kg) | (μg/kg) | (μg/kg) |
| E1-1 | 12 U | 11 U | 13 U | 10 U | 10 U | 140 U |
| E1-2 | 0.56 U | 0.53 U | 0.64 U | 0.5 U | 0.5 U | 6.5 U |
| E1-3 | 0.58 U | 0.54 U | 0.66 U | 0.51 U | 0.52 U | 6.8 U |
| E1-4 | 0.57 U | 0.53 U | 0.64 U | 0.5 U | 0.51 U | 6.6 U |
| E1-8 | 0.58 U | 0.54 U | 0.66 U | 0.51 U | 0.52 U | 6.7 U |
| E2-1 | 0.57 U | 0.53 U | 0.65 U | 0.5 U | 0.51 U | 6.6 U |
| E2-2 | 0.57 U | 0.53 U | 0.64 U | 0.5 U | 0.51 U | 6.6 U |
| E2-3 | 0.58 U | 0.54 U | 0.66 U | 0.51 U | 0.52 U | 6.7 U |
| E2-5 | 0.56 U | 0.53 U | 0.64 U | 0.5 U | 0.5 U | 6.5 U |
| E2-7 | 0.57 U | 0.54 U | 0.65 U | 0.51 U | 0.51 U | 6.7 U |
| E3-1 | 0.57 U | 0.53 U | 0.65 U | 0.5 U | 0.51 U | 6.6 U |
| E3-2 | 1.7 J | 20.8 | 0.65 U | 0.51 U | 0.51 U | 6.7 U |
| E3-4 | 0.58 U | 0.54 U | 0.66 U | 0.51 U | 0.52 U | 6.7 U |
| E3-6 | 0.56 U | 0.52 U | 0.64 U | 0.49 U | 0.5 U | 6.5 U |
| E4-1 | 0.57 U | 0.53 U | 0.64 U | 0.5 U | 0.51 U | 6.6 U |
| E4-2 | 0.58 U | 0.54 U | 0.66 U | 0.51 U | 0.52 U | 6.7 U |
| E4-3 | 0.57 U | 0.54 U | 0.65 U | 0.51 U | 0.51 U | 6.7 U |
| E5-1 | 22.6 J | 5.4 U | 33.6 J | 5.1 U | 5.2 U | 68 U |
| E5-2 | 2.8 U | 24.7 | 8.4 J | 2.5 U | 2.5 U | 33 U |
| E5-3 | 0.57 U | 0.53 U | 0.65 U | 0.5 U | 0.51 U | 6.6 U |
| E6-1 | 29.5 J | 140 | 70.2 | 5.1 U | 5.1 U | 67 U |
| E6-2 | 0.57 U | 0.54 U | 0.65 U | 0.51 U | 0.51 U | 6.7 U |
| E6-4 | 0.59 U | 0.55 U | 0.67 U | 0.52 U | 0.52 U | 6.8 U |
| E7-1 | 2.9 U | 8.8 J | 3.3 U | 2.5 U | 2.6 U | 33 U |
| E7-2 | 0.58 U | 0.54 U | 0.66 U | 0.51 U | 0.52 U | 6.8 U |
| E7-3 | 0.57 U | 0.54 U | 0.65 U | 0.51 U | 0.51 U | 6.7 U |
| E7-5 | 0.57 U | 0.54 U | 0.65 U | 0.51 U | 0.51 U | 6.7 U |
| E8-1 | 0.56 U | 0.63 J | 1.2 J | 0.49 U | 0.5 U | 6.5 U |
| E8-2 | 0.56 U | 0.52 U | 0.64 U | 0.49 U | 0.5 U | 6.5 U |
| E8-3 | 0.57 U | 0.53 U | 0.64 U | 0.5 U | 0.51 U | 6.6 U |
| E8-4 | 0.56 U | 0.52 U | 0.64 U | 0.49 U | 0.5 U | 6.5 U |
| E8-5 | 0.57 U | 0.54 U | 0.65 U | 0.51 U | 0.51 U | 6.7 U |
| SLs Residential (µg/kg) | 2.7E+03 | 1.8E+03 | 1.9E+03 | 3.5E+01 | (4 /)) | 4.8E+02 |
| SLs Residential (μg/kg) | 1.9E+03 | 2.0E+03 | 1.9E+03 | 3.9E+01 | 8.6E+01 | 1.7E+03 |

Table 5
Summary of Pesticide Concentrations
Former Vallco Mall

| | beta-BHC | delta-BHC | Dieldrin | Endosulfan I | ⁶⁾ Endosulfan II ^[6] | Endosulfan sulfate | Endrin |
|--------------------------|-----------|--------------------|----------|----------------|--|--------------------|---------|
| Sample ID 11[2][8] | (μg/kg) | (µg/kg) | (μg/kg) | (µg/kg) | (µg/kg) | (μg/kg) | (μg/kg) |
| S-1-(1) | 0.64 U | 0.8 U | 3.8 J | 0.8 U | 0.8 U | 0.74 U | 0.66 U |
| S-1-(5) | 0.064 U | 0.079 U | 0.79 J | 0.079 U | 0.079 U | 0.074 U | 0.066 U |
| S-2-(1) | 0.063 U | 0.079 U | 0.99 J | 0.11 U | 0.079 U | 0.073 U | 0.065 U |
| S-2-(5) | 1.3 U | 1.6 U | 1.6 U | 1.6 U | 1.6 U | 1.5 U | 1.3 U |
| S-3-(1) | 3.2 U | 4 U | 4 U | 4 U | 4 U | 3.7 U | 3.3 U |
| S-3-(5) | 0.065 U | 0.08 U | 0.17 J | 0.08 U | 0.08 U | 0.18 U | 0.066 U |
| S-4-(1) | 0.087 J C | 0.094 J C | 15 | # 0.079 U | 0.079 U | 0.18 U | 0.066 U |
| S-4-(5) | 0.064 U | 0.079 U | 0.079 U | 0.079 U | 0.079 U | 0.073 U | 0.066 U |
| S-5-(1) | 0.13 U | 0.16 U | 0.16 U | 0.16 U | 0.18 J C | 0.35 U | 0.6 J C |
| S-5-(5) | 0.063 U | 0.078 U | 0.8 J | 0.078 U | 0.078 U | 0.072 U | 0.065 U |
| S-6-(1) | 0.11 U | 0.15 U | 0.086 U | 0.11 U | 0.12 U | 0.17 U | 0.2 U |
| S-6-(5) | 1.3 U | 1.6 U | 2.2 J | 1.6 U | 1.6 U | 1.4 U | 4 U |
| S-7-(2) | 0.065 U | 0.16 U | 36 C | # 0.08 U | 0.08 U | 0.18 U | 15 # |
| S-7-(5) | 0.065 U | 0.08 U | 0.54 J | 0.11 U | 0.08 U | 0.18 U | 0.067 U |
| S-8-(1) | 0.66 U | 0.81 U | 0.81 U | 0.81 U | 0.81 U | 0.75 U | 0.68 U |
| S-8-(5) | 0.066 U | 0.082 U | 0.082 U | 0.082 U | 0.082 U | 0.076 U | 0.068 U |
| W-1-(1) | 0.13 U | 0.16 U | 0.16 U | 0.16 U | 0.16 U | 0.15 U | 0.14 U |
| W-1-(5) | 0.064 U | 0.08 U | 0.08 U | 0.11 U | 0.08 U | 0.074 U | 0.066 U |
| W-2-(2) | 0.56 U | 0.77 U | 2.5 J | 0.53 U | 0.6 U | 0.87 U | 1 U |
| W-2-(5) | 0.063 U | 0.078 U | 0.11 J C | 0.21 J | 0.078 U | 0.073 U | 0.2 U |
| W-3-(1) | 0.063 U | 0.078 U | 0.078 U | 0.078 U | 0.078 U | 0.073 U | 0.2 U |
| W-3-(5) | 0.064 U | 0.08 U | 0.08 U | 0.08 U | 0.08 U | 0.074 U | 0.21 U |
| W-4-(1) | 0.064 U | 0.08 U | 2.9 | 0.08 U | 0.08 U | 0.074 U | 0.21 U |
| W-4-(5) | 0.064 U | 0.079 U | 0.079 U | 0.079 U | 0.079 U | 0.074 U | 0.21 U |
| W-5-(1) | 0.064 U | 0.08 U | 0.15 J | 0.08 U | 0.08 U | 0.074 U | 0.066 U |
| W-5-(5) | 0.066 U | 0.082 U | 0.082 U | 0.11 U | 0.082 U | 0.076 U | 0.068 U |
| E-2-(1) | 0.065 U | 0.08 U | 0.24 J | 0.08 U | 0.08 U | 0.074 U | 0.066 U |
| E-2-(5) | 0.32 U | 0.4 U | 81 | # 0.6 J (| C 0.4 U | 0.37 U | 0.33 U |
| ESLs Residential (μg/kg) | N#: | | 3.7E+01 | 4.2E+05 | 4.2E+05 | 4.2E+05 | 2.1E+04 |
| RSLs Residential (μg/kg) | 3.0E+02 | (488) | 3.4E+01 | 4.5E+05 | 4.5E+05 | 4.5E+05 | 1.9E+04 |

Table 5

Summary of Pesticide Concentrations
Former Vallco Mall

| | beta-BHC | beta-BHC delta-BHC | | Endosulfan I ^[6] | Endosulfan II ^[6] | Endosulfan sulfate | Endrin | |
|----------------------------|----------|--------------------|----------|-----------------------------|------------------------------|--------------------|---------|--|
| <u>Sample ID</u> [2][3][8] | (µg/kg) | (µg/kg) | (µg/kg) | (μg/kg) | (µg/kg) | (μg/kg) | (µg/kg) | |
| E1-1 | 10 U | 9.9 U | 13 U | 9.9 U | 13 U | 13 U | 13 U | |
| E1-2 | 0.5 U | 0.48 U | 0.61 U | 0.48 U | 0.6 U | 0.61 U | 0.61 U | |
| E1-3 | 0.52 U | 0.49 U | 0.64 U | 0.49 U | 0.63 U | 63 U | 0.63 U | |
| E1-4 | 0.5 U | 0.48 U | 0.62 U | 0.48 U | 0.61 U | 0.62 U | 0.61 U | |
| E1-8 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.63 U | 0.62 U | |
| E2-1 | 0.51 U | 0.48 U | 0.62 U | 0.48 U | 0.61 U | 0.62 U | 0.62 U | |
| E2-2 | 0.5 U | 0.48 U | 0.62 U | 0.48 U | 0.61 U | 0.62 U | 0.61 U | |
| E2-3 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.63 U | 0.62 U | |
| E2-5 | 0.5 U | 0.48 U | 0.61 U | 0.48 U | 0.6 U | 0.61 U | 0.61 U | |
| E2-7 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.62 U | 0.62 U | |
| E3-1 | 0.51 U | 0.48 U | 0.62 U | 0.48 U | 0.61 U | 0.62 U | 0.62 U | |
| E3-2 | 0.51 U | 0.49 U | 2.5 J | 0.49 U | 0.62 U | 0.62 U | 0.62 U | |
| E3-4 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.63 U | 0.62 U | |
| E3-6 | 0.5 U | 0.47 U | 0.61 U | 0.47 U | 0.6 U | 0.61 U | 0.6 U | |
| E4-1 | 0.5 U | 0.48 U | 0.62 U | 0.48 U | 0.61 U | 0.62 U | 0.61 U | |
| E4-2 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.63 U | 0.62 U | |
| E4-3 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.62 U | 0.62 U | |
| E5-1 | 5.2 U | 4.9 U | 6.4 U | 4.9 U | 6.3 U | 6.3 U | 6.3 U | |
| E5-2 | 2.5 U | 2.4 U | 5.5 J | 2.4 U | 3.1 U | 3.1 U | 3.1 U | |
| E5-3 | 0.51 U | 0.48 U | 0.62 U | 0.48 U | 0.61 U | 0.62 U | 0.62 U | |
| E6-1 | 5.1 U | 4.9 U | 32.2 | 4.9 U | 6.2 U | 6.2 U | 6.2 U | |
| E6-2 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.62 U | 0.62 U | |
| E6-4 | 0.52 U | 0.5 U | 0.64 U | 0.5 U | 0.63 U | 0.64 U | 0.63 U | |
| E7-1 | 2.6 U | 2.4 U | 4.9 J | 8.3 U | 8.3 U | 3.1 U | 3.1 U | |
| E7-2 | 0.52 U | 0.49 U | 0.64 U | 0.49 U | 0.63 U | 0.63 U | 0.63 U | |
| E7-3 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.62 U | 0.62 U | |
| E7-5 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.62 U | 0.62 U | |
| E8-1 | 0.5 U | 0.47 U | 0.61 U | 0.47 U | 0.6 U | 0.61 U | 0.6 U | |
| E8-2 | 0.5 U | 0.47 U | 0.61 U | 0.47 U | 0.6 U | 0.61 U | 0.6 U | |
| E8-3 | 0.5 U | 0.48 U | 0.62 U | 0.48 U | 0.61 U | 0.62 U | 0.61 U | |
| E8-4 | 0.5 U | 0.47 U | 0.61 U | 0.47 U | 0.6 U | 0.61 U | 0.6 U | |
| E8-5 | 0.51 U | 0.49 U | 0.63 U | 0.49 U | 0.62 U | 0.62 U | 0.62 U | |
| SLs Residential (µg/kg) | | == | 3.70E+01 | 4.2E+05 | 4.2E+05 | 4.2E+05 | 2.1E+04 | |
| SLs Residential (µg/kg) | 3.0E+02 | | 3.4E+01 | 4.5E+05 | 4.5E+05 | 4.5E+05 | 1.9E+04 | |

Table 5
Summary of Pesticide Concentrations
Former Vallco Mall

| | Endrin aldehyde | gamma-BHC | gamma-Chlordane [5] | Heptachlor | Heptachlor epoxide | Methoxychlor | Toxaphene |
|--------------------------|-----------------|-----------|---------------------|---------------|--------------------|--------------|-----------|
| Sample ID[1][2][8] | (µg/kg) | (µg/kg) | (µg/kg) | (μg/kg) | (μg/kg) | (µg/kg) | (μg/kg) |
| S-1-(1) | 5.9 U | 0.81 U | 1.2 J C | 0.8 U | 0.77 U | 15 U | 130 U |
| S-1-(5) | 0.59 U | 0.08 U | 0.33 J | 0.079 U | 0.077 U | 1.5 U | 13 U |
| S-2-(1) | 0.58 U | 0.079 U | 0.24 J C | 0.079 U | 0.076 U | 1.5 U | 13 U |
| S-2-(5) | 12 U | 1.6 U | 2.2 U | 1.6 U | 1.5 U | 30 U | 270 U |
| S-3-(1) | 29 U | 4 U | 5.5 U | 4 U | 3.8 U | 76 U | 660 U |
| S-3-(5) | 0.59 U | 0.081 U | 0.34 J | 0.08 U | 0.077 U | 1.5 U | 13 U |
| S-4-(1) | 0.58 U | 0.12 U | 0.14 U | 0.079 U | 0.076 U | 1.5 U | 13 U |
| S-4-(5) | 0.58 U | 0.08 U | 0.14 U | 0.079 U | 0.076 U | 1.5 U | 13 U |
| S-5-(1) | 1.1 U | 0.16 U | 0.27 U | 0.16 U | 0.15 U | 3 U | 26 U |
| S-5-(5) | 0.57 U | 0.079 U | 0.23 J C | 0.078 U | 0.083 U | 1.5 U | 13 U |
| S-6-(1) | 0.67 U | 0.12 U | 0.23 J | 0.12 U | 0.083 U | 2.6 U | 11 U |
| S-6-(5) | 11 U | 1.6 U | 2.2 U | 1.6 U | 1.5 U | 30 U | 260 U |
| S-7-(2) | 3.1 C # | 0.081 U | 22 C | 0.08 U | 10 C | 2.7 U | 13 U |
| S-7-(5) | 0.59 U | 0.081 U | 0.14 J C | 0.08 U | 0.17 J | 1.5 U | 13 U |
| S-8-(1) | 6 U | 0.82 U | 1.1 U | 0.81 U | 0.78 U | 15 U | 140 U |
| S-8-(5) | 0.6 U | 0.083 U | 0.11 U | 0.082 U | 0.079 U | 1.6 U | 14 U |
| W-1-(1) | 1.2 U | 0.17 U | 0.23 U | 0.16 U | 0.16 U | 3.1 U | 27 U |
| W-1-(5) | 0.59 U | 0.081 U | 0.11 U | 0.08 U | 0.077 U | 1.5 U | 13 U |
| W-2-(2) | 3.4 U | 0.61 U | 0.67 U | 0.6 U | 0.42 U | 13 U | 57 U |
| W-2-(5) | 0.58 U | 0.079 U | 0.11 U | 0.078 U | 0.075 U | 1.5 U | 13 U |
| W-3-(1) | 0.58 U | 0.079 U | 0.11 U | 0.078 U | 0.076 U | 1.5 U | 13 U |
| W-3-(5) | 0.59 U | 0.081 U | 0.11 U | 0.08 U | 0.077 U | 1.5 U | 13 U |
| W-4-(1) | 0.59 U | 0.081 U | 0.41 J C | 0.08 U | 0.077 U | 1.5 U | 13 U |
| W-4-(5) | 0.59 U | 0.08 U | 0.11 U | 0.079 U | 0.077 U | 1.5 U | 13 U |
| W-5-(1) | 0.59 U | 0.081 U | 0.22 J | 0.08 U | 0.077 U | 1.5 U | 13 U |
| W-5-(5) | 0.6 U | 0.083 U | 0.11 U | 0.082 U | 0.079 U | 1.6 U | 14 U |
| E-2-(1) | 0.59 U | 0.081 U | 0.11 U | 0.08 U | 0.077 U | 1.5 U | 13 U |
| E-2-(5) | 2.9 U | 0.4 U | 0.68 U | 0.4 U | 0.38 U | 7.6 U | 66 U |
| ESLs Residential (µg/kg) | | 5.5E+02 | 4.8E+02 | 1.2E+02 | 6.2E+01 | 3.5E±05 | 5.1E+02 |
| RSLs Residential (µg/kg) | HP. | 5.7E+02 | 1.7E+03 | 1.3E+02 | 7.0E+01 | 3.2E+05 | 4.5E+02 |

Table 5
Summary of Pesticide Concentrations
Former Vallco Mall

| | Endrin aldehyde | Endrin aldehyde gamma-BHC | | Heptachlor | Heptachlor epoxide | Methoxychlor | Toxaphene | |
|-------------------------|---|---------------------------|--|------------|--------------------|--------------|-----------|--|
| Sample ID [2][3][8] | (μg/kg) | (µg/kg) | gamma-Chlordane ^{[5][9]} (µg/kg) | (µg/kg) | (μg/kg) | (µg/kg) | (μg/kg) | |
| E1-1 | 13 U | 10 U | 140 U | 11 U | 12 U | 17 U | 680 U | |
| E1-2 | 0.61 U | 0.5 U | 6.5 U | 0.56 U | 0.57 U | 0.84 U | 33 U | |
| E1-3 | 0.63 U | 0.52 U | 6.8 U | 0.57 U | 0.59 U | 0.87 U | 34 U | |
| E1-4 | 0.61 U | 0.5 U | 6.6 U | 0.56 U | 0.58 U | 8.5 U | 33 U | |
| E1-8 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.59 U | 0.86 U | 34 U | |
| E2-1 | 0.62 U | 0.51 U | 6.6 U | 0.56 U | 0.58 U | 8.5 U | 33 U | |
| E2-2 | 0.61 U | 0.5 U | 6.6 U | 0.56 U | 0.58 U | 0.85 U | 33 U | |
| E2-3 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.59 U | 0.86 U | 34 U | |
| E2-5 | 0.61 U | 0.5 U | 6.5 U | 0.56 U | 0.57 U | 0.84 U | 33 U | |
| E2-7 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.58 U | 0.86 U | 33 U | |
| E3-1 | 0.62 U | 0.51 U | 6.6 U | 0.56 U | 0.58 U | 8.5 U | 33 U | |
| E3-2 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.58 U | 0.86 U | 33 U | |
| E3-4 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.59 U | 0.86 U | 34 U | |
| E3-6 | 0.6 U | 0.5 U | 6.5 U | 0.55 U | 0.57 U | 0.83 U | 32 U | |
| E4-1 | 0.61 U | 0.5 U | 6.6 U | 0.56 U | 0.58 U | 0.85 U | 33 U | |
| E4-2 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.59 U | 0.86 U | 34 U | |
| E4-3 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.58 U | 0.86 U | 33 U | |
| E5-1 | 6.3 U | 5.2 U | 68 U | 5.7 U | 5.9 U | 8.7 U | 340 U | |
| E5-2 | 3.1 U | 2.5 U | 33 U | 2.8 U | 2.9 U | 4.3 U | 170 U | |
| E5-3 | 0.62 U | 0.51 U | 6.6 U | 0.56 U | 0.58 U | 0.85 U | 33 U | |
| E6-1 | 6.2 U | 5.1 U | 67 U | 5.7 U | 5.8 U | 8.6 U | 330 U | |
| E6-2 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.58 U | 0.86 U | 33 U | |
| E6-4 | 0.63 U | 0.52 U | 6.8 U | 0.58 U | 0.6 U | 0.87 U | 34 U | |
| E7-1 | 3.1 U | 2.6 U | 33 U | 2.8 U | 2.9 U | 4.3 U | 170 U | |
| E7-2 | 0.63 U | 0.52 U | 6.8 U | 0.57 U | 0.59 U | 0.87 U | 34 U | |
| E7-3 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.58 U | 0.86 U | 33 U | |
| E7-5 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.58 U | 0.86 U | 33 U | |
| E8-1 | 0.6 U | 0.5 U | 6.5 U | 0.55 U | 0.57 U | 0.83 U | 32 U | |
| E8-2 | 0.6 U | 0.5 U | 6.5 U | 0.55 U | 0.57 U | 0.83 U | 32 U | |
| E8-3 | 0.61 U | 0.5 U | 6.6 U | 0.56 U | 0.58 U | 0.85 U | 33 U | |
| E8-4 | 0.6 U | 0.5 U | 6.5 U | 0.55 U | 0.57 U | 0.83 U | 32 U | |
| E8-5 | 0.62 U | 0.51 U | 6.7 U | 0.57 U | 0.58 U | 0.86 U | 33 U | |
| SLs Residential (µg/kg) | ======================================= | 5.5E+02 | 4.8E+02 | 1.2E+02 | 6.2E+01 | 3.5E+05 | 5.1E+02 | |
| SLs Residential (μg/kg) | | 5.7E+02 | 1.7E+03 | 1.3E+02 | 7.0E+01 | 3.2E+05 | 4.5E+02 | |

Summary of Pesticide Concentrations Former Vallco Mall

Notes:

- ug/kg = millograms per kilogram
- ESLs Residential = Environmental Screening Levels (ESLs) for direct exposure to human health for residential shallow soil exposure as established by the San Francisco (SF) Water Board, revised January 2019. Screening levels listed are for either cancer risk or non-cancer hazards; if a screening level for both cancer risk and non-cancer hazards existed, the lower screening level was listed.
- RSLs Residential = Regional Screening Levels (RSLs) for exposure to cancer/noncancer residential soil established by the Department of Toxic Substances Control (DTSC), revised April 2019 and the Environmental Protection Agency (EPA), revised May 2019. Concentration in µg/kg.
 - U = compound was not detected at a concentration greater than the method detection limit or reporting limit shown
 - J = compound was detected at a concentration less than the laboratory reporting limit, but greater than the method detection limit
 - C = Presence confirmed, but relative percent difference (RPD) between columns exceeds 40%
 - # = Contining calibration verification (CCV) drift outside limits; average CCV drift within limits per method requirement.
 - P = Agreement between quantitative confirmation results exceed method recommended limits
 - -- = not applicable or not available
 - [1] Samples collected by WSP on 10/30 & 10/31/18. Sample nomenclature is as follows: "sample location (sample depth)". Gray gradient indicates increased depth.
 - [2] Bold results indicate the concentration is greater than reporting limit, results in red font indicate an exceedance of residential RSLs.
 - [3] Samples collected by Geosphere consultants, inc. on Semptember 6, 2016
 - [4] Samples collected by WSP on 1/10/19. Sample nomenclature is as follows: "sample type sample location (depth)". Gray gradient indicates increased depth.
 - [5] Screening level listed is for chlordane. Chlordane is a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components of which alpha-chlordane and gamma-chlordane are included
 - [6] Screening level listed is for Endosulfan. Endosulfan is a mix of Endosulfan I and Endosulfan II.
 - [7] The reporting limited is listed for non-detect compounds, indicated by a 'U' qualifier.
 - [8] The method detection limit is listed for non-detect compounds, indicated by a 'U' qualifier.
 - [9] The concentration listed is for Chlordane.

WSP Page 11 of 11

Table 6
Summary of Herbicide Concentrations
Former Vallco Mall

| | | 2,4,5-TP | | | | | | | | |
|----------------------------------|---------|----------|---------|---------|-------------|---------|-------------|---------|---------|---------|
| | 2,4,5-T | (Silvex) | 2,4-D | 2,4-DB | Dalapon | Dicamba | Dichlorprop | Dinoseb | MCPA | MCPP |
| Sample ID ^{[1][2]} | (μg/kg) | (μg/kg) | (μg/kg) | (μg/kg) | (µg/kg) | (μg/kg) | (μg/kg) | (μg/kg) | (μg/kg) | (μg/kg) |
| S-1-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2100 U | 3200 U |
| S-1-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| S-2-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| S-2-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| S-3-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5 U | 2000 U | 3100 U |
| S-3-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| S-4-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2100 U | 3200 U |
| S-4-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U_ | 5 U | 2000 U | 3100 U |
| S-5-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5 U | 2000 U | 3100 U |
| S-5-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| S-6-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| S-6-(5) | 1.1 U | 2.3 U | 14 U | _16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| S-7-(2) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| S-7-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5 U | 2000 U | 3100 U |
| S-8-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| S-8-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| ESLs Residential (μg/kg) | 7.8E+06 | | | | Parties. | 144 | 122 | | | |
| RSLs Residential (µg/kg) - THQ 1 | 6.3E+06 | 5.1E+05 | 7.0E+05 | 1.9E+06 | 1.9E+06 | 1.9E+06 | | 6.3E+04 | 3.2E+04 | 6.3E+04 |

Table 6

Summary of Herbicide Concentrations Former Vallco Mall

| | 2,4,5-T | 2,4,5-TP (Silvex) | 2,4-D | 2,4-DB | Dalapon | Dicamba | Dichloroprop | Dinoseb | МСРА | МСРР |
|--------------------------|---------|----------------------|---------|---------|---------|---------|--------------|---------|---------------|---------|
| Sample ID[1][2] | (μg/kg) | (µg/kg) | (μg/kg) | (µg/kg) | (μg/kg) | (µg/kg) | (μg/kg) | (μg/kg) | (μg/kg) | (µg/kg) |
| W-1-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 U |
| W-1-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 L |
| W-2-(2) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5 U | 2000 U | 3100 U |
| W-2-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 L |
| W-3-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2100 U | 3200 L |
| W-3-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 L |
| W-4-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2100 U | 3200 L |
| W-4-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2100 U | 3200 L |
| W-5-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2100 U | 3200 L |
| W-5-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 L |
| E-2-(1) | 1.1 U | 2.3 U | 14 U | 16 U | 72 U | 1.2 U | 17 U | 5.1 U | 2000 U | 3100 L |
| E-2-(5) | 1.1 U | 2.3 U | 14 U | 16 U | 73 U | 1.2 U | 17 U | 5.1 U | 2100 U | 3200 U |
| ESLs Residential (μg/kg) | 7.8E+06 | 995 | | | | 5225 | Set: | | | |
| RSLs Residential (μg/kg) | 6.3E+06 | 5.1E+05 | 7.0E+05 | 1.9E+06 | 1.9E+06 | 1.9E+06 | | 6.3E+04 | 3.2E+04 | 6.3E+04 |

Notes:

μg/kg = milligrams per kilogram

ESLs Residential = Environmental Screening Levels (ESLs) for direct exposure to human health for residential shallow soil exposure as established by the San Francisco (SF) Water Board, revised January 2019. Screening levels listed are for either cancer risk or non-cancer hazards; if a screening level for both cancer risk and non-cancer hazards existed, the lower screening level was listed.

RSLs Residential = Regional Screening Levels (RSLs) for exposure to cancer/noncancer residential soil established by the Department of Toxic Substances Control (DTSC), revised April 2019 and the Environmental Protection Agency (EPA), revised May 2019.

- U = compound was not detected at a concentration greater than the method detection limit shown
- -- = not applicable or not available
- [1] Sample nomenclature is as follows: "sample location (sample depth)". Gray gradient indicates increased depth.
- [2] Bold results indicate the concentration is greater than the method detection limit,

APPENDIX

A SEARS CLOSURE REPORT

December 6, 1999

Mr. Scott DeMuth
Department 824C
Sears Roebuck & Company
3333 Beverley Road
Hoffman Estates, IL 60179

Dear Mr. DeMuth:

Subject:

Fuel Leak Site Case Closure—Sears Automotive Center, 10101 North Wolfe Road,

Cupertino, CA 95014; Case No. 14-486

This letter transmits the enclosed underground storage tank (UST) case closure letter in accordance with Chapter 6.75 (Article 4, Section 25299.37[h]). The State Water Resources Control Board adopted this letter on February 20, 1997. As of March 1, 1997, the Santa Clara Valley Water District is required to use this case closure letter for all UST leak sites. We are also transmitting to you the enclosed case closure summary. These documents confirm the completion of the investigation and cleanup of the reported release at the subject site. The subject fuel leak case is closed.

SITE INVESTIGATION AND CLEANUP SUMMARY

Please be advised that the following conditions exist at the site:

• Residual contamination exists at the site; however, concentration levels are below regulatory concern.

If you have any questions, please call Ms. Rita Chan at (408) 265-2607, extension 2643. Thank you.

Sincerely,

ORIGINAL SIGNED BY

James S. Crowley, P.E.
Engineering Unit Manager
Leaking Underground Storage Tank Oversight Program

Enclosures:

- 1. Case Closure Letter
- 2. Case Closure Summary

cc: Mr. Chuck Headlee (w/enc)
Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, CA 94612

Ms. Nancy Commoncho
Division of Clean Water Programs
Underground Storage Tank Cleanup Fund
State Water Resources Control Board
P.O. Box 944212
Sacramento, CA 94244-2120

R. Chan (w/orig enc), Database (w/enc)

Mr. Steve Gubber Santa Clara County Fire Department 14700 Winchester Boulevard Los Gatos, CA 95030-1818

RC:fd:FL9482ccl

December 6, 1999

Mr. Scott DeMuth Department 824C Sears Roebuck & Company 3333 Beverley Road Hoffman Estates, IL 60179

Dear Mr. DeMuth:

Subject:

Fuel Leak Site Case Closure-Sears Automotive Center, 10101 North Wolfe Road,

Cupertino, CA 95014; Case No. 14-486

This letter confirms the completion of a site investigation and remedial action for the underground storage tank(s) formerly located at the above-described location. Thank you for your cooperation throughout this investigation. Your willingness and promptness in responding to our inquiries concerning the former underground storage tank(s) are greatly appreciated.

Based on information in the above-referenced file and with the provision that the information provided to this agency was accurate and representative of site conditions, no further action related to the underground tank release is required.

This notice is issued pursuant to a regulation contained in Section 2721(e) of Title 23 of the California Code of Regulations.

Please contact our office if you have any questions regarding this matter.

Sincerely,

ORIGINAL SIGNED BY

James S. Crowley, P.E.
Engineering Unit Manager
Leaking Underground Storage Tank Oversight Program



CASE CLOSURE SUMMARY LEAKING UNDERGROUND FUEL STORAGE TANK PROGRAM

I. AGENCY INFORMATION

Agency Name: Santa Clara Valley Water District

Address: 5750 Almaden Expressway

City/State/Zip: San Jose, CA 95118

Phone: (408) 265-2600

Date: November 29, 1999

Responsible Staff Person: Rita S. Chan, P.E. Title: Assistant Civil Engineer

II. CASE INFORMATION

Site Facility Name: Sears Automotive Center Site Facility Address: 10101 North Wolfe Road, Cupertino, CA 95014 RB LUSTIS Case No.: — Local Case No.: 07S1W18G01f LOP Case No.: 14-486 SWEEPS No.: -APN: 316-20-080 URF Filing Date: 11/02/94 Responsible Parties Addresses Phone Number Department 824C Mr. Scott DeMuth 3333 Beverley Road (847) 286-5530 Sears Roebuck & Company Hoffman Estates, IL 60179

| Tank I.D. No | Size in Gallons | Contents | Closed In Place/Removed? | Date |
|--------------|-----------------|----------|-----------------------------|----------------------------------|
| | 12,000 | Gasoline | Removed | 03/85 |
| | 12,000 | Gasoline | Removed | 03/85 |
| | 5,000 | Gasoline | Removed | 03/85 |
| | 5,000 | Gasoline | Removed | 03/85 |
| | 550 | Oil | Removed | 03/85 |
| | 550 | Oil | Removed | 03/85 |
| | Piping | | Removed | Between 10/17/94 and 10/20/94 |

III. RELEASE AND SITE CHARACTERIZATION INFORMATION

| Site characterization complete? Yes | Date Approved By | Oversight Agency: |
|--|------------------|-----------------------------|
| Monitoring wells installed? No | Number: — | Proper screened interval? — |
| Highest GW Depth Below Ground Surface: * | Lowest Depth: * | Flow Direction: — |

^{*}Groundwater was not encountered during any of the investigations performed at the site.

Summary of Production Wells in Vicinity: Two production wells are found within ¼ mile of this site. Both wells are reported to be abandoned. Based upon the level of residual contamination at the site and the proximity of these wells to the subject site, the wells identified as part of this survey are not likely to be affected by the reported release.

| Are drinking water wells affected? No | Aquifer Name: Santa Clara Valley Groundwater Basin |
|--|---|
| Is surface water affected? No | Nearest SW Name: Calabazas Creek (~970 feet east-southeast of site) |
| Off-Site Beneficial Use Impacts (Addresses/Locations | s): None known |

Reports on file? Yes Where are reports filed? Santa Clara Valley Water District

| | TREATIVE AT | D DISPOSAL OF AFFECTED MATERIAL | |
|--------------|---|---|----------|
| Material | Amount (Include Units) | Action (Treatment or Disposal w/Destination) | Date |
| Tank | Two at 12,000 gallons Two at 5,000 gallons Two at 550 gallons | None reported | 03/85 |
| Piping | Unknown | None reported | 10/94 |
| Free Product | | | |
| Soil | 10 cubic yards | Transported by Southwest Soil Remediation, Inc. | 05/31/95 |
| Groundwater | | | |
| Barrels | | _ | |

| | | MAXIMU | JM DOCU | MENTED | CONTAMINANT CONC | ENTRATIO | NS | | |
|----------------------|--------|--------|---------|--------------------|------------------|----------|--------|--------|--------------------|
| | Soil (| ppm) | Water | (ppb) | | Soil | (ppm) | Water | (ppb) |
| Contaminant | Before | After | Before | After ¹ | Contaminant | Before | After | Before | After ¹ |
| TPH (Gas) | 3,000 | ND | _ | _ | Xylene | 150 | 0.55 | - | |
| TPH (Diesel) | ND | _ | | | Ethylbenzene | 23 | 0.0061 | | |
| Benzene | 2.4 | ND | | | Oil & Grease | | | | |
| Toluene | 16 | ND | | - | Lead | 11 | 20 | | |
| Other (8240/8270) | | | | _ | мтве | | ND² | e — | _ |

Description of Interim Remediation Activities:

March 1985—Four underground storage tanks (UST) containing gasoline (two at 12,000 gallons and two at 5,000 gallons), two 550-gallon USTs containing oil, and product dispensers were removed.

October 1994—The dispenser islands and product lines were removed.

November 1994—Additional soil was excavated. Soil sampling was performed at the east end of the product line trench south of Dispenser Island A and at the former oil UST product lines.

July 1999—A verification assessment was conducted to verify the hydrocarbon concentrations in soil and groundwater. Soil samples were collected from seven boring locations (GP-1 through GP-7) using direct-push technology. GP-1 was advanced to a depth of 44 feet below ground surface (bgs), while GP-2 through GP-7 were drilled to a depth of 24 feet bgs. Soil samples were collected at 4-foot intervals. Volatile organic compounds were monitored in the field using a photoionization detector. The bottom samples from each boring were analyzed. Groundwater was not encountered in any of the borings; therefore, no water samples were collected or analyzed.

ND = Not detected

¹Groundwater was not encountered in any of the seven borings. GP-2 through GP-7 were advanced to a depth of 24 feet bgs; GP-1 was advanced to a depth of 44 feet bgs.

²Detection limit of 0.05 parts per million (ppm).

IV. CLOSURE

| Does completed corrective action protect existing | ng beneficial uses per the Regional Board I | Basin Plan? Yes |
|--|--|--|
| Does completed corrective action protect potent | tial beneficial uses per the Regional Board | Basin Plan? Yes |
| Does corrective action protect public health for determinations concerning public health risk. H | current land use? Santa Clara Valley Water owever, it does not appear that the release | er District staff does not make specific would present a risk to human health. |
| Site Management Requirements: None | | |
| Should corrective action be reviewed if land use | e changes? No | |
| Monitoring Wells Decommissioned: No | Number Decommissioned: 0 | Number Retained: 0 |
| List Enforcement Actions Taken: None | | |
| List Enforcement Actions Rescinded: None | | |

V. ADDITIONAL COMMENTS, DATA, ETC.

Considerations and/or Variances:

- The disposal destinations of the removed USTs and piping were not reported.
- The majority of pollution associated with the UST release was overexcavated.
- Analytical results for verification soil samples did not indicate the presence of petroleum compounds with the exception of Ethylbenzene (0.0061 ppm) and Xylenes (0.55 ppm).
- No fuel oxygenates including Methyl tert-Butyl Ether, Di-Isopropyl Ether, Ethyl tert-Butyl Ether, tert-Butyl Alcohol, and tert-Amyl Methyl Ether were detected in the verification soil samples. In addition, analytical results did not indicate the detection of ethanol, 1,2-dibromoethane, and 1,2 dichloroethane.

Conclusion: Based on soil sampling results obtained from the verification assessment at the site, residual contamination in the subsurface from the former USTs are minimal. In addition, due to the location of deep groundwater, Santa Clara Valley Water District staff does not believe that the residual contamination at the site would pose a significant risk to the groundwater beneath the site. Therefore, no further corrective action is required at this time.

VI. LOCAL AGENCY REPRESENTATIVE DATA

| Prepared by: Rita S. Chan, P.E. | Title: Assistant Civil Engineer |
|-------------------------------------|-----------------------------------|
| Signature: Rahaman | Date: 12/2/99 |
| Approved by: James S. Crowley, P.E. | Title: Engineering Unit Manager γ |
| Signature: | Date: 12/2/99 |
| | 711 |

This closure approval is based upon the available information and with the provision that the information provided to this agency was accurate and representative of site conditions.

VII. REGIONAL BOARD NOTIFICATION

| Regional Board Staff Name: Chuck Headlee | Title: Engineering Geologist |
|--|------------------------------|
| RB Response: Concur, based solely upon information contained in this case closure summary. | Date Submitted to RB: |
| Signature: See attached sheet for signature | Date: 12/6/199 |

Attachments:

- 1. Site Vicinity Map
- 2. Site Plan
- 3. Analytical results for soil samples collected in October and November 1994 and sample locations
- 4. Analytical results for soil samples collected in July 1999 and sample locations.

This document and the related CASE CLOSURE LETTER, shall be retained by the lead agency as part of the official site file

Dec-02-99 01:50P


VIL REGIONAL BOARD NOTIFICATION

| Regional Board Staff Name: Chuck Headles | Title: Baginecting Geologist |
|---|-------------------------------|
| RB Response: Concur, based safely upon information contained in this case closure surgmany. | Date Submitted to RB: 12/2/49 |
| Signature: Church Aladlel | Date: 12/3/99 |

- Attachments:
 1. Site Vicinity Map
 2. Site Plan
- Analytical results for soil samples collected in October and November 1994 and sample locations 3.
- Analytical results for soil samples collected in July 1999 and sample locations. 4.

This decument and the related CASE OF OSURE LUTTUR, shot he retained by the lead agency is part of the official site file.

| Post-it* Fax Note 7671 | Date peges / |
|------------------------|-------------------|
| To Rite Chan | From Chuel Headle |
| Co./Dept. | Co. |
| Phone # | Phone # |
| Fax (408) 267-5057 | Fax # |



APPENDIX

A SEARS CLOSURE REPORT

December 6, 1999

Mr. Scott DeMuth
Department 824C
Sears Roebuck & Company
3333 Beverley Road
Hoffman Estates, IL 60179

Dear Mr. DeMuth:

Subject:

Fuel Leak Site Case Closure—Sears Automotive Center, 10101 North Wolfe Road,

Cupertino, CA 95014; Case No. 14-486

This letter transmits the enclosed underground storage tank (UST) case closure letter in accordance with Chapter 6.75 (Article 4, Section 25299.37[h]). The State Water Resources Control Board adopted this letter on February 20, 1997. As of March 1, 1997, the Santa Clara Valley Water District is required to use this case closure letter for all UST leak sites. We are also transmitting to you the enclosed case closure summary. These documents confirm the completion of the investigation and cleanup of the reported release at the subject site. The subject fuel leak case is closed.

SITE INVESTIGATION AND CLEANUP SUMMARY

Please be advised that the following conditions exist at the site:

• Residual contamination exists at the site; however, concentration levels are below regulatory concern.

If you have any questions, please call Ms. Rita Chan at (408) 265-2607, extension 2643. Thank you.

Sincerely,

ORIGINAL SIGNED BY

James S. Crowley, P.E. Engineering Unit Manager Leaking Underground Storage Tank Oversight Program

Enclosures:

- 1. Case Closure Letter
- 2. Case Closure Summary

Regional Water Quality Control Board San Francisco Bay Region 1515 Clay Street, Suite 1400 Oakland, CA 94612

Ms. Nancy Commoncho
Division of Clean Water Programs
Underground Storage Tank Cleanup Fund
State Water Resources Control Board
P.O. Box 944212
Sacramento, CA 94244-2120

R. Chan (w/orig enc), Database (w/enc)

Mr. Steve Gubber Santa Clara County Fire Department 14700 Winchester Boulevard Los Gatos, CA 95030-1818

RC:fd:FL9482ccl

December 6, 1999

Mr. Scott DeMuth Department 824C Sears Roebuck & Company 3333 Beverley Road Hoffman Estates, IL 60179

Dear Mr. DeMuth:

Subject:

Fuel Leak Site Case Closure—Sears Automotive Center, 10101 North Wolfe Road,

Cupertino, CA 95014; Case No. 14-486

This letter confirms the completion of a site investigation and remedial action for the underground storage tank(s) formerly located at the above-described location. Thank you for your cooperation throughout this investigation. Your willingness and promptness in responding to our inquiries concerning the former underground storage tank(s) are greatly appreciated.

Based on information in the above-referenced file and with the provision that the information provided to this agency was accurate and representative of site conditions, no further action related to the underground tank release is required.

This notice is issued pursuant to a regulation contained in Section 2721(e) of Title 23 of the California Code of Regulations.

Please contact our office if you have any questions regarding this matter.

Sincerely,

ORIGINAL SIGNED BY

James S. Crowley, P.E.
Engineering Unit Manager
Leaking Underground Storage Tank Oversight Program



CASE CLOSURE SUMMARY LEAKING UNDERGROUND FUEL STORAGE TANK PROGRAM

I. AGENCY INFORMATION

Agency Name: Santa Clara Valley Water District

Address: 5750 Almaden Expressway

City/State/Zip: San Jose, CA 95118

Phone: (408) 265-2600

Date: November 29, 1999

Responsible Staff Person: Rita S. Chan, P.E. Title: Assistant Civil Engineer

II. CASE INFORMATION

Site Facility Name: Sears Automotive Center Site Facility Address: 10101 North Wolfe Road, Cupertino, CA 95014 RB LUSTIS Case No.: — Local Case No.: 07S1W18G01f LOP Case No.: 14-486 SWEEPS No.: -APN: 316-20-080 URF Filing Date: 11/02/94 Responsible Parties Addresses Phone Number Department 824C Mr. Scott DeMuth 3333 Beverley Road (847) 286-5530 Sears Roebuck & Company Hoffman Estates, IL 60179

| Tank I.D. No | Size in Gallons | Contents | Closed In Place/Removed? | Date |
|--------------|-----------------|----------|-----------------------------|----------------------------------|
| | 12,000 | Gasoline | Removed | 03/85 |
| | 12,000 | Gasoline | Removed | 03/85 |
| | 5,000 | Gasoline | Removed | 03/85 |
| | 5,000 | Gasoline | Removed | 03/85 |
| | 550 | Oil | Removed | 03/85 |
| | 550 | Oil | Removed | 03/85 |
| | Piping | | Removed | Between 10/17/94 and 10/20/94 |

III. RELEASE AND SITE CHARACTERIZATION INFORMATION

| Site characterization complete? Yes | Date Approved By | Oversight Agency: |
|--|------------------|-----------------------------|
| Monitoring wells installed? No | Number: — | Proper screened interval? — |
| Highest GW Depth Below Ground Surface: * | Lowest Depth: * | Flow Direction: — |

^{*}Groundwater was not encountered during any of the investigations performed at the site.

Summary of Production Wells in Vicinity: Two production wells are found within ¼ mile of this site. Both wells are reported to be abandoned. Based upon the level of residual contamination at the site and the proximity of these wells to the subject site, the wells identified as part of this survey are not likely to be affected by the reported release.

| Are drinking water wells affected? No | Aquifer Name: Santa Clara Valley Groundwater Basin |
|--|---|
| Is surface water affected? No | Nearest SW Name: Calabazas Creek (~970 feet east-southeast of site) |
| Off-Site Beneficial Use Impacts (Addresses/Locations | s): None known |

Reports on file? Yes Where are reports filed? Santa Clara Valley Water District

| | TREATIVE AT | D DISPOSAL OF AFFECTED MATERIAL | |
|--------------|---|---|----------|
| Material | Amount (Include Units) | Action (Treatment or Disposal w/Destination) | Date |
| Tank | Two at 12,000 gallons Two at 5,000 gallons Two at 550 gallons | None reported | 03/85 |
| Piping | Unknown | None reported | 10/94 |
| Free Product | | | |
| Soil | 10 cubic yards | Transported by Southwest Soil Remediation, Inc. | 05/31/95 |
| Groundwater | | | |
| Barrels | | _ | |

| | | MAXIMU | JM DOCU | MENTED | CONTAMINANT CONC | ENTRATIO | NS | | |
|----------------------|--------|--------|---------|--------------------|------------------|------------|--------|--------|--------------------|
| | Soil (| ppm) | Water | (ppb) | | Soil (ppm) | | Water | (ppb) |
| Contaminant | Before | After | Before | After ¹ | Contaminant | Before | After | Before | After ¹ |
| TPH (Gas) | 3,000 | ND | _ | _ | Xylene | 150 | 0.55 | - | |
| TPH (Diesel) | ND | _ | | | Ethylbenzene | 23 | 0.0061 | | |
| Benzene | 2.4 | ND | | | Oil & Grease | | | | |
| Toluene | 16 | ND | | - | Lead | 11 | 20 | | |
| Other (8240/8270) | | | | _ | мтве | | ND² | e — | _ |

Description of Interim Remediation Activities:

March 1985—Four underground storage tanks (UST) containing gasoline (two at 12,000 gallons and two at 5,000 gallons), two 550-gallon USTs containing oil, and product dispensers were removed.

October 1994—The dispenser islands and product lines were removed.

November 1994—Additional soil was excavated. Soil sampling was performed at the east end of the product line trench south of Dispenser Island A and at the former oil UST product lines.

July 1999—A verification assessment was conducted to verify the hydrocarbon concentrations in soil and groundwater. Soil samples were collected from seven boring locations (GP-1 through GP-7) using direct-push technology. GP-1 was advanced to a depth of 44 feet below ground surface (bgs), while GP-2 through GP-7 were drilled to a depth of 24 feet bgs. Soil samples were collected at 4-foot intervals. Volatile organic compounds were monitored in the field using a photoionization detector. The bottom samples from each boring were analyzed. Groundwater was not encountered in any of the borings; therefore, no water samples were collected or analyzed.

ND = Not detected

¹Groundwater was not encountered in any of the seven borings. GP-2 through GP-7 were advanced to a depth of 24 feet bgs; GP-1 was advanced to a depth of 44 feet bgs.

²Detection limit of 0.05 parts per million (ppm).

IV. CLOSURE

| Does completed corrective action protect existing | ng beneficial uses per the Regional Board I | Basin Plan? Yes |
|--|--|--|
| Does completed corrective action protect potent | tial beneficial uses per the Regional Board | Basin Plan? Yes |
| Does corrective action protect public health for determinations concerning public health risk. H | current land use? Santa Clara Valley Water owever, it does not appear that the release | er District staff does not make specific would present a risk to human health. |
| Site Management Requirements: None | | |
| Should corrective action be reviewed if land use | e changes? No | |
| Monitoring Wells Decommissioned: No | Number Decommissioned: 0 | Number Retained: 0 |
| List Enforcement Actions Taken: None | | |
| List Enforcement Actions Rescinded: None | | |

V. ADDITIONAL COMMENTS, DATA, ETC.

Considerations and/or Variances:

- The disposal destinations of the removed USTs and piping were not reported.
- The majority of pollution associated with the UST release was overexcavated.
- Analytical results for verification soil samples did not indicate the presence of petroleum compounds with the exception of Ethylbenzene (0.0061 ppm) and Xylenes (0.55 ppm).
- No fuel oxygenates including Methyl tert-Butyl Ether, Di-Isopropyl Ether, Ethyl tert-Butyl Ether, tert-Butyl Alcohol, and tert-Amyl Methyl Ether were detected in the verification soil samples. In addition, analytical results did not indicate the detection of ethanol, 1,2-dibromoethane, and 1,2 dichloroethane.

Conclusion: Based on soil sampling results obtained from the verification assessment at the site, residual contamination in the subsurface from the former USTs are minimal. In addition, due to the location of deep groundwater, Santa Clara Valley Water District staff does not believe that the residual contamination at the site would pose a significant risk to the groundwater beneath the site. Therefore, no further corrective action is required at this time.

VI. LOCAL AGENCY REPRESENTATIVE DATA

| Prepared by: Rita S. Chan, P.E. | Title: Assistant Civil Engineer |
|-------------------------------------|-----------------------------------|
| Signature: Rahaman | Date: 12/2/99 |
| Approved by: James S. Crowley, P.E. | Title: Engineering Unit Manager γ |
| Signature: | Date: 12/2/99 |
| | 711 |

This closure approval is based upon the available information and with the provision that the information provided to this agency was accurate and representative of site conditions.

VII. REGIONAL BOARD NOTIFICATION

| Regional Board Staff Name: Chuck Headlee | Title: Engineering Geologist |
|--|------------------------------|
| RB Response: Concur, based solely upon information contained in this case closure summary. | Date Submitted to RB: |
| Signature: See attached sheet for signature | Date: 12/6/199 |

Attachments:

- 1. Site Vicinity Map
- 2. Site Plan
- 3. Analytical results for soil samples collected in October and November 1994 and sample locations
- 4. Analytical results for soil samples collected in July 1999 and sample locations.

This document and the related CASE CLOSURE LETTER, shall be retained by the lead agency as part of the official site file

Dec-02-99 01:50P


VIL REGIONAL BOARD NOTIFICATION


| Regional Board Staff Name: Chuck Headles | Title: Baginecting Geologist |
|---|-------------------------------|
| RB Response: Concur, based safely upon information contained in this case closure surgmany. | Date Submitted to RB: 12/2/49 |
| Signature: Church Aladlel | Date: 12/3/99 |

- Attachments:
 1. Site Vicinity Map
 2. Site Plan
- Analytical results for soil samples collected in October and November 1994 and sample locations 3.
- Analytical results for soil samples collected in July 1999 and sample locations. 4.

This decument and the related CASE OF OSURE LUTTUR, shot he retained by the lead agency is part of the official site file.

| Post-it* Fax Note 7671 | Date peges / |
|------------------------|-------------------|
| To Rite Chan | From Chuel Headle |
| Co./Dept. | Co. |
| Phone # | Phone # |
| Fax (408) 267-5057 | Fax # |





Attachment 2

TABLE 1 Former Dispenser Island Soil Sample Analytical Results

Sears Store 1468, Cupertino, California Sampled October 19, 20, and November 3, 1994

| Sample | Dep Fe | | TPH | | | | T | T |
|---|-----------|-----------|-----------|------------|-------------|----------|--|--------------------------|
| | | SK Date | | | <u> </u> | E | X | Total Lead |
| ISL A-1 | 7 | 10/00/0 | | land A Soi | | | γ | |
| ISL A-2 | 1 - | | | 1 | 5 <0.00 | 5 <0.005 | <0.015 | 5 <5 |
| 11 | 1 | 10/20/9 | 1 | 3.00 | 1 | 5 <0.005 | <0.015 | ; <5 |
| ISL A-3 | | 10/20/9 | | | | | <0.015 | <5 |
| | 7 | | Island A, | North Tren | ch, Soil S | amples | | |
| 1ANT/3 | 1 | 10/19/94 | | | 4 | | <0.015 | 6 |
| AST 3/3 | 3 | 10/20/94 | <1.0 | 0.009 | <0.005 | I. | 1 | 1 |
| 2ANT/3 | 3 | 10/19/94 | 48 | 0.08 | 1.1 | 0.71 | 5,0 | 1 |
| Island A, South Trench, Soil Samples | | | | | | | | |
| 1AST/5 | 5 | 10/19/94 | <1.0 | <0.005 | | | T | |
| 2AST/6 | 6 | 10/19/94 | 1 | 1 | | | | 6 |
| ASTP-5.5 | 5.5 | 11/03/94 | -,000 | 1 | 16 | 23 | 150 | 11 |
| 7.5 11/03/94 <1.0 <0.005 <0.005 <0.005 <0.015 6 | | | | | | | | |
| ISL B-1 | 2 | 10/00/04 | 1 | 1 | | T | | |
| ISL B-2 | 1 | 10/20/94 | <1.0 | <0.005 | <0.005 | <0.005 | <0.015 | <5 |
| | 2 | 10/20/94 | <1.0 | <0.005 | <0.005 | <0.005 | <0.015 | <5 |
| ISL B-3 | 3 | 10/20/94 | <1.0 | <0.005 | <0.005 | | <0.015 | <5 |
| | 1 | Is | land B, N | orth Trenc | h, Soil Sar | nples | ······································ | <u> </u> |
| 1BNT/6 | 6 | 10/19/94 | 25 | 0.06 | 1.2 | 0.54 | 3.8 | <5 |
| 2BNT/2 | 2 | 10/19/94 | <1.0 | <0.005 | <0.005 | <0.005 | <0.015 | |
| | | lsi | and B, So | uth Trencl | | | 10.013 | 5 |
| 1BST/6.5 | 6.5 | 10/19/94 | <1.0 | <0.005 | /<0.005 | | .0.0.5 | 57 may 30 may |
| 2BST/2 | 2 | 10/19/94 | <1.0 | <0.005 | <0.005 | <0.005 | <0.015 | 6 |
| BST 3-3 | 3 | 10/20/94 | <1.0 | <0.005 | | <0.005 | <0.015 | <5 |
| | | | | | <0.005 | <0.005 | <0.015 | <5 |
| 1WT/6 | 6 | 10/19/94 | | rench Soil | | т | | |
| 2WT/3 | 3 | 1 1 | <1.0 | <0.005 | <0.005 | <0.005 | <0.015 | <5 |
| 3WT/6 | | 10/19/94 | <1.0 | <0.005 | <0.005 | <0.005 | <0.015 | 6 |
| UVV 1/0 | 6 | 10/19/94 | <1.0 | 0.006 | 0.02 | <0.005 | <0.015 | 7 |

All results expressed in milligrams per kilogram
 Total lead analyzed using EPA Method 6010

TPH-g total petroleum hydrocarbons as gasoline, B = benzene, T = toluene, E = ethylbenzene, X = total xylenes; analyzed using EPA Method 8020

< Number =

Attachment 3A



TABLE 2 Former New and Used Oil Product Line Soil Sample Analytical Results

Sears Store 1468, Cupertino, California Sampled October 20 and November 3, 1994

| | T | | | · | - | | | 2000 |
|-----------|----------|--------------|--------|--------|--------|--------|-------|-------|
| Sample ID | Date | TPH- | В | Т | E | X | TRP | D-H9T |
| VO1 | 4000004 | | | | | | | |
| VO1 | 10/20/94 | <1.0 | <0.005 | <0.005 | <0.005 | <0.015 | 7 | <10 |
| VO2: | 10/20/94 | <1.0 | -0.005 | | | | l ' i | ×10 |
| | 10/20/34 | ~1.0 | <0.005 | <0.005 | <0.005 | <0.015 | 1,300 | <10 |
| W01 | 10/20/94 | <1.0 | <0.005 | <0.005 | 10.005 | | | |
| | | 1.0 | 10.000 | ~0.005 | <0.005 | <0.015 | 80 | <10 |
| VO1-6.5 | 11/03/94 | <1.0 | <0.005 | <0.005 | <0.005 | 10.045 | _ | |
| 14/04 00 | | | | 10.000 | 70.003 | <0.015 | <5 | <10 |
| WO1-6.0 | 11/03/94 | <1.0 | <0.005 | <0.005 | <0.005 | <0.015 | 600 | |
| | | | | | 5.500 | -0.010 | 600 | <10 |

Notes:


1) All results expressed in milligrams per kilogram

TPH-g total petroleum hydrocarbons as gasoline, B = benzene, T = toluene, E = ethylbenzene, X = total xylenes; analyzed using EPA Method 8020

total recoverable petroleum hydrocarbons; analyzed using EPA Method 3550 (Modified)/EPA 418.1 TRPH TPH-d

total petroleum hydrocarbons as diesel; analyzed using EPA Method Modified 8015

< Number = below reported detection limits







TABLE 1 Laboratory Results for Soil (mg/kg)

Sears Auto Center 1468/6951 Cupertino, California

| <0.005 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005 <0.005/ND <0.005/ND <0.005/ND | <0.005<0.005<0.005<0.005<0.005 | _ • • | |
|--|---|------------|---|
| 0.55 | | • | • |
| • | | · | · |
| • | | 005 <0.005 | * |

1,2-DCA (all detection limits = 0.10 mg/kg), ethanol (detection limit = 25 mg/kg) and t-butanol (detection limit = 5 mg/kg). MTBE was analyzed by both EPA methods 8020 and 8260; oxygenates include MTBE, DIPE, ETBE, TAME, 1,2-DBA, Groundwater was not encountered; therefore, the deepest sample from each boring was submitted for analysis. Note: Boring GP-1 was advanced to 44 feet below grade to determine if groundwater would be encountered. Lead was analyzed for the sample with the highest hydrocarbon concentrations.

ND = below detection limits



APPENDIX

B J.C. PENNEY CLOSURE REPORT

Mr. Bob Arneson J.C.Penney 6131 Orangethorpe Avenue Buena Park, CA 90620

Dear Mr. Arneson:

Subject:

Underground Storage Tank (UST) Case Closure-J.C.Penney Store No. 47, 10150 North

Wolfe Road, Cupertino, CA; Case No. 27H

This letter confirms the completion of site investigation and remedial action for the underground storage tanks formerly located at the above-described location.

Based upon the available information and with the provision that the information provided to this agency was accurate and representative of site conditions, no further action related to the underground storage tank release is required.

This notice is issued pursuant to a regulation contained in Title 23, California Code of Regulations, Division 3, Chapter 16, Section 2721 (e).

The information in our files indicate that there are four groundwater monitoring wells at the site. A copy of the Santa Clara Valley Water District Ordinance No. 90-1, regulating the classification, construction, and destruction of wells and deep excavations in Santa Clara County, is enclosed. This ordinance explains that well owners are responsible for the maintenance and destruction of their wells. This ordinance requires that wells installed for the purpose of investigation and remediation of the underground tank release be properly destroyed when they are no longer used.

Please contact Ms. Belinda Allen at the Camden Office, (408) 927-0710, extension 2644, if you have any questions in this matter.

Sincerely,

ORIGINAL SIGNED BY

David J.Chesterman Principal Engineer Groundwater Quality Branch

Enclosure(s)

cc:

(w/enc—if LOP case)
Ms. Lola Barba-Arroyo
State Water Resources Control Board
Division of Clean Water Programs
P.O. Box 944212
Sacramento, CA 94244-2120

Mr. John West Regional Water Quality Control Board San Francisco Bay Region 2101 Webster Street, Suite 500 Oakland, CA 94612

Mr. David Ghilarducci Central Fire Protection District 14700 Winchester Boulevard Los Gatos, CA 95030-1818

D. Chesterman, B. Allen, T. Hemmeter (w/enc), C. Tulloch (w/original enc), Database (w/enc), Read

CT:cdh:FL9482ad

CASE CLOSURE SUMMARY LEAKING UNDERGROUND FUEL STORAGE TANK PROGRAM

I. AGENCY INFORMATION

Date: January 19, 1994

| Agency Name: Santa Clara Valley Water District | Address: 5750 Almaden Expressway |
|--|----------------------------------|
| City/State/Zip: San Jose, CA 95118 | Phone: (408) 265-2600 |
| Responsible Staff Person: Christine A. Tulloch | Title: Water Quality Specialist |

II. CASE INFORMATION

| | | ore No. 427 | GA 05044 | | |
|---------------------|----------------------|-----------------------------|---|-------------------|----------|
| Site Facility A | Address: 10150 North | Wolfe Road, Cupertino | , CA 95014 | T | |
| RB LUSTIS Case No.: | | Local Case No.: 0751W18B01f | | LOP Case No.: 27H | |
| URF Filing D | ate: | SWEEPS No.: | | | |
| Responsible Parties | | Addres | ses | Phone N | lumbers |
| J.C. Penney | | | 6131 Orangethorpe Avenue Buena Vista, CA 90620 | | 23-6853 |
| Tank No. | Size in Gallons | Contents | Closed In- | Place/Removed? | Date |
| 2 | 350 | Diesel | R | emoved | 11/15/89 |
| 1 | 350 | Waste oil | R | emoved | 11/15/89 |
| 1 | 750 sump | Waste oil/water | Clos | ed In-Place | 01/21/94 |

III. RELEASE AND SITE CHARACTERIZATION INFORMATION

| Site characterization complete? Yes | Date Approved By Ove | ersight Agency: 12/16/92 |
|---|-------------------------|-----------------------------------|
| Monitoring wells installed? Yes | Number: 4 | Proper screened interval? Yes |
| Highest GW Depth Below Ground Surface: 122 | Lowest Depth: 137 | Flow Direction: West |
| Most Sensitive Current Use: Potential drinking wa | | |
| Are drinking water wells affected? None reported | Aquifer Name: Santa | Clara Valley Groundwater Basin |
| Is surface water affected? No | Nearest/Affected SW 1 | Name: Calabazas Creek |
| Off-Site Beneficial Use Impacts (Addresses/Location | ons): None reported. | |
| Report(s) on file? Yes | Where is report(s) file | d? Santa Clara Valley Water Distr |

| TREATMENT AND DISPOSAL OF AFFECTED MATERIAL | | | | | |
|---|------------------------------------|--|---------------|--|--|
| Material | Amount (Include Units) | Action (Treatment or Disposal w/Destination) | Date | | |
| Tank | 2 - 350 gallons 1 - 500 gallons | Transported offsite by H&H Shipping Service | 11/15/89 | | |
| Piping | Not reported. | Not reported. | Not reported. | | |
| Free Product | None | NA | NA | | |
| Soil | 303 tons | Disposal at Chemical Waste Management | Not reported. | | |
| Groundwater | 200 gallons | Petroleum Recycling Corp. | 12/17/93 | | |
| Barrels | None | NA | NA | | |

| _ | Soil (g | (भापुर | Water | (ppb) | | Soil | ppm) | Water | (ppb) |
|-----------------------------|---------|--------|--------------------------------------|-------|--------------|----------|----------|---------------------------------------|-------|
| Contaminant | Before | After | Before | After | Contaminant | Before | After | Before | After |
| TPH (Gas) | 4 | 4 | ND | ND | Xylene | 0.75 | ND | ND | ND |
| TPH (Diesel) | 6,600 | 14 | 1,700 | ND | Ethylbenzene | ND | ND | 0.0038 | ND |
| Benzene | ND | ND | 0.0039 | ND | Oil & Grease | 1,400 | 3,800 | ND | ND |
| Toluene | 0.12 | 0.12 | ND | ND | Heavy Metals | 87.6(Ni) | 87.6(Ni) | 3.6 ³ 0.73 ⁴ | NA |
| Chlorinated Hydrocarbons | ND | ND | 0.5 ¹ 1.6 ² | ND | Other | NA | NA | NA | NA |

Bromodichloromethane

Comments (Depth of Remediation, etc.): Overexcavation of contaminated soil at the diesel tank was performed to 12 feet and soil at the waste oil tank was excavated to 14 feet. Remediation of groundwater was not performed. "After" concentrations represent verification monitoring results.

IV. CLOSURE

| Does completed corrective action protect poten | ntial beneficial uses per the Regional Bo | oard Basin Plan? Yes |
|--|---|----------------------|
| Does corrective action protect public health for | current land use? Yes | |
| Site Management Requirements: None | | |
| Should corrective action be reviewed if land us | se changes? No | |
| Monitoring Wells Decommissioned: No | Number Decommissioned: -0- | Number Retained: 4 |
| List Enforcement Actions Taken: None | | |

² Chlorform

³ Chromium

⁴ Lead

| Name: David J. Chesterman | Title: Principal E | ngineer // | |
|---|--------------------|--------------------|--|
| Signature: / Muly Man | 9 | Date: \$12/94 | |
| | | | |
| U // V | | - / | |
| REGIONAL BOARD NOTIFICATION | | ~ / | PR |
| REGIONAL BOARD NOTIFICATION | | Good In | INFORMATION PR |
| REGIONAL BOARD NOTIFICATION Date Submitted to RB: August 17 1994 | RB Response: Concu | R- BASED SOUTH MON | ENFORMATION PR A THE RITTO CHED A THE RITTO OF THE HOP |

See attached closure recommendation for additional data and discussions.

This document and the related CASE CLOSURE LETTER, shall be retained by the lead agency as part of the official site file.

APPENDIX

GEOSPHERE REPORT



October 25, 2016

Mr. Nandy Kumar Sand Hill Property Company 2282 Sand Hill Road, Suite 241 Menlo Park. California 94025

Subject: Analytical Soil Sampling and Testing Study

The Hills at Vallco

Wolfe Road and Stevens Creek Boulevard

Cupertino, California 94025

Geosphere Project No. 91-03790-B

Dear Mr. Kumar:

As authorized, **Geosphere Consultants, Inc.** (Geosphere) has performed a Limited Analytical Soil Sampling and Testing Study for the proposed construction located at the subject site in Cupertino, California.

PURPOSE AND SCOPE

The purpose of this study was to provide a preliminary screening of potential chemicals of concern at the site. It is our understanding that the subject project will generate over 1.3 million yards of excess soil, and that this soil is planned to be imported to Treasure Island. The scope of work for this study is a screening tool for preliminary assessment of the site and has been prepared in accordance with our proposal dated August 5, 2016.

We were provided with a technical memorandum prepared by Terraphase dated June 3, 2016, and titled *Treasure Island Soil Import Criteria* prior to the start of our investigation. This memorandum details the criteria for chemicals of concern for imported soils at Treasure Island. We relied on this report to develop a testing program that would comply with the Treasure Island soil import criteria.

We were not provided with a Phase 1 Environmental Site Assessment of the site. However, we reviewed the State of California Geo-Tracker Website database for known environmental sites of concern. Based on a review of this database we understand that two Leaking Underground Storage Tank (LUST) sites are located within the project property; a former Sears and Roebuck Auto Center is located in the southwest corner of the site, and a JC Penny related LUST is located at the existing parking garage at the southwest corner of Vallco Parkway and Wolfe Road.

The scope of this study included the review of pertinent published and unpublished documents related to the site, drilling eight borings using direct push samplers, laboratory testing of discrete soil samples, engineering analysis



of the accumulated data, and preparation of this report. The conclusions and recommendations presented in this report are based on the data acquired and analyzed during this study, and on prudent engineering judgment and experience.

SITE AND PROJECT DESCRIPTION

We understand that *The Hills at Vallco* will be a multi-structured mixed-use commercial and residential development with an entertainment district and recreational facilities throughout.

The site is currently occupied by the Vallco Shopping Center and associated parking and site development over a 50-acre site, as shown in *Figure 1 – Site Vicinity Map* and *Figure 2- Environmental Boring Plan*. The site is bounded by Highway 280 to the north and Stevens Creek Boulevard to the south, with residential developments to the west and commercial developments to the east. Wolfe Road runs north-south through the site. The existing structures include commercial shopping structures, a theater, restaurants, and both on-grade and multi-storied parking structures. The new project will include approximately eight million square feet of mixed use development, including one and two-story below grade parking levels with 16 separate mid-rise buildings above, of varying height. The project includes a 30-acre green roof over all of the buildings and also at links between the green roof structure and structures below.

FIELD EXPLORATION

Test Borings

A limited subsurface field exploration program was undertaken on September 6, 2016 to collect various discrete soil samples at the field site. A total of eight borings were drilled using a mobile direct push Geoprobe DT-22 as shown on Figure 2. Boring E-1 went to a maximum depth of 50 feet, E-2 to a depth of 45 feet, E-3 to a depth of 35 feet, and E-4 through E-8 to a depth of 20 feet. The soil was continuously sampled in five foot intervals, with discrete samples being collected at depths of 1', 5', 10', 15', 20', 30', 40', and 50', where applicable. Following the completion of drilling, the boreholes were backfilled using grout and excess auger cuttings.

The location and depths of the borings for the field exploration plan were chosen to cover the extent of the project, with the deeper borings correlating to areas where the proposed excavation will be deeper. Additional borings were placed adjacent to identified LUST sites where possible. A total of 48 samples were taken across all borings, and 32 of these were sent to the lab for testing.



A Geosphere staff engineer visually classified the materials encountered in the borings in general accordance with the Unified Soil Classification System.

Boring logs with descriptions of the various materials encountered in each boring are presented in Appendix A. The ground surface elevations indicated on the soil boring logs were estimated based on elevations shown on Google Earth.

LABORATORY TESTING

Laboratory tests were performed on 32 selected discrete samples to determine the presence of chemicals of concern in accordance with the Treasure Island import soil criteria. The soil samples were transported on ice to a California State-Certified laboratory for testing. Proper chain-of-custody procedures were followed. The soil samples were tested for Volatile Organic Compounds including MTBE4 and TPH gas (EPA 8260B), Semi-Volatile Organic Compounds (EPA 8270C), Pesticides (EPA 8081), PCBs (EPA 8082), TPH diesel and motor oil (EPA 8015M), Naturally Occurring Asbestos (California Air Resource Board Test Method 435), Dioxins and Furans (EPA 8290A), and CAM 17 metals (EPA 6010B/7471A). The soil was also tested for STLC of Chromium (Title 22) in thirty of the samples, due to the relatively high levels discovered through the CAM 17 results. The STLC results will be provided in a supplemental letter.

The attached tables compare all (detected) results to the Treasure Island Soil Import Criteria, which itself is based upon the San Francisco Regional Water Quality Control Board (SFRWQCB) Region 2 Environmental Screening Levels (ESLs) for soils less than three meters in depth in residential areas where water is not a current or potential source of drinking water and the U.S. Environmental Protection Agency (EPA) Regional Screening Levels (RSLs) for residential land use. We note that other waste facilities provide their own criteria for acceptance of off-haul material and these results should be provided and screened by them for acceptance or further testing requirements. We recommend that the results be reviewed immediately for any additional testing or extraction requirements. Other testing may require additional sampling depending on the quantity of sample remaining in the labs custody.

LABORATORY FINDINGS

A summary table (Table 9) has been included which lists only those constituents that have exceeded the Import Criteria. Vanadium and Cobalt appear to be the main contaminants on-site, as they express levels higher than the Import Criteria for most samples. A couple of SVOCs exhibit high levels near the surface in E1-1, E3-2 has a high amount of the pesticide Dieldrin, and E5-1 shows a high level of the PCB Aroclor 1254.



CONCLUSIONS AND RECOMMENDATIONS

We recommend that you have the receivers of the soil review these results as soon as possible. We provided the preliminary results to Terraphase and they indicated that a submission of the geotechnical results would be needed for their complete review of the results. Additional consulting and testing may be required by the receiving body including an EPA Phase 1 performed. In addition, we anticipate that a Soils Management Handling Plan may be necessary during construction. This could potentially involve quarantining the surficial soils where contamination is more prevalent, and the monitoring/sampling of soil is being prepped for off haul.

LIMITATIONS AND UNIFORMITY OF CONDITIONS

This report is issued with the understanding that it is the responsibility of the owner or his representatives to see that the information and recommendations contained herein are called to the attention of the other members of the design team and incorporated into the plans and specifications, and that the necessary steps are taken to see that the recommendations are implemented during construction.

We note that no geotechnical data has been gathered from our activities on site thus far, in accordance with our prior proposal to you. The findings and recommendations presented in this report are valid as of the present time for the development as currently proposed. However, changes in the conditions of the property or adjacent properties may occur with the passage of time, whether by natural processes or the acts of other persons. In addition, changes in applicable or appropriate standards may occur through legislation or the broadening of knowledge. Accordingly the findings and recommendations presented in this report may be invalidated, wholly or in part, by changes outside our control.

Should you or members of the design team have questions or need additional information, please contact either of the undersigned at eswenson@geosphereinc.net. We greatly appreciate the opportunity to be of service to you.

Sincerely,

GEOSPHERE CONSULTANTS INC.

Nick Anastasio, EIT

Staff Geotechnical Engineer

Eric J. Swenson, G.E., C.E.G.

President



Attachments: Tables 1 thru 9

Figure 1 – Site Vicinity Map Figure 2 – Boring Location Plan Appendix A – Boring Logs

Accutest Analytical Results (Sent under separate cover)

Distribution: 2 plus PDF to Addressee, NKumar@shcmllc.com

PDF to Paul Hanson, phansen@shcmllc.com

CF/CTD/EJS:pmf



Table 1. Summary of Detected Results, Vallco Mall Soil Sampling, September 6, 2016

| Constituent | E1-1 | E1-2 | E1-3 | E1-4 | Import Criteria* | | | | | | |
|--|-----------------|------------------|-------------------|------------------|---------------------|--|--|--|--|--|--|
| Inorganics/CAM 17 metals | | | | | | | | | | | |
| Arsenic | 2.5 | 3.5 | ND | 3.0 | 10 | | | | | | |
| Barium | 344 | 174 | 76.4 | 96.7 | 1500 | | | | | | |
| Chromium | 32.9 | 84.9 | 54.7 | 89.6 | 2500 | | | | | | |
| Cobalt | ND | 19.7 | ND | 19.6 | 16 | | | | | | |
| Copper | 25.4 | 38.1 | 23.3 | 30.2 | 310 | | | | | | |
| Lead | 7.4 | 9.1 | ND | 7.3 | 80 | | | | | | |
| Mercury (elemental) | 0.087 | 0.045 | 0.063 | 0.043 | 1.0 | | | | | | |
| Nickel | 36.7 | 105 | 48.7 | 87.6 | 490 | | | | | | |
| Vanadium | 37.2 | 64.1 | 59.5 | 69.0 | 39 | | | | | | |
| Zinc | 44.7 | 58.3 | 35.2 | 48.5 | 2,300 | | | | | | |
| | | Pesticides/PCB | S | | | | | | | | |
| None Detected | | | | | N/A | | | | | | |
| Volatile and Semi-volatile orga (PAHs) | nic chemicals (| VOCs/SVOCs), inc | luding Polycyclic | Aromatic Hydroca | arbons | | | | | | |
| Benzo(a)pyrene | 0.0297 J | ND | ND | ND | 0.016 | | | | | | |
| Benzo(b)fluoranthene | 0.0416 J | ND | ND | ND | 0.16 | | | | | | |
| Benzo(g,h,i)perylene | 0.0316 J | ND | ND | ND | 2.5 | | | | | | |
| Benzo(k)fluoranthene | 0.0203 J | ND | ND | ND | 1.6 | | | | | | |
| Chrysene | 0.0553 | ND | ND | ND | 3.8 | | | | | | |
| Dibenz(a,h)anthracene | 0.0176 J | ND | ND | ND | 0.016 | | | | | | |
| 1-Methylnaphthalene | 0.168 J | ND | ND | ND | N/A | | | | | | |
| 2-Methylnaphthalene | 0.178 J | ND | ND | ND | 0.25 | | | | | | |
| | Total Pe | troleum Hydroca | rbons (TPH) | | | | | | | | |
| TPH (diesel) | 120 J | ND | ND | ND | 230 | | | | | | |
| TPH (motor oil) | 841 | ND | ND | 2.78 J | 5100 | | | | | | |

All results in milligram per kilogram (mg/kg).

ND Not detected above method detection limit (MDL)

J Estimated value

^{*}Import Criteria: Based on "Treasure Island Soil Import Criteria" (2016)



Table 2. Summary of Detected Results, Vallco Mall Soil Sampling, September 6, 2016

| Constituent | E1-8 | E2-1 | E2-2 | E2-3 | ESL* | | | | | | | |
|--|------------------|------------------|-------------------|------------------|--------|--|--|--|--|--|--|--|
| Inorganics/CAM 17 metals | | | | | | | | | | | | |
| Arsenic | 3.6 | 3.3 | 3.1 | 3.1 | 10 | | | | | | | |
| Barium | 90.9 | 111 | 218 | 198 | 1500 | | | | | | | |
| Chromium | 27.8 | 50.9 | 74.4 | 79.8 | 2500 | | | | | | | |
| Cobalt | ND | 13 | 16.1 | 18.8 | 16 | | | | | | | |
| Copper | 19.3 | 4.1 | 35.0 | 36.4 | 310 | | | | | | | |
| Lead | 7.4 | 3.2 | 9.3 | 9.3 | 80 | | | | | | | |
| Mercury (elemental) | 0.45 | 0.038 | ND | ND | 1.0 | | | | | | | |
| Nickel | 36.2 | 6.5 | 94.4 | 100 | 490 | | | | | | | |
| Vanadium | 31.2 | 8.1 | 47.2 | 49.2 | 39 | | | | | | | |
| Zinc | 47.5 | 3.2 | 52.6 | 54.8 | 2,300 | | | | | | | |
| | | Pesticides/PCB | S | | | | | | | | | |
| None Detected | | | | | N/A | | | | | | | |
| Volatile and Semi-volatile organ (PAHs) | nic chemicals (\ | VOCs/SVOCs), inc | luding Polycyclic | Aromatic Hydroca | arbons | | | | | | | |
| Acetone | ND | ND | 0.026 J | ND | 0.50 | | | | | | | |
| Bis(2-Ethylhexyl)phthalate | ND | 0.0388 J | ND | ND | 39 | | | | | | | |
| | Total Pe | troleum Hydrocai | rbons (TPH) | | | | | | | | | |
| TPH (diesel) | ND | 2.86 J | ND | ND | 230 | | | | | | | |
| TPH (motor oil) | ND | 11.4 | ND | ND | 5100 | | | | | | | |

All results in milligram per kilogram (mg/kg).

ND Not detected above method detection limit (MDL)

J Estimated value

^{*}Import Criteria: Based on "Treasure Island Soil Import Criteria" (2016)

Table 3. Summary of Detected Results, Vallco Mall Soil Sampling, September 6, 2016

| Table 31 3amminary or | Beteeted nest | Table 5. Summary of Detected Results, Valico Wall Soil Sampling, September 0, 2010 | | | | | | | | | |
|----------------------------------|-----------------|--|-------------------|------------------|---------|--|--|--|--|--|--|
| Constituent | E2-5 | E2-7 | E3-1 | E3-2 | ESL* | | | | | | |
| Inorganics/CAM 17 metals | | | | | | | | | | | |
| Arsenic | 3.7 | 3.0 | 3.2 | 2.7 | 10 | | | | | | |
| Barium | 164 | 128 | 152 | 143 | 1500 | | | | | | |
| Chromium | 72.6 | 67.7 | 62.0 | 65.1 | 2500 | | | | | | |
| Cobalt | 17.7 | 16.1 | 14.2 | 15.2 | 16 | | | | | | |
| Copper | 37.0 | 35.0 | 29.6 | 30.9 | 310 | | | | | | |
| Lead | 8.5 | 7.6 | 8.1 | 9.1 | 80 | | | | | | |
| Mercury (elemental) | 0.10 | 0.093 | 0.042 | 1.0 | | | | | | | |
| Nickel | 95.6 | 90.8 | 70.9 | 490 | | | | | | | |
| Vanadium | 53.4 | 44.5 | 47.2 | 50.0 | 39 | | | | | | |
| Zinc | 53.8 | 53.8 56.5 55.2 | | 52.0 | 2,300 | | | | | | |
| | | Pesticides/PCB | S | | | | | | | | |
| 4, 4' – DDD | ND | ND | ND | 0.0017 J | 1.0 | | | | | | |
| 4, 4' – DDE | ND | ND | ND | 0.0208 | 1.0 | | | | | | |
| Dieldrin | ND | ND | ND | 0.0025 J | 0.00017 | | | | | | |
| Volatile and Semi-volatile organ | nic chemicals (| VOCs/SVOCs), inc | luding Polycyclic | Aromatic Hydroca | arbons | | | | | | |
| (PAHs) | | | | | | | | | | | |
| Acetone | ND | ND | ND | 0.0951 | 0.50 | | | | | | |
| 2-Butanone (MEK) | ND | ND | ND | 0.0151 | 5.1 | | | | | | |
| | Total Pe | troleum Hydrocai | rbons (TPH) | | | | | | | | |
| TPH (diesel) | ND | ND | ND | 4.60 J | 230 | | | | | | |
| TPH (motor oil) | ND ND 6.52 | | 6.52 | 6.48 | 5100 | | | | | | |

All results in milligram per kilogram (mg/kg).

ND Not detected above method detection limit (MDL)

J Estimated value

^{*}Import Criteria: Based on "Treasure Island Soil Import Criteria" (2016)

Table 4. Summary of Detected Results, Vallco Mall Soil Sampling, September 6, 2016

| Table 4. Summary of Detected Results, Valido Iviali Son Sampling, September 6, 2010 | | | | | | | | | | |
|---|------------------|------------------|-------------------|------------------|--------|--|--|--|--|--|
| Constituent | E3-4 | E3-6 | E4-1 | E4-2 | ESL* | | | | | |
| Inorganics/CAM 17 metals | | | | | | | | | | |
| Arsenic | 3.2 | 3.1 | 3.9 | 4.5 | 10 | | | | | |
| Barium | 147 | 120 | 172 | 167 | 1500 | | | | | |
| Chromium | 66.1 | 78.1 | 82.5 | 65.3 | 2500 | | | | | |
| Cobalt | 15.5 | 12.6 | 17.9 | 16.7 | 16 | | | | | |
| Copper | 30.6 | 27.7 | 39.0 | 32.0 | 310 | | | | | |
| Lead | 7.4 | 6.9 | 9.6 | 10.5 | 80 | | | | | |
| Mercury (elemental) | 0.10 | 0.062 | 0.098 | 0.044 | 1.0 | | | | | |
| Nickel | 78.2 | 65.5 | 101 | 82.4 | 490 | | | | | |
| Vanadium | 54.7 | 66.7 | 61.4 | 52.5 | 39 | | | | | |
| Zinc | 47.0 | 47.7 | 59.7 | 56.6 | 2,300 | | | | | |
| | | Pesticides/PCB | S | | | | | | | |
| None Detected | | | | | N/A | | | | | |
| Volatile and Semi-volatile organ (PAHs) | nic chemicals (\ | VOCs/SVOCs), inc | luding Polycyclic | Aromatic Hydroca | arbons | | | | | |
| Acetone | 0.104 | ND | ND | ND | 0.50 | | | | | |
| 2-Butanone (MEK) | 0.0163 J | ND | ND | ND | 5.1 | | | | | |
| Methylene Chloride | ND | 0.0113 | 0.0104 J | 0.0099 | 0.077 | | | | | |
| | Total Pe | troleum Hydroca | rbons (TPH) | | | | | | | |
| TPH (diesel) | ND | ND | ND | ND | 230 | | | | | |
| TPH (motor oil) | 2.40 J | ND | 3.60 J | ND | 5100 | | | | | |

All results in milligram per kilogram (mg/kg).

ND Not detected above method detection limit (MDL)

J Estimated value

^{*}Import Criteria: Based on "Treasure Island Soil Import Criteria" (2016)

Table 5. Summary of Detected Results, Vallco Mall Soil Sampling, September 6, 2016

| Table 5. Summary of Detected Results, Vallco Mall Soil Sampling, September 6, 2016 | | | | | | | | | | |
|--|------------------|------------------|-------------------|------------------|---------|--|--|--|--|--|
| Constituent | E4-3 | E5-1 | E5-2 | E5-3 | ESL* | | | | | |
| Inorganics/CAM 17 metals | | | | | | | | | | |
| Arsenic | 4.7 | 3.8 | 4.1 | 2.9 | 10 | | | | | |
| Barium | 140 | 364 | 158 | 136 | 1500 | | | | | |
| Chromium | 58.7 | 66.6 | 74.1 | 73.2 | 2500 | | | | | |
| Cobalt | 15.8 | 14.7 | 16.5 | 16.9 | 16 | | | | | |
| Copper | 34.1 | 33.1 | 33.5 | 33.3 | 310 | | | | | |
| Lead | 9.7 | 15.7 | 14.4 | 8.1 | 80 | | | | | |
| Mercury (elemental) | 0.12 | 0.090 | 0.048 | 0.045 | 1.0 | | | | | |
| Nickel | 93.7 | 72.5 | 86.1 | 86.9 | 490 | | | | | |
| Vanadium | 49.2 | 60.9 | 59.6 | 52.2 | 39 | | | | | |
| Zinc | 58.0 | 61.9 | 64.6 | 52.9 | 2,300 | | | | | |
| | | Pesticides/PCB | S | | - | | | | | |
| 4, 4' – DDD | ND | 0.0226 J | ND | ND | 1.0 | | | | | |
| 4, 4' – DDE | ND | ND | 0.0247 | ND | 1.0 | | | | | |
| 4, 4' – DDT | ND | 0.0336 J | 0.0084 J | ND | 1.0 | | | | | |
| Aroclor 1254 | ND | 0.523 | ND | ND | 0.12 | | | | | |
| Dieldrin | ND | ND | 0.0055 J | ND | 0.00017 | | | | | |
| Volatile and Semi-volatile orgonia (PAHs) | anic chemicals (| VOCs/SVOCs), inc | luding Polycyclic | Aromatic Hydroca | arbons | | | | | |
| Benzo(a)anthracene | ND | 0.0246 | ND | ND | 0.16 | | | | | |
| Benzo(a)pyrene | ND | 0.0233 | ND | ND | 0.016 | | | | | |
| Benzo(b)fluoranthene | ND | 0.0194 | ND | ND | 0.16 | | | | | |
| Benzo(g,h,i)perylene | ND | 0.0402 | ND | ND | 2.5 | | | | | |
| Benzo(k)fluoranthene | ND | 0.0073 J | ND | ND | 1.6 | | | | | |
| Chrysene | ND | 0.0858 | ND | ND | 3.8 | | | | | |
| Dibenz(a,h)anthracene | ND | 0.0126 J | ND | ND | 0.016 | | | | | |
| Indeno(1,2,3-cd)pyrene | ND | 0.0093 J | ND | ND | 0.16 | | | | | |
| Methylene Chloride | 0.0083 J | 0.0051 J | 0.0065 J | 0.0086 J | 0.077 | | | | | |
| Pyrene | ND | 0.0309 J | ND | ND | 85 | | | | | |
| | Total Pe | troleum Hydrocai | rbons (TPH) | | | | | | | |
| TPH (diesel) | ND | 88.3 | 3.02 J | ND | 230 | | | | | |
| TPH (motor oil) | ND | 218 | 10.8 | 3.77 J | 5100 | | | | | |

All results in milligram per kilogram (mg/kg).

ND Not detected above method detection limit (MDL)

J Estimated value

^{*}Import Criteria: Based on "Treasure Island Soil Import Criteria" (2016)



Table 6. Summary of Detected Results, Vallco Mall Soil Sampling, September 6, 2016

| Constituent | E6-1 | E6-2 | E6-4 | E7-1 | ESL* | | | | | | | |
|--|-----------------|------------------|-------------------|------------------|---------|--|--|--|--|--|--|--|
| Inorganics/CAM 17 metals | | | | | | | | | | | | |
| Arsenic | 3.5 | 3.5 | 2.4 | ND | 10 | | | | | | | |
| Barium | 135 | 199 | 135 | 156 | 1500 | | | | | | | |
| Chromium | 77.3 | 78.8 | 82.3 | 69.0 | 2500 | | | | | | | |
| Cobalt | 16.5 | 18.1 | 18.3 | 14.8 | 16 | | | | | | | |
| Copper | 35.1 | 37.0 | 34.0 | 33.9 | 310 | | | | | | | |
| Lead | 15.1 | 9.0 | 7.7 | 10.3 | 80 | | | | | | | |
| Mercury (elemental) | 0.13 | 0.056 | 0.047 | 0.048 | 1.0 | | | | | | | |
| Nickel | 82.6 | 98.4 | 81.8 | 82.5 | 490 | | | | | | | |
| Vanadium | 60.3 | 54.0 | 63.9 | 51.2 | 39 | | | | | | | |
| Zinc | 58.0 | 57.1 | 47.9 | 52.2 | 2,300 | | | | | | | |
| | | Pesticides/PCB | S | | | | | | | | | |
| 4, 4' – DDD | 0.0295 J | ND | ND | ND | 1.0 | | | | | | | |
| 4, 4' – DDE | 0.140 | ND | ND | 0.0088 J | 1.0 | | | | | | | |
| 4, 4' – DDT | 0.0702 | ND | ND | ND | 1.0 | | | | | | | |
| Dieldrin | 0.0322 | ND | ND | 0.0049 J | 0.00017 | | | | | | | |
| Volatile and Semi-volatile orga (PAHs) | nic chemicals (| VOCs/SVOCs), inc | luding Polycyclic | Aromatic Hydroca | arbons | | | | | | | |
| Acetone | ND | ND | ND | 0.210 | 0.5 | | | | | | | |
| Benzo(b)fluoranthene | 0.0040 J | ND | ND | ND | 0.16 | | | | | | | |
| Chrysene | 0.0049 J | ND | ND | ND | 3.8 | | | | | | | |
| Methylene Chloride | 0.0134 | 0.0124 | 0.0068 J | 0.0136 | 0.077 | | | | | | | |
| 2-Butanone (MEK) | ND | ND | ND | 0.0459 | 5.1 | | | | | | | |
| | Total Pe | troleum Hydroca | rbons (TPH) | | | | | | | | | |
| TPH (diesel) | 6.24 | ND | ND | 10.1 | 230 | | | | | | | |
| TPH (motor oil) | 23.9 | 7.59 | 3.42 J | 29.7 | 5100 | | | | | | | |

All results in milligram per kilogram (mg/kg).

ND Not detected above method detection limit (MDL)

J Estimated value

^{*}Import Criteria: Based on "Treasure Island Soil Import Criteria" (2016)

Table 7. Summary of Detected Results, Vallco Mall Soil Sampling, September 6, 2016

| Constituent | E7-2 | E7-3 | E7-5 | E8-1 | ESL* | | | | | | | |
|--|-----------------|------------------|-------------------|------------------|--------|--|--|--|--|--|--|--|
| Inorganics/CAM 17 metals | | | | | | | | | | | | |
| Arsenic | 3.0 | 2.7 | 4.2 | 3.7 | 10 | | | | | | | |
| Barium | 164 | 139 | 115 | 142 | 1500 | | | | | | | |
| Chromium | 71.4 | 69.0 | 56.7 | 70.4 | 2500 | | | | | | | |
| Cobalt | 19.3 | 17.2 | 11.4 | 14.6 | 16 | | | | | | | |
| Copper | 34.9 | 33.4 31.1 33.8 | | 33.8 | 310 | | | | | | | |
| Lead | 9.2 | 7.6 | 8.5 | 37.5 | 80 | | | | | | | |
| Mercury (elemental) | ND | ND 0.12 | 0.12 | 1.0 | | | | | | | | |
| Nickel | 96.6 | 68.6 | 68.4 | 81.1 | 490 | | | | | | | |
| Vanadium | 41.8 | 60.1 | 46.4 | 52.2 | 39 | | | | | | | |
| Zinc | 53.0 | 51.9 | 52.7 | 54.0 | 2,300 | | | | | | | |
| | | Pesticides/PCB | S | | | | | | | | | |
| 4, 4' – DDE | ND | ND | ND | 0.00063 J | 1.0 | | | | | | | |
| 4, 4' – DDT | ND | ND | ND | 0.0012 J | 1.0 | | | | | | | |
| Aroclor 1254 | ND | ND | ND | 0.0256 | 0.12 | | | | | | | |
| Volatile and Semi-volatile orga (PAHs) | nic chemicals (| VOCs/SVOCs), inc | luding Polycyclic | Aromatic Hydroca | arbons | | | | | | | |
| Acetone | 0.0292 J | ND | ND | ND | 0.5 | | | | | | | |
| Methylene Chloride | 0.0085 | 0.0122 | 0.0116 | 0.0102 | 0.077 | | | | | | | |
| | Total Pe | troleum Hydroca | rbons (TPH) | | | | | | | | | |
| TPH (diesel) | ND | ND | ND | 10.5 | 230 | | | | | | | |
| TPH (motor oil) | 5.22 | ND | ND | 44.5 | 5100 | | | | | | | |

All results in milligram per kilogram (mg/kg).

ND Not detected above method detection limit (MDL)

J Estimated value

^{*}Import Criteria: Based on "Treasure Island Soil Import Criteria" (2016)

Table 8. Summary of Detected Results, Vallco Mall Soil Sampling, September 6, 2016

| Table 6. Summary of Detected Results, Valido Iviali Son Sampling, September 6, 2010 | | | | | | | | | | |
|---|------------------|------------------|-------------------|------------------|--------|--|--|--|--|--|
| Constituent | E8-2 | E8-3 | E8-4 | E8-5 | ESL* | | | | | |
| Inorganics/CAM 17 metals | | | | | | | | | | |
| Arsenic | 3.0 | 3.1 | 4.4 | 3.6 | 10 | | | | | |
| Barium | 177 | 112 | 86.7 | 115 | 1500 | | | | | |
| Chromium | 76.3 | 77.5 | 49.5 | 48.9 | 2500 | | | | | |
| Cobalt | 17.6 | 18.1 | 11.1 | ND | 16 | | | | | |
| Copper | 35.5 | 33.5 | 25.1 | 27.3 | 310 | | | | | |
| Lead | 9.1 | 8.2 | 8.2 | 7.4 | 80 | | | | | |
| Mercury (elemental) | ND | 0.055 | 0.065 | 0.086 | 1.0 | | | | | |
| Nickel | 93.4 | 83.1 | 61.8 | 62.6 | 490 | | | | | |
| Vanadium | 52.7 | 53.9 | 44.9 | 43.0 | 39 | | | | | |
| Zinc | 52.7 | 49.0 | 49.6 | 50.0 | 2,300 | | | | | |
| | | Pesticides/PCB | S | | | | | | | |
| None Detected | | | | | N/A | | | | | |
| Volatile and Semi-volatile organ (PAHs) | nic chemicals (\ | VOCs/SVOCs), inc | luding Polycyclic | Aromatic Hydroca | arbons | | | | | |
| 2-Butanone (MEK) | 0.0120 J | ND | ND | ND | 5.1 | | | | | |
| Acetone | 0.0730 | ND | ND | ND | 0.5 | | | | | |
| Methylene Chloride | 0.0091 | 0.0055 J | 0.0129 | 0.0078 J | 0.077 | | | | | |
| | Total Pe | troleum Hydrocai | rbons (TPH) | | | | | | | |
| TPH (diesel) | ND | ND | ND | ND | 230 | | | | | |
| TPH (motor oil) | oil) 7.88 N | | ND | ND | 5100 | | | | | |

All results in milligram per kilogram (mg/kg).

ND Not detected above method detection limit (MDL)

J Estimated value

^{*}Import Criteria: Based on "Treasure Island Soil Import Criteria" (2016)




Table 9. Summary of Detected Results that Surpass Import Criteria, Vallco Mall Soil Sampling, September 6, 2016

| Sample # | Constituent 1 | Detected Amount (mg/kg) | TI Import Criteria (mg/kg) | Constituent 2 | Detected Amount (mg/kg) | TI Import Criteria (mg/kg) |
|----------|------------------|-------------------------------|----------------------------------|-----------------------|-------------------------------|----------------------------------|
| E1-1 | Benzo(a)pyrene | 0.0297 | 0.016 | Dibenz(a,h)anthracene | 0.0176 | 0.016 |
| E1-2 | Cobalt | 19.7 | 16 | Vanadium | 64.1 | 39 |
| E1-3 | Vanadium | 59.5 | 39 | N/A | - | - |
| E1-4 | Cobalt | 19.6 | 16 | Vanadium | 69.0 | 39 |
| E1-8 | | No Tes | t Results Exce | eded Import Criteria | | |
| E2-1 | | No Tes | t Results Exce | eded Import Criteria | | |
| E2-2 | Vanadium | 47.2 | 39 | N/A | - | - |
| E2-3 | Cobalt | 18.8 | 16 | Vanadium | 49.2 | 39 |
| E2-5 | Cobalt | 17.7 | 16 | Vanadium | 53.4 | 39 |
| E2-7 | Cobalt | 16.1 | 16 | Vanadium | 44.5 | 39 |
| E3-1 | Vanadium | 47.2 | 39 | N/A | - | - |
| E3-2 | Vanadium | 50.0 | 39 | Dieldrin | 0.0025 | 0.00017 |
| E3-4 | Vanadium | 54.7 | 39 | N/A | - | - |
| E3-6 | Vanadium | 66.7 | 39 | N/A | - | - |
| E4-1 | Cobalt | 17.9 | 16 | Vanadium | 61.4 | 39 |
| E4-2 | Cobalt | 16.7 | 16 | Vanadium | 52.5 | 39 |
| E4-3 | Vanadium | 49.2 | 39 | N/A | - | - |
| E5-1 | Vanadium | 60.9 | 39 | Aroclor 1254 | 0.523 | 0.12 |
| E5-2 | Cobalt | 16.5 | 16 | Vanadium | 59.6 | 39 |
| E5-3 | Cobalt | 16.9 | 16 | Vanadium | 52.2 | 39 |
| E6-1 | Cobalt | 16.5 | 16 | Vanadium | 60.3 | 39 |
| E6-2 | Cobalt | 18.1 | 16 | Vanadium | 54.0 | 39 |
| E6-4 | Cobalt | 18.3 | 16 | Vanadium | 63.9 | 39 |
| E7-1 | Vanadium | 51.2 | 39 | N/A | - | - |
| E7-2 | Vanadium | 41.8 | 39 | N/A | - | - |
| E7-3 | Cobalt | 17.2 | 16 | Vanadium | 60.1 | 39 |
| E7-5 | Vanadium | 46.4 | 39 | N/A | - | - |
| E8-1 | Vanadium | 52.2 | 39 | N/A | - | - |
| E8-2 | Cobalt | 17.6 | 16 | Vanadium | 52.7 | 39 |
| E8-3 | Cobalt | 18.1 | 16 | Vanadium | 53.9 | 39 |
| E8-4 | Vanadium | 44.9 | 39 | N/A | - | - |
| E8-5 | Vanadium | 43.0 | 39 | N/A | - | - |

FIGURES

Figure 1 – Site Vicinity Map Figure 2 –Boring Location Plan



Surface Elev. 193' to 180', S to N Bottom of Excavation Elev: 166' to 160', S to N Elev Difference: 27' to 20'

Surface Elev: 181'
Bottom of Excavation Elev: 128'
Elev Difference: 53'
Surface Elev: 181'
Bottom of Excavation Elev: 139'
Elev Difference: 42'
Surface Elev: 160'
Bottom of Excavation Elev: 160'
Bottom of Excavation Elev: 160'

All elevations approximate

- Approximate Environmental Boring Location
 - Approximate LUST Location, from GeoTracker

Note: Borings E-3 & E-2 were stopped due to refusal at the indicated depth

| September 2016 | Figure 2 |
|---|--|
| 91-03790-B | Environmental Boring Plan |
| The Hills at Vallco Wolfe Road and Vallco Parkway Cupertino, California | Georgiphere Comultantsi, Inc. 8 et 11 to 10 et 11 to 1 |

APPENDIX A

Boring Logs

| Geosphere Consultants, Inc. |
|--|
| AN ETS COMPANY |
| Geotechnical Engineering • Engineering Geology Environmental Management • Water Resources |

| | | Environmental Management - Water Resources | | | | | | | | | | | |
|---------------|----------------|---|--------|-----------------------|----------------|---------------------------------|----------|--------------------|-------------------------|--------|--------------------|---------------------|-------------------|
| CLIEN | NT Sa | and Hill Property Company | PROJEC | T NAME | The F | lills at Vallo | o - Ana | ılytical | Soil Sa | amplin | g and ⁻ | Γesting | 1 |
| PROJ | ECT N | UMBER 91-03790-B | PROJEC | T LOCAT | ION _\ | Nolfe Road | and Va | allco P | arkway | y, Cup | ertino, | CA | |
| DATE | STAR | TED 9/6/16 COMPLETED 9/6/16 | GROUND | ELEVAT | TION _ | 179 ft | | HOLE | SIZE | 2 inc | nes | | |
| DRILL | ING C | ONTRACTOR Penecore Drilling | GROUND | WATER | LEVE | LS: | | | | | | | |
| DRILL | ING M | Geoprobe - DT22 | AT | TIME OF | DRILI | LING | | | | | | | |
| LOGG | ED BY | CF CHECKED BY EJS | AT | END OF | DRILL | ING | | | | | | | |
| NOTE | s | | AF | TER DRII | LING | | | | | | | | |
| | | | | 111 | % | | | | | | TERBE | | F |
| I | ੂ | | | 유 | ₹ (| JE) | PEN. | | IRE 1,000 | | LIMITS | | Ä |
| DEPTH (ft) | GRAPHIC LOG | MATERIAL DESCRIPTION | | LE . | NEI SQD | BLON' | (ET | L (Jod | ST | | | ば | (%) |
| ā | GR | | | SAMPLE TYPE NUMBER | RECOVERY (RQD) | SPT BLOW COUNTS (N VALUE) | POCKET I | DRY UNIT WT. (pcf) | MOISTURE CONTENT (%) | LIQUID | PLASTIC LIMIT | PLASTICITY INDEX | FINES CONTENT (%) |
| 0 | | | | Ś | E | | Д. | | 0 | _ | <u>a</u> | 김 | F |
| | *** | ASPHALT CONCRETE: | /;= | ™ GB | | | | | | | | | |
| | | \ BASEROCK: (CL) LEAN CLAY: Brown, moist, with sand and gravel. | | E1-1 | | | | | | | | | |
| | | , | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| _ | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 5 | | | | ∰ GB | | | | | | | | | |
| | | | | E1-2 | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | Occasional pockets of gravelly material throughout depth. | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 10 | | | | ∰ GB | | | | | | | | | |
| | | | | \E1-3 | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | (CL) SANDY CLAY: Brown, moist. | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | |
| _ | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | 80 C | _ | | | | | | | | |
| 20 | | Sand content flucauting with depth. | | | | | | | | | | | |
| - | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| _ | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | |

PAGE 2 OF 2

Geosphere Consultants, Inc.
AN ETS COMPANY
Geotechical Engineering - Engineering Geology
Environmental Management - Water Resources

CLIENT Sand Hill Property Company **PROJECT NAME** The Hills at Vallco - Analytical Soil Sampling and Testing PROJECT NUMBER 91-03790-B PROJECT LOCATION Wolfe Road and Vallco Parkway, Cupertino, CA ATTERBERG SAMPLE TYPE NUMBER FINES CONTENT (%) POCKET PEN. (tst)
DRY UNIT WT. (pcf) MOISTURE CONTENT (%) LIMITS RECOVERY % (RQD) SPT BLOW COUNTS (N VALUE) GRAPHIC LOG DEPTH (ft) PLASTICITY INDEX PLASTIC LIMIT LIQUID LIMIT MATERIAL DESCRIPTION (CL) SANDY CLAY: Brown, moist. (continued) (SC) **CLAYEY SAND**: Brown, moist. GB
 E1-6 30 (CL) SANDY CLAY: Brown, moist. 35 40 My GB E1-8 Bottom of borehole at 50.0 feet.

| Geosphere Consultants, Inc. |
|--|
| AN ETS COMPANY |
| Geotechnical Engineering • Engineering Geology Environmental Management • Water Resources |

| CLIENT | Sand Hill Property Company | PROJECT NAME _ The Hills at Vallco - Analytical Soil Sampling and Testing | | | | | | | | | | |
|------------------------|---|---|-----------------------|-----------------|---------------------------------|-------------------|--------------------|-------------------------|--------|------------------|---------------------|-------------------|
| | F NUMBER _91-03790-B | | | | | | | | | | | |
| DATE ST | ARTED 9/6/16 COMPLETED 9/6/16 | GROUNI | ELEVA1 | TION _ | 179 ft | | HOLE | SIZE | 2 inc | hes | | |
| DRILLING | CONTRACTOR Penecore Drilling | GROUNI | WATER | LEVE | LS: | | | | | | | |
| DRILLING | Geoprobe - DT22 | A1 | TIME OF | DRIL | LING | | | | | | | |
| | BY CF CHECKED BY EJS | | END OF | DRILL | .ING | | | | | | | |
| NOTES _ | | AF | TER DRII | LLING | | | | | | | | |
| | | | 밆 | % | | z | Ë. | (% | | TERBE LIMITS | :RG 3 | FN |
| 표 의 | σ | | : TY |) ERY (0) | LOV | T (| ≥ ≟ (; | NR. | | O | ≥ | ILNC (a |
| DEPTH (ft) GRAPHIC | MATERIAL DESCRIPTION | | APLE JUMI | RECOVERY (RQD) | SPT BLOW COUNTS (N VALUE) | POCKET PEN. (tsf) | 158 | MOISTURE CONTENT (%) | LIQUID | PLASTIC LIMIT | EX | S CC |
| | | | SAMPLE TYPE NUMBER | RE(| N S | PQ. | DRY UNIT WT. (pcf) | ΣŌ | = = | PL | PLASTICITY INDEX | FINES CONTENT (%) |
| 0 ×× | ASPHALT CONCRETE: | 7. | - | | | | | | | | | |
| | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | | | | | | | | | | |
| | (CL) <u>LEAN CLAY</u> : Brown, moist, with fine sand. | | | | | | | | | | | |
| | | | | | | | | | | | | |
| //// | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| _5_/// | | | | | | | | | | | | |
| | | | (LZ Z | 1 | | | | | | | | |
| | | | | | | | | | | | | |
| /// | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| /// | | | | | | | | | | | | |
| 10 | | | [™] GB | | | | | | | | | |
| | | | E2-3 | 1 | | | | | | | | |
| /// | | | | | | | | | | | | |
| - <i>- </i> | (SC) <u>CLAYEY SAND</u> : Brown, moist. | | | | | | | | | | | |
| <i>- []],</i> | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 15 | | | ₩ GB | | | | | | | | | |
| | | | E2-4 | 1 | | | | | | | | |
| <i>- []]</i> | | | | | | | | | | | | |
| <i>- </i> | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | W 05 | - | | | | | | | | |
| 20 /// | | | | | | | | | | | | |
| <i>- // /</i> | | | | | | | | | | | | |
| | <u> </u> | | | | | | | | | | | |
| | (CL) SANDY CLAY: Brown, moist. | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 25 | | | | | | | | | | | 1 ' | 1 |

PAGE 2 OF 2



CLIENT Sand Hill Property Company PROJECT LOCATION Wolfe Road and Vallco Parkway, Cupertino, CA PROJECT NUMBER 91-03790-B ATTERBERG SAMPLE TYPE NUMBER FINES CONTENT (%) DRY UNIT WT. (pcf) POCKET PEN. (tsf) MOISTURE CONTENT (%) LIMITS RECOVERY % (RQD) SPT BLOW COUNTS (N VALUE) GRAPHIC LOG DEPTH (ft) PLASTICITY INDEX PLASTIC LIMIT LIQUID LIMIT MATERIAL DESCRIPTION (CL) SANDY CLAY: Brown, moist. (continued) 30 Sand content flucauting with depth. 40 Boring stopped due to refusal. GB E2-8 Bottom of borehole at 45.0 feet.

| A LONG | Geosphere Consultants, Inc. |
|--------|--|
| | AN ETS COMPANY |
| | Geotechnical Engineering - Engineering Geology Environmental Management - Water Resources |

| CLIEN | NT Sa | and Hill Property Company | PROJECT NAME _ The Hills at Vallco - Analytical Soil Sampling and Testing | | | | | | | | | | |
|---------------|----------------|---|---|-----------------------|------------------|---------------------------------|----------------------|--------------------|-------------------------|-------|-----------------------|-----------------|-------------------|
| | | IUMBER 91-03790-B | | | | Wolfe Road | | | | | | | |
| DATE | STAF | RTED 9/6/16 COMPLETED 9/6/16 | GROUNE | ELEVA1 | TION _ | 182 ft | | HOLE | SIZE | 2 inc | hes | | |
| DRILL | ING C | CONTRACTOR Penecore Drilling | GROUNE | WATER | LEVE | LS: | | | | | | | |
| DRILL | ING N | IETHOD Geoprobe - DT22 | AT | TIME OF | DRIL | LING | | | | | | | |
| | | Y CF CHECKED BY EJS | ΑT | END OF | DRILL | .ING | | | | | | | |
| NOTE | s | | AF | TER DRII | LLING | | | | | | | | |
| DEPTH (ft) | GRAPHIC LOG | MATERIAL DESCRIPTION | | SAMPLE TYPE NUMBER | RECOVERY % (RQD) | SPT BLOW COUNTS (N VALUE) | POCKET PEN. (tsf) | DRY UNIT WT. (pcf) | MOISTURE CONTENT (%) | | PLASTIC PLASTIC LIMIT | PLASTICITY SHIP | FINES CONTENT (%) |
| 0 | | | | SAI | 8 | S S | PO | PR | ≥0 | = - | 7 | R = I | FINE |
| 0 | | ASPHALT CONCRETE: BASEROCK: (CL) LEAN CLAY: Brown to black, moist, with gravel and fragments. | i | GB E3-1 | <u> </u> | | | | | | | | |
| 5 - | | | | GB E3-2 | - / | | | | | | | | |
| | | Less gravel with depth. | | GB E3-3 | - | | | | | | | | |
| | | (CL) SANDY CLAY: Brown, moist. (CL) LEAN CLAY: Brown, moist. | | | | | | | | | | | |
| 15 | | | | GB E3-4 | _ / | | | | | | | | |
| | | | | | | | | | | | | | |
| 20 | | | | GB E3-5 | , | | | | | | | | |
| | | (CL) <u>SANDY CLAY</u> : Brown, moist. | | | | | | | | | | | |

PAGE 2 OF 2



CLIENT Sand Hill Property Company **PROJECT NAME** The Hills at Vallco - Analytical Soil Sampling and Testing PROJECT NUMBER 91-03790-B PROJECT LOCATION Wolfe Road and Vallco Parkway, Cupertino, CA ATTERBERG SAMPLE TYPE NUMBER FINES CONTENT (%) DRY UNIT WT. (pcf) POCKET PEN. (tsf) MOISTURE CONTENT (%) LIMITS RECOVERY % (RQD) GRAPHIC LOG SPT BLOW COUNTS (N VALUE) DEPTH (ft) PLASTICITY INDEX PLASTIC LIMIT LIQUID LIMIT MATERIAL DESCRIPTION (CL) SANDY CLAY: Brown, moist. (continued) (GC) CLAYEY SANDY GRAVEL: Brown, moist. **™** GB E3-6 30 (SC) CLAYEY SAND: Brown, moist, with gravel. Boring stopped due to refusal. ™ GB

Bottom of borehole at 35.0 feet.

E3-7

| Geosphere Consultants, Inc. |
|--|
| AN ETS COMPANY |
| Geotechnical Engineering - Engineering Geology Environmental Management - Water Resources |

| ill Property Company ER 91-03790-B 9/6/16 | PROJECT GROUND GROUND AT | ELEVAT WATER TIME OF END OF | TION _\ TION _\ LEVEI DRILL | ING ING | and Va | Allco P | arkwa SIZE | y, Cupe | ertino, nes | CA | | | | | | | |
|---|--|--------------------------------------|---|--|--|---|--|--|---|---|--|--|--|--|--|--|--|
| 9/6/16 COMPLETED 9/6/16 RACTOR Penecore Drilling DD Geoprobe - DT22 CHECKED BY EJS | GROUND GROUND AT | ELEVAT WATER TIME OF END OF TER DRIL | TION _ LEVEI DRILL | 176 ft _S: _ING ING | | HOLE | SIZE | 2 incl | nes | | | | | | | | |
| RACTOR Penecore Drilling OD Geoprobe - DT22 CHECKED BY EJS | GROUND AT AT | WATER TIME OF END OF TER DRIL | LEVEI DRILL DRILL | _s: _ing ing | | | | | | | | | | | | | |
| CHECKED BY EJS | AT AT | TIME OF END OF TER DRIL | DRILL DRILL | ING ING | | | | | | | | | | | | | |
| CHECKED BY EJS | AT | END OF | DRILL | ING | | | | | | | | | | | | | |
| | | TER DRII | | · | | | | | | | | | | | | | |
| | | | LLIIVO | AFTER DRILLING | | | | | | | | | | | | | |
| MATERIAL DESCRIPTION | | | | | | | | ΔΤΊ | ERBE | RG | | | | | | | |
| MATERIAL DESCRIPTION | | /PE | % | ≥ .v. (ii) | Ä. | DRY UNIT WT. (pcf) | щ [®] | | IMITS | 3 | FINES CONTENT (%) | | | | | | |
| MATERIAL DESCRIPTION | | SAMPLE TYPE NUMBER | RECOVERY (RQD) | SPT BLOW COUNTS (N VALUE) | POCKET PEN. (tsf) | cf) | MOISTURE CONTENT (%) | ۵. | ပ္ ့ | Ĕχ | NO (§ | | | | | | |
| | | MP. | Q R | PT E | CKE (# | > ≥ | OIS | LIQUID | PLASTIC LIMIT | ASTICI | Si O | | | | | | |
| | | SAI | R | ω = | PO | DR | ≥8 | | L L | PLASTICITY INDEX | | | | | | | |
| ASPHALT CONCRETE: | 7. | | | | | | | | | | | | | | | | |
| BASEROCK : | | | | | | | | | | | | | | | | | |
| CL) LEAN CLAY : Grey brown, dry, with trace fine sand. | | (=+1) | 1 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | ™ GB | 1 | | | | | | | | | | | | | | |
| | | E4-2 | 1 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| JL) SANDY CLAY : Brown, moist, fine | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | M GB | 1 | | | | | | | | | | | | | | |
| | | (⊑4-3) | 1 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | -MM - O.D. | | | | | | | | | | | | | | | |
| ncreasing sand content with depth. | | E4-4 | / | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | - | M GB | | | | | | | | | | | | | | | |
| Bottom of borehole at 20.0 feet. | <u>'</u> | E4-5 | | | | | | | | | | | | | | | |
| | CL) SANDY CLAY: Brown, moist, fine ncreasing sand content with depth. | CL) SANDY CLAY: Brown, moist, fine | CL) SANDY CLAY: Brown, moist, fine GB E4-2 GB E4-2 GB E4-3 GB E4-3 GB E4-4 | CL) SANDY CLAY: Brown, moist, fine GB E4-2 GB E4-3 GB E4-4 GB E4-4 | CL) SANDY CLAY: Brown, moist, fine GB E4-2 GB E4-3 GB E4-4 GB E4-4 | CL) SANDY CLAY: Brown, moist, fine GB E4-2 GB E4-3 GB E4-4 | CL) SANDY CLAY: Brown, moist, fine GB E4-2 GB E4-3 GB E4-4 GB E4-4 | CL) SANDY CLAY: Brown, moist, fine GB E4-2 GB E4-3 MC GB E4-4 | CL) SANDY CLAY: Brown, moist, fine GB E4-2 GB E4-3 GB E4-3 | CL) SANDY CLAY: Brown, moist, fine GB E4-3 GB E4-4 GB E4-4 | CL) SANDY CLAY: Brown, moist, fine GB (E4-2) GB (E4-3) GB (E4-3) GB (E4-4) | | | | | | |

| Geosphere Consultants, Inc. |
|--|
| AN ETS COMPANY |
| Geotechnical Engineering - Engineering Geology Environmental Management - Water Resources |

| | | Environmental Management - Water Resources | | | | | | | | | | | |
|---------------|----------------|--|----------|-----------------------|-------------------|---------------------------------|-------------------|--------------------|-------------------------|--------|--------------------|---------------------|-------------------|
| CLIEN | NT Sa | and Hill Property Company | PROJEC | T NAME | The F | lills at Vallo | o - Ana | lytical | Soil S | amplin | g and ⁻ | Testing | 1 |
| PROJ | ECT N | UMBER 91-03790-B | PROJEC | T LOCAT | ION _\ | Nolfe Road | and V | allco P | arkwa | y, Cup | ertino, | CA | |
| DATE | STAR | TED 9/6/16 COMPLETED 9/6/16 | GROUND | ELEVA1 | TION _ | 187 ft | | HOLE | SIZE | 2 inc | hes | | |
| DRILL | ING C | ONTRACTOR Penecore Drilling | GROUND | WATER | LEVE | LS: | | | | | | | |
| DRILL | ING M | ETHOD Geoprobe - DT22 | АТ | TIME OF | DRILI | _ING | | | | | | | |
| LOGG | SED BY | CF CHECKED BY EJS | | | | ING | | | | | | | |
| | | | | TER DRII | | | | | | | | | |
| | | | | | | | | | | AT | TERBE | RG | — |
| _ | ပ | | | SAMPLE TYPE NUMBER | % ∖ | ≷ິດເພີ | POCKET PEN. (tsf) | DRY UNIT WT. (pcf) | MOISTURE CONTENT (%) | ı | LIMITS | | |
| DEPTH (ft) | SAPHI LOG | MATERIAL DESCRIPTION | | E T 18E | /ER 2D) | 3LO NT | ST. P | F (f) | | | 일 | Ę× | N (% |
| | GRAPHIC LOG | Witter the Bessell From | | MP. | RECOVERY (RQD) | SPT BLOW COUNTS (N VALUE) | S t | ≻ ⊃⊛ | SION | LIQUID | PLASTIC LIMIT | ASTICI | S:S |
| 0 | | | | SAI | RE | S - = | 8 | DR | ≥ 8 | | 7 | PLASTICITY INDEX | FINES CONTENT (%) |
| 0 | ×××× | - ASPHALT CONCRETE: | | | | | | | | | | _ | _ |
| | | \ BASEROCK : | / - J | ™ GB \E5-1 |] | | | | | | | | |
| | | (CL) LEAN CLAY : Mottled brown tan black, moist, with g | ravel. | (E3-1 | | | | | | | | | |
| - | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| _ | | | | ™ GB | | | | | | | | | |
| 5 | | | | E5-2 | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | (CL) <u>LEAN CLAY</u> : Brown, moist, with sand. | | | | | | | | | | | |
| | | (02) | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 40 | | | | 6W CD | | | | | | | | | |
| 10 | | | | ₩ GB E5-3 | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | ™ GB | - | | | | | | | | |
| 15 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | (SC) <u>CLAYEY SAND</u> : Brown, moist, with gravel. | | | | | | | | | | | |
| - | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | (CL) LEAN CLAY : Brown, moist, with sand. | | | | | | | | | | | |
| | | | | [™] GB | | | | | | | | | |
| 20 | <u> </u> | Bottom of borehole at 20.0 feet. | | E5-5 | \vdash | | | | | | | | |
| | | | | | | | | | | | | ļ | |
| | | | | | | | | | | | | ļ | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | ļ | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | ļ | |
| | | | | | | | | | | | | | i |

| Geosphere Consultants, Inc. |
|--|
| AN ETS COMPANY |
| Geotechnical Engineering - Engineering Geology Environmental Management - Water Resources |

| CLIEN | NT Sa | nd Hill Property Company | PROJECT NAME The Hills at Vallco - Analytical Soil Sampling and Testing | | | | | | | | | | | |
|---------------|----------------|---|---|-----------------------|----------------|---------------------------------|-------------------|-----------------------|-------------------------|--------|------------------|---------------------|-------------------|--|
| PROJ | ECT N | UMBER 91-03790-B | PROJECT LOCATION Wolfe Road and Vallco Parkway, Cupertino, CA | | | | | | | | | | | |
| DATE | STAR | TED 9/6/16 COMPLETED 9/6/16 | GROUND | ELEVAT | ION _ | 191 ft | | HOLE | SIZE | 2 incl | nes | | | |
| | | ONTRACTOR Penecore Drilling | | | | | | | | | | | | |
| DRILL | ING M | ETHOD Geoprobe - DT22 | AT | TIME OF | DRILI | _ING | | | | | | | | |
| LOGG | ED BY | CF CHECKED BY EJS | | | | ING | | | | | | | | |
| NOTE | s | | | | | | | | | | | | | |
| | | | | 111 | | | | | | ATT | ERBE | RG | <u></u> | |
| _ | ಲ | | | SAMPLE TYPE NUMBER | ۲۲ % ا | SS (≘ | POCKET PEN. (tsf) | DRY UNIT WT. (pcf) | MOISTURE CONTENT (%) | l | LIMITS | | FINES CONTENT (%) | |
| DEPTH (ft) | GRAPHIC LOG | MATERIAL DESCRIPTION | | LE 1 | RECOVERY (RQD) | SPT BLOW COUNTS (N VALUE) | ET I | ocf) | EN I | ∟∟ | PLASTIC LIMIT | ΩX | (%) | |
| DE | GR/ L | | | A N | CO R | SPT CO (N V |)CK | } ≿ | S L | LIQUID | AS | STI | ES (| |
| 0 | | | | S | R | 0 , | PC | ğ | - 8 | | П | PLASTICITY INDEX | N N | |
| | XXXX | ASPHALT CONCRETE: | | .000 | | | | | | | | | | |
| | | \ BASEROCK: (CL) LEAN CLAY: Brown, moist, with gravel and sand. | | | | | | | | | | | | |
| | | (CL) <u>LEAN CLAT</u> . Blown, moist, with graver and saild. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 5 | | | | [™] GB | | | | | | | | | | |
| | | | | E6-2 | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | (CL) <u>LEAN CLAY</u> : Brown, moist. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 10 | | | | [™] GB | | | | | | | | | | |
| | | | | E6-3 | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | (CL) SANDY CLAY: Brown, moist, with gravel. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 15 | | | | ™ GB | | | | | | | | | | |
| | | | | E6-4 | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | (GC) SANDY CLAYEY GRAVEL : Brown, moist. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 20 | | | | [™] GB | | | | | | | | | | |
| | | Bottom of borehole at 20.0 feet. | | \E6-5 | 1 | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |



| CLIENT Sand Hill Property Company | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|
| PROJECT NUMBER 91-03790-B DATE STARTED 9/6/16 COMPLETED 9/6/16 | | | | | | | | | | | | |
| DRILLING CONTRACTOR Penecore Drilling | | | | | | | | | | | | |
| DRILLING METHOD Geoprobe - DT22 | | | | | | | | | | | | |
| LOGGED BY CF CHECKED BY EJS | | | | | | | | | | | | |
| NOTES | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| MATERIAL DESCRIPTION MATERIAL DESCRIPTION | SAMPLE TYPE NUMBER RECOVERY % (RQD) SPT BLOW COUNTS (N VALUE) POCKET PEN. (tsf) DRY UNIT WT. (pcf) MOISTURE CONTENT (%) LIQUID LIMIT PLASTICITY EMIT PLASTICITY SUBBEX INDEX (%) | | | | | | | | | | | |
| ASPHALT CONCRETE: BASEROCK : (CL) LEAN CLAY : Grey black, moist, with gravel and san | | | | | | | | | | | | |
| (CL) LEAN CLAY: Brown, moist, with trace sand. | GB <u>E7-2</u> / | | | | | | | | | | | |
| (CL) SANDY CLAY: Brown, moist, with fine gravel. | | | | | | | | | | | | |
| 15 (ML) SANDY SILT: Tan, moist. | | | | | | | | | | | | |
| 20 | ₩ GB | | | | | | | | | | | |
| Bottom of borehole at 20.0 feet. | E7-5 | | | | | | | | | | | |
| | | | | | | | | | | | | |



| | | Geotechnical Engineering - Engineering Geology Environmental Management - Water Resources | | | | | _ | | • | | | | |
|--------------|----------------|---|---|-----------------------|------------------|---------------------------------|-------------------|--------------------|-------------------------|---------|--------|----|-------------------|
| | | | PROJECT NAME The Hills at Vallco - Analytical Soil Sampling and Testing PROJECT LOCATION Wolfe Road and Vallco Parkway, Cupertino, CA | | | | | | | | | | |
| | | COMPLETED 9/6/16 COMPLETED 9/6/16 COMPLETED 9/6/16 COMPLETED Property Property | | | | | | | | | | CA | |
| | | ONTRACTOR Penecore Drilling | | | | | | HOLE | SIZE | _Z IIIC | ies | | |
| | | | | | | LS. LING | | | | | | | |
| | | CF CHECKED BY EJS | | | | ING | | | | | | | |
| | | ONESICE DI LOC | | | | | | | | | | | |
| | | | | | | | | | | AT | TERBE | RG | <u> </u> |
| O DEPTH (ft) | GRAPHIC LOG | MATERIAL DESCRIPTION | | SAMPLE TYPE NUMBER | RECOVERY % (RQD) | SPT BLOW COUNTS (N VALUE) | POCKET PEN. (tsf) | DRY UNIT WT. (pcf) | MOISTURE CONTENT (%) | | LIMITS | | FINES CONTENT (%) |
| | | ASPHALT CONCRETE: BASEROCK: (CL) LEAN CLAY: Grey black, moist, with gravel and sand | | GB E8-1 | | | | | | | | | |
| 5 | | (CL) <u>LEAN CLAY</u> : Brown, moist. | | GB E8-2 | | | | | | | | | |
| - 10 | | (CL) <u>SANDY CLAY</u> : Brown, moist. | | GB E8-3 | | | | | | | | | |
| 15 | | | | GB E8-4 | | | | | | | | | |
| 20 | | (ML) SANDY SILT: Tan, moist. Bottom of borehole at 20.0 feet. | | GB (E8-5) | | | | | | | | | |
| | | | | | | | | | | | | | |





ACCUTEST

Northern California

09/19/16

SGS ACCUTEST IS PART OF SGS, THE WORLD'S LEADING INSPECTION, VERIFICATION, TESTING AND CERTIFICATION COMPANY.



e-Hardcopy 2.0
Automated Report

Technical Report for

Geosphere Consultants

Vallco Mall, Wolfe Rd, Cupertino CA

91-03790-B

SGS Accutest Job Number: C47015

Sampling Date: 09/06/16



Geosphere Consultants 2001 Crow Canyon Road Suite #100 San Ramon, CA 94566 cfrost@geosphereinc.net

ATTN: Nick Anastasio

Total number of pages in report: 493

TNI LABORATORI

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

James J. Rhudy Lab Director

Jumy. Mudy

Client Service contact: Nutan Kabir 408-588-0200

Certifications: CA (ELAP 2910) AK (UST-092) AZ (AZ0762) NV (CA00150) OR (CA300006) WA (C925) DoD ELAP (L-A-B L2242)

This report shall not be reproduced, except in its entirety, without the written approval of SGS Accutest. Test results relate only to samples analyzed.

SGS

Sections:

Table of Contents

-1-

| Section 1: Sample Summary | |
|---|-----|
| Section 2: Summary of Hits | |
| 3.1: C47015-1: E1-1 | |
| 3.2: C47015-1: E1-1 | _ |
| 3.3: C47015-3: E1-3 | |
| 3.4: C47015-4: E1-4 | |
| 3.5: C47015-5: E1-8 | |
| 3.6: C47015-6: E2-1 | |
| 3.7: C47015-7: E2-2 | |
| 3.8: C47015-7: E2-2 | |
| 3.9: C47015-9: E2-5 | |
| 3.10: C47015-10: E2-7 | 119 |
| 3.11: C47015-10: E2-7 | - |
| 3.12: C47015-12: E3-2 | 141 |
| 3.13: C47015-12: E3-2 | 152 |
| 3.14: C47015-14: E3-6 | 163 |
| 3.15: C47015-14: E5-0 | 174 |
| 3.16: C47015-16: E4-2 | 185 |
| 3.17: C47015-10: E4-2 | 196 |
| 3.18: C47015-18: E5-1 | 207 |
| 3.19: C47015-19: E5-2 | 218 |
| 3.20: C47015-20: E5-3 | 229 |
| 3.21: C47015-21: E6-1 | - |
| 3.22: C47015-22: E6-2 | |
| 3.23: C47015-23: E6-4 | |
| 3.24: C47015-24: E7-1 | |
| 3.25: C47015-25: E7-2 | |
| 3.26: C47015-26: E7-3 | |
| 3.27: C47015-27: E7-5 | 306 |
| 3.28: C47015-28: E8-1 | 317 |
| 3.29: C47015-29: E8-2 | 328 |
| 3.30: C47015-30: E8-3 | 339 |
| 3.31: C47015-31: E8-4 | 350 |
| 3.32: C47015-32: E8-5 | 361 |
| Section 4: Misc. Forms | 372 |
| 4.1: Chain of Custody | 373 |
| Section 5: Misc. Forms (SGS Accutest Southeast) | 378 |
| 5.1: Chain of Custody | |
| Section 6: GC/MS Volatiles - QC Data (SGS Accutest Southeast) | |
| 6.1: Method Blank Summary | |
| 6.2: Blank Spike Summary | 397 |



















Sections:

Table of Contents

-2-

| 6.3: Matrix Spike/Matrix Spike Duplicate Summary | 409 |
|--|------------|
| Section 7: GC/MS Semi-volatiles - QC Data (SGS Accutest Southeast) | 421 |
| 7.1: Method Blank Summary | 422 |
| 7.2: Blank Spike Summary | 428 |
| 7.3: Matrix Spike/Matrix Spike Duplicate Summary | 434 |
| Section 8: GC Volatiles - QC Data (SGS Accutest Southeast) | 440 |
| 8.1: Method Blank Summary | 441 |
| 8.2: Blank Spike Summary | 444 |
| 8.3: Matrix Spike/Matrix Spike Duplicate Summary | 447 |
| Section 9: GC Semi-volatiles - QC Data (SGS Accutest Southeast) | 450 |
| 9.1: Method Blank Summary | 451 |
| 9.2: Blank Spike Summary | 457 |
| 9.3: Matrix Spike/Matrix Spike Duplicate Summary | 465 |
| Section 10: Metals Analysis - QC Data (SGS Accutest Southeast) | 471 |
| 10.1: Prep QC MP30813: Sb,As,Ba,Be,Cd,Cr,Co,Cu,Pb,Mo,Ni,Se,Ag,Tl,V,Zn | 472 |
| 10.2: Prep QC MP30815: Sb,As,Ba,Be,Cd,Cr,Co,Cu,Pb,Mo,Ni,Se,Ag,Tl,V,Zn | 478 |
| 10.3: Prep QC MP30816: Hg | 484 |
| 10.4: Prep OC MP30820: Hg | 489 |





















Sample Summary

Geosphere Consultants

Job No: C47015

Vallco Mall, Wolfe Rd, Cupertino CA Project No: 91-03790-B

| Sample Number | Collected Date | Time By | Received | Matri Code | | Client Sample ID |
|------------------|-------------------|---------|----------|---------------|------|---------------------|
| C47015-1 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E1-1 |
| C47015-2 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E1-2 |
| C47015-3 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E1-3 |
| C47015-4 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E1-4 |
| C47015-5 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E1-8 |
| C47015-6 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E2-1 |
| C47015-7 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E2-2 |
| C47015-8 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E2-3 |
| C47015-9 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E2-5 |
| C47015-10 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E2-7 |
| C47015-11 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E3-1 |
| C47015-12 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E3-2 |
| C47015-13 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E3-4 |

Soil samples reported on a dry weight basis unless otherwise indicated on result page.





Sample Summary

(continued)

Job No:

C47015

Geosphere Consultants

Vallco Mall, Wolfe Rd, Cupertino CA

Project No: 91-03790-B

| Sample Number | Collected Date | Time By | Received | Matri Code | | Client Sample ID |
|------------------|-------------------|---------|----------|---------------|------|---------------------|
| C47015-14 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E3-6 |
| C47015-15 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E4-1 |
| C47015-16 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E4-2 |
| C47015-17 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E4-3 |
| C47015-18 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E5-1 |
| C47015-19 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E5-2 |
| C47015-20 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E5-3 |
| C47015-21 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E6-1 |
| C47015-22 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E6-2 |
| C47015-23 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E6-4 |
| C47015-24 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E7-1 |
| C47015-25 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E7-2 |
| C47015-26 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E7-3 |

Soil samples reported on a dry weight basis unless otherwise indicated on result page.





Sample Summary (continued)

Geosphere Consultants

C47015 Job No:

Vallco Mall, Wolfe Rd, Cupertino CA Project No: 91-03790-B

| Sample Number | Collected Date | Time By | Received | Matr Code | | Client Sample ID |
|------------------|-------------------|---------|----------|--------------|------|---------------------|
| C47015-27 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E7-5 |
| C47015-28 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E8-1 |
| C47015-29 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E8-2 |
| C47015-30 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E8-3 |
| C47015-31 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E8-4 |
| C47015-32 | 09/06/16 | 00:00 | 09/08/16 | SO | Soil | E8-5 |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Client Sample l Analyte | D Result/ Qual | RL | MDL | Units | Method |
|--|-------------------|-------|-----|-------|--------------------|
| C47015-1 E1-1 | | | | | |
| Benzo(a)pyrene ^a | 29.7 J | 54 | 14 | ug/kg | SW846 8270D BY SIM |
| Benzo(b)fluoranthene ^a | 41.6 J | 54 | 14 | ug/kg | SW846 8270D BY SIM |
| Benzo(g,h,i)perylene ^a | 31.6 J | 54 | 14 | ug/kg | SW846 8270D BY SIM |
| Benzo(k)fluoranthene ^a | 20.3 J | 54 | 14 | ug/kg | SW846 8270D BY SIM |
| Chrysene ^a | 55.3 | 54 | 14 | ug/kg | SW846 8270D BY SIM |
| Dibenzo(a,h)anthracene a | 17.6 J | 54 | 14 | ug/kg | SW846 8270D BY SIM |
| 1-Methylnaphthalene ^a | 168 J | 270 | 110 | ug/kg | SW846 8270D BY SIM |
| 2-Methylnaphthalene ^a | 178 J | 270 | 110 | ug/kg | SW846 8270D BY SIM |
| TPH (C10-C28) b | 120 J | 190 | 97 | mg/kg | SW846 8015C |
| TPH (> C28-C40) b | 841 | 190 | 97 | mg/kg | SW846 8015C |
| Arsenic ^c | 2.5 | 2.5 | | mg/kg | SW846 6010C |
| Barium ^c | 344 | 50 | | mg/kg | SW846 6010C |
| Chromium ^c | 32.9 | 2.5 | | mg/kg | SW846 6010C |
| Copper ^c | 25.4 | 6.3 | | mg/kg | SW846 6010C |
| Lead ^c | 7.4 | 5.0 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.087 | 0.040 | | mg/kg | SW846 7471B |
| Nickel c | 36.7 | 10 | | mg/kg | SW846 6010C |
| Vanadium ^c | 37.2 | 13 | | mg/kg | SW846 6010C |
| Zinc ^c | 44.7 | 5.0 | | mg/kg | SW846 6010C |
| C47015-2 E1-2 | | | | | |
| Arsenic ^c | 3.5 | 2.4 | | mg/kg | SW846 6010C |
| Barium ^c | 174 | 47 | | mg/kg | SW846 6010C |
| Chromium ^c | 84.9 | 2.4 | | mg/kg | SW846 6010C |
| Cobalt ^c | 19.7 | 12 | | mg/kg | SW846 6010C |
| Copper ^c | 38.1 | 5.9 | | mg/kg | SW846 6010C |
| Lead ^c | 9.1 | 4.7 | | mg/kg | SW846 6010C |
| Mercury b | 0.045 | 0.037 | | mg/kg | SW846 7471B |
| Nickel ^c | 105 | 9.4 | | mg/kg | SW846 6010C |
| Vanadium ^c | 64.1 | 12 | | mg/kg | SW846 6010C |
| Zinc ^c | 58.3 | 4.7 | | mg/kg | SW846 6010C |
| C47015-3 E1-3 | | | | | |
| Barium ^c | 76.4 | 48 | | mg/kg | SW846 6010C |
| Chromium ^c | 54.7 | 2.4 | | mg/kg | SW846 6010C |
| Copper ^c | 23.3 | 6.0 | | mg/kg | SW846 6010C |
| Mercury b | 0.063 | 0.040 | | mg/kg | SW846 7471B |
| Nickel ^c | 48.7 | 9.6 | | mg/kg | SW846 6010C |
| Vanadium ^c | 59.5 | 12 | | mg/kg | SW846 6010C |
| Zinc ^c | 35.2 | 4.8 | | mg/kg | SW846 6010C |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Analyte | Client Sample ID | Result/ Qual | RL | MDL | Units | Method |
|--------------------------|-------------------------|-----------------|-------|-----|-------|-------------|
| C47015-4 | E1-4 | | | | | |
| TPH (> C28-C4 | 0) b | 2.78 J | 5.0 | 2.5 | mg/kg | SW846 8015C |
| Arsenic ^c | | 3.0 | 1.8 | | mg/kg | SW846 6010C |
| Barium ^c | | 96.7 | 37 | | mg/kg | SW846 6010C |
| Chromium ^c | | 89.6 | 1.8 | | mg/kg | SW846 6010C |
| Cobalt c | | 19.6 | 9.2 | | mg/kg | SW846 6010C |
| Copper c | | 30.2 | 4.6 | | mg/kg | SW846 6010C |
| Lead c | | 7.3 | 3.7 | | mg/kg | SW846 6010C |
| Mercury ^b | | 0.043 | 0.038 | | mg/kg | SW846 7471B |
| Nickel ^c | | 87.6 | 7.4 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 69.0 | 9.2 | | mg/kg | SW846 6010C |
| Zinc ^c | | 48.5 | 3.7 | | mg/kg | SW846 6010C |
| C47015-5 | E1-8 | | | | | |
| Arsenic ^c | | 3.6 | 1.9 | | mg/kg | SW846 6010C |
| Barium ^c | | 90.9 | 37 | | mg/kg | SW846 6010C |
| Chromium ^c | | 27.8 | 1.9 | | mg/kg | SW846 6010C |
| Copper c | | 19.3 | 4.6 | | mg/kg | SW846 6010C |
| Lead c | | 7.4 | 3.7 | | mg/kg | SW846 6010C |
| Mercury ^b | | 0.45 | 0.078 | | mg/kg | SW846 7471B |
| Nickel ^c | | 36.2 | 7.4 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 31.2 | 9.3 | | mg/kg | SW846 6010C |
| Zinc ^c | | 47.5 | 3.7 | | mg/kg | SW846 6010C |
| C47015-6 | E2-1 | | | | | |
| bis(2-Ethylhexyl) |)phthalate ^b | 38.8 J | 330 | 33 | ug/kg | SW846 8270D |
| TPH (C10-C28) | b | 2.86 J | 5.1 | 2.5 | mg/kg | SW846 8015C |
| TPH (> C28-C4 | | 11.4 | 5.1 | 2.5 | mg/kg | SW846 8015C |
| Arsenic c | | 3.3 | 1.6 | | mg/kg | SW846 6010C |
| Barium ^c | | 111 | 32 | | mg/kg | SW846 6010C |
| Chromium ^c | | 50.9 | 1.6 | | mg/kg | SW846 6010C |
| Cobalt ^c | | 13.0 | 8.1 | | mg/kg | SW846 6010C |
| Copper c | | 27.1 | 4.1 | | mg/kg | SW846 6010C |
| Lead ^c | | 7.7 | 3.2 | | mg/kg | SW846 6010C |
| Mercury ^b | | 0.092 | 0.038 | | mg/kg | SW846 7471B |
| Nickel ^c | | 69.1 | 6.5 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 36.5 | 8.1 | | mg/kg | SW846 6010C |
| Zinc ^c | | 46.0 | 3.2 | | mg/kg | SW846 6010C |
| C47015-7 | E2-2 | | | | | |
| Acetone d | | 26.0 J | 48 | 9.9 | ug/kg | SW846 8260B |
| | | | | | | |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Analyte | Client Sample ID | Result/ Qual | RL | MDL | Units | Method |
|--------------------------|------------------|-----------------|-------|-----|-------|-------------|
| Arsenic c | | 3.1 | 1.7 | | mg/kg | SW846 6010C |
| Barium ^c | | 218 | 34 | | mg/kg | SW846 6010C |
| Chromium ^c | | 74.4 | 1.7 | | mg/kg | SW846 6010C |
| Cobalt c | | 16.1 | 8.6 | | mg/kg | SW846 6010C |
| Copper c | | 35.0 | 4.3 | | mg/kg | SW846 6010C |
| Lead c | | 9.3 | 3.4 | | mg/kg | SW846 6010C |
| Nickel ^c | | 94.4 | 6.9 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 47.2 | 8.6 | | mg/kg | SW846 6010C |
| Zinc ^c | | 52.6 | 3.4 | | mg/kg | SW846 6010C |
| C47015-8 | E2-3 | | | | | |
| Arsenic ^c | | 3.1 | 1.9 | | mg/kg | SW846 6010C |
| Barium ^c | | 198 | 39 | | mg/kg | SW846 6010C |
| Chromium ^c | | 79.8 | 1.9 | | mg/kg | SW846 6010C |
| Cobalt c | | 18.8 | 9.7 | | mg/kg | SW846 6010C |
| Copper c | | 36.4 | 4.8 | | mg/kg | SW846 6010C |
| Lead c | | 9.3 | 3.9 | | mg/kg | SW846 6010C |
| Nickel c | | 100 | 7.8 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 49.2 | 9.7 | | mg/kg | SW846 6010C |
| Zinc ^c | | 54.8 | 3.9 | | mg/kg | SW846 6010C |
| C47015-9 | E2-5 | | | | | |
| Arsenic ^c | | 3.7 | 2.2 | | mg/kg | SW846 6010C |
| Barium ^c | | 164 | 43 | | mg/kg | SW846 6010C |
| Chromium ^c | | 72.6 | 2.2 | | mg/kg | SW846 6010C |
| Cobalt c | | 17.7 | 11 | | mg/kg | SW846 6010C |
| Copper c | | 37.0 | 5.4 | | mg/kg | SW846 6010C |
| Lead c | | 8.5 | 4.3 | | mg/kg | SW846 6010C |
| Mercury ^b | | 0.10 | 0.038 | | mg/kg | SW846 7471B |
| Nickel c | | 95.6 | 8.6 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 53.4 | 11 | | mg/kg | SW846 6010C |
| Zinc ^c | | 53.8 | 4.3 | | mg/kg | SW846 6010C |
| C47015-10 | E2-7 | | | | | |
| Arsenic ^c | | 3.0 | 2.3 | | mg/kg | SW846 6010C |
| Barium ^c | | 128 | 46 | | mg/kg | SW846 6010C |
| Chromium c | | 67.7 | 2.3 | | mg/kg | SW846 6010C |
| Cobalt c | | 16.1 | 11 | | mg/kg | SW846 6010C |
| Copper c | | 35.0 | 5.7 | | mg/kg | SW846 6010C |
| Lead c | | 7.6 | 4.6 | | mg/kg | SW846 6010C |
| Mercury ^b | | 0.093 | 0.039 | | mg/kg | SW846 7471B |
| Nickel c | | 90.8 | 9.2 | | mg/kg | SW846 6010C |
| | | | | | | |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Client Sample ID Analyte | Result/ Qual | RL | MDL | Units | Method |
|--|-----------------|-------|-----|-------|----------------------------|
| Vanadium ^c | 44.5 | 11 | | | SW846 6010C |
| Zinc ^c | 56.5 | | | mg/kg | SW846 6010C SW846 6010C |
| Zinc | 30.3 | 4.6 | | mg/kg | 3 W 840 0010C |
| C47015-11 E3-1 | | | | | |
| TPH (> C28-C40) b | 6.52 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| Arsenic ^c | 3.2 | 1.8 | | mg/kg | SW846 6010C |
| Barium ^c | 152 | 35 | | mg/kg | SW846 6010C |
| Chromium ^c | 62.0 | 1.8 | | mg/kg | SW846 6010C |
| Cobalt ^c | 14.2 | 8.8 | | mg/kg | SW846 6010C |
| Copper ^c | 29.6 | 4.4 | | mg/kg | SW846 6010C |
| Lead ^c | 8.1 | 3.5 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.042 | 0.038 | | mg/kg | SW846 7471B |
| Nickel c | 70.9 | 7.0 | | mg/kg | SW846 6010C |
| Vanadium ^c | 47.2 | 8.8 | | mg/kg | SW846 6010C |
| Zinc ^c | 55.2 | 3.5 | | mg/kg | SW846 6010C |
| C47015-12 E3-2 | | | | | |
| A d | 07.1 | 50 | 1.1 | /1 | CW104C 02COD |
| Acetone d | 95.1 | 52 | 11 | ug/kg | SW846 8260B |
| 2-Butanone (MEK) ^d | 15.1 J | 26 | 9.4 | ug/kg | SW846 8260B |
| TPH (C10-C28) b | 4.60 J | 4.9 | 2.4 | mg/kg | SW846 8015C |
| TPH (> C28-C40) b | 6.48 | 4.9 | 2.4 | mg/kg | SW846 8015C |
| Dieldrin ^e | 2.5 J | 3.2 | 1.2 | ug/kg | SW846 8081B |
| 4,4'-DDD e | 1.7 J | 6.5 | 1.1 | ug/kg | SW846 8081B |
| 4,4'-DDE ^e | 20.8 | 6.5 | 1.0 | ug/kg | SW846 8081B |
| Arsenic ^c | 2.7 | 2.1 | | mg/kg | SW846 6010C |
| Barium ^c | 143 | 41 | | mg/kg | SW846 6010C |
| Chromium ^c | 65.1 | 2.1 | | mg/kg | SW846 6010C |
| Cobalt ^c | 15.2 | 10 | | mg/kg | SW846 6010C |
| Copper c | 30.9 | 5.2 | | mg/kg | SW846 6010C |
| Lead ^c | 9.1 | 4.1 | | mg/kg | SW846 6010C |
| Mercury b | 0.042 | 0.039 | | mg/kg | SW846 7471B |
| Nickel ^c | 77.5 | 8.3 | | mg/kg | SW846 6010C |
| Vanadium ^c | 50.0 | 10 | | mg/kg | SW846 6010C |
| Zinc ^c | 52.0 | 4.1 | | mg/kg | SW846 6010C |
| C47015-13 E3-4 | | | | | |
| Acetone d | 104 | 55 | 11 | ug/kg | SW846 8260B |
| 2-Butanone (MEK) ^d | 16.3 J | 27 | 9.9 | ug/kg | SW846 8260B |
| TPH (> C28-C40) b | 2.40 J | 4.9 | 2.4 | mg/kg | SW846 8015C |
| Arsenic ^c | 3.2 | 1.7 | | mg/kg | SW846 6010C |
| Barium ^c | 147 | 34 | | mg/kg | SW846 6010C |
| Chromium ^c | 66.1 | 1.7 | | mg/kg | SW846 6010C |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID | Client Sample ID | Result/ | | | | |
|-----------------------|------------------|---------|-------|-----|-------|-------------|
| Analyte | | Qual | RL | MDL | Units | Method |
| Cobalt ^c | | 15.5 | 8.6 | | mg/kg | SW846 6010C |
| Copper c | | 30.6 | 4.3 | | mg/kg | SW846 6010C |
| Lead c | | 7.4 | 3.4 | | mg/kg | SW846 6010C |
| Mercury b | | 0.10 | 0.038 | | mg/kg | SW846 7471B |
| Nickel c | | 78.2 | 6.9 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 54.7 | 8.6 | | mg/kg | SW846 6010C |
| Zinc ^c | | 47.0 | 3.4 | | mg/kg | SW846 6010C |
| C47015-14 | E3-6 | | | | | |
| Methylene Chlori | de ^f | 11.3 | 9.5 | 3.8 | ug/kg | SW846 8260B |
| Arsenic ^c | | 3.1 | 1.9 | | mg/kg | SW846 6010C |
| Barium ^c | | 120 | 38 | | mg/kg | SW846 6010C |
| Chromium ^c | | 78.1 | 1.9 | | mg/kg | SW846 6010C |
| Cobalt c | | 12.6 | 9.4 | | mg/kg | SW846 6010C |
| Copper c | | 27.7 | 4.7 | | mg/kg | SW846 6010C |
| Lead c | | 6.9 | 3.8 | | mg/kg | SW846 6010C |
| Mercury b | | 0.062 | 0.038 | | mg/kg | SW846 7471B |
| Nickel c | | 65.5 | 7.5 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 66.7 | 9.4 | | mg/kg | SW846 6010C |
| Zinc ^c | | 47.7 | 3.8 | | mg/kg | SW846 6010C |
| C47015-15 | E4-1 | | | | | |
| Methylene Chlori | de ^f | 10.4 J | 11 | 4.3 | ug/kg | SW846 8260B |
| TPH (> C28-C40 | | 3.60 J | 4.9 | 2.5 | mg/kg | SW846 8015C |
| Arsenic c | | 3.9 | 2.1 | | mg/kg | SW846 6010C |
| Barium ^c | | 172 | 42 | | mg/kg | SW846 6010C |
| Chromium c | | 82.5 | 2.1 | | mg/kg | SW846 6010C |
| Cobalt c | | 17.9 | 11 | | mg/kg | SW846 6010C |
| Copper c | | 39.0 | 5.3 | | mg/kg | SW846 6010C |
| Lead c | | 9.6 | 4.2 | | mg/kg | SW846 6010C |
| Mercury b | | 0.098 | 0.040 | | mg/kg | SW846 7471B |
| Nickel c | | 101 | 8.5 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 61.4 | 11 | | mg/kg | SW846 6010C |
| Zinc ^c | | 59.7 | 4.2 | | mg/kg | SW846 6010C |
| C47015-16 | E4-2 | | | | | |
| Methylene Chlori | de ^f | 9.9 | 8.7 | 3.5 | ug/kg | SW846 8260B |
| Arsenic ^c | | 4.5 | 1.8 | | mg/kg | SW846 6010C |
| Barium ^c | | 167 | 37 | | mg/kg | SW846 6010C |
| Chromium c | | 65.3 | 1.8 | | mg/kg | SW846 6010C |
| Cobalt c | | 16.7 | 9.2 | | mg/kg | SW846 6010C |
| Copper ^c | | 32.0 | 4.6 | | mg/kg | SW846 6010C |
| | | | | | | |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Client Sample ID Analyte | Result/ Qual | RL | MDL | Units | Method |
|---|-----------------|-------|-----|-------|--------------------|
| Lead ^c | 10.5 | 3.7 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.044 | 0.038 | | mg/kg | SW846 7471B |
| Nickel c | 82.4 | 7.4 | | mg/kg | SW846 6010C |
| Vanadium ^c | 52.5 | 9.2 | | mg/kg | SW846 6010C |
| Zinc ^c | 56.6 | 3.7 | | mg/kg | SW846 6010C |
| C47015-17 E4-3 | | | | | |
| Methylene Chloride f | 8.3 J | 10 | 4.1 | ug/kg | SW846 8260B |
| Arsenic ^c | 4.7 | 2.2 | | mg/kg | SW846 6010C |
| Barium ^c | 140 | 44 | | mg/kg | SW846 6010C |
| Chromium ^c | 58.7 | 2.2 | | mg/kg | SW846 6010C |
| Cobalt ^c | 15.8 | 11 | | mg/kg | SW846 6010C |
| Copper ^c | 34.1 | 5.5 | | mg/kg | SW846 6010C |
| Lead c | 9.7 | 4.4 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.12 | 0.040 | | mg/kg | SW846 7471B |
| Nickel ^c | 93.7 | 8.8 | | mg/kg | SW846 6010C |
| Vanadium ^c | 49.2 | 11 | | mg/kg | SW846 6010C |
| Zinc ^c | 58.0 | 4.4 | | mg/kg | SW846 6010C |
| C47015-18 E5-1 | | | | | |
| Methylene Chloride f | 5.1 J | 11 | 4.4 | ug/kg | SW846 8260B |
| Benzo(a)anthracene b | 24.6 | 13 | 3.2 | ug/kg | SW846 8270D BY SIM |
| Benzo(a)pyrene b | 23.3 | 13 | 3.2 | ug/kg | SW846 8270D BY SIM |
| Benzo(b)fluoranthene b | 19.4 | 13 | 3.2 | ug/kg | SW846 8270D BY SIM |
| Benzo(g,h,i)perylene ^b | 40.2 | 13 | 3.2 | ug/kg | SW846 8270D BY SIM |
| Benzo(k)fluoranthene b | 7.3 J | 13 | 3.2 | ug/kg | SW846 8270D BY SIM |
| Chrysene b | 85.8 | 13 | 3.2 | ug/kg | SW846 8270D BY SIM |
| Dibenzo(a,h)anthracene b | 12.6 J | 13 | 3.2 | ug/kg | SW846 8270D BY SIM |
| Indeno(1,2,3-cd)pyrene ^b | 9.3 J | 13 | 3.2 | ug/kg | SW846 8270D BY SIM |
| Pyrene b | 30.9 J | 65 | 16 | ug/kg | SW846 8270D BY SIM |
| TPH (C10-C28) b | 88.3 | 25 | 13 | mg/kg | SW846 8015C |
| TPH (> C28-C40) b | 218 | 25 | 13 | mg/kg | SW846 8015C |
| 4,4'-DDD e | 22.6 J | 34 | 5.8 | ug/kg | SW846 8081B |
| 4,4'-DDT ^e | 33.6 J | 34 | 6.6 | ug/kg | SW846 8081B |
| Aroclor 1254 g | 523 | 84 | 40 | ug/kg | SW846 8082A |
| Arsenic ^c | 3.8 | 1.7 | - | mg/kg | SW846 6010C |
| Barium ^c | 364 | 33 | | mg/kg | SW846 6010C |
| Chromium ^c | 66.6 | 1.7 | | mg/kg | SW846 6010C |
| Cobalt ^c | 14.7 | 8.3 | | mg/kg | SW846 6010C |
| Copper ^c | 33.1 | 4.1 | | mg/kg | SW846 6010C |
| Lead ^c | 15.7 | 3.3 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.090 | 0.039 | | mg/kg | SW846 7471B |
| Nickel ^c | 72.5 | 6.6 | | mg/kg | SW846 6010C |
| | , 2.0 | 5.0 | | 6,6 | 2010 00100 |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Client Sample Analyte | ID Result/ Qual | RL | MDL | Units | Method |
|--|--------------------|-------|-----|----------|--------------------|
| Vanadium ^c | 60.9 | 8.3 | | mg/kg | SW846 6010C |
| Zinc ^c | 61.9 | 3.3 | | mg/kg | SW846 6010C |
| C47015-19 E5-2 | | | | | |
| Methylene Chloride ^f | 6.5 J | 9.3 | 3.7 | ug/kg | SW846 8260B |
| TPH (C10-C28) b | 3.02 J | 5.0 | 2.5 | mg/kg | SW846 8015C |
| ТРН (> C28-C40) b | 10.8 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| Dieldrin ^e | 5.5 J | 8.3 | 3.1 | ug/kg | SW846 8081B |
| 4,4'-DDE ^e | 24.7 | 17 | 2.7 | ug/kg | SW846 8081B |
| 4,4'-DDT ^e | 8.4 J | 17 | 3.2 | ug/kg | SW846 8081B |
| Arsenic ^c | 4.1 | 2.3 | | mg/kg | SW846 6010C |
| Barium ^c | 158 | 46 | | mg/kg | SW846 6010C |
| Chromium ^c | 74.1 | 2.3 | | mg/kg | SW846 6010C |
| Cobalt ^c | 16.5 | 11 | | mg/kg | SW846 6010C |
| Copper ^c | 33.5 | 5.7 | | mg/kg | SW846 6010C |
| Lead ^c | 14.4 | 4.6 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.048 | 0.038 | | mg/kg | SW846 7471B |
| Nickel c | 86.1 | 9.2 | | mg/kg | SW846 6010C |
| Vanadium ^c | 59.6 | 11 | | mg/kg | SW846 6010C |
| Zinc ^c | 64.6 | 4.6 | | mg/kg | SW846 6010C |
| C47015-20 E5-3 | | | | | |
| Methylene Chloride f | 8.6 J | 9.6 | 3.9 | ug/kg | SW846 8260B |
| TPH (> C28-C40) b | 3.77 J | 5.0 | 2.5 | mg/kg | SW846 8015C |
| Arsenic ^c | 2.9 | 2.2 | | mg/kg | SW846 6010C |
| Barium ^c | 136 | 45 | | mg/kg | SW846 6010C |
| Chromium ^c | 73.2 | 2.2 | | mg/kg | SW846 6010C |
| Cobalt ^c | 16.9 | 11 | | mg/kg | SW846 6010C |
| Copper ^c | 33.3 | 5.6 | | mg/kg | SW846 6010C |
| Lead c | 8.1 | 4.5 | | mg/kg | SW846 6010C |
| Mercury b | 0.045 | 0.037 | | mg/kg | SW846 7471B |
| Nickel ^c | 86.9 | 8.9 | | mg/kg | SW846 6010C |
| Vanadium ^c | 52.2 | 11 | | mg/kg | SW846 6010C |
| Zinc ^c | 52.9 | 4.5 | | mg/kg | SW846 6010C |
| C47015-21 E6-1 | | | | | |
| Methylene Chloride f | 13.4 | 11 | 4.3 | ug/kg | SW846 8260B |
| Benzo(b)fluoranthene b | 4.0 J | 13 | 3.4 | ug/kg | SW846 8270D BY SIM |
| Chrysene b | 4.9 J | 13 | 3.4 | ug/kg | SW846 8270D BY SIM |
| ГРН (С10-С28) b | 6.24 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| TPH (> C28-C40) b | 23.9 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| | | | | 1114/ NE | |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Client Sample ID Analyte | Result/ Qual | RL | MDL | Units | Method |
|--|-----------------|-------|-----|--------|----------------------------|
| .,4'-DDD ^e | 29.5 J | 33 | 5.7 | ug/kg | SW846 8081B |
| ,4'-DDE ^e | 140 | 33 | 5.4 | ug/kg | SW846 8081B |
| ,,, , , , , , , , , , , , , , , , , , | 70.2 | 33 | 6.5 | ug/kg | SW846 8081B |
| Arsenic ^c | 3.5 | 1.8 | | mg/kg | SW846 6010C |
| Barium ^c | 135 | 36 | | mg/kg | SW846 6010C |
| Chromium ^c | 77.3 | 1.8 | | mg/kg | SW846 6010C |
| Cobalt ^c | 16.5 | 9.1 | | mg/kg | SW846 6010C |
| Copper ^c | 35.1 | 4.6 | | mg/kg | SW846 6010C |
| Lead c | 15.1 | 3.6 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.13 | 0.038 | | mg/kg | SW846 7471B |
| Vickel ^c | 82.6 | 7.3 | | mg/kg | SW846 6010C |
| Vanadium ^c | 60.3 | 9.1 | | mg/kg | SW846 6010C |
| Zinc ^c | 58.0 | 3.6 | | mg/kg | SW846 6010C SW846 6010C |
| mic | 50.0 | 5.0 | | mg/ kg | 5 11 0+0 0010C |
| C47015-22 E6-2 | | | | | |
| Methylene Chloride f | 12.4 | 12 | 4.9 | ug/kg | SW846 8260B |
| TPH (> C28-C40) b | 7.59 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| Arsenic ^c | 3.5 | 2.4 | | mg/kg | SW846 6010C |
| Barium ^c | 199 | 48 | | mg/kg | SW846 6010C |
| Chromium ^c | 78.8 | 2.4 | | mg/kg | SW846 6010C |
| Cobalt ^c | 18.1 | 12 | | mg/kg | SW846 6010C |
| Copper ^c | 37.0 | 6.0 | | mg/kg | SW846 6010C |
| Lead c | 9.0 | 4.8 | | mg/kg | SW846 6010C |
| Mercury b | 0.056 | 0.038 | | mg/kg | SW846 7471B |
| Vickel c | 98.4 | 9.6 | | mg/kg | SW846 6010C |
| /anadium ^c | 54.0 | 12 | | mg/kg | SW846 6010C |
| Zinc c | 57.1 | 4.8 | | mg/kg | SW846 6010C |
| C47015-23 E6-4 | 0711 | | | | 51101000100 |
| Methylene Chloride f | 6.8 J | 9.4 | 3.8 | ug/kg | SW846 8260B |
| TPH (> C28-C40) b | 3.42 J | 5.0 | 2.5 | mg/kg | SW846 8015C |
| Arsenic ^c | 2.4 | 2.1 | | mg/kg | SW846 6010C |
| Barium ^c | 135 | 42 | | mg/kg | SW846 6010C |
| Chromium ^c | 82.3 | 2.1 | | mg/kg | SW846 6010C |
| Cobalt ^c | 18.3 | 11 | | mg/kg | SW846 6010C |
| Copper ^c | 34.0 | 5.3 | | mg/kg | SW846 6010C |
| Lead ^c | 7.7 | 4.2 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.047 | 0.037 | | mg/kg | SW846 7471B |
| Vickel ^c | 81.8 | 8.5 | | mg/kg | SW846 6010C |
| Vanadium ^c | 63.9 | 11 | | mg/kg | SW846 6010C |
| Zinc c | 47.9 | 4.2 | | mg/kg | SW846 6010C |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Analyte | Client Sample ID | Result/ Qual | RL | MDL | Units | Method |
|----------------------------|------------------|-----------------|-------|-----|-------|-------------|
| C47015-24 | E7-1 | | | | | |
| Acetone h | | 210 | 43 | 8.7 | ug/kg | SW846 8260B |
| 2-Butanone (MEI | ζ) ^h | 45.9 | 21 | 7.7 | ug/kg | SW846 8260B |
| Methylene Chlor | | 13.6 | 8.5 | 3.4 | ug/kg | SW846 8260B |
| TPH (C10-C28) ¹ | | 10.1 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| TPH (> C28-C40 |)) ^b | 29.7 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| Dieldrin ^e | | 4.9 J | 8.3 | 3.1 | ug/kg | SW846 8081B |
| 4,4'-DDE ^e | | 8.8 J | 17 | 2.7 | ug/kg | SW846 8081B |
| Barium ^c | | 156 | 47 | | mg/kg | SW846 6010C |
| Chromium ^c | | 69.0 | 2.4 | | mg/kg | SW846 6010C |
| Cobalt ^c | | 14.8 | 12 | | mg/kg | SW846 6010C |
| Copper ^c | | 33.9 | 5.9 | | mg/kg | SW846 6010C |
| Lead c | | 10.3 | 4.7 | | mg/kg | SW846 6010C |
| Mercury b | | 0.048 | 0.038 | | mg/kg | SW846 7471B |
| Nickel c | | 82.5 | 9.4 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 51.2 | 12 | | mg/kg | SW846 6010C |
| Zinc ^c | | 52.2 | 4.7 | | mg/kg | SW846 6010C |
| C47015-25 | E7-2 | | | | | |
| Acetone h | | 29.2 J | 42 | 8.5 | ug/kg | SW846 8260B |
| Methylene Chlor | ide i | 8.5 | 8.4 | 3.4 | ug/kg | SW846 8260B |
| TPH (> C28-C40 |)) ^b | 5.22 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| Arsenic ^c | | 3.0 | 2.1 | | mg/kg | SW846 6010C |
| Barium ^c | | 164 | 42 | | mg/kg | SW846 6010C |
| Chromium ^c | | 71.4 | 2.1 | | mg/kg | SW846 6010C |
| Cobalt ^c | | 19.3 | 11 | | mg/kg | SW846 6010C |
| Copper ^c | | 34.9 | 5.3 | | mg/kg | SW846 6010C |
| Lead c | | 9.2 | 4.2 | | mg/kg | SW846 6010C |
| Nickel ^c | | 96.6 | 8.4 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 41.8 | 11 | | mg/kg | SW846 6010C |
| Zinc ^c | | 53.0 | 4.2 | | mg/kg | SW846 6010C |
| C47015-26 | E7-3 | | | | | |
| Methylene Chlor | ide i | 12.2 | 8.3 | 3.3 | ug/kg | SW846 8260B |
| Arsenic ^c | | 2.7 | 2.2 | | mg/kg | SW846 6010C |
| Barium ^c | | 139 | 44 | | mg/kg | SW846 6010C |
| Chromium ^c | | 69.0 | 2.2 | | mg/kg | SW846 6010C |
| Cobalt ^c | | 17.2 | 11 | | mg/kg | SW846 6010C |
| Copper ^c | | 33.4 | 5.5 | | mg/kg | SW846 6010C |
| Lead c | | 7.6 | 4.4 | | mg/kg | SW846 6010C |
| Nickel ^c | | 68.6 | 8.8 | | mg/kg | SW846 6010C |
| TTORCI | | | | | | |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Cli Analyte | ient Sample ID | Result/ Qual | RL | MDL | Units | Method |
|------------------------------|----------------|-----------------|-------|------|-------|-------------|
| Zinc ^c | | 51.9 | 4.4 | | mg/kg | SW846 6010C |
| C47015-27 E7 | -5 | | | | | |
| Methylene Chloride | i | 11.6 | 8.7 | 3.5 | ug/kg | SW846 8260B |
| Arsenic ^c | | 4.2 | 2.1 | | mg/kg | SW846 6010C |
| Barium ^c | | 115 | 42 | | mg/kg | SW846 6010C |
| Chromium c | | 56.7 | 2.1 | | mg/kg | SW846 6010C |
| Cobalt c | | 11.4 | 11 | | mg/kg | SW846 6010C |
| Copper ^c | | 31.1 | 5.3 | | mg/kg | SW846 6010C |
| Lead c | | 8.5 | 4.2 | | mg/kg | SW846 6010C |
| Mercury ^b | | 0.12 | 0.039 | | mg/kg | SW846 7471B |
| Nickel ^c | | 68.4 | 8.4 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 46.4 | 11 | | mg/kg | SW846 6010C |
| Zinc ^c | | 52.7 | 4.2 | | mg/kg | SW846 6010C |
| C47015-28 E8 | -1 | | | | | |
| Methylene Chloride | i | 10.2 | 7.8 | 3.1 | ug/kg | SW846 8260B |
| TPH (C10-C28) b | | 10.5 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| TPH (> C28-C40) b | | 44.5 | 5.0 | 2.5 | mg/kg | SW846 8015C |
| 4,4'-DDE ^j | | 0.63 J | 3.2 | 0.52 | ug/kg | SW846 8081B |
| 4,4'-DDT ^g | | 1.2 J | 3.2 | 0.64 | ug/kg | SW846 8081B |
| Aroclor 1254 g | | 25.6 | 16 | 7.8 | ug/kg | SW846 8082A |
| Arsenic ^c | | 3.7 | 2.4 | | mg/kg | SW846 6010C |
| Barium ^c | | 142 | 48 | | mg/kg | SW846 6010C |
| Chromium ^c | | 70.4 | 2.4 | | mg/kg | SW846 6010C |
| Cobalt ^c | | 14.6 | 12 | | mg/kg | SW846 6010C |
| Copper c | | 33.8 | 6.0 | | mg/kg | SW846 6010C |
| Lead c | | 37.5 | 4.8 | | mg/kg | SW846 6010C |
| Mercury b | | 0.12 | 0.038 | | mg/kg | SW846 7471B |
| Nickel c | | 81.1 | 9.5 | | mg/kg | SW846 6010C |
| Vanadium ^c | | 52.2 | 12 | | mg/kg | SW846 6010C |
| Zinc ^c | | 54.0 | 4.8 | | mg/kg | SW846 6010C |
| C47015-29 E8 | -2 | | | | | |
| Acetone h | | 73.0 | 41 | 8.5 | ug/kg | SW846 8260B |
| 2-Butanone (MEK) h | | 12.0 J | 21 | 7.5 | ug/kg | SW846 8260B |
| Methylene Chloride | i | 9.1 | 8.3 | 3.3 | ug/kg | SW846 8260B |
| TPH (> C28-C40) b | | 7.88 | 4.9 | 2.5 | mg/kg | SW846 8015C |
| Arsenic ^c | | 3.0 | 2.3 | | mg/kg | SW846 6010C |
| Barium ^c | | 177 | 46 | | mg/kg | SW846 6010C |
| Chromium ^c | | 76.3 | 2.3 | | mg/kg | SW846 6010C |
| Cobalt ^c | | 17.6 | 12 | | mg/kg | SW846 6010C |

Geosphere Consultants **Account:**

Vallco Mall, Wolfe Rd, Cupertino CA 09/06/16 **Project:**

| Lab Sample ID Client Sample ID Analyte | Result/ Qual | RL | MDL | Units | Method |
|---|-----------------|-------|-----|-------|-----------------------|
| Copper ^c | 35.5 | 5.8 | | mg/kg | SW846 6010C |
| Lead ^c | 9.1 | 4.6 | | mg/kg | SW846 6010C |
| Nickel ^c | 93.4 | 9.3 | | mg/kg | SW846 6010C |
| Vanadium ^c | 52.7 | 12 | | mg/kg | SW846 6010C |
| Zinc ^c | 52.7 | 4.6 | | mg/kg | SW846 6010C |
| C47015-30 E8-3 | | | | | |
| Methylene Chloride i | 5.5 J | 7.9 | 3.1 | ug/kg | SW846 8260B |
| Arsenic ^c | 3.1 | 1.9 | | mg/kg | SW846 6010C |
| Barium ^c | 112 | 38 | | mg/kg | SW846 6010C |
| Chromium ^c | 77.5 | 1.9 | | mg/kg | SW846 6010C |
| Cobalt ^c | 18.1 | 9.5 | | mg/kg | SW846 6010C |
| Copper ^c | 33.5 | 4.8 | | mg/kg | SW846 6010C |
| Lead ^c | 8.2 | 3.8 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.055 | 0.040 | | mg/kg | SW846 7471B |
| Nickel ^c | 83.1 | 7.6 | | mg/kg | SW846 6010C |
| Vanadium ^c | 53.9 | 9.5 | | mg/kg | SW846 6010C |
| Zinc ^c | 49.0 | 3.8 | | mg/kg | SW846 6010C |
| C47015-31 E8-4 | | | | | |
| Methylene Chloride i | 12.9 | 7.8 | 3.1 | ug/kg | SW846 8260B |
| Arsenic ^c | 4.4 | 2.2 | | mg/kg | SW846 6010C |
| Barium ^c | 86.7 | 45 | | mg/kg | SW846 6010C |
| Chromium ^c | 49.5 | 2.2 | | mg/kg | SW846 6010C |
| Cobalt ^c | 11.1 | 11 | | mg/kg | SW846 6010C |
| Copper ^c | 25.1 | 5.6 | | mg/kg | SW846 6010C |
| Lead ^c | 8.2 | 4.5 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.065 | 0.038 | | mg/kg | SW846 7471B |
| Nickel c | 61.8 | 8.9 | | mg/kg | SW846 6010C |
| Vanadium ^c | 44.9 | 11 | | mg/kg | SW846 6010C |
| Zinc ^c | 49.6 | 4.5 | | mg/kg | SW846 6010C |
| C47015-32 E8-5 | | | | | |
| Methylene Chloride i | 7.8 J | 8.2 | 3.3 | ug/kg | SW846 8260B |
| Arsenic ^c | 3.6 | 2.3 | | mg/kg | SW846 6010C |
| Barium ^c | 115 | 47 | | mg/kg | SW846 6010C |
| Chromium ^c | 48.9 | 2.3 | | mg/kg | SW846 6010C |
| Copper ^c | 27.3 | 5.8 | | mg/kg | SW846 6010C |
| Lead c | 7.4 | 4.7 | | mg/kg | SW846 6010C |
| Mercury ^b | 0.086 | 0.038 | | mg/kg | SW846 7471B |
| Nickel ^c | 62.6 | 9.3 | | mg/kg | SW846 6010C |
| Vanadium ^c | 43.0 | 12 | | mg/kg | SW846 6010C |
| | | | | oo | · · · · · · · · · · · |

Page 12 of 12

N

Summary of Hits Job Number: C47015

Account: Geosphere Consultants

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Collected: 09/06/16

| Lab Sample ID Client Sample ID Analyte | Result/ Qual | RL | MDL | Units | Method |
|---|-----------------|-----|-----|-------|-------------|
| Zinc ^c | 50.0 | 4.7 | | mg/kg | SW846 6010C |

- (a) Dilution required due to matrix interference; extract was viscous. Analysis performed at SGS Accutest, Orlando FL.
- (b) Analysis performed at SGS Accutest, Orlando FL.
- (c) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.
- (d) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.
- (e) All hits confirmed by dual column analysis. Dilution required due to matrix interference. Analysis performed at SGS Accutest, Orlando FL.
- (f) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL. Suspected laboratory contaminant.
- (g) All hits confirmed by dual column analysis. Analysis performed at SGS Accutest, Orlando FL.
- (h) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.
- (i) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL. Suspected laboratory contaminant.
- (j) All hits confirmed by dual column analysis. Analysis performed at SGS Accutest, Orlando FL. Primary and confirmation results differ by more than 40%. Lower value reported due to possible coelution.

Section 3

| Sample Results | |
|--------------------|--|
| | |
| | |
| | |
| Report of Analysis | |
| | |
| | |
| | |
| _ | |

Client Sample ID: E1-1
Lab Sample ID: C47015-1
Matrix: SO - Soil
Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Duon Potok Analytical Pot

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By F:VF2731 Run #1 a F0079468.D 1 09/10/16 AFL n/a n/a Run #2

Run #1 5.63 g Final Volume 5.0 ml

Run #2

CACAT

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 44 | 9.1 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.4 | 1.1 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.4 | 1.1 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.4 | 0.99 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.4 | 0.89 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.4 | 0.89 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 22 | 8.1 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.4 | 0.89 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.4 | 0.89 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.4 | 0.89 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.4 | 1.6 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.4 | 0.89 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.4 | 1.8 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.4 | 1.1 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.4 | 0.89 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.4 | 0.89 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.4 | 0.89 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.4 | 2.0 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.4 | 0.89 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.4 | 2.2 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.4 | 0.89 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.4 | 0.89 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.4 | 0.91 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.4 | 1.5 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.4 | 0.89 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.4 | 0.89 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.4 | 1.1 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.4 | 1.3 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.4 | 1.4 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.4 | 0.89 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.4 | 0.89 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.4 | 1.1 | ug/kg | |

ND = Not detected MDL =

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E1-1 Lab Sample ID: C47015-1 Matrix: SO - Soil

SO - Soil SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

 Date Sampled:
 09/06/16

 Date Received:
 09/08/16

 Percent Solids:
 n/a

VOA 8260 List

Method:

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.4 | 1.7 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.4 | 0.89 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.4 | 1.1 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.4 | 0.97 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.4 | 1.1 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.4 | 1.9 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 22 | 7.8 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.4 | 1.3 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.4 | 0.89 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.4 | 2.3 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.4 | 2.1 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.4 | 1.6 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 8.9 | 3.6 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 22 | 9.5 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.4 | 0.99 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.4 | 1.8 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.4 | 1.1 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.4 | 0.89 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.4 | 1.2 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 44 | 12 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.4 | 0.99 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.4 | 2.0 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.4 | 1.2 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.4 | 1.0 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.4 | 1.8 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.4 | 1.3 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.4 | 0.89 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.4 | 1.6 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.4 | 1.0 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.4 | 1.7 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.4 | 1.4 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.4 | 0.89 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.4 | 0.89 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.4 | 1.5 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 13 | 2.5 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 1868-53-7 | Dibromofluoromethane | 118% | | 75-1 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 118% | | 72-1 | 35% | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3



 Client Sample ID:
 E1-1

 Lab Sample ID:
 C47015-1

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

 Date Sampled:
 09/06/16

 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 94% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 98% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$



Page 1 of 2

Report of Analysis

 $\mathbf{B}\mathbf{y}$

AFL

Client Sample ID: E1-1 Lab Sample ID: C47015-1 Matrix: SO - Soil

File ID

X048970.D

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/12/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Prep Date Prep Batch Analytical Batch 09/09/16 F:OP61812 F:SX2120

Run #1 ^a Run #2

Run #1 **Initial Weight Final Volume** 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 840 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 24 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 840 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 840 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 840 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 20 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 20 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit


E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C



Client Sample ID: E1-1 Lab Sample ID: C47015-1

Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lin | nits | |
| 367-12-4 | 2-Fluorophenol | 66% | | 40- | 102% | |
| 4165-62-2 | Phenol-d5 | 69% | | 41- | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 47% | | 42- | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 64% | | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 60% | | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 61% | | 45- | 119% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Client Sample ID: E1-1 Lab Sample ID:

C47015-1 Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By F:SW4252 Run #1 a W094887.D 4 09/12/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight

Run #1 14.7 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|--------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 270 | 110 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 270 | 110 | ug/kg | |
| 120-12-7 | Anthracene | ND | 270 | 68 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 54 | 14 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | 29.7 | 54 | 14 | ug/kg | J |
| 205-99-2 | Benzo(b)fluoranthene | 41.6 | 54 | 14 | ug/kg | J |
| 191-24-2 | Benzo(g,h,i)perylene | 31.6 | 54 | 14 | ug/kg | J |
| 207-08-9 | Benzo(k)fluoranthene | 20.3 | 54 | 14 | ug/kg | J |
| 218-01-9 | Chrysene | 55.3 | 54 | 14 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | 17.6 | 54 | 14 | ug/kg | J |
| 206-44-0 | Fluoranthene | ND | 270 | 68 | ug/kg | |
| 86-73-7 | Fluorene | ND | 270 | 110 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 54 | 14 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | 168 | 270 | 110 | ug/kg | J |
| 91-57-6 | 2-Methylnaphthalene | 178 | 270 | 110 | ug/kg | J |
| 91-20-3 | Naphthalene | ND | 270 | 110 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 270 | 68 | ug/kg | |
| 129-00-0 | Pyrene | ND | 270 | 68 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 4165-60-0 | Nitrobenzene-d5 | 80% | | 40-1 | .05% | |
| 321-60-8 | 2-Fluorobiphenyl | 79% | | 43-1 | .07% | |
| 1718-51-0 | Terphenyl-d14 | 75% | | 45-1 | 19% | |

(a) Dilution required due to matrix interference; extract was viscous. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Report of Analysis

Client Sample ID: E1-1 Lab Sample ID: C470

Lab Sample ID:C47015-1Matrix:SO - SoilMethod:SW846 8015C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

Run #2

Run #1 4.67 g 5.0 ml Methanol Aliquot

Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 5.4 2.7 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 107%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 101%
 66-132%

MDL = Method Detection Limit

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit E = Indicates value exceeds calibration range J = Indicates an estimated value



F:GTT1860

Report of Analysis

By

AFL

09/10/16

Client Sample ID: E1-1 Lab Sample ID: C47015-1 Matrix: SO - Soil

 Matrix:
 SO - Soil

 Method:
 SW846 8081B
 SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

20

Analyzed

09/13/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

F:OP61815

Prep Date Prep Batch Analytical Batch

Run #2

TT379320.D

File ID

Run #1 Initial Weight Final Volume 5.0 ml

Run #2

Run #1 a

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|-------|-------|---|
| 309-00-2 | Aldrin | ND | 34 | 10 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 34 | 10 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 34 | 10 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 34 | 9.9 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 34 | 10 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 340 | 140 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 34 | 13 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 68 | 12 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 68 | 11 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 68 | 13 | ug/kg | |
| 72-20-8 | Endrin | ND | 68 | 13 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 68 | 13 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 68 | 13 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 34 | 9.9 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 34 | 13 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 34 | 11 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 34 | 12 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 68 | 17 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 1700 | 680 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 0% b | | 50-12 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 0% b | | 50-13 | 33% | |

⁽a) Dilution required due to matrix interference; extract was viscous. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



⁽b) Outside control limits due to dilution.

Matrix:

Report of Analysis

Page 1 of 1

Client Sample ID: E1-1 Lab Sample ID: C47015-1

SO - Soil Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------------------------|------------|----|----------|-----|-----------|------------|------------------|
| Run #1 ^a Run #2 | ST138353.D | 4 | 09/13/16 | AFL | 09/10/16 | F:OP61816 | F:GST3293 |

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 14.8 g | 5.0 ml |
| Run #2 | - | |

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--------------------------|------------------------------|----------|----------|----------|----------------|---|
| 12674-11-2 11104-28-2 | Aroclor 1016 Aroclor 1221 | ND ND | 68 68 | 27 34 | ug/kg | |
| 11104-28-2 | Aroclor 1232 | ND | 68 | 34 | ug/kg ug/kg | |
| 53469-21-9 12672-29-6 | Aroclor 1242 Aroclor 1248 | ND ND | 68 68 | 27 27 | ug/kg ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 68 | 32 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 68 | 27 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 | Tetrachloro-m-xylene | 71% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 86% | | 41-1 | 45% | |

(a) Dilution required due to matrix interference. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E1-1 Lab Sample ID: C47015-1 Matrix: SO - Soil

Method: SW846 8015C SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|-----------|------------|-------------------------|
| Run #1 a | JR002702.D | 40 | 09/15/16 | AFL | 09/09/16 | F:OP61813 | F:GJR99 |
| Run #2 | | | | | | | |

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 20.7 g | 1.0 ml |
| Run #2 | | |

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|----------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | 120 841 | 190 190 | 97 97 | mg/kg mg/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 0% b | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

(b) Outside control limits due to dilution.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Client Sample ID: E1-1 Lab Sample ID: C47015-1 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 5.0 | 5.0 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 2.5 | 2.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 344 | 50 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 1.3 | 1.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 1.0 | 1.0 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 32.9 | 2.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | < 13 | 13 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 25.4 | 6.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 7.4 | 5.0 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.087 | 0.040 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 13 | 13 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 36.7 | 10 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 5.0 | 5.0 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 2.5 | 2.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.5 | 2.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 37.2 | 13 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 44.7 | 5.0 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398 (2) Instrument QC Batch: F:MA13399 (3) Prep QC Batch: F:MP30813 (4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E1-2 Lab Sample ID: C47015-2 Matrix: SO - Soil

SO - Soil SW846 8260B

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079454.D 1 09/09/16 AFL n/a n/a F:VF2730

Run #2

Method:

Project:

Initial Weight Final Volume

Run #1 4.60 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 54 | 11 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.4 | 1.4 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.4 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.4 | 1.2 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.4 | 1.1 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 27 | 9.9 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.4 | 1.9 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.4 | 2.2 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.4 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.4 | 1.1 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.4 | 1.1 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.4 | 1.1 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.4 | 2.4 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.4 | 2.7 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.4 | 1.8 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.4 | 1.1 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.4 | 1.3 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.4 | 1.7 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.4 | 1.7 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.4 | 1.1 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.4 | 1.1 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.4 | 1.4 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Page 2 of 3

Client Sample ID: E1-2 Lab Sample ID: C47015-2 Matrix: SO - Soil

Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 Date Received: 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.4 | 2.1 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.4 | 1.1 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.4 | 1.3 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.4 | 1.2 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.4 | 1.4 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.4 | 2.4 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 27 | 9.5 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.4 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.4 | 1.1 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.4 | 2.8 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.4 | 2.6 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.4 | 2.0 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 11 | 4.3 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 27 | 12 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.4 | 1.2 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.4 | 2.2 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.4 | 1.3 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.4 | 1.1 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.4 | 1.5 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 54 | 15 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.4 | 1.2 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.4 | 2.4 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.4 | 1.4 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.4 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.4 | 2.2 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.4 | 1.6 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.4 | 1.1 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.4 | 2.0 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.4 | 1.3 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.4 | 2.0 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.4 | 1.8 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.4 | 1.8 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 16 | 3.1 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 1868-53-7 | Dibromofluoromethane | 116% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 120% | | 72-13 | 35% | |

ND = Not detected M

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3



 Client Sample ID:
 E1-2

 Lab Sample ID:
 C47015-2

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

 Date Sampled:
 09/06/16

 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 93% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 99% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 2

Client Sample ID: E1-2 Lab Sample ID: C47015-2 Matrix:

Date Sampled: 09/06/16 **Date Received:** 09/08/16 SO - Soil SW846 8270D SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By F:SX2120 Run #1 a X048971.D 1 09/12/16 AFL 09/09/16 F:OP61812

Run #2

Method:

Final Volume Initial Weight

Run #1 30.2 g 1.0 ml

Run #2

CACAT

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E1-2 Lab Sample ID: C47015-2 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 Date Received: 09/08/16 Percent Solids: n/a

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------------------|--------|--------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 367-12-4 | 2-Fluorophenol | 70% | | 40-1 | 02% | |
| 4165-62-2 | Phenol-d5 | 75% | | 41-1 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 69% | | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 67% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 66% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 84% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Client Sample ID: E1-2 Lab Sample ID:

C47015-2 Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546 **Project:**

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:SW4252 W094888.D 09/12/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight Run #1 15.4 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|---------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 65 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 65 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 65 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.2 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.2 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.2 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.2 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.2 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 65 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 65 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.2 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 65 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 65 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 65 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 4165-60-0 | Nitrobenzene-d5 | 80% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 82% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 92% | 45-119% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E1-2 Lab Sample ID: C470

Lab Sample ID:C47015-2Matrix:SO - SoilMethod:SW846 8015C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ UV075742.D 1 09/10/16 AFL n/a n/a F:GUV4033 Run #2

Run #1 4.96 g 5.0 ml Methanol Aliquot

Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 5.0 2.5 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 108%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 100%
 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E1-2

Lab Sample ID: C47015-2 Matrix: SO - Soil

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|-----------|------------|------------------|
| Run #1 a | TT379281.D | 1 | 09/12/16 | AFL | 09/10/16 | F:OP61815 | F:GTT1859 |
| Run #2 | | | | | | | |

Final Volume Initial Weight

Run #1 15.3 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|---------|------|-------|---|
| 309-00-2 | Aldrin | ND | 1.6 | 0.50 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.6 | 0.50 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.6 | 0.50 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.6 | 0.48 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.6 | 0.50 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 16 | 6.5 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.6 | 0.61 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.56 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.53 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.64 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.61 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.61 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.61 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.6 | 0.48 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.6 | 0.60 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.6 | 0.56 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.6 | 0.57 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.84 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 82 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 135% b | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 77% | 50-133% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

⁽b) Outside control limits. However, Sample was ND.

Report of Analysis Page 1 of 1

Client Sample ID: E1-2 Lab Sample ID: C47015-2 Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ ST138354.D 1 09/13/16 AFL 09/10/16 F:OP61816 F:GST3293

Run #2

Run #1 Initial Weight Final Volume 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|---------|--------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 16 | 6.5 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 16 | 8.3 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 16 | 8.2 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.5 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.5 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 16 | 7.8 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.5 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits | | |
| 877-09-8 | Tetrachloro-m-xylene | 90% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 96% | 41-145% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Method:

Report of Analysis

Client Sample ID: E1-2 Lab Sample ID: C47015-2 Matrix: SO - Soil

SW846 8015C SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|-------------------------------|------------|----|----------|------------------------|-----------|------------|------------------|
| Run #1 ^a Run #2 | JR002584.D | 1 | 09/12/16 | AFL | 09/09/16 | F:OP61813 | F:GJR96 |
| | | | | | | | |

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 20.5 g | 1.0 ml |
| Run #2 | • | |

TPH Extractable

| CAS No. Compound | | Result | Result RL | | MDL Units | | |
|------------------|----------------------------------|----------|---------------|------------|----------------|--|--|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 4.9 4.9 | 2.4 2.4 | mg/kg mg/kg | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | its | | |
| 84-15-1 | o-Terphenyl | 84% | | 56-1 | 22% | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



MDL = Method Detection Limit

Page 1 of 1

 Client Sample ID:
 E1-2

 Lab Sample ID:
 C47015-2

 Matrix:
 SO - Soil

 Date Sampled:
 09/06/16

 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.7 | 4.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic ^a | 3.5 | 2.4 | mg/kg | | | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 174 | 47 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 1.2 | 1.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.94 | 0.94 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 84.9 | 2.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 19.7 | 12 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 38.1 | 5.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead ^a | 9.1 | 4.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.045 | 0.037 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 12 | 12 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 105 | 9.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 4.7 | 4.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver ^a | < 2.4 | 2.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.4 | 2.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 64.1 | 12 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 58.3 | 4.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.



Client Sample ID: E1-3

 Lab Sample ID:
 C47015-3

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079455.D 1 09/09/16 AFL n/a n/a F:VF2730

Run #2

Initial Weight Final Volume

Run #1 5.70 g 5.0 ml

Run #2

CACAT

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units (|) |
|----------|-----------------------------|--------|-----|------|---------|---|
| 67-64-1 | Acetone | ND | 44 | 8.9 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.4 | 1.1 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.4 | 1.1 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.4 | 0.97 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.4 | 0.88 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.4 | 0.88 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 22 | 8.0 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.4 | 0.88 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.4 | 0.88 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.4 | 0.88 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.4 | 1.6 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.4 | 0.88 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.4 | 1.8 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.4 | 1.1 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.4 | 0.88 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.4 | 0.88 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.4 | 0.88 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.4 | 1.9 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.4 | 0.88 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.4 | 2.2 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.4 | 0.88 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.4 | 0.88 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.4 | 0.89 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.4 | 1.5 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.4 | 0.88 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.4 | 0.88 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.4 | 1.1 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.4 | 1.3 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.4 | 1.4 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.4 | 0.88 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.4 | 0.88 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.4 | 1.1 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: E1-3 Lab Sample ID: Matrix:

C47015-3 SO - Soil SW846 8260B

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|--------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.4 | 1.7 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.4 | 0.88 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.4 | 1.0 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.4 | 0.96 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.4 | 1.1 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.4 | 1.9 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 22 | 7.7 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.4 | 1.2 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.4 | 0.88 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.4 | 2.3 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.4 | 2.1 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.4 | 1.6 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 8.8 | 3.5 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 22 | 9.4 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.4 | 0.97 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.4 | 1.8 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.4 | 1.1 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.4 | 0.88 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.4 | 1.2 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 44 | 12 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.4 | 0.98 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.4 | 1.9 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.4 | 1.1 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.4 | 0.99 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.4 | 1.7 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.4 | 1.3 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.4 | 0.88 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.4 | 1.6 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.4 | 1.0 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.4 | 1.6 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.4 | 1.4 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.4 | 0.88 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.4 | 0.88 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.4 | 1.5 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 13 | 2.5 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits | | |
| 1868-53-7 | Dibromofluoromethane | 113% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 123% | | 72-13 | 35% | |

ND = Not detected

RL = Reporting Limit E = Indicates value exceeds calibration range

MDL = Method Detection Limit

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Method:

Project:

Page 3 of 3



 Client Sample ID:
 E1-3

 Lab Sample ID:
 C47015-3

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

 Date Sampled:
 09/06/16

 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 91% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 98% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E1-3 Lab Sample ID: C47015-3

 Matrix:
 SO - Soil

 Method:
 SW846 8270D
 SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a X048972.D 1 09/12/16 AFL 09/09/16 F:OP61812 F:SX2120

Run #2

Initial Weight Final Volume

Run #1 30.2 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ω

Client Sample ID: E1-3 Lab Sample ID: C47015-3 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 Date Received: 09/08/16 Percent Solids: n/a

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|---------------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | its | |
| 367-12-4 | 2-Fluorophenol | 57% | 40-102% | | | |
| 4165-62-2 | Phenol-d5 | 61% | 41-100% | | | |
| 118-79-6 | 2,4,6-Tribromophenol | 54% | 42-108% | | | |
| 4165-60-0 | Nitrobenzene-d5 | 54% | 40-105% | | | |
| 321-60-8 | 2-Fluorobiphenyl | 55% | 43-107% | | | |
| 1718-51-0 | Terphenyl-d14 | 65% | 45-119% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Page 1 of 1

Client Sample ID: E1-3 Lab Sample ID: C47015-3 Matrix: SO - Soil

File ID

W094889.D

SW846 8270D BY SIM SW846 3546

DF

Vallco Mall, Wolfe Rd, Cupertino CA

Analyzed

09/12/16

By

AFL

09/10/16

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

F:OP61814

Prep Date Prep Batch Analytical Batch F:SW4252

Run #1 a Run #2

Method:

Project:

Final Volume Initial Weight Run #1 15.0 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|---------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 67 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 67 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 67 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 67 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 67 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 67 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 67 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 67 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 84% | 40-105% | | | |
| 321-60-8 | 2-Fluorobiphenyl | 87% | 43-107% | | | |
| 1718-51-0 | Terphenyl-d14 | 89% | 45-119% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E1-3 Lab Sample ID: C470

Lab Sample ID:C47015-3Matrix:SO - SoilMethod:SW846 8015C

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ UV075743.D 1 09/10/16 AFL n/a n/a F:GUV4033

Run #2

Run #1 5.26 g 5.0 ml Methanol Aliquot

Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 4.8 2.4 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 108%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 100%
 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

 $J = \ Indicates \ an \ estimated \ value$

RL = Reporting Limit

B = Indicates analyte found in associated method blank

 $E = \ Indicates \ value \ exceeds \ calibration \ range$

N = Indicates presumptive evidence of a compound



ယ

Client Sample ID: E1-3 Lab Sample ID: C47015-3 Matrix:

SO - Soil

SW846 8081B SW846 3546

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed

Prep Date Prep Batch Analytical Batch By F:GTT1859 Run #1 a TT379282.D 1 09/12/16 AFL 09/10/16 F:OP61815

Run #2

Method:

Final Volume Initial Weight

Run #1 14.8 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|---------------|-------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.52 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.52 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.52 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.8 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.64 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.4 | 0.58 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.4 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.4 | 0.66 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.4 | 0.63 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.4 | | | |
| 7421-93-4 | Endrin aldehyde | ND | 3.4 | 0.63 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.63 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.59 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.4 | 0.87 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 84 | 34 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Run# 2 Limits | | |
| 877-09-8 | Tetrachloro-m-xylene | 126% b | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 77% | | 50-1 | 33% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Outside control limits. However, Sample was ND.

Report of Analysis Page 1 of 1

Client Sample ID: E1-3 Lab Sample ID: C47015-3

Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a ST138355.D 1 09/13/16 AFL 09/10/16 F:OP61816 F:GST3293
Run #2

Run #1 14.8 g Final Volume 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|-------------------------------|----------------------------------|--|--|---|
| 12674-11-2 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 11096-82-5 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 Aroclor 1260 | ND | 17 17 17 17 17 17 | 6.8 8.6 8.4 6.8 6.8 8.1 | ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg | |
| CAS No. 877-09-8 | Surrogate Recoveries | Run# 1 | Run# 2 | Limi 44-12 | | |
| 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 87% | | 41-14 | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ \, Indicates \ \, presumptive \ \, evidence \ \, of \ \, a \ \, compound \ \,$



ယ

Report of Analysis

Client Sample ID: E1-3 Lab Sample ID: C47015-3 Matrix: SO - Soil

SO - Soil

SW846 8015C SW846 3550C

Date Sampled: 09/06/16 **Date Received:** 09/08/16 **Percent Solids:** n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a JR002585.D 1 09/12/16 AFL 09/09/16 F:OP61813 F:GJR96

Run #2

Method:

Run #1 Initial Weight Final Volume 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|-------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 Run | | n# 2 Limits | | |
| 84-15-1 | o-Terphenyl | 73% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ယ

Client Sample ID: E1-3 Lab Sample ID: C47015-3 Matrix: SO - Soil

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|------------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.8 | 4.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | < 2.4 | 2.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 76.4 | 48 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium ^a | < 1.2 | 1.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium a | < 0.96 | 0.96 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 54.7 | 2.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | < 12 | 12 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 23.3 | 6.0 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | < 4.8 | 4.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.063 | 0.040 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 12 | 12 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 48.7 | 9.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium a | < 4.8 | 4.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 2.4 | 2.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.4 | 2.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 59.5 | 12 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 35.2 | 4.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.



4

 Client Sample ID:
 E1-4

 Lab Sample ID:
 C47015-4
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|-----------|------------|------------------|
| Run #1 a | F0079456.D | 1 | 09/09/16 | AFL | n/a | n/a | F:VF2730 |
| Run #2 | | | | | | | |

Run #2

Run #1 4.75 g 5.0 ml
Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 53 | 11 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.3 | 1.3 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.3 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.3 | 1.2 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.3 | 1.1 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.3 | 1.1 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 26 | 9.6 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.3 | 1.9 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.3 | 1.1 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.3 | 2.1 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.3 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.3 | 1.1 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.3 | 1.1 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.3 | 1.1 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.3 | 2.3 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.3 | 1.1 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.3 | 2.6 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.3 | 1.1 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.3 | 1.1 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.3 | 1.1 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.3 | 1.8 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.3 | 1.1 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.3 | 1.1 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.3 | 1.3 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.3 | 1.6 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.3 | 1.7 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.3 | 1.1 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.3 | 1.1 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.3 | 1.4 | ug/kg | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 3



 Client Sample ID:
 E1-4

 Lab Sample ID:
 C47015-4
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|------------------------------|--------|---------------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.3 | 2.0 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.3 | 1.1 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.3 | 1.3 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.3 | 1.3 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.3 | 2.3 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 26 | 9.2 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.3 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.3 | 1.1 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.3 | 2.7 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.3 | 2.5 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.3 | 1.9 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 11 | 4.2 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 26 | 11 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.3 | 1.2 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.3 | 2.1 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.3 | 1.3 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.3 | 1.1 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.3 | 1.4 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | U | | ug/kg | |
| 630-20-6 | 1, 1, 1, 2-Tetrachloroethane | ND | 5.3 1.2 ug/kg | | | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.3 | 2.3 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.3 | 1.4 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.3 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.3 | 2.1 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.3 | 1.6 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.3 | 1.1 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.3 | 1.9 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.3 | 1.2 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.3 | 2.0 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.3 | 1.7 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.3 | 1.8 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 16 | 3.0 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 111% | | 75-12 | | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 119% | 72-135% | | | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3



 Client Sample ID:
 E1-4

 Lab Sample ID:
 C47015-4
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 92% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 98% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 2

ယ

 Client Sample ID:
 E1-4

 Lab Sample ID:
 C47015-4
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8270D
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|-----------|----|----------|-----|------------------|-------------------|------------------|
| Run #1 a | X048973.D | 1 | 09/12/16 | AFL | 09/09/16 | F:OP61812 | F:SX2120 |

Run #2

Run #1 30.5 g 1.0 ml
Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units Q | |
|-----------|-----------------------------|--------|------|-----|---------|--|
| 65-85-0 | Benzoic Acid | ND | 820 | 160 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 160 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 160 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 160 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 160 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 820 | 160 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 160 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 160 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 160 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 820 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 820 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 160 | 19 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 160 | 17 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 160 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 160 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1600 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 160 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 160 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 160 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 160 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 160 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 160 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 160 | 29 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 160 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 160 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 160 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 160 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 160 | 16 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 160 | 18 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 160 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 160 | 18 | ug/kg | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a



Client Sample ID: E1-4 Lab Sample ID: C47015-4 Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------------------|--------|---------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 160 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 160 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 160 | 16 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 160 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 160 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 160 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 160 | 18 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 160 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 160 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 160 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 160 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 160 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 160 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 160 | 31 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 160 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lin | nits | |
| 367-12-4 | 2-Fluorophenol | 80% | | 40-1 | 102% | |
| 4165-62-2 | Phenol-d5 | 89% | | 41-1 | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 73% | | 42-1 | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 78% | | 40-1 | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 77% | 43-107% | | | |
| 1718-51-0 | Terphenyl-d14 | 81% | 45-119% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

4

 Client Sample ID:
 E1-4

 Lab Sample ID:
 C47015-4
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8270D BY SIM SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|-----------|----|----------|-----|------------------|-------------------|-------------------------|
| Run #1 a | W094892.D | 1 | 09/12/16 | AFL | 09/10/16 | F:OP61814 | F:SW4252 |

Run #2

Initial Weight Final Volume
Run #1 14.9 g 1.0 ml
Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|--------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 67 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 67 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 67 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.4 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.4 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.4 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.4 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.4 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 67 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 67 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.4 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 67 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 67 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 67 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 4165-60-0 | Nitrobenzene-d5 | 79% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 82% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 87% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E1-4 Lab Sample ID:

C47015-4 SO - Soil SW846 8015C **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Matrix:

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID **Analyzed** By **Prep Batch** Run #1 a UV075744.D 09/10/16 AFL F:GUV4033 n/an/a

Run #2

Method:

Final Volume Initial Weight Methanol Aliquot Run #1 5.70 g 5.0 ml 100 ul

Run #2

CAS No. **MDL** Units Q Compound Result RL

> TPH-GRO (C6-C10) ND 4.4 2.2 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

460-00-4 56-149% 4-Bromofluorobenzene 108% 98-08-8 aaa-Trifluorotoluene 100% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



Percent Solids: n/a

Run #1 a

Run #2 a

Report of Analysis

Client Sample ID: E1-4
Lab Sample ID: C47015-4
Matrix: SO - Soil

File ID

TT379327.D

TT379321.D

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

1

10

Analyzed

09/13/16

09/13/16

 Date Sampled:
 09/06/16

 Date Received:
 09/08/16

 Percent Solids:
 n/a

F:OP61815

Prep DatePrep BatchAnalytical Batch09/10/16F:OP61815F:GTT1860

F:GTT1860

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 15.2 g | 5.0 ml |
| Run #2 | 15.2 g | 5.0 ml |

09/10/16

By

AFL

AFL

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|--------------|-------|---|
| 200.00.2 | A11 ' | NID | 1.6 | 0.50 | /1 | |
| 309-00-2 | Aldrin | ND | 1.6 | 0.50 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.6 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.6 | 0.50 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.6 | 0.48 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.6 | 0.50 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 16 | 6.6 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.6 | 0.62 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.53 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.64 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.61 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.61 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.6 | 0.48 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.6 | 0.61 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.6 | 0.56 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.6 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND b | 33 | 8.5 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 82 | 33 | ug/kg | |
| | | | | | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 077 00 0 | | 1100/ | 44.50/ | 70. 1 | 220/ | |
| 877-09-8 | Tetrachloro-m-xylene | 113% | 116% | 50-1 | | |
| 2051-24-3 | Decachlorobiphenyl | 72% | 71% | 50-1 | 33% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



⁽b) Result is from Run# 2

Page 1 of 1

ယ

 Client Sample ID:
 E1-4

 Lab Sample ID:
 C47015-4
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|------------------|-------------------|-------------------------|
| Run #1 a | ST138356.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61816 | F:GST3293 |
| D 4/2 | | | | | | | |

Run #2

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 15.2 g | 5.0 ml |
| Run #2 | - | |

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 16 | 6.6 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 16 | 8.4 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 16 | 8.2 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.6 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.6 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 16 | 7.9 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.6 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| | | | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 87% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 88% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$

B = Indicates analyte found in associated method blank

 $N = \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Page 1 of 1

4

 Client Sample ID:
 E1-4

 Lab Sample ID:
 C47015-4
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|---|--------------------|------------|----|----------|------------------------|------------------|-------------------|-------------------------|
| R | un #1 ^a | JR002586.D | 1 | 09/12/16 | AFL | 09/09/16 | F:OP61813 | F:GJR96 |
| R | un #2 | | | | | | | |

Run #1 20.0 g Final Volume Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND 2.78 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 82% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value





Client Sample ID: E1-4

Lab Sample ID: C47015-4

Matrix: SO - Soil

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.7 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic ^a | 3.0 | 1.8 | mg/kg | 5 | | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 96.7 | 37 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.92 | 0.92 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.74 | 0.74 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium ^a | 89.6 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 19.6 | 9.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper ^a | 30.2 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 7.3 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.043 | 0.038 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 9.2 | 9.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 87.6 | 7.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.7 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.8 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.8 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 69.0 | 9.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 48.5 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.



Client Sample ID: E1-8 Lab Sample ID: C47015-5 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|------------------|-------------------|-------------------------|
| Run #1 a | F0079457.D | 1 | 09/09/16 | AFL | n/a | n/a | F:VF2730 |
| D #2 | | | | | | | |

Run #2

CACAT

Final Volume Initial Weight Run #1 4.61 g 5.0 ml Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 54 | 11 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.4 | 1.4 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.4 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.4 | 1.2 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.4 | 1.1 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 27 | 9.8 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.4 | 1.9 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.4 | 2.2 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.4 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.4 | 1.1 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.4 | 1.1 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.4 | 1.1 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.4 | 2.4 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.4 | 2.7 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.4 | 1.8 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.4 | 1.1 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.4 | 1.3 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.4 | 1.6 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.4 | 1.7 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.4 | 1.1 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.4 | 1.1 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.4 | 1.4 | ug/kg | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E1-8 Lab Sample ID: C47015-5 Matrix: SO - Soil Method:

SW846 8260B

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

VOA 8260 List

Project:

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.4 | 2.1 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.4 | 1.1 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.4 | 1.3 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.4 | 1.2 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.4 | 1.4 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.4 | 2.4 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 27 | 9.5 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.4 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.4 | 1.1 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.4 | 2.8 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.4 | 2.6 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.4 | 2.0 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 11 | 4.3 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 27 | 12 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.4 | 1.2 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.4 | 2.2 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.4 | 1.3 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.4 | 1.1 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.4 | 1.5 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 54 | 15 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.4 | 1.2 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.4 | 2.4 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.4 | 1.4 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.4 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.4 | 2.1 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.4 | 1.6 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.4 | 1.1 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.4 | 2.0 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.4 | 1.3 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.4 | 2.0 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.4 | 1.8 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.4 | 1.8 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 16 | 3.1 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 1868-53-7 | Dibromofluoromethane | 116% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 120% | | 72-13 | 35% | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

ယ

 Client Sample ID:
 E1-8

 Lab Sample ID:
 C47015-5

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

 Date Sampled:
 09/06/16

 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|-----------------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 92% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 100% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$



By

AFL

Client Sample ID: E1-8 Lab Sample ID: C47015-5

Matrix: SO - Soil

File ID

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

1

Analyzed

09/12/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Prep DatePrep BatchAnalytical Batch09/09/16F:OP61812F:SX2120

Run #1 ^a Run #2

Initial Weight Final Volume

Run #1 30.5 g 1.0 ml

X048976.D

Run #2

CACAT

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 820 | 160 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 160 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 160 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 160 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 160 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 820 | 160 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 160 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 160 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 160 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 820 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 820 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 160 | 19 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 160 | 17 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 160 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 160 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1600 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 160 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 160 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 160 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 160 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 160 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 160 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 160 | 29 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 160 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 160 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 160 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 160 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 160 | 16 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 160 | 18 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 160 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 160 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ω

Client Sample ID: E1-8 Lab Sample ID: C47015-5 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 160 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 160 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 160 | 16 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 160 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 160 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 160 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 160 | 18 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 160 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 160 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 160 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 160 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 160 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 160 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 160 | 31 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 160 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lin | nits | |
| 367-12-4 | 2-Fluorophenol | 70% | | 40- | 102% | |
| 4165-62-2 | Phenol-d5 | 76% | | 41- | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 67% | | 42- | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 67% | | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 64% | | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 80% | | 45- | 119% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Page 1 of 1

Client Sample ID: E1-8 Lab Sample ID: C47015-5 Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546 **Project:**

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch Analyzed** By Run #1 a F:SW4252 W094893.D 09/12/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight Run #1 15.5 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|--------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 65 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 65 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 65 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.2 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.2 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.2 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.2 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.2 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 65 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 65 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.2 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 65 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 65 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 65 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 4165-60-0 | Nitrobenzene-d5 | 74% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 76% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 80% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E1-8

Lab Sample ID: C47015-5 Matrix: SO - Soil **Method:** SW846 8015C

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID **Analyzed** By **Prep Batch** Run #1 a UV075745.D 09/10/16 AFL F:GUV4033 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 4.99 g 5.0 ml 100 ul

Run #2

CAS No. **MDL** Units Q Compound Result RL

> TPH-GRO (C6-C10) ND 5.0 2.5 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

460-00-4 56-149% 4-Bromofluorobenzene 108% 98-08-8 aaa-Trifluorotoluene 100% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

Client Sample ID: E1-8 Lab Sample ID: C47015-5 Matrix:

SO - Soil

SW846 8081B SW846 3546

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a F:GTT1859 TT379284.D 09/13/16 AFL 09/10/16 F:OP61815

Run #2

Method:

Final Volume Initial Weight

Run #1 14.9 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|------|-------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.52 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.4 | 0.58 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.4 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.4 | 0.66 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.4 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.4 | 0.63 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.4 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.59 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.4 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 84 | 34 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 110% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 74% | | 50-1 | 33% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

Page 1 of 1

Report of Analysis

Client Sample ID: E1-8 Lab Sample ID: C47015-5 Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled:09/06/16Date Received:09/08/16Percent Solids:n/a

ate Pren Batch Analytical Batc

| | rue ID | Dr | Anaiyzea | ву | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|-----------|------------|------------------|
| Run #1 a | ST138359.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61816 | F:GST3293 |
| Run #2 | | | | | | | |

| | Initial Weight | Final Volume |
|--------|-----------------------|--------------|
| Run #1 | 14.9 g | 5.0 ml |
| Run #2 | | |

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------|----------------------|--------------------------|----------------------------------|---|
| 12674-11-2 11104-28-2 11141-16-5 53469-21-9 | Aroclor 1221 Aroclor 1232 Aroclor 1242 | ND ND ND ND | 17 17 17 17 | 6.7 8.6 8.4 6.7 | ug/kg ug/kg ug/kg ug/kg | |
| 12672-29-6 11097-69-1 11096-82-5 | Aroclor 1248 Aroclor 1254 Aroclor 1260 | ND ND ND | 17 17 17 | 6.7 8.0 6.7 | ug/kg ug/kg ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 81% 78% | | 44-12 41-14 | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ω

f Analysis Page 1 of 1

Date Sampled: 09/06/16

Client Sample ID: E1-8 Lab Sample ID: C47015-5 Matrix: SO - Soil

 SO - Soil
 Date Received:
 09/08/16

 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a JR002590.D 1 09/13/16 AFL 09/09/16 F:OP61813 F:GJR96

Run #2

Method:

Run #1 19.6 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.1 5.1 | 2.6 2.6 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 75% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ယ



Client Sample ID: E1-8 Lab Sample ID: C47015-5 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.7 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 3.6 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 90.9 | 37 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.93 | 0.93 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.74 | 0.74 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 27.8 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | < 9.3 | 9.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 19.3 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 7.4 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.45 | 0.078 | mg/kg | 2 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 9.3 | 9.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 36.2 | 7.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.7 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.9 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.9 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 31.2 | 9.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 47.5 | 3.7 | mg/kg | | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398 (2) Instrument QC Batch: F:MA13399 (3) Prep QC Batch: F:MP30813 (4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.



Client Sample ID: E2-1

 Lab Sample ID:
 C47015-6
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a C0117981.D 1 09/09/16 AFL n/a n/a F:VC4680

Run #2

Initial Weight Final Volume

Run #1 5.40 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 46 | 9.4 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.6 | 1.2 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.6 | 1.1 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.6 | 1.0 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.6 | 0.93 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.6 | 0.93 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 23 | 8.4 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.6 | 0.93 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.6 | 0.93 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.6 | 0.93 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.6 | 1.6 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.6 | 0.93 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.6 | 1.9 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.6 | 1.1 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.6 | 0.93 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.6 | 0.93 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.6 | 0.93 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.6 | 2.1 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.6 | 0.93 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.6 | 2.3 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.6 | 0.93 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.6 | 0.93 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.6 | 0.94 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.6 | 1.6 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.6 | 0.93 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.6 | 0.93 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.6 | 1.1 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.6 | 1.4 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.6 | 1.5 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.6 | 0.93 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.6 | 0.93 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.6 | 1.2 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



 Client Sample ID:
 E2-1

 Lab Sample ID:
 C47015-6
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.6 | 1.8 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.6 | 0.93 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.6 | 1.1 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.6 | 1.0 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.6 | 1.2 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.6 | 2.0 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 23 | 8.1 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.6 | 1.3 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.6 | 0.93 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.6 | 2.4 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.6 | 2.2 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.6 | 1.7 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 9.3 | 3.7 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 23 | 9.9 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.6 | 1.0 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.6 | 1.9 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.6 | 1.1 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.6 | 0.93 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.6 | 1.3 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 46 | 13 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.6 | 1.0 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.6 | 2.0 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.6 | 1.2 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.6 | 1.0 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.6 | 1.8 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.6 | 1.4 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.6 | 0.93 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.6 | 1.7 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.6 | 1.1 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.6 | 1.7 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.6 | 1.5 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.6 | 0.93 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.6 | 0.93 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.6 | 1.5 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 14 | 2.6 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 105% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 117% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E2-1 Lab Sample ID: C47015-6

Matrix: SO - Soil Method: SW846 8260B

Date Received: 09/08/16 Percent Solids: n/a

Date Sampled: 09/06/16

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|-----------------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 93% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 98% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



By

AFL

09/09/16

Client Sample ID: E2-1 Lab Sample ID: C47015-6 Matrix: SO - Soil

SW846 8270D SW846 3550C

Analyzed

09/12/16

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

1

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

F:OP61812

Prep Date Prep Batch Analytical Batch

F:SX2120

Run #1 a Run #2

Method:

Final Volume Initial Weight

Run #1 30.0 g 1.0 ml

File ID

X048977.D

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E2-1 Lab Sample ID: C47015-6 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Report of Analysis

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|---------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | 38.8 | 330 | 33 | ug/kg | J |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Li | mits | |
| 367-12-4 | 2-Fluorophenol | 68% | 40-102% | | -102% | |
| 4165-62-2 | Phenol-d5 | 76% | | 41 | -100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 67% | | 42 | -108% | |
| 4165-60-0 | Nitrobenzene-d5 | 68% | | 40 | -105% | |
| 321-60-8 | 2-Fluorobiphenyl | 68% | | 43 | -107% | |
| 1718-51-0 | Terphenyl-d14 | 84% | | 45 | -119% | |

- (a) Analysis performed at SGS Accutest, Orlando FL.
- (b) Associated ICV outside control limits.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: E2-1 Lab Sample ID: C47015-6 Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a W094894.D 1 09/12/16 AFL 09/10/16 F:OP61814 F:SW4252

Run #2

Run #1 15.3 g Final Volume 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|---------------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 65 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 65 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 65 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 65 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 65 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 65 26 | | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 65 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 65 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 65 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 83% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 78% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 90% | 45-119% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

000



Client Sample ID: E2-1

 Lab Sample ID:
 C47015-6

 Matrix:
 SO - Soil

 Method:
 SW846 8015C

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a UV075746.D 1 09/10/16 AFL n/a n/a F:GUV4033

Run #2

Run #1 5.20 g 5.0 ml Methanol Aliquot

Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 4.8 2.4 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 109%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 101%
 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Method:

Run #1 a

Run #2 a

Report of Analysis Page 1 of 1

Client Sample ID: E2-1 Lab Sample ID: C47015-6 Matrix: SO - Soil

File ID

TT379328.D

TT379322.D

SW846 8081B SW846 3546

Analyzed

09/13/16

09/13/16

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

1

10

Date Sampled: 09/06/16 **Date Received:** 09/08/16 **Percent Solids:** n/a

 Prep Date
 Prep Batch
 Analytical Batch

 09/10/16
 F:OP61815
 F:GTT1860

 09/10/16
 F:OP61815
 F:GTT1860

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 15.1 g | 5.0 ml |
| Run #2 | 15.1 g | 5.0 ml |

By

AFL

AFL

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|------|--------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.50 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.48 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.6 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.62 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.53 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.48 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.61 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.56 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND b | 33 | 8.5 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg | |
| 0001-33-2 | Toxaphene | ND | 03 | 33 | ug/ Kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| | | | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 121% | 116% | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 70% | 76% | 50-1 | 33% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



_

⁽b) Result is from Run# 2

Page 1 of 1

Client Sample ID: E2-1 Lab Sample ID: C47015-6

Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|-----------|------------|-------------------------|
| Run #1 a | ST138360.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61816 | F:GST3293 |
| Run #2 | | | | | | | |

Final Volume Initial Weight

Run #1 15.1 g 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|---------------------------------------|--------|--------|-------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 17 | 6.6 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 17 | 8.4 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 17 | 8.3 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 17 | 6.6 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 17 | 6.6 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 17 | 7.9 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.6 | ug/kg | |
| | | | | | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 91% | | 44-12 | 26% | |
| | · · · · · · · · · · · · · · · · · · · | | | | | |
| 2051-24-3 | Decachlorobiphenyl | 89% | | 41-14 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: E2-1 Lab Sample ID: C470

Lab Sample ID: C47015-6 **Matrix:** SO - Soil

Method: SW846 8015C SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|-------------------|-------------------------|
| Run #1 a | JR002593.D | 1 | 09/13/16 | AFL | 09/09/16 | F:OP61813 | F:GJR96 |

Run #2

Run #1 19.8 g Final Volume

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|--------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | 2.86 11.4 | 5.1 5.1 | 2.5 2.5 | mg/kg mg/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 74% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ယ

Client Sample ID: E2-1 Lab Sample ID: C470

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

Matrix:

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.2 | 3.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 3.3 | 1.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 111 | 32 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.81 | 0.81 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.65 | 0.65 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium ^a | 50.9 | 1.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 13.0 | 8.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 27.1 | 4.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 7.7 | 3.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.092 | 0.038 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 8.1 | 8.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 69.1 | 6.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.2 | 3.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.6 | 1.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.6 | 1.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 36.5 | 8.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 46.0 | 3.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E2-2 Lab Sample ID: C47015-7

Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a F:VC4680 C0117982.D 09/09/16 AFL n/a n/a

Run #2

Final Volume Initial Weight

Run #1 5.17 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | 26.0 | 48 | 9.9 | ug/kg | J |
| 71-43-2 | Benzene | ND | 4.8 | 1.2 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.8 | 1.2 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.8 | 1.1 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.8 | 0.97 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.8 | 0.97 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 24 | 8.8 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.8 | 0.97 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.8 | 0.97 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.8 | 0.97 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.8 | 1.7 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.8 | 0.97 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.8 | 1.9 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.8 | 1.2 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.8 | 0.97 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.8 | 0.97 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.8 | 0.97 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.8 | 2.1 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.8 | 0.97 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.8 | 2.4 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.8 | 0.97 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.8 | 0.97 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.8 | 0.99 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.8 | 1.6 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.8 | 0.97 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.8 | 0.97 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.8 | 1.2 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.8 | 1.5 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.8 | 1.5 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.8 | 0.97 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.8 | 0.97 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.8 | 1.2 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E2-2 Lab Sample ID: C47015-7 Matrix: SO - Soil

SO - Soil SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 Date Received: 09/08/16 Percent Solids: n/a

VOA 8260 List

Method:

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.8 | 1.8 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.8 | 0.97 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.8 | 1.2 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.8 | 1.1 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.8 | 1.2 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.8 | 2.1 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 24 | 8.4 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.8 | 1.4 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.8 | 0.97 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.8 | 2.5 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.8 | 2.3 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.8 | 1.8 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 9.7 | 3.9 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 24 | 10 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.8 | 1.1 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.8 | 1.9 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.8 | 1.2 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.8 | 0.97 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.8 | 1.3 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 48 | 13 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.8 | 1.1 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.8 | 2.1 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.8 | 1.3 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.8 | 1.1 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.8 | 1.9 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.8 | 1.4 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.8 | 0.97 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.8 | 1.8 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.8 | 1.1 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.8 | 1.8 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.8 | 1.6 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.8 | 0.97 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.8 | 0.97 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.8 | 1.6 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 15 | 2.8 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 1868-53-7 | Dibromofluoromethane | 106% | | 75-1 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 105% | | 72-1 | 35% | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis Pag

Page 3 of 3



 Client Sample ID:
 E2-2

 Lab Sample ID:
 C47015-7
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 96% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 98% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$



Client Sample ID: E2-2 Lab Sample ID: C47015-7 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

 File ID
 DF
 Analyzed
 By
 Prep Date
 Prep Batch
 Analytical Batch

 Run #1 a
 X048978.D
 1
 09/12/16
 AFL
 09/09/16
 F:OP61812
 F:SX2120

 Run #2
 Frame Prep Batch
 F:OP61812
 F:SX2120

Initial Weight Final Volume 30.5 g 1.0 ml

Run #1 Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 820 | 160 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 160 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 160 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 160 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 160 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 820 | 160 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 160 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 160 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 160 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 820 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 820 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 160 | 19 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 160 | 17 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 160 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 160 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1600 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 160 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 160 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 160 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 160 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 160 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 160 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 160 | 29 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 160 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 160 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 160 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 160 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 160 | 16 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 160 | 18 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 160 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 160 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



e 1 of 2

Method:

Report of Analysis

Client Sample ID: E2-2 Lab Sample ID: C47015-7 Matrix: SO - Soil

SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------------------|--------|--------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 160 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 160 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 160 | 16 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 160 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 160 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 160 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 160 | 18 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 160 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 160 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 160 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 160 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 160 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 160 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 160 | 31 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 160 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 367-12-4 | 2-Fluorophenol | 73% | | 40-1 | .02% | |
| 4165-62-2 | Phenol-d5 | 79% | | 41-1 | .00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 72% | | 42-1 | .08% | |
| 4165-60-0 | Nitrobenzene-d5 | 69% | | 40-1 | .05% | |
| 321-60-8 | 2-Fluorobiphenyl | 67% | | 43-1 | .07% | |
| 1718-51-0 | Terphenyl-d14 | 93% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Client Sample ID: E2-2 Lab Sample ID: C47015-7

Matrix: SO - Soil Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:SW4252 W094895.D 09/12/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight Run #1 14.8 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 68 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 68 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 68 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 14 | 3.4 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 14 | 3.4 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 14 | 3.4 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 218-01-9 | Chrysene | ND | 14 | 3.4 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 14 | 3.4 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 68 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 68 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 14 | 3.4 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 68 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 68 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 68 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 4165-60-0 | Nitrobenzene-d5 | 92% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 83% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 81% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E2-2

Lab Sample ID: C47015-7 Matrix: SO - Soil **Method:** SW846 8015C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | Ву | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|-----------|------------|------------------|
| Run #1 a | UV075747.D | 1 | 09/10/16 | AFL | n/a | n/a | F:GUV4033 |

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 5.56 g 5.0 ml 100 ul Run #2

CAS No. Compound **MDL** Units Q Result RL

> TPH-GRO (C6-C10) ND 4.5 2.2 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

56-149% 460-00-4 109% 4-Bromofluorobenzene 98-08-8 aaa-Trifluorotoluene 101% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected RL = Reporting Limit MDL = Method Detection Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

By

AFL

09/10/16

Page 1 of 1

Client Sample ID: E2-2 Lab Sample ID: C47015-7 Matrix: SO - Soil

File ID

TT379286.D

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

1

Analyzed

09/13/16

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

F:OP61815

Prep Date Prep Batch Analytical Batch F:GTT1859

Run #1 a Run #2

Final Volume Initial Weight Run #1 15.2 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|------|-------|---|
| 309-00-2 | Aldrin | ND | 1.6 | 0.50 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.6 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.6 | 0.50 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.6 | 0.48 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.6 | 0.50 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 16 | 6.6 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.6 | 0.62 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.53 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.64 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.61 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.61 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.6 | 0.48 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.6 | 0.61 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.6 | 0.56 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.6 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.85 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 82 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 | Tetrachloro-m-xylene | 122% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 82% | | 50-1 | 33% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Matrix:

Method:

Report of Analysis

Page 1 of 1

Client Sample ID: E2-2 Lab Sample ID: C47015-7

> SO - Soil SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ ST138363.D 1 09/13/16 AFL 09/10/16 F:OP61816 F:GST3293 Run #2

Run #1 15.2 g Final Volume 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 16 | 6.6 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 16 | 8.4 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 16 | 8.2 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.6 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.6 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 16 | 7.9 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.6 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 | Tetrachloro-m-xylene | 90% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 90% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ch Analytical Batch

L

Page 1 of 1

Client Sample ID: E2-2 Lab Sample ID: C47015-7 Matrix:

SO - Soil SW846 8015C SW846 3550C Method: **Project:**

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:GJR96 JR002594.D 09/13/16 AFL 09/09/16 F:OP61813

Run #2

Final Volume Initial Weight Run #1 19.7 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.1 5.1 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 80% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E2-2 Lab Sample ID: C47015-7 Matrix: SO - Soil

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|---------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.4 | 3.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic ^a | 3.1 | 1.7 | mg/kg | | | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 218 | 34 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.86 | 0.86 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.69 | 0.69 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium ^a | 74.4 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 16.1 | 8.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 35.0 | 4.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 9.3 | 3.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | < 0.040 | 0.040 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 8.6 | 8.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 94.4 | 6.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.4 | 3.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.7 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.7 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 47.2 | 8.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 52.6 | 3.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E2-3 Lab Sample ID: C47015-8 Matrix:

SO - Soil SW846 8260B

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By n/a F:VC4680 Run #1 a C0117983.D 09/09/16 AFL n/a

Run #2

Method:

Project:

Final Volume Initial Weight

Run #1 4.88 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 51 | 10 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.1 | 1.3 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.1 | 1.2 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.1 | 1.1 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.1 | 1.0 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.1 | 1.0 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 26 | 9.3 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.1 | 1.8 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.1 | 1.0 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.1 | 2.0 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.1 | 1.2 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.1 | 1.0 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.1 | 1.0 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.1 | 1.0 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.1 | 2.3 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.1 | 1.0 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.1 | 2.5 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.1 | 1.0 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.1 | 1.0 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.1 | 1.0 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.1 | 1.7 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.1 | 1.0 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.1 | 1.0 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.1 | 1.2 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.1 | 1.6 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.1 | 1.6 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.1 | 1.0 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.1 | 1.0 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.1 | 1.3 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 3

Client Sample ID: E2-3 Lab Sample ID: C47015 Matrix: SO - So

C47015-8 SO - Soil SW846 826

SW846 8260B Vallco Mall, Wolfe Rd, Cupertino CA Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

Method:

Project:

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.1 | 1.9 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.1 | 1.0 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.1 | 1.2 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.1 | 1.1 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.1 | 1.3 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.1 | 2.2 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 26 | 8.9 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.1 | 1.4 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.1 | 1.0 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.1 | 2.6 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.1 | 2.5 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.1 | 1.9 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 10 | 4.1 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 26 | 11 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.1 | 1.1 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.1 | 2.0 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.1 | 1.3 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.1 | 1.0 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.1 | 1.4 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 51 | 14 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.1 | 1.1 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.1 | 2.3 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.1 | 1.3 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.1 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.1 | 2.0 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.1 | 1.5 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.1 | 1.0 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.1 | 1.9 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.1 | 1.2 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.1 | 1.9 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.1 | 1.7 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.1 | 1.7 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 15 | 2.9 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 1868-53-7 | Dibromofluoromethane | 108% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 114% | | 72-13 | 35% | |

 $ND = Not detected \qquad MDL = M$

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis Page 3 of 3

Client Sample ID: E2-3 Lab Sample ID: C47015-8 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 93% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 95% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value





Page 1 of 2

Date Sampled: 09/06/16

Client Sample ID: E2-3 Lab Sample ID: C47015-8

Matrix: **Date Received:** 09/08/16 Method: Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a X048979.D 1 09/12/16 AFL 09/09/16 F:OP61812 F:SX2120

Run #2

Final Volume Initial Weight

Run #1 30.5 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 820 | 160 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 160 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 160 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 160 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 160 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 820 | 160 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 160 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 160 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 160 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 820 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 820 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 160 | 19 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 160 | 17 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 160 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 160 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1600 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 160 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 160 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 160 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 160 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 160 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 160 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 160 | 29 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 160 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 160 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 160 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 160 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 160 | 16 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 160 | 18 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 160 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 160 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



SO - Soil

SW846 8270D SW846 3550C

Client Sample ID: E2-3 Lab Sample ID: C47015-8 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDI | L Units | Q |
|-----------|-----------------------------|--------|--------|-----|---------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 160 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 160 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 160 | 16 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 160 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 160 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 160 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 160 | 18 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 160 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 160 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 160 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 160 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 160 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 160 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 160 | 31 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 160 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | L | imits | |
| 367-12-4 | 2-Fluorophenol | 81% | | 40 | 0-102% | |
| 4165-62-2 | Phenol-d5 | 86% | | 4 | 1-100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 76% | | 42 | 2-108% | |
| 4165-60-0 | Nitrobenzene-d5 | 76% | | 40 | 0-105% | |
| 321-60-8 | 2-Fluorobiphenyl | 73% | | 43 | 3-107% | |
| 1718-51-0 | Terphenyl-d14 | 90% | | 45 | 5-119% | |

- (a) Analysis performed at SGS Accutest, Orlando FL.
- (b) Associated ICV outside control limits.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

J = Indicates an estimated value



By

AFL

09/10/16

Client Sample ID: E2-3 Lab Sample ID: C47015-8

File ID

W094896.D

Method: SW846 8270D BY SIM SW846 3546

DF

Analyzed

09/12/16

Project: Vallco Mall, Wolfe Rd, Cupertino CA

SO - Soil

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

F:OP61814

Prep Date Prep Batch Analytical Batch

Run #1 ^a Run #2

Matrix:

Run #1 15.6 g Final Volume 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 64 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 64 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 64 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.2 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.2 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.2 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.2 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.2 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 64 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 64 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.2 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 64 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 64 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 64 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 64 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 64 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 84% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 86% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 94% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



F:SW4252

ယ

Client Sample ID: E2-3

Lab Sample ID: C47015-8 Matrix: SO - Soil **Method:** SW846 8015C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|------------|-------------------------|
| Run #1 a | UV075748.D | 1 | 09/10/16 | AFL | n/a | n/a | F:GUV4033 |

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 4.90 g 5.0 ml 100 ul

Run #2

CAS No. **MDL** Units Q Compound Result RL

> TPH-GRO (C6-C10) ND 5.1 2.6 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

56-149% 460-00-4 109% 4-Bromofluorobenzene 98-08-8 aaa-Trifluorotoluene 101% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

ယ

 Client Sample ID:
 E2-3

 Lab Sample ID:
 C47015-8
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|------------|-------------------------|
| Run #1 a | TT379289.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61815 | F:GTT1859 |
| D 1/2 | | | | | | | |

Run #2

Run #1 14.9 g 5.0 ml
Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|---------|------|-------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.52 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.4 | 0.58 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.4 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.4 | 0.66 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.4 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.4 | 0.63 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.4 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.59 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.4 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 84 | 34 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 137% b | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 96% | 50-133% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Outside control limits. However, Sample was ND.

Page 1 of 1

Client Sample ID: E2-3 Lab Sample ID: C47015-8

Matrix: SO - Soil Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a F:GST3293 ST138364.D 09/13/16 AFL 09/10/16 F:OP61816

Report of Analysis

Run #2

Final Volume Initial Weight Run #1 14.9 g 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------------|----------------------------|---------------------------------|--|---|
| 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 | ND ND ND ND ND | 17 17 17 17 17 | 6.7 8.6 8.4 6.7 6.7 | ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 101% 103% | | 44-12 41-14 | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Date Sampled: 09/06/16

Client Sample ID: E2-3 Lab Sample ID: C47015-8 Matrix:

Date Received: 09/08/16 SO - Soil SW846 8015C SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:GJR96 JR002595.D 09/13/16 AFL 09/09/16 F:OP61813

Run #2

Method:

Final Volume Initial Weight Run #1 19.6 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.1 5.1 | 2.6 2.6 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | 2 Limits | | |
| 84-15-1 | o-Terphenyl | 77% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value







Client Sample ID: E2-3

Lab Sample ID: C47015-8

Matrix: SO - Soil

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|---------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.9 | 3.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 3.1 | 1.9 | mg/kg | | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 198 | 39 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.97 | 0.97 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.78 | 0.78 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 79.8 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 18.8 | 9.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 36.4 | 4.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 9.3 | 3.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | < 0.038 | 0.038 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 9.7 | 9.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 100 | 7.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.9 | 3.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.9 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.9 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 49.2 | 9.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 54.8 | 3.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.



Client Sample ID: E2-5 Lab Sample ID: C47015-9

Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ C0117984.D 1 09/09/16 AFL n/a n/a F:VC4680

Run #2

Initial Weight Final Volume

Run #1 5.32 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 47 | 9.6 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.7 | 1.2 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.7 | 1.1 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.7 | 1.0 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.7 | 0.94 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.7 | 0.94 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 23 | 8.5 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.7 | 1.7 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.7 | 0.94 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.7 | 1.9 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.7 | 1.1 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.7 | 0.94 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.7 | 0.94 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.7 | 0.94 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.7 | 2.1 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.7 | 0.94 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.7 | 2.3 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.7 | 0.94 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.7 | 0.94 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.7 | 0.96 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.7 | 1.6 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.7 | 0.94 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.7 | 0.94 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.7 | 1.1 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.7 | 1.4 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.7 | 1.5 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.7 | 0.94 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.7 | 0.94 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.7 | 1.2 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: E2-5 Lab Sample ID: C47015-9 Matrix: SO - Soil

SO - Soil SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

Method:

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.7 | 1.8 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.7 | 0.94 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.7 | 1.1 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.7 | 1.0 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.7 | 1.2 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.7 | 2.0 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 23 | 8.2 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.7 | 1.3 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.7 | 0.94 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.7 | 2.4 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.7 | 2.3 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.7 | 1.7 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 9.4 | 3.8 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 23 | 10 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.7 | 1.0 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.7 | 1.9 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.7 | 1.2 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.7 | 0.94 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.7 | 1.3 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 47 | 13 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.7 | 1.1 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.7 | 2.1 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.7 | 1.2 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.7 | 1.1 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.7 | 1.9 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.7 | 1.4 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.7 | 0.94 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.7 | 1.7 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.7 | 1.1 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.7 | 1.8 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.7 | 1.5 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.7 | 1.6 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 14 | 2.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 111% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 114% | | 72-13 | 35% | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E2-5

 Lab Sample ID:
 C47015-9
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|-----------------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 94% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 95% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ယ

Client Sample ID: E2-5 Lab Sample ID: C47015-9 Matrix:

SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a X048980.D 1 09/12/16 AFL 09/09/16 F:OP61812 F:SX2120

Run #2

Final Volume Initial Weight

Run #1 30.2 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Method:

Report of Analysis

Client Sample ID: E2-5 Lab Sample ID: C47015-9 Matrix: SO - Soil

SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 367-12-4 | 2-Fluorophenol | 57% | | 40-10 | 02% | |
| 4165-62-2 | Phenol-d5 | 63% | | 41-10 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 55% | | 42-10 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 57% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 61% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 70% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Client Sample ID: E2-5 Lab Sample ID: C47015-9

Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546 **Project:**

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:SW4252 W094897.D 09/12/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight 1.0 ml

Run #1 15.3 g

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 65 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 65 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 65 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 65 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 65 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 65 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 65 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 65 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 85% | | 40-10 |)5% | |
| 321-60-8 | 2-Fluorobiphenyl | 85% | | 43-10 |)7% | |
| 1718-51-0 | Terphenyl-d14 | 68% | | 45-11 | 19% | |
| | | | | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E2-5

Lab Sample ID: C47015-9
Matrix: SO - Soil
Method: SW846 8015C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|-----------|------------|------------------|
| Run #1 a | UV075749.D | 1 | 09/10/16 | AFL | n/a | n/a | F:GUV4033 |
| Run #2 | | | | | | | |

Initial Weight Final Volume Methanol Aliquot
Run #1 4.85 g 5.0 ml 100 ul

Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 5.2 2.6 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 109%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 101%
 66-132%

MDL = Method Detection Limit

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

SGS

Client Sample ID: E2-5 Lab Sample ID: C47015-9 Matrix:

SO - Soil

SW846 8081B SW846 3546 Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

DF **Prep Date Prep Batch Analytical Batch** File ID Analyzed By Run #1 a TT379290.D 09/13/16 AFL 09/10/16 F:OP61815 F:GTT1859

Run #2

Method:

Project:

Final Volume Initial Weight 15.3 g 5.0 ml

Run #1

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|------|-------|---|
| 309-00-2 | Aldrin | ND | 1.6 | 0.50 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.6 | 0.50 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.6 | 0.50 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.6 | 0.48 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.6 | 0.50 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 16 | 6.5 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.6 | 0.61 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.56 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.53 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.64 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.61 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.61 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.61 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.6 | 0.48 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.6 | 0.60 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.6 | 0.56 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.6 | 0.57 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.84 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 82 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 130% b | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 86% | | 50-1 | 33% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Outside control limits. However, Sample was ND.

Page 1 of 1

Report of Analysis

Client Sample ID: E2-5

Lab Sample ID: C47015-9 **Matrix:** SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|-----------|------------|-------------------------|
| Run #1 a | ST138365.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61816 | F:GST3293 |
| Dun #2 | | | | | | | |

Run #2

Run #1 15.3 g Final Volume 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 16 | 6.5 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 16 | 8.3 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 16 | 8.2 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.5 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.5 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 16 | 7.8 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.5 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 | Tetrachloro-m-xylene | 90% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 97% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Page 1 of 1

Report of Analysis

By

AFL

09/09/16

Client Sample ID: E2-5 Lab Sample ID: C47015-9

File ID

JR002596.D

 Matrix:
 SO - Soil

 Method:
 SW846 8015C
 SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

F:OP61813

Prep Date Prep Batch Analytical Batch

F:GJR96

Run #1 ^a Run #2

Run #1 19.9 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | esult RL | | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits | | |
| 84-15-1 | o-Terphenyl | 78% | 56-122% | | | |

Analyzed

09/13/16

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

SGS

ယ

Client Sample ID: E2-5 Lab Sample ID: C47015-9 Matrix: SO - Soil

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.3 | 4.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic ^a | 3.7 | 2.2 | mg/kg | 5 | | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 164 | 43 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.86 | 0.86 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 72.6 | 2.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 17.7 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 37.0 | 5.4 | mg/kg | | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 8.5 | 4.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.10 | 0.038 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 95.6 | 8.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 4.3 | 4.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver ^a | < 2.2 | 2.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.2 | 2.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 53.4 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 53.8 | 4.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Report of Analysis Page 1 of 3

Client Sample ID: E2-7

 Lab Sample ID:
 C47015-10
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a C0117985.D 1 09/09/16 AFL n /a n /a F:VC4680

Run #2

Initial Weight Final Volume

Run #1 4.97 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 50 | 10 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.0 | 1.3 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.0 | 1.2 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.0 | 1.1 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.0 | 1.0 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.0 | 1.0 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 25 | 9.1 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.0 | 1.0 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.0 | 1.0 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.0 | 1.0 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.0 | 1.8 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.0 | 1.0 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.0 | 2.0 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.0 | 1.2 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.0 | 1.0 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.0 | 2.2 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.0 | 1.0 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 2.5 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.0 | 1.7 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.0 | 1.0 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.0 | 1.0 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.0 | 1.2 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.0 | 1.5 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.0 | 1.6 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.0 | 1.0 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.0 | 1.0 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.0 | 1.3 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ \, Indicates \ \, presumptive \ \, evidence \ \, of \ \, a \ \, compound \ \,$



Client Sample ID: E2-7

 Lab Sample ID:
 C47015-10
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Compound | Result | Result RL MDL Unit | | | Q |
|------------|-----------------------------|--------|--------------------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.0 | 1.9 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.0 | 1.0 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.0 | 1.2 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.0 | 1.1 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.0 | 1.3 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.0 | 2.2 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 25 | 8.8 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.0 | 1.4 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.0 | 1.0 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.0 | 2.6 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.0 | 2.4 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.0 | 1.8 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 10 | 4.0 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 25 | 11 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.0 | 1.1 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.0 | 2.0 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.0 | 1.2 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.0 | 1.0 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.0 | 1.4 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 50 | 14 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.0 | 1.1 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.0 | 2.2 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.0 | 1.3 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.0 | 1.1 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.0 | 2.0 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.0 | 1.5 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.0 | 1.0 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.0 | 1.8 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.0 | 1.2 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.0 | 1.9 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.0 | 1.6 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.0 | 1.7 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 15 | 2.9 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 111% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 116% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E2-7

 Lab Sample ID:
 C47015-10
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|-----------------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 98% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 95% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 2

Client Sample ID: E2-7

 Lab Sample ID:
 C47015-10
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8270D
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File IDDFAnalyzedByPrep DatePrep BatchAnalytical BatchRun #1 aX048981.D109/12/16AFL09/09/16F:OP61812F:SX2120

Run #2

Initial Weight Final Volume

Run #1 29.8 g 1.0 ml

Run #2

CACAT

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 840 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 24 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 21 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 840 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 340 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 40 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 840 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 840 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 34 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 340 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 20 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 34 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 20 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E2-7

Lab Sample ID: C47015-10 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL MDL Un | | Units | Q |
|-----------|-----------------------------|--------|-----------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 340 | 34 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 34 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 34 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 340 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 340 | 34 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 34 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 41 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 340 | 34 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 367-12-4 | 2-Fluorophenol | 66% | | 40-1 | 02% | |
| 4165-62-2 | Phenol-d5 | 71% | | 41-1 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 63% | | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 59% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 61% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 77% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

By

AFL

Page 1 of 1

Client Sample ID: E2-7 Lab Sample ID: C47015-10

Matrix: SO - Soil

File ID

W094898.D

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/12/16

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

Prep Date Prep Batch Analytical Batch F:SW4252 09/10/16 F:OP61814

Run #1 a Run #2

Final Volume Initial Weight Run #1 14.9 g 1.0 ml

Run #2

BN PAH List

| Compound | Result | RL | MDL | Units | Q |
|-----------------------------|--|---|---|---|---|
| Acenaphthene | ND | 67 | 27 | ug/kg | |
| Acenaphthylene | ND | 67 | 27 | ug/kg | |
| Anthracene | ND | 67 | 17 | ug/kg | |
| Benzo(a)anthracene | ND | 13 | 3.4 | ug/kg | |
| Benzo(a)pyrene | ND | 13 | 3.4 | ug/kg | |
| Benzo(b)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| Benzo(g,h,i)perylene | ND | 13 | 3.4 | ug/kg | |
| Benzo(k)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| Chrysene | ND | 13 | 3.4 | ug/kg | |
| Dibenzo(a,h)anthracene | ND | 13 | 3.4 | ug/kg | |
| Fluoranthene | ND | 67 | 17 | ug/kg | |
| Fluorene | ND | 67 | 27 | ug/kg | |
| Indeno(1,2,3-cd)pyrene | ND | 13 | 3.4 | ug/kg | |
| 1-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 2-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| Naphthalene | ND | 67 | 27 | ug/kg | |
| Phenanthrene | ND | 67 | 17 | ug/kg | |
| Pyrene | ND | 67 | 17 | ug/kg | |
| Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| Nitrobenzene-d5 | 89% | | 40-10 |)5% | |
| 2-Fluorobiphenyl | 96% | | 43-10 | 07% | |
| Terphenyl-d14 | 93% | | 45-1 | 19% | |
| | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluoranthene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene 2-Methylnaphthalene Naphthalene Phenanthrene Pyrene Surrogate Recoveries Nitrobenzene-d5 2-Fluorobiphenyl | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(a)pyrene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene Benzo(k)fluoranthene Benzo(k)fluoranthene ND Chrysene ND Dibenzo(a,h)anthracene Fluoranthene ND Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene ND Naphthalene ND Naphthalene ND Naphthalene ND Pyrene Surrogate Recoveries Run# 1 Nitrobenzene-d5 2-Fluorobiphenyl | Acenaphthene ND 67 Acenaphthylene ND 67 Anthracene ND 67 Benzo(a)anthracene ND 13 Benzo(a)pyrene ND 13 Benzo(b)fluoranthene ND 13 Benzo(g,h,i)perylene ND 13 Benzo(k)fluoranthene ND 13 Chrysene ND 13 Dibenzo(a,h)anthracene ND 67 Fluoranthene ND 67 Indeno(1,2,3-cd)pyrene ND 67 Indeno(1,2,3-cd)pyrene ND 67 I-Methylnaphthalene ND 67 Naphthalene ND 67 Naphthalene ND 67 Pyrene ND 67 Surrogate Recoveries Run# 1 Run# 2 Nitrobenzene-d5 89% 2-Fluorobiphenyl 96% | Acenaphthene ND 67 27 Acenaphthylene ND 67 27 Anthracene ND 67 17 Benzo(a)anthracene ND 13 3.4 Benzo(a)pyrene ND 13 3.4 Benzo(b)fluoranthene ND 13 3.4 Benzo(g,h,i)perylene ND 13 3.4 Benzo(k)fluoranthene ND 13 3.4 Chrysene ND 13 3.4 Chrysene ND 13 3.4 Dibenzo(a,h)anthracene ND 67 17 Fluoranthene ND 67 17 Fluorene ND 67 27 Indeno(1,2,3-cd)pyrene ND 67 27 Indeno(1,2,3-cd)pyrene ND 67 27 Naphthalene ND 67 27 Naphthalene ND 67 27 ND 67 17 Surrogate Recoveries <t< td=""><td>Acenaphthene ND 67 27 ug/kg Acenaphthylene ND 67 27 ug/kg Anthracene ND 67 17 ug/kg Benzo(a)anthracene ND 13 3.4 ug/kg Benzo(a)pyrene ND 13 3.4 ug/kg Benzo(b)fluoranthene ND 13 3.4 ug/kg Benzo(g,h,i)perylene ND 13 3.4 ug/kg Benzo(k)fluoranthene ND 13 3.4 ug/kg Chrysene ND 13 3.4 ug/kg Dibenzo(a,h)anthracene ND 13 3.4 ug/kg Fluoranthene ND 67 17 ug/kg Fluorene ND 67 27 ug/kg Indeno(1,2,3-cd)pyrene ND 13 3.4 ug/kg I-Methylnaphthalene ND 67 27 ug/kg Naphthalene ND 67 27 ug/kg <t< td=""></t<></td></t<> | Acenaphthene ND 67 27 ug/kg Acenaphthylene ND 67 27 ug/kg Anthracene ND 67 17 ug/kg Benzo(a)anthracene ND 13 3.4 ug/kg Benzo(a)pyrene ND 13 3.4 ug/kg Benzo(b)fluoranthene ND 13 3.4 ug/kg Benzo(g,h,i)perylene ND 13 3.4 ug/kg Benzo(k)fluoranthene ND 13 3.4 ug/kg Chrysene ND 13 3.4 ug/kg Dibenzo(a,h)anthracene ND 13 3.4 ug/kg Fluoranthene ND 67 17 ug/kg Fluorene ND 67 27 ug/kg Indeno(1,2,3-cd)pyrene ND 13 3.4 ug/kg I-Methylnaphthalene ND 67 27 ug/kg Naphthalene ND 67 27 ug/kg <t< td=""></t<> |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E2-7

Lab Sample ID: C47015-10 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed By **Prep Batch** Run #1 a UV075801.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 4.58 g 5.0 ml 100 ul

Run #2

CAS No. **MDL** Units Q Compound Result RLTPH-GRO (C6-C10) ND 5.5 2.7 mg/kg CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

460-00-4 56-149% 4-Bromofluorobenzene 94% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E2-7

 Lab Sample ID:
 C47015-10
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a TT379291.D 1 09/13/16 AFL 09/10/16 F:OP61815 F:GTT1859

Run #2

Initial Weight Final Volume

Run #1 15.0 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|---------|------|-------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 126% b | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 88% | 50-133% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Outside control limits. However, Sample was ND.

Report of Analysis Page 1 of 1

Client Sample ID: E2-7

Lab Sample ID: C47015-10 Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By F:GST3293 ST138366.D 09/13/16 AFL 09/10/16 F:OP61816

Run #1 a Run #2

Final Volume Initial Weight Run #1 15.0 g 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------------------|----------------------------|--|--|---|
| 12674-11-2 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 | ND ND ND ND ND ND | 17 17 17 17 17 | 6.7 8.5 8.3 6.7 6.7 8.0 | ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 90% 95% | | 44-12 41-14 | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: E2-7

 Lab Sample ID:
 C47015-10
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a JR002597.D 1 09/13/16 AFL 09/09/16 F:OP61813 F:GJR96

Run #2

Run #1 19.5 g 1.0 ml
Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.1 5.1 | 2.6 2.6 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 84-15-1 | o-Terphenyl | 84% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E2-7

Lab Sample ID: C47015-10 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.6 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 3.0 | 2.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 128 | 46 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.92 | 0.92 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 67.7 | 2.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 16.1 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 35.0 | 5.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 7.6 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.093 | 0.039 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 90.8 | 9.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 4.6 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 2.3 | 2.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.3 | 2.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 44.5 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 56.5 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398 (2) Instrument QC Batch: F:MA13399 (3) Prep QC Batch: F:MP30813 (4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E3-1

Lab Sample ID: C47015-11 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a F:VF2731 F0079478.D 09/10/16 AFL n/a n/a Run #2

Final Volume Initial Weight

Run #1 4.60 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 54 | 11 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.4 | 1.4 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.4 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.4 | 1.2 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.4 | 1.1 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 27 | 9.9 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.4 | 1.9 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.4 | 2.2 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.4 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.4 | 1.1 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.4 | 1.1 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.4 | 1.1 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.4 | 2.4 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.4 | 2.7 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.4 | 1.8 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.4 | 1.1 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.4 | 1.3 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.4 | 1.7 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.4 | 1.7 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.4 | 1.1 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.4 | 1.1 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.4 | 1.4 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E3-1 Lab Sample ID: C470

Lab Sample ID: C47015-11 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 Date Received: 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL MDL Unit | | | Q |
|------------|-----------------------------|--------|-------------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.4 | 2.1 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.4 | 1.1 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.4 | 1.3 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.4 | 1.2 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.4 | 1.4 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.4 | 2.4 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 27 | 9.5 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.4 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.4 | 1.1 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.4 | 2.8 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.4 | 2.6 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.4 | 2.0 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 11 | 4.3 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 27 | 12 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.4 | 1.2 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.4 | 2.2 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.4 | 1.3 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.4 | 1.1 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.4 | 1.5 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 54 | 15 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.4 | 1.2 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.4 | 2.4 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.4 | 1.4 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.4 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.4 | 2.2 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.4 | 1.6 | ug/kg | |
| 71-55-6 | 1, 1, 1-Trichloroethane | ND | 5.4 | 1.1 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.4 | 2.0 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.4 | 1.3 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.4 | 2.0 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.4 | 1.8 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.4 | 1.8 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 16 | 3.1 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 117% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 126% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E3-1

 Lab Sample ID:
 C47015-11

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

Project:

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 92% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 96% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E3-1 Lab Sample ID:

Date Sampled: 09/06/16 C47015-11 Matrix: **Date Received:** 09/08/16 SO - Soil

Method: SW846 8270D SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a X048982.D 09/12/16 AFL 09/09/16 F:OP61812 F:SX2120

Run #2

Final Volume Initial Weight

Run #1 30.5 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 820 | 160 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 160 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 160 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 160 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 160 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 820 | 160 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 160 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 160 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 160 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 820 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 820 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 160 | 19 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 160 | 17 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 160 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 160 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1600 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 160 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 160 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 160 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 160 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 160 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 160 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 160 | 29 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 160 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 160 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 160 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 160 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 160 | 16 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 160 | 18 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 160 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 160 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E3-1

Lab Sample ID: C47015-11
Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|---------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 160 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 160 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 160 | 16 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 160 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 160 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 160 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 160 | 18 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 160 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 160 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 160 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 160 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 160 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 160 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 160 | 31 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 160 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Li | mits | |
| 367-12-4 | 2-Fluorophenol | 73% | | 40 | -102% | |
| 4165-62-2 | Phenol-d5 | 79% | | 41 | -100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 69% | | 42 | -108% | |
| 4165-60-0 | Nitrobenzene-d5 | 70% | | 40 | -105% | |
| 321-60-8 | 2-Fluorobiphenyl | 75% | | 43 | -107% | |
| 1718-51-0 | Terphenyl-d14 | 88% | 45-119% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Client Sample ID: E3-1 Lab Sample ID: C470

Lab Sample ID: C47015-11 **Matrix:** SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Toront points.

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a W094932.D 1 09/13/16 AFL 09/10/16 F:OP61814 F:SW4253

Run #2

Initial Weight Final Volume

Run #1 15.4 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|-------------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 65 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 65 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 65 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.2 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.2 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.2 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.2 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.2 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 65 16 ug/ | | | |
| 86-73-7 | Fluorene | ND | 65 26 ug/kg | | | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.2 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 65 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 65 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 65 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 4165-60-0 | Nitrobenzene-d5 | 73% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 65% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 74% | 45-119% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E3-1

Lab Sample ID: C47015-11 Matrix: SO - Soil **Method:** SW846 8015C

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

DF **Prep Date Analytical Batch** File ID Analyzed By **Prep Batch** Run #1 a UV075802.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

Project:

Final Volume Initial Weight Methanol Aliquot Run #1 4.52 g 5.0 ml 100 ul

Run #2

CAS No. Compound **MDL** Units Q Result RL

> TPH-GRO (C6-C10) ND 5.5 2.8 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

460-00-4 94% 56-149% 4-Bromofluorobenzene 98-08-8 aaa-Trifluorotoluene 94% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Client Sample ID: E3-1

Lab Sample ID: C47015-11 Matrix: SO - Soil

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| Date Sampled: | 09/06/16 |
|----------------|----------|
| Date Received: | 09/08/16 |
| Percent Solids | n/a |

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|-------------------|-------------------------|
| Run #1 a | TT379329.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61815 | F:GTT1860 |
| Run #2 a | TT379323.D | 10 | 09/13/16 | AFL | 09/10/16 | F:OP61815 | F:GTT1860 |

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 15.1 g | 5.0 ml |
| Run #2 | 15.1 g | 5.0 ml |

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|-------------------|--------|------|---------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.50 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.48 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.6 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.62 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.53 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.48 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.61 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.56 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND b | 33 | 8.5 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 83 | _ | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | Limits | |
| 877-09-8 | Tetrachloro-m-xylene | 127% ^c | 121% | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 68% | 84% | 50-1 | 50-133% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Result is from Run# 2

⁽c) Outside control limits. However, Sample was ND.

Page 1 of 1

Client Sample ID: E3-1

Lab Sample ID: C47015-11 Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------------------------|------------|----|----------|-----|-----------|------------|------------------|
| Run #1 ^a Run #2 | ST138367.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61816 | F:GST3293 |

| | Initial Weight | Final Volume |
|--------|-----------------------|--------------|
| Run #1 | 15.1 g | 5.0 ml |
| Run #2 | C | |

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------------|----------------------------|--|---|---|
| 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 | ND ND ND ND ND | 17 17 17 17 17 | 6.6 8.4 8.3 6.6 6.6 7.9 | ug/kg ug/kg ug/kg ug/kg ug/kg | |
| 11096-82-5 CAS No. | Aroclor 1260 Surrogate Recoveries | ND Run# 1 | 17 Run# 2 | 6.6 Limi | ug/kg ts | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 88% 96% | | 44-12 41-14 | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: E3-1

Lab Sample ID: C47015-11 Matrix: SO - Soil

Method: SW846 8015C SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

pate Prep Batch Analytical Batch

 File ID
 DF
 Analyzed
 By
 Prep Date
 Prep Batch
 Analytical

 Run #1 a
 JR002598.D
 1
 09/13/16
 AFL
 09/09/16
 F:OP61813
 F:GJR96

Run #2

Initial Weight Final Volume
Run #1 19.9 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND 6.52 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 64% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Client Sample ID: E3-1

 Lab Sample ID:
 C47015-11
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.5 | 3.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 3.2 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 152 | 35 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.88 | 0.88 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.70 | 0.70 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 62.0 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 14.2 | 8.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 29.6 | 4.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 8.1 | 3.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.042 | 0.038 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 8.8 | 8.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 70.9 | 7.0 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.5 | 3.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.8 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.8 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 47.2 | 8.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 55.2 | 3.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Page 1 of 3

Client Sample ID: E3-2

 Lab Sample ID:
 C47015-12
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079479.D 1 09/10/16 AFL n/a n/a F:VF2731

Run #2

Initial Weight Final Volume

Run #1 4.84 g 5.0 ml

Run #2

CACAT

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | 95.1 | 52 | 11 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.2 | 1.3 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.2 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.2 | 1.1 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.2 | 1.0 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.2 | 1.0 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | 15.1 | 26 | 9.4 | ug/kg | J |
| 104-51-8 | n-Butylbenzene | ND | 5.2 | 1.0 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.2 | 1.0 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.2 | 1.0 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.2 | 1.8 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.2 | 1.0 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.2 | 2.1 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.2 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.2 | 1.0 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.2 | 1.0 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.2 | 1.0 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.2 | 2.3 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.2 | 1.0 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.2 | 2.6 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.2 | 1.0 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.2 | 1.0 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.2 | 1.1 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.2 | 1.7 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.2 | 1.0 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.2 | 1.0 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.2 | 1.2 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.2 | 1.6 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.2 | 1.6 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.2 | 1.0 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.2 | 1.0 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.2 | 1.3 | ug/kg | |

ND = Not detected MD

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 2 of 3

Client Sample ID: E3-2 Lab Sample ID: C47015-12 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|------------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.2 | 2.0 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.2 | 1.0 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.2 | 1.2 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.2 | 1.1 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.2 | 1.3 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.2 | 2.3 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 26 | 9.0 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.2 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.2 | 1.0 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.2 | 2.7 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.2 | 2.5 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.2 | 1.9 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 10 | 4.1 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 26 | 11 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.2 | 1.1 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.2 | 2.1 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.2 | 1.3 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.2 | 1.0 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.2 | 1.4 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 52 | 14 | ug/kg | |
| 630-20-6 | 1, 1, 1, 2-Tetrachloroethane | ND | 5.2 | 1.2 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.2 | 2.3 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.2 | 1.4 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.2 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.2 | 2.0 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.2 | 1.5 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.2 | 1.0 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.2 | 1.9 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.2 | 1.2 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.2 | 1.9 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.2 | 1.7 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.2 | 1.0 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.2 | 1.0 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.2 | 1.7 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 15 | 2.9 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 113% | | 75-12 | | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 124% | | 72-13 | 35% | |


ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank





Analysis Page 3 of 3

Client Sample ID: E3-2

 Lab Sample ID:
 C47015-12
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 92% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 94% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



By

AFL

Page 1 of 2

Client Sample ID: E3-2

Lab Sample ID: C47015-12 **Matrix:** SO - Soil

File ID

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/12/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Prep DatePrep BatchAnalytical Batch09/09/16F:OP61812F:SX2120

Run #1 ^a Run #2

Initial Weight Final Volume

Run #1 30.0 g 1.0 ml

X048983.D

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 2

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E3-2 Lab Sample ID: C470

Lab Sample ID: C47015-12 **Matrix:** SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|--------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | Limits | |
| 367-12-4 | 2-Fluorophenol | 62% | | 40-10 | 02% | |
| 4165-62-2 | Phenol-d5 | 69% | | 41-10 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 60% | | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 62% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 57% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 75% | | 45-1 | 19% | |
| | | | | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Page 1 of 1

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E3-2 Lab Sample ID: C47015-12

Matrix: SO - Soil Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:SW4253 W094933.D 09/13/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight

Run #1 14.9 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 67 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 67 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 67 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.4 | ug/kg | |
| | Benzo(a)pyrene | ND | 13 | 3.4 | ug/kg | |
| | Benzo(b)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.4 | ug/kg | |
| | Benzo(k)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.4 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.4 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 67 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 67 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.4 | ug/kg | |
| | 1-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 67 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 67 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 67 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 91% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 81% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 84% | | 45-11 | 9% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E3-2

Lab Sample ID: C47015-12 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed By **Prep Batch** Run #1 a UV075806.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

CAS No.

Final Volume Initial Weight Methanol Aliquot Run #1 4.96 g 5.0 ml 100 ul Run #2

Run# 2

Limits

CAS No. **MDL** Units Q Compound Result RLTPH-GRO (C6-C10) ND 5.0 2.5 mg/kg

Run#1

Surrogate Recoveries 460-00-4 92% 56-149% 4-Bromofluorobenzene 98-08-8 aaa-Trifluorotoluene 94% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Client Sample ID: E3-2

Lab Sample ID: C47015-12 **Matrix:** SO - Soil

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

 Date Sampled:
 09/06/16

 Date Received:
 09/08/16

 Percent Solids:
 n/a

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|------------------|-------------------|-------------------------|
| Run #1 a | TT379293.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61815 | F:GTT1859 |
| Run #2 b | TT379324.D | 2 | 09/13/16 | AFL | 09/10/16 | F:OP61815 | F:GTT1860 |

| | Initial Weight | Final Volume |
|--------|-----------------------|--------------|
| Run #1 | 15.0 g | 5.0 ml |
| Run #2 | 15.4 g | 5.0 ml |

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|-------------------|--------|------|-------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin | 2.5 ^c | 3.2 | 1.2 | ug/kg | J |
| 72-54-8 | 4,4'-DDD | 1.7 ^c | 6.5 | 1.1 | ug/kg | J |
| 72-55-9 | 4,4'-DDE | 20.8 ^c | 6.5 | 1.0 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 122% | 111% | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 78% | 82% | 50-1 | 33% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) All hits confirmed by dual column analysis. Dilution required due to matrix interference. Analysis performed at SGS Accutest, Orlando FL.

⁽c) Result is from Run# 2

Page 1 of 1

Client Sample ID: E3-2

Lab Sample ID: C47015-12 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8082A SW846 3546 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:GST3293 ST138368.D 09/13/16 AFL 09/10/16 F:OP61816

Run #2

Final Volume Initial Weight Run #1 15.4 g 5.0 ml Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--------------------------|------------------------------|----------|----------|------------|----------------|---|
| 12674-11-2 | | ND | 16 | 6.5 | ug/kg | |
| 11104-28-2 11141-16-5 | Aroclor 1221 Aroclor 1232 | ND ND | 16 16 | 8.3 8.1 | ug/kg ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.5 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.5 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 16 | 7.8 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.5 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 89% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 99% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: E3-2

 Lab Sample ID:
 C47015-12
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|-------------------|-------------------------|
| Run #1 a | JR002603.D | 1 | 09/13/16 | AFL | 09/09/16 | F:OP61813 | F:GJR96 |

Run #2

Run #1 20.5 g 1.0 ml
Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|--------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | 4.60 6.48 | 4.9 4.9 | 2.4 2.4 | mg/kg mg/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 84-15-1 | o-Terphenyl | 70% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Page 1 of 1

Report of Analysis

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

C47015-12

SO - Soil

Metals Analysis

Lab Sample ID:

Matrix:

Client Sample ID: E3-2

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.1 | 4.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic ^a | 2.7 | 2.1 | mg/kg | 5 | | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 143 | 41 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 1.0 | 1.0 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.83 | 0.83 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium ^a | 65.1 | 2.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 15.2 | 10 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper ^a | 30.9 | 5.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 9.1 | 4.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.042 | 0.039 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 10 | 10 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 77.5 | 8.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 4.1 | 4.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver ^a | < 2.1 | 2.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.1 | 2.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 50.0 | 10 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 52.0 | 4.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E3-4 Lab Sample ID: C47015-13 Matrix: SO - Soil

Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a C0117995.D 1 09/12/16 AFL n/a n/a F:VC4681

Run #2

Initial Weight Final Volume

Run #1 4.58 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | 104 | 55 | 11 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.5 | 1.4 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.5 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.5 | 1.2 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.5 | 1.1 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.5 | 1.1 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | 16.3 | 27 | 9.9 | ug/kg | J |
| 104-51-8 | n-Butylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.5 | 1.9 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.5 | 1.1 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.5 | 2.2 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.5 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.5 | 1.1 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.5 | 1.1 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.5 | 1.1 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.5 | 2.4 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.5 | 1.1 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.5 | 2.7 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.5 | 1.1 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.5 | 1.1 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.5 | 1.1 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.5 | 1.8 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.5 | 1.1 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.5 | 1.1 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.5 | 1.3 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.5 | 1.7 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.5 | 1.7 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.5 | 1.1 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.5 | 1.1 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.5 | 1.4 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E3-4 Lab Sample ID: C47015-13

Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|---------|------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.5 | 2.1 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.5 | 1.1 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.5 | 1.3 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.5 | 1.2 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.5 | 1.4 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.5 | 2.4 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 27 | 9.5 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.5 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.5 | 1.1 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.5 | 2.8 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.5 | 2.6 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.5 | 2.0 | ug/kg | |
| 75-09-2 | Methylene Chloride | ND | 11 | 4.4 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 27 | 12 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.5 | 1.2 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.5 | 2.2 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.5 | 1.4 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.5 | 1.1 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.5 | 1.5 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 55 | 15 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.5 | 1.2 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.5 | 2.4 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.5 | 1.4 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.5 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.5 | 2.2 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.5 | 1.6 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.5 | 1.1 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.5 | 2.0 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.5 | 1.3 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.5 | 2.0 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.5 | 1.8 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.5 | 1.8 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 16 | 3.1 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 107% | 75-124% | | | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 105% | 72-135% | | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

 Client Sample ID:
 E3-4

 Lab Sample ID:
 C47015-13

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

 Date Sampled:
 09/06/16

 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 97% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 102% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E3-4 Lab Sample ID: C47015-13

Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By F:SX2120 Run #1 a X048984.D 1 09/12/16 AFL 09/09/16 F:OP61812

Run #2

Final Volume Initial Weight

Run #1 30.1 g 1.0 ml

Run #2

CACAT

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E3-4 Lab Sample ID: C47015-13

 Matrix:
 SO - Soil

 Method:
 SW846 8270D
 SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MD | L Units | Q |
|-----------|-----------------------------|--------|---------|----|---------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | 1 | Limits | |
| 367-12-4 | 2-Fluorophenol | 67% | | 4 | 40-102% | |
| 4165-62-2 | Phenol-d5 | 72% | | 4 | 41-100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 65% | | 4 | 12-108% | |
| 4165-60-0 | Nitrobenzene-d5 | 66% | | 4 | 40-105% | |
| 321-60-8 | 2-Fluorobiphenyl | 60% | | 4 | 43-107% | |
| 1718-51-0 | Terphenyl-d14 | 78% | 45-119% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Page 1 of 1

Report of Analysis

Client Sample ID: E3-4 Lab Sample ID: C47015-13

Matrix: SO - Soil

Method: **Project:** Vallco Mall, Wolfe Rd, Cupertino CA

SW846 8270D BY SIM SW846 3546

Date Received: 09/08/16 Percent Solids: n/a

Date Sampled: 09/06/16

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** $\mathbf{B}\mathbf{y}$ Run #1 a F:SW4253 W094934.D 09/13/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight

Run #1 14.5 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL MDL Ur | | Units | Q |
|-----------|-----------------------------|--------|---------------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 69 | 28 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 69 | 28 | ug/kg | |
| 120-12-7 | Anthracene | ND | 69 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 14 | 3.4 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 14 | 3.4 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 14 | 3.4 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 218-01-9 | Chrysene | ND | 14 | 3.4 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 14 | 3.4 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 69 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 69 | 28 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 14 | 3.4 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 69 | 28 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 69 | 28 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 69 | 28 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 69 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 69 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | its | |
| 4165-60-0 | Nitrobenzene-d5 | 89% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 78% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 98% | 45-119% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E3-4

 Lab Sample ID:
 C47015-13

 Matrix:
 SO - Soil

 Method:
 SW846 8015C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

Run #2

Run #1 4.61 g 5.0 ml Methanol Aliquot

Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 5.4 2.7 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 93%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 93%
 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

SGS

Page 1 of 1

Report of Analysis

Client Sample ID: E3-4 Lab Sample ID: C47015-13

SO - Soil Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed $\mathbf{B}\mathbf{y}$ Run #1 a F:GTT1859 TT379294.D 09/13/16 AFL 09/10/16 F:OP61815

Run #2

Matrix:

Final Volume Initial Weight

Run #1 14.9 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|---------------|-------|-------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.52 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.4 | 0.58 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.4 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.4 | 0.66 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.4 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.4 | 0.63 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.4 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.59 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.4 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 84 | 34 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | ts | |
| 877-09-8 | Tetrachloro-m-xylene | 109% | | 50-12 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 78% | 50-133% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E3-4

Lab Sample ID: C47015-13 Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|-----------|------------|------------------|
| Run #1 a | ST138369.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61816 | F:GST3293 |
| Run #2 | | | | | | | |

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 14.9 g | 5.0 ml |
| Run #2 | | |

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--------------------------|------------------------------|----------|----------|------------|----------------|---|
| 12674-11-2 11104-28-2 | Aroclor 1016 Aroclor 1221 | ND ND | 17 17 | 6.7 8.6 | ug/kg ug/kg | |
| 11141-16-5 53469-21-9 | Aroclor 1232 Aroclor 1242 | ND ND | 17 17 | 8.4 6.7 | ug/kg ug/kg | |
| 12672-29-6 11097-69-1 | Aroclor 1248 Aroclor 1254 | ND ND | 17 17 | 6.7 8.0 | ug/kg | |
| 11097-69-1 | Aroclor 1260 | ND ND | 17 | 6.7 | ug/kg ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits | | |
| 877-09-8 | Tetrachloro-m-xylene | 89% | | 44-12 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 96% | 41-145% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E3-4

Lab Sample ID: **Date Sampled:** 09/06/16 C47015-13 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8015C SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** $\mathbf{B}\mathbf{y}$ Run #1 a F:GJR96 JR002604.D 09/13/16 AFL 09/09/16 F:OP61813

Report of Analysis

Run #2

Final Volume Initial Weight Run #1 20.5 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND 2.40 | 4.9 4.9 | 2.4 2.4 | mg/kg mg/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | Limits | |
| 84-15-1 | o-Terphenyl | 67% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: E3-4 Lab Sample ID:

C47015-13 Matrix: SO - Soil

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.4 | 3.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 3.2 | 1.7 | mg/kg | | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 147 | 34 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.86 | 0.86 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.69 | 0.69 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 66.1 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 15.5 | 8.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 30.6 | 4.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 7.4 | 3.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.10 | 0.038 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 8.6 | 8.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 78.2 | 6.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.4 | 3.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.7 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.7 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 54.7 | 8.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 47.0 | 3.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398 (2) Instrument QC Batch: F:MA13399 (3) Prep QC Batch: F:MP30813 (4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Lab Sample ID:

Client Sample ID: E3-6

Page 1 of 3

Report of Analysis

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

C47015-14

SO - Soil

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a C0117996.D 1 09/12/16 AFL n/a n/a F: VC4681

Run #2

Matrix:

Initial Weight Final Volume

Run #1 5.28 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 47 | 9.7 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.7 | 1.2 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.7 | 1.2 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.7 | 1.1 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.7 | 0.95 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.7 | 0.95 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 24 | 8.6 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.7 | 0.95 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.7 | 0.95 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.7 | 0.95 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.7 | 1.7 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.7 | 0.95 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.7 | 1.9 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.7 | 1.2 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.7 | 0.95 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.7 | 0.95 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.7 | 0.95 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.7 | 2.1 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.7 | 0.95 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.7 | 2.3 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.7 | 0.95 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.7 | 0.95 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.7 | 0.97 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.7 | 1.6 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.7 | 0.95 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.7 | 0.95 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.7 | 1.1 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.7 | 1.4 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.7 | 1.5 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.7 | 0.95 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.7 | 0.95 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.7 | 1.2 | ug/kg | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Date Sampled: 09/06/16 **Date Received:** 09/08/16

Method: SW846 8260B Percent Solids: n/a

Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

Lab Sample ID:

Matrix:

Project:

Client Sample ID: E3-6

C47015-14

SO - Soil

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.7 | 1.8 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.7 | 0.95 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.7 | 1.1 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.7 | 1.0 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.7 | 1.2 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.7 | 2.1 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 24 | 8.3 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.7 | 1.3 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.7 | 0.95 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.7 | 2.4 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.7 | 2.3 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.7 | 1.7 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 11.3 | 9.5 | 3.8 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 24 | 10 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.7 | 1.1 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.7 | 1.9 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.7 | 1.2 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.7 | 0.95 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.7 | 1.3 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 47 | 13 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.7 | 1.1 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.7 | 2.1 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.7 | 1.2 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.7 | 1.1 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.7 | 1.9 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.7 | 1.4 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.7 | 0.95 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.7 | 1.7 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.7 | 1.1 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.7 | 1.8 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.7 | 1.5 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.7 | 0.95 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.7 | 0.95 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.7 | 1.6 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 14 | 2.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 105% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 103% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 2 of 3

Page 3 of 3

Report of Analysis

 Client Sample ID:
 E3-6

 Lab Sample ID:
 C47015-14
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 94% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 97% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 2

Client Sample ID: E3-6

Lab Sample ID: C47015-14 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil

Method: SW846 8270D SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed $\mathbf{B}\mathbf{y}$ Run #1 a X048985.D 1 09/12/16 AFL 09/09/16 F:OP61812 F:SX2120

Run #2

Final Volume Initial Weight

Run #1 29.7 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 840 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 24 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 21 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 840 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 340 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 40 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 840 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 840 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 34 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 340 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 20 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 34 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 20 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 24 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 26 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 19 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Lab Sample ID:

Matrix:

Page 2 of 2

Report of Analysis

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Method:SW846 8270DSW846 3550CPercent Solids:n/aProject:Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

Client Sample ID: E3-6

C47015-14

SO - Soil

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 340 | 34 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 34 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 34 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 340 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 340 | 34 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 34 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 20 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 41 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 340 | 34 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lin | nits | |
| 367-12-4 | 2-Fluorophenol | 64% | | 40- | 102% | |
| 4165-62-2 | Phenol-d5 | 67% | | 41- | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 54% | | 42- | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 55% | | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 60% | | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 75% | | 45- | 119% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Page 1 of 1

Report of Analysis

Client Sample ID: E3-6 Lab Sample ID: C47015-14 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Method: SW846 8270D BY SIM SW846 3546 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** $\mathbf{B}\mathbf{y}$ Run #1 a F:SW4253 W094935.D 09/13/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight Run #1 15.0 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 67 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 67 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 67 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 67 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 67 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 67 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 67 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 67 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 85% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 97% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 91% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E3-6

Lab Sample ID: C47015-14 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed $\mathbf{B}\mathbf{y}$ **Prep Batch** Run #1 a UV075777.D 09/12/16 AFL F:GUV4034 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot 5.15 g Run #1 5.0 ml 100 ul Run #2

CAS No. **MDL** Units Q Compound Result RLTPH-GRO (C6-C10) ND 4.9 2.4 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 460-00-4 56-149% 4-Bromofluorobenzene 94% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected RL = Reporting Limit

MDL = Method Detection Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Page 1 of 1

Client Sample ID: E3-6

 Lab Sample ID:
 C47015-14
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a TT379295.D 1 09/13/16 AFL 09/10/16 F:OP61815 F:GTT1859

Run #2

Initial Weight Final Volume

Run #1 15.4 g 5.0 ml

Run #2

Pesticide PPL List

| Compound | Result | RL | MDL | Units | Q |
|----------------------|--|--|--|---|--------|
| Aldrin | ND | 1.6 | 0.49 | ug/kg | |
| alpha-BHC | ND | 1.6 | 0.50 | ug/kg | |
| beta-BHC | ND | 1.6 | 0.50 | ug/kg | |
| delta-BHC | ND | 1.6 | 0.47 | ug/kg | |
| gamma-BHC (Lindane) | ND | 1.6 | 0.50 | ug/kg | |
| Chlordane | ND | 16 | 6.5 | ug/kg | |
| Dieldrin | ND | 1.6 | 0.61 | ug/kg | |
| 4,4'-DDD | ND | 3.2 | 0.56 | ug/kg | |
| 4,4'-DDE | ND | 3.2 | 0.52 | ug/kg | |
| 4,4'-DDT | ND | 3.2 | 0.64 | ug/kg | |
| Endrin | ND | 3.2 | 0.60 | ug/kg | |
| Endosulfan sulfate | ND | 3.2 | 0.61 | ug/kg | |
| Endrin aldehyde | ND | 3.2 | 0.60 | ug/kg | |
| Endosulfan-I | ND | 1.6 | 0.47 | ug/kg | |
| Endosulfan-II | ND | 1.6 | 0.60 | ug/kg | |
| Heptachlor | ND | 1.6 | 0.55 | ug/kg | |
| Heptachlor epoxide | ND | 1.6 | 0.57 | ug/kg | |
| Methoxychlor | ND | 3.2 | 0.83 | ug/kg | |
| Toxaphene | ND | 81 | 32 | ug/kg | |
| Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| Tetrachloro-m-xylene | 99% | | 50-12 | 22% | |
| Decachlorobiphenyl | 75% | | 50-13 | 33% | |
| | Aldrin alpha-BHC beta-BHC delta-BHC gamma-BHC (Lindane) Chlordane Dieldrin 4,4'-DDD 4,4'-DDT Endrin Endosulfan sulfate Endrin aldehyde Endosulfan-I Endosulfan-II Heptachlor Heptachlor epoxide Methoxychlor Toxaphene Surrogate Recoveries Tetrachloro-m-xylene | Aldrin alpha-BHC beta-BHC delta-BHC gamma-BHC (Lindane) Chlordane Dieldrin 4,4'-DDD A,4'-DDE A,4'-DDT Endrin Endosulfan sulfate Endosulfan-I Endosulfan-II Heptachlor Heptachlor Toxaphene ND | Aldrin alpha-BHC ND 1.6 beta-BHC delta-BHC gamma-BHC (Lindane) ND 1.6 Chlordane Dieldrin ND 1.6 Dieldrin ND 1.6 4,4'-DDD ND 3.2 4,4'-DDT ND 3.2 Endrin ND 3.2 Endrin aldehyde ND 3.2 Endosulfan sulfate ND 3.2 Endosulfan-I ND 1.6 Endosulfan-II ND 1.6 Heptachlor ND 1.6 Methoxychlor ND 3.2 Toxaphene ND 81 Surrogate Recoveries Run# 1 Run# 2 | Aldrin alpha-BHC ND 1.6 0.50 beta-BHC ND 1.6 0.50 delta-BHC ND 1.6 0.50 delta-BHC ND 1.6 0.50 Chlordane ND 1.6 0.50 Chlordane ND 1.6 0.50 Chlordane ND 1.6 0.61 4,4'-DDD ND 3.2 0.56 4,4'-DDE ND 3.2 0.52 4,4'-DDT ND 3.2 0.64 Endrin ND 3.2 0.60 Endosulfan sulfate ND 3.2 0.60 Endosulfan-I ND 1.6 0.47 Endron Heptachlor ND 1.6 0.65 ND 1.6 0.55 Heptachlor epoxide ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 0.57 ND 1.6 0.55 ND 1.6 | Aldrin |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E3-6

 Lab Sample ID:
 C47015-14
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

|] | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|-------------------|-------------------------|
| Run #1 a | ST138370.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61816 | F:GST3293 |

Run #2

Run #1 15.4 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|-------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 16 | 6.5 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 16 | 8.3 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 16 | 8.1 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.5 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.5 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 16 | 7.8 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.5 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 84% | | 44-12 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 88% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$



Page 1 of 1

Client Sample ID: E3-6

 Lab Sample ID:
 C47015-14
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a JR002605.D 1 09/13/16 AFL 09/09/16 F:OP61813 F:GJR96

Run #2

Initial Weight Final Volume
Run #1 19.7 g 1.0 ml
Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.1 5.1 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 86% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

SGS

Page 1 of 1

Report of Analysis

Client Sample ID: E3-6
Lab Sample ID: C47015-14
Matrix: SO - Soil

Date Received: 09/08/16 **Percent Solids:** n/a

Date Sampled: 09/06/16

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.8 | 3.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic ^a | 3.1 | 1.9 | mg/kg | 5 | | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 120 | 38 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.94 | 0.94 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.75 | 0.75 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 78.1 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 12.6 | 9.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper ^a | 27.7 | 4.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 6.9 | 3.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.062 | 0.038 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 9.4 | 9.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 65.5 | 7.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.8 | 3.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.9 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.9 | 1.9 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 66.7 | 9.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 47.7 | 3.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E4-1

 Lab Sample ID:
 C47015-15

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079482.D 1 09/10/16 AFL n/a n/a F:VF2731

Run #2

Initial Weight Final Volume

Run #1 4.69 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 53 | 11 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.3 | 1.3 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.3 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.3 | 1.2 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.3 | 1.1 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.3 | 1.1 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 27 | 9.7 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.3 | 1.9 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.3 | 1.1 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.3 | 2.1 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.3 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.3 | 1.1 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.3 | 1.1 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.3 | 1.1 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.3 | 2.4 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.3 | 1.1 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.3 | 2.6 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.3 | 1.1 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.3 | 1.1 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.3 | 1.1 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.3 | 1.8 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.3 | 1.1 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.3 | 1.1 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.3 | 1.3 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.3 | 1.6 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.3 | 1.7 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.3 | 1.1 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.3 | 1.1 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.3 | 1.4 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E4-1

 Lab Sample ID:
 C47015-15
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|---------------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.3 | 2.0 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.3 | 1.1 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.3 | 1.3 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.3 | 1.2 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.3 | 1.4 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.3 | 2.3 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 27 | 9.3 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.3 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.3 | 1.1 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.3 | 2.8 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.3 | 2.6 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.3 | 1.9 | ug/kg | |
| 75-09-2 | Methylene Chloride ^b | 10.4 | 11 | 4.3 | ug/kg | J |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 27 | 11 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.3 | 1.2 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.3 | 2.1 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.3 | 1.3 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.3 | 1.1 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.3 | 1.4 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 53 | 14 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.3 | 1.2 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.3 | 2.4 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.3 | 1.4 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.3 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.3 | 2.1 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.3 | 1.6 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.3 | 1.1 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.3 | 1.9 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.3 | 1.2 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.3 | 2.0 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.3 | 1.7 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.3 | 1.1 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.3 | 1.8 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 16 | 3.0 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 1868-53-7 | Dibromofluoromethane | 116% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 125% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E4-1

 Lab Sample ID:
 C47015-15
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 96% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 106% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$



 $\mathbf{B}\mathbf{y}$

AFL

09/09/16

Client Sample ID: E4-1

Lab Sample ID: C47015-15 Matrix: SO - Soil

File ID

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/12/16

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

F:OP61812

Prep Date Prep Batch Analytical Batch

F:SX2120

Run #1 a Run #2

> **Final Volume Initial Weight**

Run #1 29.9 g 1.0 ml

X048986.D

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 840 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 24 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 840 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 840 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 840 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 20 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 20 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 2

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E4-1

Lab Sample ID: C47015-15 **Matrix:** SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MD | L Units | Q |
|-----------|-----------------------------|--------|--------|----|---------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | I | Limits | |
| 367-12-4 | 2-Fluorophenol | 58% | | 4 | 10-102% | |
| 4165-62-2 | Phenol-d5 | 63% | | 4 | 11-100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 60% | | 4 | 12-108% | |
| 4165-60-0 | Nitrobenzene-d5 | 57% | | 4 | 10-105% | |
| 321-60-8 | 2-Fluorobiphenyl | 60% | | 4 | 13-107% | |
| 1718-51-0 | Terphenyl-d14 | 71% | | 4 | 15-119% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Page 1 of 1

Client Sample ID: E4-1

Lab Sample ID: C47015-15 Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** $\mathbf{B}\mathbf{y}$ F:SW4253 W094936.D 09/13/16 AFL 09/10/16 F:OP61814

Run #1 a Run #2

> **Final Volume Initial Weight**

Run #1 14.8 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 68 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 68 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 68 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 14 | 3.4 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 14 | 3.4 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 14 | 3.4 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 218-01-9 | Chrysene | ND | 14 | 3.4 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 14 | 3.4 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 68 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 68 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 14 | 3.4 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 68 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 68 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 68 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 85% | | 40-10 |)5% | |
| 321-60-8 | 2-Fluorobiphenyl | 81% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 74% | | 45-11 | 19% | |
| | | | | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E4-1

Lab Sample ID: C47015-15 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed $\mathbf{B}\mathbf{y}$ **Prep Batch** Run #1 a UV075778.D 09/12/16 AFL F:GUV4034 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 5.74 g 5.0 ml 100 ul Run #2

CAS No. **MDL** Units Q Compound Result RLTPH-GRO (C6-C10) ND 4.4 2.2 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 460-00-4 94% 56-149% 4-Bromofluorobenzene 98-08-8 aaa-Trifluorotoluene 94% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Date Sampled: 09/06/16

Date Received: 09/08/16

Client Sample ID: E4-1

Lab Sample ID: C47015-15

Matrix: SO - Soil

Method: SW846 8081B SW846 3546 **Percent Solids:** n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a TT379296.D 1 09/13/16 AFL 09/10/16 F:OP61815 F:GTT1859

Run #2

Initial Weight Final Volume

Run #1 15.2 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|---------|------|-------|---|
| 309-00-2 | Aldrin | ND | 1.6 | 0.50 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.6 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.6 | 0.50 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.6 | 0.48 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.6 | 0.50 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 16 | 6.6 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.6 | 0.62 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.53 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.64 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.61 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.61 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.6 | 0.48 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.6 | 0.61 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.6 | 0.56 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.6 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.85 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 82 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 | Tetrachloro-m-xylene | 108% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 74% | 50-133% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E4-1

 Lab Sample ID:
 C47015-15
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a ST138371.D 1 09/13/16 AFL 09/10/16 F:OP61816 F:GST3293

Run #2

Run #1 15.2 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 16 | 6.6 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 16 | 8.4 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 16 | 8.2 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.6 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.6 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 16 | 7.9 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.6 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 | Tetrachloro-m-xylene | 87% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 94% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E4-1

 Lab Sample ID:
 C47015-15
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a JR002606.D 1 09/13/16 AFL 09/09/16 F:OP61813 F:GJR96

Run #2

Run #1 20.4 g 1.0 ml
Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND 3.60 | 4.9 4.9 | 2.5 2.5 | mg/kg mg/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 84% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E4-1

Lab Sample ID: C47015-15 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.2 | 4.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 3.9 | 2.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 172 | 42 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.85 | 0.85 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 82.5 | 2.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 17.9 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 39.0 | 5.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 9.6 | 4.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.098 | 0.040 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 101 | 8.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 4.2 | 4.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 2.1 | 2.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.1 | 2.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 61.4 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 59.7 | 4.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398 (2) Instrument QC Batch: F:MA13399 (3) Prep QC Batch: F:MP30813 (4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E4-2

Lab Sample ID: C47015-16 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a F0079483.D 1 09/10/16 AFL n/a n/a F:VF2731

Run #2

Final Volume Initial Weight

Run #1 5.76 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 43 | 8.9 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.3 | 1.1 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.3 | 1.1 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.3 | 0.96 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.3 | 0.87 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.3 | 0.87 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 22 | 7.9 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.3 | 0.87 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.3 | 0.87 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.3 | 0.87 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.3 | 1.5 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.3 | 0.87 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.3 | 1.7 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.3 | 1.1 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.3 | 0.87 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.3 | 0.87 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.3 | 0.87 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.3 | 1.9 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.3 | 0.87 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.3 | 2.2 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.3 | 0.87 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.3 | 0.87 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.3 | 0.89 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.3 | 1.5 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.3 | 0.87 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.3 | 0.87 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.3 | 1.0 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.3 | 1.3 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.3 | 1.4 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.3 | 0.87 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.3 | 0.87 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.3 | 1.1 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E4-2

 Lab Sample ID:
 C47015-16

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 Date Received: 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|---------------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.3 | 1.6 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.3 | 0.87 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.3 | 1.0 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.3 | 0.95 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.3 | 1.1 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.3 | 1.9 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 22 | 7.6 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.3 | 1.2 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.3 | 0.87 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.3 | 2.2 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.3 | 2.1 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.3 | 1.6 | ug/kg | |
| 75-09-2 | Methylene Chloride ^b | 9.9 | 8.7 | 3.5 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 22 | 9.3 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.3 | 0.96 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.3 | 1.7 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.3 | 1.1 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.3 | 0.87 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.3 | 1.2 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 43 | 12 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.3 | 0.97 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.3 | 1.9 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.3 | 1.1 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.3 | 0.98 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.3 | 1.7 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.3 | 1.3 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.3 | 0.87 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.3 | 1.6 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.3 | 1.0 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.3 | 1.6 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.3 | 1.4 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.3 | 0.87 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.3 | 0.87 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.3 | 1.4 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 13 | 2.5 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 115% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 125% | | 72-13 | 35% | |

ND = Not detected MDI

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E4-2

 Lab Sample ID:
 C47015-16
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|-----------------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 92% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 97% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E4-2 Lab Sample ID: C47015-16

Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed $\mathbf{B}\mathbf{y}$ Run #1 a X049005.D 1 09/13/16 AFL 09/09/16 F:OP61812 F:SX2121

Run #2

Final Volume Initial Weight

Run #1 29.6 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 840 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 24 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 21 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 840 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 340 | 68 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 40 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 840 | 140 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 840 | 140 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 21 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 34 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 340 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 23 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 20 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 34 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 20 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 24 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 26 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 19 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E4-2 Lab Sample ID: C47015-16

 Matrix:
 SO - Soil

 Method:
 SW846 8270D
 SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 340 | 34 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 34 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 34 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 340 | 68 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 22 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 340 | 34 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 34 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 20 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 41 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 340 | 34 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 21 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 367-12-4 | 2-Fluorophenol | 49% | | 40-1 | 02% | |
| 4165-62-2 | Phenol-d5 | 54% | | 41-1 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 78% | | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 51% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 55% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 63% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Analytical Batch

F:SW4253

Report of Analysis

AFL

Prep Date

09/10/16

Client Sample ID: E4-2 Lab Sample ID: C47015-16

Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA Percent Solids: n/a

Date Sampled: 09/06/16

Date Received: 09/08/16

Prep Batch

F:OP61814

File ID DF Analyzed $\mathbf{B}\mathbf{y}$

1.0 ml

Final Volume Initial Weight

W094937.D

15.2 g

Run #1 Run #2

Run #1 a

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|---------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 66 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 66 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 66 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 66 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 66 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 66 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 66 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 66 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 4165-60-0 | Nitrobenzene-d5 | 84% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 89% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 82% | 45-119% | | | |

09/13/16

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E4-2

Lab Sample ID: C47015-16 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed $\mathbf{B}\mathbf{y}$ **Prep Batch** Run #1 a UV075779.D 09/12/16 AFL F:GUV4034 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 4.79 g 5.0 ml 100 ul

Run #2

CAS No. **MDL** Units Q Compound Result RLTPH-GRO (C6-C10) ND 5.2 2.6 mg/kg CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 460-00-4 92% 56-149% 4-Bromofluorobenzene 98-08-8 aaa-Trifluorotoluene 94% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit E = Indicates value exceeds calibration range

MDL = Method Detection Limit

J = Indicates an estimated value

Report of Analysis

Client Sample ID: E4-2

Lab Sample ID: C47015-16 **Matrix:** SO - Soil

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled:09/06/16Date Received:09/08/16Percent Solids:n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a TT379299.D 1 09/13/16 AFL 09/10/16 F:OP61815 F:GTT1859

Run #2

Initial Weight Final Volume

Run #1 14.9 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|-------|-------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.52 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.4 | 0.58 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.4 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.4 | 0.66 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.4 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.4 | 0.63 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.4 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.59 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.4 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 84 | 34 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 877-09-8 | Tetrachloro-m-xylene | 103% | | 50-12 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 76% | | 50-13 | 33% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E4-2

Lab Sample ID: C47015-16 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Method: SW846 8082A SW846 3546 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| File | ID : | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------------|---------|----|----------|-----|-----------|------------|------------------|
| Run #1 a ST1 | 38372.D | 1 | 09/13/16 | AFL | 09/10/16 | F:OP61816 | F:GST3293 |

Run #2

Final Volume Initial Weight Run #1 14.9 g 5.0 ml Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------------|----------------------------------|---|--|---|
| 12674-11-2 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 11096-82-5 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 Aroclor 1260 | ND ND ND ND ND ND ND ND ND | 17 17 17 17 17 17 | 6.7 8.6 8.4 6.7 6.7 8.0 6.7 | ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg | |
| CAS No. 877-09-8 | Surrogate Recoveries Tetrachloro-m-xylene | Run# 1 | Run# 2 | Limi 44-1 | | |
| 2051-24-3 | Decachlorobiphenyl | 88% | | 41-14 | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E4-2

Lab Sample ID: C47015-16 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8015C SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** $\mathbf{B}\mathbf{y}$ Run #1 a F:GJR99 JR002701.D 09/15/16 AFL 09/09/16 F:OP61813

Run #2

Final Volume Initial Weight Run #1 20.4 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 4.9 4.9 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 84-15-1 | o-Terphenyl | 77% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

J = Indicates an estimated value



Client Sample ID: E4-2

 Lab Sample ID:
 C47015-16
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.7 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 4.5 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 167 | 37 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.92 | 0.92 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.74 | 0.74 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 65.3 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 16.7 | 9.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 32.0 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 10.5 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.044 | 0.038 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 9.2 | 9.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 82.4 | 7.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.7 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.8 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.8 | 1.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 52.5 | 9.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 56.6 | 3.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Report of Analysis

Client Sample ID: E4-3

 Lab Sample ID:
 C47015-17
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ C0117997.D 1 09/12/16 AFL n/a n/a F:VC4681

Run #2

Initial Weight Final Volume

Run #1 4.86 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 51 | 10 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.1 | 1.3 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.1 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.1 | 1.1 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.1 | 1.0 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.1 | 1.0 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 26 | 9.3 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.1 | 1.8 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.1 | 1.0 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.1 | 2.1 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.1 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.1 | 1.0 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.1 | 1.0 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.1 | 1.0 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.1 | 2.3 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.1 | 1.0 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.1 | 2.6 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.1 | 1.0 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.1 | 1.0 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.1 | 1.0 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.1 | 1.7 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.1 | 1.0 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.1 | 1.0 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.1 | 1.2 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.1 | 1.6 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.1 | 1.6 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.1 | 1.0 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.1 | 1.0 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.1 | 1.3 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 3

Client Sample ID: E4-3 Lab Sample ID: C470

Lab Sample ID:C47015-17Matrix:SO - SoilMethod:SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 Date Received: 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.1 | 2.0 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.1 | 1.0 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.1 | 1.2 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.1 | 1.1 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.1 | 1.3 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.1 | 2.2 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 26 | 9.0 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.1 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.1 | 1.0 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.1 | 2.7 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.1 | 2.5 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.1 | 1.9 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 8.3 | 10 | 4.1 | ug/kg | J |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 26 | 11 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.1 | 1.1 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.1 | 2.1 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.1 | 1.3 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.1 | 1.0 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.1 | 1.4 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 51 | 14 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.1 | 1.2 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.1 | 2.3 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.1 | 1.3 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.1 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.1 | 2.0 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.1 | 1.5 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.1 | 1.0 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.1 | 1.9 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.1 | 1.2 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.1 | 1.9 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.1 | 1.7 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.1 | 1.0 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.1 | 1.7 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 15 | 2.9 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 105% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 105% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



age 2 or 3

Page 3 of 3

Client Sample ID: E4-3

Lab Sample ID: C47015-17 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|-----------------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 92% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 97% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



MDL = Method Detection Limit

Report of Analysis

 $\mathbf{B}\mathbf{y}$

AFL

09/09/16

Client Sample ID: E4-3 Lab Sample ID: C4701

Lab Sample ID: C47015-17 **Matrix:** SO - Soil

File ID

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/12/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

F:OP61812

Prep Date Prep Batch Analytical Batch

F:SX2120

Run #1 ^a Run #2

Initial Weight Final Volume

Run #1 30.5 g 1.0 ml

X048988.D

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 820 | 160 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 160 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 160 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 160 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 160 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 820 | 160 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 160 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 160 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 160 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 820 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 820 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 160 | 19 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 160 | 17 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 160 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 160 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1600 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 160 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 160 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 160 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 160 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 160 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 160 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 160 | 29 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 160 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 160 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 160 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 160 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 160 | 16 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 160 | 18 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 160 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 160 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Matrix:

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E4-3 Lab Sample ID: C470

e **ID:** C47015-17 SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------------------|--------|--------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 160 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 160 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 160 | 16 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 160 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 160 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 160 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 160 | 18 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 160 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 160 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 160 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 160 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 160 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 160 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 160 | 31 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 160 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 367-12-4 | 2-Fluorophenol | 70% | | 40-1 | 02% | |
| 4165-62-2 | Phenol-d5 | 78% | | 41-1 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 69% | | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 78% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 71% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 89% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Report of Analysis

Client Sample ID: E4-3 Lab Sample ID:

C47015-17 Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546 **Project:**

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:SW4253 W094938.D 09/13/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight

Run #1 14.9 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 67 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 67 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 67 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.4 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.4 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.4 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.4 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.4 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 67 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 67 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.4 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 67 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 67 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 67 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 88% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 80% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 90% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E4-3

Lab Sample ID: C47015-17 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed By **Prep Batch** Run #1 a UV075780.D 09/12/16 AFL F:GUV4034 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 3.99 g 5.0 ml 100 ul Run #2

CAS No. **MDL** Units Q Compound Result RL

> TPH-GRO (C6-C10) ND 6.3 3.1 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

460-00-4 56-149% 4-Bromofluorobenzene 91% 98-08-8 aaa-Trifluorotoluene 93% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

Report of Analysis

Client Sample ID: E4-3

 Lab Sample ID:
 C47015-17
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a TT379371.D 1 09/14/16 AFL 09/12/16 F:OP61829 F:GTT1861

Run #2

Run #1 15.0 g Final Volume 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|---------------|------|-------|---|
| 309-00-2 | Aldrin ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC b | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC ^b | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) b | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I ^b | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor ^b | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide b | ND | 1.7 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | its | |
| 877-09-8 | Tetrachloro-m-xylene | 101% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 87% | 50-133% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated CCV outside control limits.

Page 1 of 1

Client Sample ID: E4-3

 Lab Sample ID:
 C47015-17
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|-------------------|-------------------------|
| Run #1 a | ST138376.D | 1 | 09/13/16 | AFL | 09/12/16 | F:OP61830 | F:GST3293 |

Run #2

Run #1 15.0 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|---------------------|----------------------------------|--|---|---|
| 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 | ND ND ND ND ND ND | 17 17 17 17 17 17 | 6.7 8.5 8.3 6.7 6.7 8.0 | ug/kg ug/kg ug/kg ug/kg ug/kg | |
| 11096-82-5 CAS No. 877-09-8 2051-24-3 | Aroclor 1260 Surrogate Recoveries Tetrachloro-m-xylene Decachlorobiphenyl | ND Run# 1 92% 97% | 17 Run# 2 | | ug/kg its 26% 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E4-3

Lab Sample ID: C47015-17 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8015C SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:GJR96 JR002608.D 09/13/16 AFL 09/09/16 F:OP61813

Run #2

Final Volume Initial Weight Run #1 19.7 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.1 5.1 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 67% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E4-3 Lab Sample ID: C47015-17

Matrix: SO - Soil

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.4 | 4.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 4.7 | 2.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 140 | 44 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.88 | 0.88 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 58.7 | 2.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 15.8 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 34.1 | 5.5 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 9.7 | 4.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.12 | 0.040 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 93.7 | 8.8 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 4.4 | 4.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 2.2 | 2.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.2 | 2.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 49.2 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 58.0 | 4.4 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E5-1

Lab Sample ID: C47015-18 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a n/a F:VC4681 C0117998.D 09/12/16 AFL n/a

Run #2

Final Volume Initial Weight

Run #1 4.57 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 55 | 11 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.5 | 1.4 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.5 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.5 | 1.2 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.5 | 1.1 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.5 | 1.1 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 27 | 9.9 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.5 | 1.9 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.5 | 1.1 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.5 | 2.2 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.5 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.5 | 1.1 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.5 | 1.1 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.5 | 1.1 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.5 | 2.4 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.5 | 1.1 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.5 | 2.7 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.5 | 1.1 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.5 | 1.1 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.5 | 1.1 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.5 | 1.8 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.5 | 1.1 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.5 | 1.1 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.5 | 1.3 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.5 | 1.7 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.5 | 1.7 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.5 | 1.1 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.5 | 1.1 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.5 | 1.4 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E5-1

 Lab Sample ID:
 C47015-18
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.5 | 2.1 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.5 | 1.1 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.5 | 1.3 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.5 | 1.2 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.5 | 1.4 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.5 | 2.4 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 27 | 9.6 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.5 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.5 | 1.1 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.5 | 2.8 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.5 | 2.6 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.5 | 2.0 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 5.1 | 11 | 4.4 | ug/kg | J |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 27 | 12 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.5 | 1.2 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.5 | 2.2 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.5 | 1.4 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.5 | 1.1 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.5 | 1.5 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 55 | 15 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.5 | 1.2 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.5 | 2.4 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.5 | 1.4 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.5 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.5 | 2.2 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.5 | 1.6 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.5 | 1.1 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.5 | 2.0 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.5 | 1.3 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.5 | 2.0 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.5 | 1.8 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.5 | 1.1 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.5 | 1.8 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 16 | 3.1 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 110% | | 75-12 | | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 107% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E5-1

Lab Sample ID: C47015-18 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 96% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 99% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



By

AFL

Client Sample ID: E5-1

Lab Sample ID: C47015-18 **Matrix:** SO - Soil

File ID

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/12/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Prep DatePrep BatchAnalytical Batch09/09/16F:OP61812F:SX2120

Run #1 ^a Run #2

Initial Weight Final Volume

Run #1 29.8 g 1.0 ml

X048989.D

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 840 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 24 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 21 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 840 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 340 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 40 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 840 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 840 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 34 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 340 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 20 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 34 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 20 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E5-1 Lab Sample ID: C47015-18

Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 340 | 34 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 34 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 34 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 340 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 340 | 34 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 34 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 29 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 41 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 340 | 34 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 367-12-4 | 2-Fluorophenol | 66% | | 40-1 | 02% | |
| 4165-62-2 | Phenol-d5 | 70% | | 41-1 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 65% | | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 65% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 65% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 83% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

By

AFL

09/10/16

Client Sample ID: E5-1 Lab Sample ID: C47015-18

Matrix: SO - Soil

File ID

Method: SW846 8270D BY SIM SW846 3546 **Project:**

DF

Vallco Mall, Wolfe Rd, Cupertino CA

Analyzed

09/13/16

Prep Date Prep Batch Analytical Batch

F:SW4253

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

F:OP61814

Run #1 a Run #2

> **Final Volume Initial Weight**

Run #1 15.5 g 1.0 ml

W094939.D

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 65 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 65 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 65 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | 24.6 | 13 | 3.2 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | 23.3 | 13 | 3.2 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | 19.4 | 13 | 3.2 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | 40.2 | 13 | 3.2 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | 7.3 | 13 | 3.2 | ug/kg | J |
| 218-01-9 | Chrysene | 85.8 | 13 | 3.2 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | 12.6 | 13 | 3.2 | ug/kg | J |
| 206-44-0 | Fluoranthene | ND | 65 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 65 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | 9.3 | 13 | 3.2 | ug/kg | J |
| 90-12-0 | 1-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 65 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 65 | 16 | ug/kg | |
| 129-00-0 | Pyrene | 30.9 | 65 | 16 | ug/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 4165-60-0 | Nitrobenzene-d5 | 81% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 80% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 99% | | 45-1 | 19% | |
| | | | | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: E5-1

Lab Sample ID: C47015-18 Matrix: SO - Soil **Method:** SW846 8015C **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed By **Prep Batch** Run #1 a UV075784.D 09/12/16 AFL F:GUV4034 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 4.53 g 5.0 ml 100 ul

Run #2

CAS No. **MDL** Units Q Compound Result RLTPH-GRO (C6-C10) ND 5.5 2.8 mg/kg CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 460-00-4 56-149% 4-Bromofluorobenzene 92% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

MDL = Method Detection Limit

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit E = Indicates value exceeds calibration range J = Indicates an estimated value

Page 1 of 1

Client Sample ID: E5-1

Lab Sample ID: C47015-18 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8081B SW846 3546 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a TT379397.D 10 09/15/16 **AFL** 09/12/16 F:OP61829 F:GTT1862

Run #2

Final Volume Initial Weight

Run #1 14.8 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---|---|--------------------------|----------|----------------------------------|------------|---|
| 309-00-2 | Aldrin | ND | 17 | 5.1 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 17 | 5.2 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 17 | 5.2 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 17 | 4.9 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 17 | 5.2 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 170 | 68 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 17 | 6.4 | ug/kg | |
| 72-54-8 | 4,4'-DDD | 22.6 | 34 | 5.8 | ug/kg | J |
| 72-55-9 | 4,4'-DDE | ND | 34 | 5.4 | ug/kg | |
| 50-29-3 | 4,4'-DDT | 33.6 | 34 | 6.6 | ug/kg | J |
| 72-20-8 | Endrin | ND | 34 | 6.3 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 34 | 6.3 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 34 | 6.3 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 17 | 4.9 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 17 | 6.3 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 17 | 5.7 | | |
| 1024-57-3 | - | ND | 17 | 5.9 | | |
| 72-43-5 | | ND | 34 | 8.7 | | |
| 8001-35-2 | Toxaphene | ND | 840 | 340 | ug/kg | |
| CACN | | D // 1 | D // 0 | . | | |
| CAS No. | Surrogate Recoveries | Kun# 1 | Kun# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xvlene | 96% | | 50-1 | 22% | |
| 2051-24-3 | · · | 78% | | 50-13 | | |
| 1024-57-3 72-43-5 8001-35-2 CAS No. 877-09-8 | Heptachlor Heptachlor epoxide Methoxychlor Toxaphene Surrogate Recoveries Tetrachloro-m-xylene Decachlorobiphenyl | ND ND ND Run# 1 | 17 34 | 5.9 8.7 340 Limi | its 22% | |

(a) All hits confirmed by dual column analysis. Dilution required due to matrix interference. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: E5-1

 Lab Sample ID:
 C47015-18
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ ST138452.D 5 09/14/16 AFL 09/12/16 F:OP61830 F:GST3294

Run #2

Run #1 Initial Weight Final Volume 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|------|-------|---|
| 12674-11-2 | | ND | 84 | 34 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 84 | 43 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 84 | 42 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 84 | 34 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 84 | 34 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | 523 | 84 | 40 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 84 | 34 | ug/kg | |
| | | | | | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 | Tetrachloro-m-xylene | 102% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 105% | | | 45% | |

(a) All hits confirmed by dual column analysis. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ \, Indicates \ \, presumptive \ \, evidence \ \, of \ \, a \ \, compound \ \,$



Page 1 of 1

Client Sample ID: E5-1

 Lab Sample ID:
 C47015-18
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a JR002665.D 5 09/15/16 AFL 09/12/16 F:OP61833 F:GJR98

Run #2

Run #1 20.0 g Final Volume

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|-------------|----------|----------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | 88.3 218 | 25 25 | 13 13 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | 2 Lim | nits | |
| 84-15-1 | o-Terphenyl | 78% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E5-1

Lab Sample ID: C47015-18 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.3 | 3.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 3.8 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 364 | 33 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 0.83 | 0.83 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.66 | 0.66 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 66.6 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 14.7 | 8.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 33.1 | 4.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 15.7 | 3.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.090 | 0.039 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 8.3 | 8.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 72.5 | 6.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 3.3 | 3.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 1.7 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 1.7 | 1.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 60.9 | 8.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 61.9 | 3.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398 (2) Instrument QC Batch: F:MA13399 (3) Prep QC Batch: F:MP30813 (4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E5-2

Lab Sample ID: C47015-19 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By F:VF2731 Run #1 a F0079486.D 1 09/10/16 AFL n/a n/a

Run #2

Final Volume Initial Weight

Run #1 5.37 g 5.0 ml

Run #2

CACAT

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 47 | 9.5 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.7 | 1.2 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.7 | 1.1 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.7 | 1.0 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.7 | 0.93 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.7 | 0.93 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 23 | 8.5 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.7 | 0.93 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.7 | 0.93 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.7 | 0.93 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.7 | 1.7 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.7 | 0.93 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.7 | 1.9 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.7 | 1.1 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.7 | 0.93 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.7 | 0.93 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.7 | 0.93 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.7 | 2.1 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.7 | 0.93 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.7 | 2.3 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.7 | 0.93 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.7 | 0.93 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.7 | 0.95 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.7 | 1.6 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.7 | 0.93 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.7 | 0.93 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.7 | 1.1 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.7 | 1.4 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.7 | 1.5 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.7 | 0.93 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.7 | 0.93 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.7 | 1.2 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 2 of 3

Client Sample ID: E5-2
Lab Sample ID: C47015-19
Matrix: SO - Soil
Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.7 | 1.8 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.7 | 0.93 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.7 | 1.1 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.7 | 1.0 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.7 | 1.2 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.7 | 2.0 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 23 | 8.1 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.7 | 1.3 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.7 | 0.93 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.7 | 2.4 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.7 | 2.2 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.7 | 1.7 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 6.5 | 9.3 | 3.7 | ug/kg | J |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 23 | 10 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.7 | 1.0 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.7 | 1.9 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.7 | 1.2 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.7 | 0.93 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.7 | 1.3 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 47 | 13 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.7 | 1.0 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.7 | 2.1 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.7 | 1.2 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.7 | 1.1 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.7 | 1.8 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.7 | 1.4 | ug/kg | |
| 71-55-6 | 1, 1, 1-Trichloroethane | ND | 4.7 | 0.93 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.7 | 1.7 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.7 | 1.1 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.7 | 1.7 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.7 | 1.5 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.7 | 0.93 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.7 | 0.93 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.7 | 1.6 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 14 | 2.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 116% | | 75-12 | | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 126% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E5-2

 Lab Sample ID:
 C47015-19
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 93% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 103% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$



Client Sample ID: E5-2 Lab Sample ID: C47015-19

Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By F:SX2120 Run #1 a X048990.D 1 09/12/16 AFL 09/09/16 F:OP61812

Run #2

Final Volume Initial Weight

Run #1 30.0 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit E = Indicates value exceeds calibration range J = Indicates an estimated value



Client Sample ID: E5-2 Lab Sample ID: C47015-19 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 367-12-4 | 2-Fluorophenol | 72% | | 40-1 | 02% | |
| 4165-62-2 | Phenol-d5 | 80% | | 41-1 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 75% | | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 64% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 69% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 89% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Client Sample ID: E5-2

Lab Sample ID: C47015-19 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Method: SW846 8270D BY SIM SW846 3546 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:SW4253 W094940.D 09/13/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight

Run #1 15.3 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|---------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 65 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 65 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 65 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 65 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 65 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 65 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 65 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 65 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 4165-60-0 | Nitrobenzene-d5 | 86% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 85% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 98% | 45-119% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Report of Analysis

Client Sample ID: E5-2

 Lab Sample ID:
 C47015-19
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ UV075785.D 1 09/12/16 AFL n/a n/a F:GUV4034

Run #2

Run #1 5.22 g 5.0 ml 100 ul
Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 4.8 2.4 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 93%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 95%
 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E5-2

 Lab Sample ID:
 C47015-19
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ TT379398.D 5 09/15/16 AFL 09/12/16 F:OP61829 F:GTT1862

Run #2

Initial Weight Final Volume

Run #1 15.1 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|---------|-------|-------|---|
| 309-00-2 | Aldrin | ND | 8.3 | 2.5 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 8.3 | 2.5 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 8.3 | 2.5 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 8.3 | 2.4 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 8.3 | 2.5 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 83 | 33 | ug/kg | |
| 60-57-1 | Dieldrin | 5.5 | 8.3 | 3.1 | ug/kg | J |
| 72-54-8 | 4,4'-DDD | ND | 17 | 2.8 | ug/kg | |
| 72-55-9 | 4,4'-DDE | 24.7 | 17 | 2.7 | ug/kg | |
| 50-29-3 | 4,4'-DDT | 8.4 | 17 | 3.2 | ug/kg | J |
| 72-20-8 | Endrin | ND | 17 | 3.1 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 17 | 3.1 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 17 | 3.1 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 8.3 | 2.4 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 8.3 | 3.1 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 8.3 | 2.8 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 8.3 | 2.9 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 17 | 4.3 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 410 | 170 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 89% | | 50-12 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 86% | 50-133% | | | |

(a) All hits confirmed by dual column analysis. Dilution required due to matrix interference. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E5-2

 Lab Sample ID:
 C47015-19
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ ST138378.D 1 09/13/16 AFL 09/12/16 F:OP61830 F:GST3293

Run #2

Initial Weight Final Volume
Run #1 15.1 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|-------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 17 | 6.6 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 17 | 8.4 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 17 | 8.3 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 17 | 6.6 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 17 | 6.6 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 17 | 7.9 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.6 | ug/kg | |
| | | | | | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 92% | | 44-12 | 26% | |
| | | | | | | |
| 2051-24-3 | Decachlorobiphenyl | 99% | | 41-14 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E5-2

Lab Sample ID: C47015-19 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8015C SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:GJR98 JR002666.D 09/15/16 AFL 09/12/16 F:OP61833

Run #2

Final Volume Initial Weight Run #1 20.0 g 1.0 ml Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|--------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | 3.02 10.8 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 81% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: E5-2

 Lab Sample ID:
 C47015-19
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.6 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic ^a | 4.1 | 2.3 | mg/kg | 5 | | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 158 | 46 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.92 | 0.92 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium ^a | 74.1 | 2.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 16.5 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper ^a | 33.5 | 5.7 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 14.4 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.048 | 0.038 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 86.1 | 9.2 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 4.6 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver ^a | < 2.3 | 2.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.3 | 2.3 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 59.6 | 11 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 64.6 | 4.6 | mg/kg | 5 | 09/09/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398(2) Instrument QC Batch: F:MA13399(3) Prep QC Batch: F:MP30813(4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E5-3

 Lab Sample ID:
 C47015-20

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079487.D 1 09/10/16 AFL n/a n/a F:VF2731

Run #2

Initial Weight Final Volume

Run #1 5.19 g 5.0 ml

Run #2

CACAT

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units Q | |
|----------|-----------------------------|--------|-----|------|---------|--|
| 67-64-1 | Acetone | ND | 48 | 9.8 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.8 | 1.2 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.8 | 1.2 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.8 | 1.1 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.8 | 0.96 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.8 | 0.96 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 24 | 8.7 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.8 | 0.96 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.8 | 0.96 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.8 | 0.96 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.8 | 1.7 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.8 | 0.96 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.8 | 1.9 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.8 | 1.2 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.8 | 0.96 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.8 | 0.96 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.8 | 0.96 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.8 | 2.1 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.8 | 0.96 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.8 | 2.4 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.8 | 0.96 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.8 | 0.96 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.8 | 0.98 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.8 | 1.6 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.8 | 0.96 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.8 | 0.96 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.8 | 1.2 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.8 | 1.5 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.8 | 1.5 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.8 | 0.96 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.8 | 0.96 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.8 | 1.2 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Client Sample ID: E5-3

 Lab Sample ID:
 C47015-20

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result RL | | MDL | Units | Q |
|------------|-----------------------------|-----------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.8 | 1.8 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.8 | 0.96 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.8 | 1.1 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.8 | 1.1 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.8 | 1.2 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.8 | 2.1 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 24 | 8.4 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.8 | 1.4 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.8 | 0.96 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.8 | 2.5 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.8 | 2.3 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.8 | 1.8 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 8.6 | 9.6 | 3.9 | ug/kg | J |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 24 | 10 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.8 | 1.1 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.8 | 1.9 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.8 | 1.2 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.8 | 0.96 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.8 | 1.3 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 48 | 13 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.8 | 1.1 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.8 | 2.1 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.8 | 1.3 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.8 | 1.1 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.8 | 1.9 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.8 | 1.4 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.8 | 0.96 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.8 | 1.7 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.8 | 1.1 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.8 | 1.8 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.8 | 1.6 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.8 | 0.96 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.8 | 0.96 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.8 | 1.6 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 14 | 2.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 123% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 132% | | 72-13 | 35% | |

ND = Not detected MDL = Methodological Model Model

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Client Sample ID: E5-3

 Lab Sample ID:
 C47015-20
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 95% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 91% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



MDL = Method Detection Limit

By

AFL

09/09/16

Client Sample ID: E5-3

Lab Sample ID: C47015-20 **Matrix:** SO - Soil

File ID

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/12/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

F:OP61812

Prep Date Prep Batch Analytical Batch

F:SX2120

Run #1 ^a Run #2

Initial Weight Final Volume

Run #1 30.5 g 1.0 ml

X048991.D

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 820 | 160 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 160 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 160 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 160 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 160 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 820 | 160 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 160 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 160 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 160 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 820 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 820 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 160 | 19 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 160 | 17 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 160 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 160 | 33 | ug/kg | |
| 92-87-5 | Benzidine ^b | ND | 1600 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 160 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 160 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 160 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 160 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 160 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 160 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 160 | 29 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 160 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 160 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 160 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 160 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 160 | 16 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 160 | 18 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 160 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 160 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 2

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E5-3 Lab Sample ID: C47015-20

Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 160 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 160 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 160 | 16 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 160 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 160 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 160 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 160 | 18 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 160 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 160 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 160 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 160 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 160 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 160 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 160 | 31 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 160 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lir | nits | |
| 367-12-4 | 2-Fluorophenol | 72% | | 40- | 102% | |
| 4165-62-2 | Phenol-d5 | 78% | | 41- | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 70% | | 42- | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 71% | | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 74% | | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 85% | | 45- | 119% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated ICV outside control limits.

Client Sample ID: E5-3 Lab Sample ID:

C47015-20 Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:SW4253 W094941.D 09/13/16 AFL 09/10/16 F:OP61814

Run #2

Final Volume Initial Weight

Run #1 14.8 g 1.0 ml

Run #2

BN PAH List

| Compound | Result | RL | MDL | Units | Q |
|-----------------------------|--|--|--|---|---|
| Acenaphthene | ND | 68 | 27 | ug/kg | |
| Acenaphthylene | ND | 68 | 27 | ug/kg | |
| Anthracene | ND | 68 | 17 | ug/kg | |
| Benzo(a)anthracene | ND | 14 | 3.4 | | |
| | ND | 14 | 3.4 | | |
| Benzo(b)fluoranthene | ND | 14 | 3.4 | | |
| Benzo(g,h,i)perylene | ND | 14 | 3.4 | | |
| Benzo(k)fluoranthene | ND | 14 | 3.4 | | |
| Chrysene | ND | 14 | 3.4 | ug/kg | |
| Dibenzo(a,h)anthracene | ND | 14 | 3.4 | ug/kg | |
| Fluoranthene | ND | 68 | 17 | ug/kg | |
| Fluorene | ND | 68 | 27 | ug/kg | |
| Indeno(1,2,3-cd)pyrene | ND | 14 | 3.4 | ug/kg | |
| 1-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 2-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| Naphthalene | ND | 68 | 27 | ug/kg | |
| Phenanthrene | ND | 68 | 17 | ug/kg | |
| Pyrene | ND | 68 | 17 | ug/kg | |
| Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| Nitrobenzene-d5 | 76% | | 40-10 |)5% | |
| 2-Fluorobiphenyl | 83% | | 43-10 |)7% | |
| Terphenyl-d14 | 94% | | 45-11 | 19% | |
| | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluorene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene 2-Methylnaphthalene Naphthalene Phenanthrene Pyrene Surrogate Recoveries Nitrobenzene-d5 2-Fluorobiphenyl | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(a)pyrene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene ND Benzo(k)fluoranthene ND Chrysene Dibenzo(a,h)anthracene Fluoranthene ND Fluoranthene ND Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene ND Naphthalene ND Nap | Acenaphthene ND 68 Acenaphthylene ND 68 Anthracene ND 68 Benzo(a)anthracene ND 14 Benzo(a)pyrene ND 14 Benzo(b)fluoranthene ND 14 Benzo(g,h,i)perylene ND 14 Benzo(k)fluoranthene ND 14 Chrysene ND 14 Dibenzo(a,h)anthracene ND 14 Fluoranthene ND 68 Indeno(1,2,3-cd)pyrene ND 68 Indeno(1,2,3-cd)pyrene ND 68 1-Methylnaphthalene ND 68 Naphthalene ND 68 Naphthalene ND 68 Phenanthrene ND 68 Pyrene ND 68 Surrogate Recoveries Run# 1 Run# 2 Nitrobenzene-d5 76% 2-Fluorobiphenyl 83% | Acenaphthene ND 68 27 Acenaphthylene ND 68 27 Anthracene ND 68 17 Benzo(a)anthracene ND 14 3.4 Benzo(a)pyrene ND 14 3.4 Benzo(b)fluoranthene ND 14 3.4 Benzo(g,h,i)perylene ND 14 3.4 Benzo(k)fluoranthene ND 14 3.4 Chrysene ND 14 3.4 Chrysene ND 14 3.4 Dibenzo(a,h)anthracene ND 14 3.4 Fluoranthene ND 68 17 Fluorene ND 68 27 Indeno(1,2,3-cd)pyrene ND 14 3.4 1-Methylnaphthalene ND 68 27 Naphthalene ND 68 27 Naphthalene ND 68 17 Pyrene ND 68 17 Surrogate Rec | Acenaphthene ND 68 27 ug/kg Acenaphthylene ND 68 27 ug/kg Anthracene ND 68 17 ug/kg Benzo(a)anthracene ND 14 3.4 ug/kg Benzo(a)pyrene ND 14 3.4 ug/kg Benzo(b)fluoranthene ND 14 3.4 ug/kg Benzo(g,h,i)perylene ND 14 3.4 ug/kg Benzo(k)fluoranthene ND 14 3.4 ug/kg Chrysene ND 14 3.4 ug/kg Dibenzo(a,h)anthracene ND 14 3.4 ug/kg Fluoranthene ND 68 17 ug/kg Fluorene ND 68 27 ug/kg Indeno(1,2,3-cd)pyrene ND 14 3.4 ug/kg I-Methylnaphthalene ND 68 27 ug/kg Phenanthrene ND 68 27 ug/kg < |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E5-3

Lab Sample ID: C47015-20 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed By **Prep Batch** Run #1 a UV075786.D 09/12/16 AFL F:GUV4034 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 5.97 g 5.0 ml 100 ul

Run #2

CAS No. **MDL** Units Q Compound Result RL

> TPH-GRO (C6-C10) ND 4.2 2.1 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

460-00-4 56-149% 4-Bromofluorobenzene 94% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

F:GTT1861

Report of Analysis

By

AFL

09/12/16

Client Sample ID: E5-3

Lab Sample ID: C47015-20 Matrix: SO - Soil

File ID

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/14/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

F:OP61829

Prep Date Prep Batch Analytical Batch

Run #1 ^a Run #2

Initial Weight Final Volume

Run #1 15.1 g 5.0 ml

TT379375.D

Run #2

Pesticide PPL List

| Compound | Result | RL | MDL | Units | Q |
|---------------------------------|---|---|---|----------|--|
| Aldrin ^b | ND | 1.7 0.50 | | ug/kg | |
| alpha-BHC ^b | ND | 1.7 | 0.51 | ug/kg | |
| beta-BHC ^b | ND | 1.7 | 0.51 | ug/kg | |
| delta-BHC ^b | ND | 1.7 | 0.48 | ug/kg | |
| gamma-BHC (Lindane) b | ND | 1.7 | 0.51 | ug/kg | |
| Chlordane | ND | 17 | 6.6 | ug/kg | |
| Dieldrin | ND | 1.7 | 0.62 | ug/kg | |
| 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 4,4'-DDE | ND | 3.3 | 0.53 | ug/kg | |
| 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| Endrin | ND | 3.3 | 0.62 | ug/kg | |
| Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg | |
| Endosulfan-I ^b | ND | 1.7 | 0.48 | ug/kg | |
| Endosulfan-II | ND | 1.7 | 0.61 | ug/kg | |
| Heptachlor ^b | ND | 1.7 | 0.56 | ug/kg | |
| Heptachlor epoxide ^b | ND | 1.7 | 0.58 | ug/kg | |
| Methoxychlor | ND | 3.3 | 0.85 | ug/kg | |
| Toxaphene | ND | 83 | 33 | ug/kg | |
| Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| Tetrachloro-m-xylene | 129% ^c | | 50-1 | 22% | |
| Decachlorobiphenyl | 77% | | 50-1 | 33% | |
| | Aldrin b alpha-BHC b beta-BHC b delta-BHC b gamma-BHC (Lindane) b Chlordane Dieldrin 4,4'-DDD 4,4'-DDT Endrin Endosulfan sulfate Endrin aldehyde Endosulfan-II Heptachlor b Heptachlor epoxide b Methoxychlor Toxaphene Surrogate Recoveries Tetrachloro-m-xylene | Aldrin b alpha-BHC b ND beta-BHC b ND delta-BHC b gamma-BHC (Lindane) b ND Chlordane Dieldrin A,4'-DDD A,4'-DDT ND Endrin ND Endosulfan sulfate ND Endosulfan-I b ND Heptachlor epoxide b Methoxychlor Toxaphene ND | Aldrin b alpha-BHC b beta-BHC b delta-BHC b gamma-BHC (Lindane) b ND 1.7 Chlordane Dieldrin 4,4'-DDD A,4'-DDE A,4'-DDT Endrin Endosulfan sulfate Endosulfan-II Heptachlor b Heptachlor epoxide b ND | Aldrin b | Aldrin b Aldrin c Aldrin b Aldrin c Aldrin b Aldrin c Aldrin b Aldrin c Aldrin |

| (a) Analysis performed at SGS Accutest, On |
|--|
|--|

⁽b) Associated CCV outside control limits.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

⁽c) Outside control limits. However, Sample was ND.

Report of Analysis

Client Sample ID: E5-3

Lab Sample ID: **Date Sampled:** 09/06/16 C47015-20 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8082A SW846 3546 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:GST3293 ST138379.D 09/13/16 AFL 09/12/16 F:OP61830

Run #2

Final Volume Initial Weight Run #1 15.1 g 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 17 | 6.6 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 17 | 8.4 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 17 | 8.3 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 17 | 6.6 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 17 | 6.6 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 17 | 7.9 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.6 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 93% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 104% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E5-3

 Lab Sample ID:
 C47015-20
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a JR002667.D 1 09/15/16 AFL 09/12/16 F:OP61833 F:GJR98

Run #2

Run #1 20.0 g 1.0 ml
Run #2

TPH Extractable

| CAS No. Compound | | Result | RL | MDL Units | | Q |
|------------------|----------------------------------|------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND 3.77 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 84-15-1 | o-Terphenyl | 67% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Report of Analysis Page 1 of 1

Client Sample ID: E5-3

Lab Sample ID: C47015-20 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.5 | 4.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Arsenic a | 2.9 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Barium ^a | 136 | 45 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cadmium ^a | < 0.89 | 0.89 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Chromium a | 73.2 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Cobalt ^a | 16.9 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Copper a | 33.3 | 5.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Lead a | 8.1 | 4.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Mercury b | 0.045 | 0.037 | mg/kg | 1 | 09/12/16 | 09/12/16 AFL | SW846 7471B ¹ | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Nickel a | 86.9 | 8.9 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Selenium ^a | < 4.5 | 4.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Silver a | < 2.2 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Thallium ^a | < 2.2 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Vanadium ^a | 52.2 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |
| Zinc ^a | 52.9 | 4.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ² | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13398 (2) Instrument QC Batch: F:MA13399 (3) Prep QC Batch: F:MP30815 (4) Prep QC Batch: F:MP30816

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E6-1

 Lab Sample ID:
 C47015-21
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File IDDFAnalyzedByPrep DatePrep BatchAnalytical BatchRun #1 aF0079488.D109/10/16AFLn/an/aF:VF2731

Run #2

Initial Weight Final Volume

Run #1 4.63 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 54 | 11 | ug/kg | |
| 71-43-2 | Benzene | ND | 5.4 | 1.4 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 5.4 | 1.3 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 5.4 | 1.2 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-25-2 | Bromoform | ND | 5.4 | 1.1 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 27 | 9.8 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 5.4 | 1.9 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 5.4 | 2.2 | ug/kg | |
| 67-66-3 | Chloroform | ND | 5.4 | 1.3 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 5.4 | 1.1 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 5.4 | 1.1 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 5.4 | 1.1 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.4 | 2.4 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.4 | 2.7 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.4 | 1.8 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.4 | 1.1 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.4 | 1.1 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.4 | 1.3 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.4 | 1.6 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.4 | 1.7 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.4 | 1.1 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.4 | 1.1 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.4 | 1.4 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



age I of s

Client Sample ID: E6-1 Lab Sample ID: C47015-21

Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.4 | 2.1 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.4 | 1.1 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.4 | 1.3 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 5.4 | 1.2 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.4 | 1.4 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 5.4 | 2.4 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 27 | 9.4 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 5.4 | 1.5 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 5.4 | 1.1 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 5.4 | 2.8 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 5.4 | 2.6 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 5.4 | 2.0 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 13.4 | 11 | 4.3 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 27 | 12 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.4 | 1.2 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 5.4 | 2.2 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 5.4 | 1.3 | ug/kg | |
| 100-42-5 | Styrene | ND | 5.4 | 1.1 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.4 | 1.5 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 54 | 15 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.4 | 1.2 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.4 | 2.4 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 5.4 | 1.4 | ug/kg | |
| 108-88-3 | Toluene | ND | 5.4 | 1.2 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.4 | 2.1 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.4 | 1.6 | ug/kg | |
| 71-55-6 | 1, 1, 1-Trichloroethane | ND | 5.4 | 1.1 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.4 | 2.0 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 5.4 | 1.3 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 5.4 | 2.0 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.4 | 1.8 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.4 | 1.1 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 5.4 | 1.8 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 16 | 3.1 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 124% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 128% | | 72-13 | 35% | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E6-1

 Lab Sample ID:
 C47015-21
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 97% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 97% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ယ

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Report of Analysis

Client Sample ID: E6-1 Lab Sample ID: C47015-21

Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a X049006.D 1 09/13/16 AFL 09/12/16 F:OP61834 F:SX2121

Run #2

Final Volume Initial Weight

Run #1 30.2 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Lab Sample ID:

Report of Analysis Page 2 of 2

Date Sampled: 09/06/16

Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8270D SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

C47015-21

ABN Full List w/o PAHs

Client Sample ID: E6-1

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------------------|--------|--------|-------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 367-12-4 | 2-Fluorophenol | 61% | | 40-10 | 02% | |
| 4165-62-2 | Phenol-d5 | 65% | | 41-10 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 106% | | 42-10 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 69% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 76% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 88% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis Page 1 of 1

Client Sample ID: E6-1

Lab Sample ID: C47015-21 **Matrix:** SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a W094943.D 1 09/13/16 AFL 09/12/16 F:OP61828 F:SW4253

Run #2

Run #1 14.9 g Final Volume 1.0 ml

Run #2

BN PAH List

| Compound | Result | RL | MDL | Units | Q |
|-----------------------------|--|--|--|---|--|
| Acenaphthene | ND | 67 | 27 | ug/kg | |
| Acenaphthylene | ND | 67 | 27 | ug/kg | |
| Anthracene | ND | 67 | 17 | ug/kg | |
| Benzo(a)anthracene | ND | 13 | 3.4 | | |
| | ND | 13 | 3.4 | | |
| Benzo(b)fluoranthene | 4.0 | 13 | 3.4 | | J |
| Benzo(g,h,i)perylene | ND | 13 | 3.4 | ug/kg | |
| Benzo(k)fluoranthene | ND | 13 | 3.4 | | |
| Chrysene | 4.9 | 13 | 3.4 | ug/kg | J |
| Dibenzo(a,h)anthracene | ND | 13 | 3.4 | ug/kg | |
| Fluoranthene | ND | 67 | 17 | ug/kg | |
| Fluorene | ND | 67 | 27 | ug/kg | |
| Indeno(1,2,3-cd)pyrene | ND | 13 | 3.4 | ug/kg | |
| 1-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 2-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| Naphthalene | ND | 67 | 27 | ug/kg | |
| Phenanthrene | ND | 67 | 17 | ug/kg | |
| Pyrene | ND | 67 | 17 | ug/kg | |
| Surrogate Recoveries | Run# 1 | Run# 2 Limits | | ts | |
| Nitrobenzene-d5 | 95% | | 40-10 |)5% | |
| 2-Fluorobiphenyl | 89% | | 43-10 |)7% | |
| Terphenyl-d14 | 92% | | 45-11 | 19% | |
| | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluorene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene 2-Methylnaphthalene Naphthalene Phenanthrene Pyrene Surrogate Recoveries Nitrobenzene-d5 2-Fluorobiphenyl | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluoranthene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene ND Naphthalene ND Naphth | Acenaphthene ND 67 Acenaphthylene ND 67 Anthracene ND 67 Benzo(a)anthracene ND 13 Benzo(a)pyrene ND 13 Benzo(b)fluoranthene 4.0 13 Benzo(g,h,i)perylene ND 13 Benzo(k)fluoranthene ND 13 Chrysene 4.9 13 Dibenzo(a,h)anthracene ND 67 Fluoranthene ND 67 Indeno(1,2,3-cd)pyrene ND 67 Indeno(1,2,3-cd)pyrene ND 67 I-Methylnaphthalene ND 67 Naphthalene ND 67 Naphthalene ND 67 Phenanthrene ND 67 Pyrene ND 67 Surrogate Recoveries Run# 1 Run# 2 Nitrobenzene-d5 2-Fluorobiphenyl 89% | Acenaphthene ND 67 27 Acenaphthylene ND 67 27 Anthracene ND 67 17 Benzo(a)anthracene ND 13 3.4 Benzo(a)pyrene ND 13 3.4 Benzo(b)fluoranthene 4.0 13 3.4 Benzo(g,h,i)perylene ND 13 3.4 Benzo(k)fluoranthene ND 13 3.4 Chrysene 4.9 13 3.4 Chrysene ND 13 3.4 Dibenzo(a,h)anthracene ND 67 17 Fluoranthene ND 67 17 Fluorene ND 67 27 Indeno(1,2,3-cd)pyrene ND 13 3.4 1-Methylnaphthalene ND 67 27 Naphthalene ND 67 27 Naphthalene ND 67 17 Pyrene ND 67 17 Surrogate Re | Acenaphthene ND 67 27 ug/kg Acenaphthylene ND 67 27 ug/kg Anthracene ND 67 17 ug/kg Benzo(a)anthracene ND 13 3.4 ug/kg Benzo(a)pyrene ND 13 3.4 ug/kg Benzo(b)fluoranthene 4.0 13 3.4 ug/kg Benzo(g,h,i)perylene ND 13 3.4 ug/kg Benzo(k)fluoranthene ND 13 3.4 ug/kg Chrysene 4.9 13 3.4 ug/kg Chrysene 4.9 13 3.4 ug/kg Fluoranthene ND 67 17 ug/kg Fluorene ND 67 27 ug/kg Indeno(1,2,3-cd)pyrene ND 67 27 ug/kg I-Methylnaphthalene ND 67 27 ug/kg Phenanthrene ND 67 27 ug/kg |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Report of Analysis

Client Sample ID: E6-1

Lab Sample ID: C47015-21 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed By **Prep Batch** Run #1 a UV075787.D 09/12/16 AFL F:GUV4034 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 4.53 g 5.0 ml 100 ul Run #2

CAS No. **MDL** Units Q Compound Result RL

TPH-GRO (C6-C10) ND 5.5 2.8 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

460-00-4 56-149% 4-Bromofluorobenzene 92% 98-08-8 aaa-Trifluorotoluene 94% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected RL = Reporting Limit MDL = Method Detection Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E6-1

Lab Sample ID: C47015-21 Matrix: SO - Soil

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | Ву | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|-----------|------------|------------------|
| Run #1 a | TT379393.D | 10 | 09/15/16 | AFL | 09/12/16 | F:OP61829 | F:GTT1862 |
| Run #2 | | | | | | | |

Final Volume Initial Weight

Run #1 15.0 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|------------|------|-------|---|
| 309-00-2 | Aldrin | ND | 17 | 5.1 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 17 | 5.1 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 17 | 5.1 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 17 | 4.9 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 17 | 5.1 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 170 | 67 | ug/kg | |
| 60-57-1 | Dieldrin | 32.2 | 17 | 6.3 | ug/kg | |
| 72-54-8 | 4,4'-DDD | 29.5 | 33 | 5.7 | ug/kg | J |
| 72-55-9 | 4,4'-DDE | 140 | 33 5.4 | | | |
| 50-29-3 | 4,4'-DDT | 70.2 | 33 6.5 u | | | |
| 72-20-8 | Endrin | ND | 33 6.2 ug/ | | | |
| 1031-07-8 | Endosulfan sulfate | ND | 33 | 6.2 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 33 | 6.2 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 17 | 4.9 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 17 | 6.2 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 17 | 5.7 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 17 | 5.8 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 33 | 8.6 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 830 | 330 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 80% | 50-122% | | | |
| 2051-24-3 | Decachlorobiphenyl | 99% | 50-133% | | | |

(a) All hits confirmed by dual column analysis. Dilution required due to matrix interference. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: E6-1

 Lab Sample ID:
 C47015-21
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ ST138453.D 4 09/14/16 AFL 09/12/16 F:OP61830 F:GST3294

Run #2

Run #1 15.0 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------|----------------|----------------------|----------------------------------|---|
| 11104-28-2 11141-16-5 53469-21-9 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 | ND ND ND ND | 67 67 67 | 27 34 33 27 | ug/kg ug/kg ug/kg ug/kg | |
| 12672-29-6 11097-69-1 11096-82-5 | Aroclor 1248 Aroclor 1254 Aroclor 1260 | ND ND ND | 67 67 67 | 27 67 27 | ug/kg ug/kg ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 107% 110% | | 44-1 41-1 | | |

(a) Dilution required due to matrix interference. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

presumptive evidence of a compound



Page 1 of 1

Client Sample ID: E6-1

 Lab Sample ID:
 C47015-21
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|-----------|------------|-------------------------|
| Run #1 a | JR002668.D | 1 | 09/15/16 | AFL | 09/12/16 | F:OP61833 | F:GJR98 |

Run #2

Run #1 20.2 g 1.0 ml
Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|--------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | 6.24 23.9 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 81% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: E6-1

 Lab Sample ID:
 C47015-21
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.6 | 3.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | 3.5 | 1.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 135 | 36 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 0.91 | 0.91 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.73 | 0.73 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium a | 77.3 | 1.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 16.5 | 9.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 35.1 | 4.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 15.1 | 3.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | 0.13 | 0.038 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 9.1 | 9.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 82.6 | 7.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 3.6 | 3.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 1.8 | 1.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 1.8 | 1.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 60.3 | 9.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 58.0 | 3.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399(2) Instrument QC Batch: F:MA13400(3) Prep QC Batch: F:MP30815(4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E6-2

Lab Sample ID: C47015-22 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By n/a F:VC4681 Run #1 a C0117999.D 1 09/12/16 AFL n/a

Run #2

Final Volume Initial Weight

Run #1 4.08 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|-----|-------|---|
| 67-64-1 | Acetone | ND | 61 | 12 | ug/kg | |
| 71-43-2 | Benzene | ND | 6.1 | 1.5 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 6.1 | 1.5 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 6.1 | 1.4 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 6.1 | 1.2 | ug/kg | |
| 75-25-2 | Bromoform | ND | 6.1 | 1.2 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 31 | 11 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 6.1 | 1.2 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 6.1 | 1.2 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 6.1 | 1.2 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 6.1 | 2.2 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 6.1 | 1.2 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 6.1 | 2.5 | ug/kg | |
| 67-66-3 | Chloroform | ND | 6.1 | 1.5 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 6.1 | 1.2 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 6.1 | 1.2 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 6.1 | 1.2 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 6.1 | 2.7 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 6.1 | 1.2 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 6.1 | 3.0 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 6.1 | 1.2 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 6.1 | 1.2 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 6.1 | 1.2 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 6.1 | 2.1 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 6.1 | 1.2 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 6.1 | 1.2 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 6.1 | 1.5 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 6.1 | 1.9 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 6.1 | 1.9 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 6.1 | 1.2 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 6.1 | 1.2 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 6.1 | 1.6 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 3

Report of Analysis

Client Sample ID: E6-2 Lab Sample ID: C47015-22 Matrix: SO - Soil

SW846 8260B

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

VOA 8260 List

Method:

Project:

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 6.1 | 2.3 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 6.1 | 1.2 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 6.1 | 1.5 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 6.1 | 1.3 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 6.1 | 1.6 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 6.1 | 2.7 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 31 | 11 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 6.1 | 1.7 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 6.1 | 1.2 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 6.1 | 3.2 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 6.1 | 2.9 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 6.1 | 2.2 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 12.4 | 12 | 4.9 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 31 | 13 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 6.1 | 1.4 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 6.1 | 2.5 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 6.1 | 1.5 | ug/kg | |
| 100-42-5 | Styrene | ND | 6.1 | 1.2 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 6.1 | 1.7 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 61 | 17 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 6.1 | 1.4 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 6.1 | 2.7 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 6.1 | 1.6 | ug/kg | |
| 108-88-3 | Toluene | ND | 6.1 | 1.4 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 6.1 | 2.4 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 6.1 | 1.8 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 6.1 | 1.2 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 6.1 | 2.2 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 6.1 | 1.4 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 6.1 | 2.3 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 6.1 | 2.0 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 6.1 | 1.2 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 6.1 | 1.2 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 6.1 | 2.0 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 18 | 3.5 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 1868-53-7 | Dibromofluoromethane | 107% | | 75-1 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 105% | | 72-1 | 35% | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 3 of 3

Client Sample ID: E6-2

Lab Sample ID: C47015-22 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 96% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 101% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



MDL = Method Detection Limit

Client Sample ID: E6-2 Lab Sample ID:

Date Sampled: 09/06/16 C47015-22 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8270D SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a X049007.D 1 09/13/16 AFL 09/12/16 F:OP61834 F:SX2121

Run #2

Final Volume Initial Weight

Run #1 30.0 g 1.0 ml

Run #2

CACAT

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 2

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E6-2 Lab Sample ID:

C47015-22 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDI | L Units | Q |
|-----------|----------------------------|--------|--------|-----|---------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | L | imits | |
| 367-12-4 | 2-Fluorophenol | 70% | | 4 | 0-102% | |
| 4165-62-2 | Phenol-d5 | 73% | | 4 | 1-100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 114% b | | 4: | 2-108% | |
| 4165-60-0 | Nitrobenzene-d5 | 71% | | 4 | 0-105% | |
| 321-60-8 | 2-Fluorobiphenyl | 77% | | 4 | 3-107% | |
| 1718-51-0 | Terphenyl-d14 | 88% | | 4. | 5-119% | |

- (a) Analysis performed at SGS Accutest, Orlando FL.
- (b) Outside control limits. However, sample was ND.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E6-2 Lab Sample ID: C470

Lab Sample ID: C47015-22 **Matrix:** SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a W094944.D 1 09/13/16 AFL 09/12/16 F:OP61828 F:SW4253

Run #2

Initial Weight Final Volume

Run #1 14.7 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 68 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 68 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 68 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 14 | 3.4 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 14 | 3.4 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 14 | 3.4 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 218-01-9 | Chrysene | ND | 14 | 3.4 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 14 | 3.4 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 68 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 68 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 14 | 3.4 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 68 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 68 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 68 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 4165-60-0 | Nitrobenzene-d5 | 94% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 82% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 96% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E6-2

Lab Sample ID: C47015-22 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed By **Prep Batch** Run #1 a UV075819.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 5.76 g 5.0 ml 100 ul Run #2

CAS No. **MDL** Units Q Compound Result RL

> TPH-GRO (C6-C10) ND 4.3 2.2 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

460-00-4 94% 56-149% 4-Bromofluorobenzene 98-08-8 aaa-Trifluorotoluene 95% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



Client Sample ID: E6-2

Lab Sample ID: C47015-22 Matrix: SO - Soil

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By F:GTT1861 Run #1 a TT379357.D 09/14/16 AFL 09/12/16 F:OP61829

Run #2

Final Volume Initial Weight

Run #1 15.0 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|------------------------------|--------|---------|------|-------|---|
| 309-00-2 | Aldrin ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC b | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC ^b | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) b | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin ^b | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD ^b | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate b | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde ^b | ND | 3.3 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I b | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II ^b | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor ^b | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide b | ND | 1.7 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 | Tetrachloro-m-xylene | 89% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 77% | 50-133% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

Page 1 of 1

⁽b) Associated CCV outside control limits.

Report of Analysis

Client Sample ID: E6-2

Lab Sample ID: C47015-22 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8082A SW846 3546 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** By Run #1 a F:GST3293 ST138381.D 09/13/16 AFL 09/12/16 F:OP61830

Run #2

Final Volume Initial Weight Run #1 15.0 g 5.0 ml Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------------------|----------------------------|--|--|---|
| 12674-11-2 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 | ND ND ND ND ND ND | 17 17 17 17 17 | 6.7 8.5 8.3 6.7 6.7 8.0 | ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 91% 96% | | 44-12 41-14 | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E6-2

Lab Sample ID: C47015-22 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8015C SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a F:GJR98 JR002669.D 09/15/16 AFL 09/12/16 F:OP61833

Run #2

Final Volume Initial Weight Run #1 20.0 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND 7.59 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits | | |
| 84-15-1 | o-Terphenyl | 77% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Matrix:

Client Sample ID: E6-2 Lab Sample ID: C47015-22

SO - Soil

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.8 | 4.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | 3.5 | 2.4 | mg/kg | | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 199 | 48 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.2 | 1.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.96 | 0.96 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium a | 78.8 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 18.1 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 37.0 | 6.0 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 9.0 | 4.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | 0.056 | 0.038 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 12 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 98.4 | 9.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.8 | 4.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.4 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.4 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 54.0 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 57.1 | 4.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399 (2) Instrument QC Batch: F:MA13400 (3) Prep QC Batch: F:MP30815 (4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E6-4

Lab Sample ID: C47015-23 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a F:VC4681 C0118000.D 09/12/16 AFL n/a n/a

Run #2

Final Volume Initial Weight

Run #1 5.32 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 47 | 9.6 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.7 | 1.2 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.7 | 1.1 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.7 | 1.0 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.7 | 0.94 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.7 | 0.94 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 23 | 8.5 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.7 | 1.7 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.7 | 0.94 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.7 | 1.9 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.7 | 1.1 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.7 | 0.94 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.7 | 0.94 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.7 | 0.94 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.7 | 2.1 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.7 | 0.94 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.7 | 2.3 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.7 | 0.94 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.7 | 0.94 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.7 | 0.96 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.7 | 1.6 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.7 | 0.94 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.7 | 0.94 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.7 | 1.1 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.7 | 1.4 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.7 | 1.5 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.7 | 0.94 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.7 | 0.94 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.7 | 1.2 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: E6-4
Lab Sample ID: C47015-23
Matrix: SO - Soil
Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.7 | 1.8 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.7 | 0.94 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.7 | 1.1 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.7 | 1.0 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.7 | 1.2 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.7 | 2.0 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 23 | 8.2 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.7 | 1.3 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.7 | 0.94 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.7 | 2.4 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.7 | 2.3 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.7 | 1.7 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 6.8 | 9.4 | 3.8 | ug/kg | J |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 23 | 10 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.7 | 1.0 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.7 | 1.9 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.7 | 1.2 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.7 | 0.94 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.7 | 1.3 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 47 | 13 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.7 | 1.1 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.7 | 2.1 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.7 | 1.2 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.7 | 1.1 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.7 | 1.9 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.7 | 1.4 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.7 | 0.94 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.7 | 1.7 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.7 | 1.1 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.7 | 1.8 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.7 | 1.5 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.7 | 0.94 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.7 | 1.6 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 14 | 2.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 108% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 104% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Date Sampled: 09/06/16

Client Sample ID: E6-4 Lab Sample ID: C47015-23 Matrix: SO - Soil Method:

Date Received: 09/08/16 SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 93% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 95% | | 71-133% |

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E6-4 Lab Sample ID: C47015-23

Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a X049008.D 1 09/13/16 AFL 09/12/16 F:OP61834 F:SX2121

Run #2

Final Volume Initial Weight

Run #1 30.0 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Percent Solids: n/a

Matrix:

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Report of Analysis

Client Sample ID: E6-4 Lab Sample ID: C47015-23

SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 367-12-4 | 2-Fluorophenol | 64% | | 40-1 | 02% | |
| 4165-62-2 | Phenol-d5 | 67% | | 41-1 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 111% b | | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 69% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 73% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 84% | | 45-1 | 19% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



⁽b) Outside control limits. However, sample was ND.

Page 1 of 1

Report of Analysis

Client Sample ID: E6-4

Lab Sample ID: C47015-23 **Matrix:** SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a W094945.D 1 09/13/16 AFL 09/12/16 F:OP61828 F:SW4253

Run #2

Initial Weight Final Volume

Run #1 14.7 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 68 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 68 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 68 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 14 | 3.4 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 14 | 3.4 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 14 | 3.4 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 14 | 3.4 | ug/kg | |
| 218-01-9 | Chrysene | ND | 14 | 3.4 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 14 | 3.4 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 68 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 68 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 14 | 3.4 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 68 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 68 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 68 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 88% | | 40-10 |)5% | |
| 321-60-8 | 2-Fluorobiphenyl | 90% | | 43-10 |)7% | |
| 1718-51-0 | Terphenyl-d14 | 101% | | 45-11 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E6-4

Lab Sample ID: C47015-23 Matrix: SO - Soil **Method:** SW846 8015C **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed By **Prep Batch** Run #1 a UV075820.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 5.0 ml 100 ul 5.32 g

Run #2

CAS No. **MDL** Units Q Compound Result RL

> TPH-GRO (C6-C10) ND 4.7 2.3 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

460-00-4 56-149% 4-Bromofluorobenzene 94% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

(a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit E = Indicates value exceeds calibration range

MDL = Method Detection Limit

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: E6-4

Lab Sample ID: C47015-23 Matrix: SO - Soil

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|-------------------|-------------------------|
| Run #1 a | TT379394.D | 1 | 09/15/16 | AFL | 09/12/16 | F:OP61829 | F:GTT1862 |
| D 1/2 | | | | | | | |

Run #2

Final Volume Initial Weight

Run #1 14.7 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|-------|-------|---|
| 309-00-2 | Aldrin | ND | 1.7 | 0.52 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.52 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.52 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.50 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.52 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.8 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.64 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.4 | 0.59 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.4 | 0.55 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.4 | 0.67 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.4 | 0.63 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.4 | 0.64 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.4 | 0.63 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.50 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.63 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.58 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.60 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.4 | 0.87 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 85 | 34 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 877-09-8 | Tetrachloro-m-xylene | 80% | | 50-12 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 82% | | 50-13 | 33% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E6-4

Lab Sample ID: C47015-23 **Matrix:** SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|-----------|------------|------------------|
| Run #1 a | ST138382.D | 1 | 09/13/16 | AFL | 09/12/16 | F:OP61830 | F:GST3293 |
| Run #2 | | | | | | | |

Run #1 14.7 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|-------|-----------------|---|
| 12674-11-2 | | ND | 17 | 6.8 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 17 | 8.7 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 17 | 8.5 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 17 | 6.8 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 17 | 6.8 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 17 | 8.1 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.8 | ug/kg | |
| | | | | | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 86% | | 44-1 | 26% | |
| | • | | | | | |
| 2051-24-3 | Decachlorobiphenyl | 92% | | 41-14 | 4 5% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Page 1 of 1

Client Sample ID: E6-4

 Lab Sample ID:
 C47015-23
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ JR002670.D 1 09/15/16 AFL 09/12/16 F:OP61833 F:GJR98

Run #2

Run #1 20.1 g Final Volume 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND 3.42 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | J |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 71% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

 $MDL = \ Method \ Detection \ Limit$

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: E6-4 Lab Sample ID: C470

 Lab Sample ID:
 C47015-23
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.2 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | 2.4 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 135 | 42 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.85 | 0.85 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium ^a | 82.3 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 18.3 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 34.0 | 5.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 7.7 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | 0.047 | 0.037 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 81.8 | 8.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.2 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.1 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.1 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 63.9 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 47.9 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399(2) Instrument QC Batch: F:MA13400(3) Prep QC Batch: F:MP30815(4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E7-1

 Lab Sample ID:
 C47015-24
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079442.D 1 09/09/16 AFL n/a n/a F:VF2730

Run #2

Initial Weight Final Volume

Run #1 5.86 g 5.0 ml

Run #2

CACAT

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | 210 | 43 | 8.7 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.3 | 1.1 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.3 | 1.0 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.3 | 0.95 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.3 | 0.85 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.3 | 0.85 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | 45.9 | 21 | 7.7 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.3 | 0.85 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.3 | 0.85 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.3 | 0.85 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.3 | 1.5 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.3 | 0.85 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.3 | 1.7 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.3 | 1.0 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.3 | 0.85 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.3 | 0.85 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.3 | 0.85 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.3 | 1.9 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.3 | 0.85 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.3 | 2.1 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.3 | 0.85 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.3 | 0.85 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.3 | 0.87 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.3 | 1.4 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.3 | 0.85 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.3 | 0.85 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.3 | 1.0 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.3 | 1.3 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.3 | 1.4 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.3 | 0.85 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.3 | 0.85 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.3 | 1.1 | ug/kg | |

ND = Not detected RL = Reporting Limit MDL = Method Detection Limit

MDL = Method Det

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E7-1

 Lab Sample ID:
 C47015-24
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.3 | 1.6 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.3 | 0.85 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.3 | 1.0 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.3 | 0.93 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.3 | 1.1 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.3 | 1.9 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 21 | 7.4 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.3 | 1.2 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.3 | 0.85 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.3 | 2.2 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.3 | 2.0 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.3 | 1.6 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 13.6 | 8.5 | 3.4 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 21 | 9.1 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.3 | 0.95 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.3 | 1.7 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.3 | 1.1 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.3 | 0.85 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.3 | 1.2 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 43 | 12 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.3 | 0.96 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.3 | 1.9 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.3 | 1.1 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.3 | 0.96 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.3 | 1.7 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.3 | 1.3 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.3 | 0.85 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.3 | 1.5 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.3 | 1.0 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.3 | 1.6 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.3 | 1.4 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.3 | 0.85 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.3 | 0.85 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.3 | 1.4 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 13 | 2.4 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 111% | | 75-12 | | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 113% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ယ

Page 3 of 3

Client Sample ID: E7-1

 Lab Sample ID:
 C47015-24
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 94% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 113% | | 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



MDL = Method Detection Limit

Client Sample ID: E7-1

 Lab Sample ID:
 C47015-24
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8270D
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ X049009.D 1 09/13/16 AFL 09/12/16 F:OP61834 F:SX2121

Run #2

Initial Weight Final Volume

Run #1 30.0 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 2

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E7-1

Lab Sample ID: C47015-24 **Matrix:** SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lin | nits | |
| 367-12-4 | 2-Fluorophenol | 60% | | 40- | 102% | |
| 4165-62-2 | Phenol-d5 | 65% | | 41- | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 99% | | 42- | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 61% | | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 70% | | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 82% | | 45- | 119% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value





Client Sample ID: E7-1

 Lab Sample ID:
 C47015-24
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8270D BY SIM SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a W094946.D 1 09/13/16 AFL 09/12/16 F:OP61828 F:SW4253

Run #2

Run #1 14.9 g Final Volume

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 67 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 67 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 67 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.4 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.4 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.4 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.4 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.4 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.4 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 67 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 67 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.4 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 67 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 67 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 67 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 87% | | 40-10 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 86% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 86% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E7-1

 Lab Sample ID:
 C47015-24
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a UV075821.D 1 09/13/16 AFL n/a n/a F:GUV4035

Run #2

Run #1 6.00 g 5.0 ml Methanol Aliquot

Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 4.2 2.1 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 93%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 94%
 66-132%

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit E = Indicates value exceeds calibration range

MDL = Method Detection Limit

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

SGS

Page 1 of 1

Client Sample ID: E7-1

 Lab Sample ID:
 C47015-24
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ TT379395.D 5 09/15/16 AFL 09/12/16 F:OP61829 F:GTT1862

Run #2

Run #1 15.0 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL MDL Units | | | Q |
|------------|----------------------|--------|---------------|------|-------|---|
| 309-00-2 | Aldrin | ND | 8.3 | 2.5 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 8.3 | 2.6 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 8.3 | 2.6 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 8.3 | 2.4 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 8.3 | 2.6 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 83 | 33 | ug/kg | |
| 60-57-1 | Dieldrin | 4.9 | 8.3 | 3.1 | ug/kg | J |
| 72-54-8 | 4,4'-DDD | ND | 17 | 2.9 | ug/kg | |
| 72-55-9 | 4,4'-DDE | 8.8 | 17 | 2.7 | ug/kg | J |
| 50-29-3 | 4,4'-DDT | ND | 17 | 3.3 | ug/kg | |
| 72-20-8 | Endrin | ND | 17 | 3.1 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 17 | 3.1 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 17 | 3.1 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 8.3 | 2.4 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 8.3 | 3.1 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 8.3 | 2.8 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 8.3 | 2.9 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 17 | 4.3 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 420 | 170 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | its | |
| | - | | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 75% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 81% | | 50-1 | 33% | |

(a) All hits confirmed by dual column analysis. Dilution required due to matrix interference. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E7-1

Lab Sample ID: C47015-24 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Method: SW846 8082A SW846 3546 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|------------|-------------------------|
| Run #1 a | ST138383.D | 1 | 09/13/16 | AFL | 09/12/16 | F:OP61830 | F:GST3293 |
| D 1/2 | | | | | | | |

Run #2

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 15.0 g | 5.0 ml |
| Run #2 | | |

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------------------|----------------------------------|--|--|---|
| 12674-11-2 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 | ND ND ND ND ND ND | 17 17 17 17 17 17 | 6.7 8.5 8.3 6.7 6.7 8.0 | ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 93% 91% | | 44-12 41-14 | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis Page 1 of 1

Client Sample ID: E7-1

Lab Sample ID: C47015-24 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8015C SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a F:GJR98 JR002671.D 09/15/16 AFL 09/12/16 F:OP61833

Run #2

Final Volume Initial Weight Run #1 20.0 g 1.0 ml

Run #2

TPH Extractable

| CAS No. Compound | | Result | RL | MDL | Units | Q |
|------------------|----------------------------------|--------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | 10.1 29.7 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | Limits | |
| 84-15-1 | o-Terphenyl | 76% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

Client Sample ID: E7-1

 Lab Sample ID:
 C47015-24
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.7 | 4.7 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | < 2.4 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 156 | 47 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.2 | 1.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.94 | 0.94 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium a | 69.0 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 14.8 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 33.9 | 5.9 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 10.3 | 4.7 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | 0.048 | 0.038 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 12 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 82.5 | 9.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.7 | 4.7 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.4 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.4 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 51.2 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 52.2 | 4.7 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399(2) Instrument QC Batch: F:MA13400(3) Prep QC Batch: F:MP30815(4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E7-2

Lab Sample ID: C47015-25 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|-----------|------------|-------------------------|
| Run #1 a | F0079443.D | 1 | 09/09/16 | AFL | n/a | n/a | F:VF2730 |
| | | | | | | | |

Run #2

Final Volume Initial Weight

Run #1 5.97 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | 29.2 | 42 | 8.5 | ug/kg | J |
| 71-43-2 | Benzene | ND | 4.2 | 1.1 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.2 | 1.0 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.2 | 0.93 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.2 | 0.84 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.2 | 0.84 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 21 | 7.6 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.2 | 0.84 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.2 | 0.84 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.2 | 0.84 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.2 | 1.5 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.2 | 0.84 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.2 | 1.7 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.2 | 1.0 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.2 | 0.84 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.2 | 0.84 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.2 | 0.84 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.2 | 1.9 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.2 | 0.84 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.2 | 2.1 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.2 | 0.84 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.2 | 0.84 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.2 | 0.85 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.2 | 1.4 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.2 | 0.84 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.2 | 0.84 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.2 | 1.0 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.2 | 1.3 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.2 | 1.3 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.2 | 0.84 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.2 | 0.84 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.2 | 1.1 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: E7-2 Lab Sample ID: C47015-25 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | ult RL MDL U | | | Q |
|------------|---------------------------------|--------|--------------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.2 | 1.6 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.2 | 0.84 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.2 | 1.0 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.2 | 0.91 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.2 | 1.1 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.2 | 1.8 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 21 | 7.3 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.2 | 1.2 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.2 | 0.84 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.2 | 2.2 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.2 | 2.0 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.2 | 1.5 | ug/kg | |
| 75-09-2 | Methylene Chloride ^b | 8.5 | 8.4 | 3.4 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 21 | 9.0 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.2 | 0.93 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.2 | 1.7 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.2 | 1.0 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.2 | 0.84 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.2 | 1.1 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 42 | 11 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.2 | 0.94 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.2 | 1.9 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.2 | 1.1 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.2 | 0.95 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.2 | 1.7 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.2 | 1.2 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.2 | 0.84 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.2 | 1.5 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.2 | 0.98 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.2 | 1.6 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.2 | 1.4 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.2 | 0.84 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.2 | 0.84 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.2 | 1.4 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 13 | 2.4 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 118% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 123% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E7-2

 Lab Sample ID:
 C47015-25
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 94% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 93% | | 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

tected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$



Client Sample ID: E7-2

 Lab Sample ID:
 C47015-25
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8270D
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a X049010.D 1 09/13/16 AFL 09/12/16 F:OP61834 F:SX2121

Run #2

Initial Weight Final Volume

Run #1 30.4 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 820 | 160 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 160 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 160 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 160 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 160 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 820 | 160 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 160 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 160 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 160 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 820 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 820 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 160 | 19 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 160 | 17 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 160 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 160 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1600 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 160 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 160 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 160 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 160 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 160 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 160 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 160 | 29 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 160 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 160 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 160 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 160 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 160 | 16 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 160 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 160 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 160 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



W

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E7-2

Lab Sample ID: C47015-25 Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 160 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 160 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 160 | 16 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 160 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 160 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 160 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 160 | 18 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 160 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 160 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 160 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 160 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 160 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 160 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 160 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 160 | 31 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 160 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lin | nits | |
| 367-12-4 | 2-Fluorophenol | 64% | | 40- | 102% | |
| 4165-62-2 | Phenol-d5 | 70% | | 41- | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 98% | | 42- | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 67% | | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 72% | | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 91% | | 45- | 119% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range



Page 1 of 1

Report of Analysis

Client Sample ID: E7-2

 Lab Sample ID:
 C47015-25
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8270D BY SIM SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a W094947.D 1 09/13/16 AFL 09/12/16 F:OP61828 F:SW4253

Run #2

Initial Weight Final Volume

Run #1 15.1 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 66 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 66 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 66 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 66 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 66 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 66 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 66 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 66 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 4165-60-0 | Nitrobenzene-d5 | 79% | | 40-1 | .05% | |
| 321-60-8 | 2-Fluorobiphenyl | 65% | | 43-1 | .07% | |
| 1718-51-0 | Terphenyl-d14 | 84% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



-1-

Page 1 of 1

Report of Analysis

Client Sample ID: E7-2

Lab Sample ID: C47015-25 Matrix: SO - Soil **Method:** SW846 8015C

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

DF **Prep Date Prep Batch Analytical Batch** File ID Analyzed By Run #1 a UV075822.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

Project:

Final Volume Initial Weight Methanol Aliquot Run #1 5.89 g 5.0 ml 100 ul

Run #2

CAS No. Compound RL**MDL** Units Q Result

> TPH-GRO (C6-C10) ND 4.2 2.1 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

94% 56-149% 460-00-4 4-Bromofluorobenzene 98-08-8 aaa-Trifluorotoluene 95% 66-132%

MDL = Method Detection Limit

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



F:GTT1861

Report of Analysis

By

AFL

09/12/16

Client Sample ID: E7-2

Lab Sample ID: C47015-25 **Matrix:** SO - Soil

File ID

TT379360.D

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/14/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

F:OP61829

Prep Date Prep Batch Analytical Batch

Run #1 ^a Run #2

Run #1 14.8 g Final Volume 5.0 ml

Run #2

Pesticide PPL List

| nits Q |
|--------|
| /kg |
| |
| |
| |
| |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated CCV outside control limits.

Page 1 of 1

Client Sample ID: E7-2

 Lab Sample ID:
 C47015-25
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ ST138386.D 1 09/13/16 AFL 09/12/16 F:OP61830 F:GST3293

Run #2

Run #1 14.8 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------------------|--|-------------|--------|---------------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 17 | 6.8 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 17 | 8.6 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 17 | 8.4 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 17 | 6.8 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 17 | 6.8 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 17 | 8.1 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.8 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 94% 103% | | 44-12 41-1 | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$



Page 1 of 1

Client Sample ID: E7-2

 Lab Sample ID:
 C47015-25
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ JR002672.D 1 09/15/16 AFL 09/12/16 F:OP61833 F:GJR98

Run #2

Run #1 20.0 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND 5.22 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 77% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: E7-2

 Lab Sample ID:
 C47015-25
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|---------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.2 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | 3.0 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 164 | 42 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.84 | 0.84 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium ^a | 71.4 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 19.3 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper ^a | 34.9 | 5.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 9.2 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | < 0.039 | 0.039 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 96.6 | 8.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.2 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.1 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.1 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 41.8 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 53.0 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399(2) Instrument QC Batch: F:MA13400(3) Prep QC Batch: F:MP30815(4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E7-3

 Lab Sample ID:
 C47015-26

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Date Received: 09/08/16 **Percent Solids:** n/a

Date Sampled: 09/06/16

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079444.D 1 09/09/16 AFL n/a n/a F:VF2730

Run #2

Initial Weight Final Volume

Run #1 6.04 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 41 | 8.4 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.1 | 1.0 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.1 | 1.0 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.1 | 0.92 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.1 | 0.83 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.1 | 0.83 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 21 | 7.5 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.1 | 1.5 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.1 | 0.83 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.1 | 1.7 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.1 | 1.0 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.1 | 0.83 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.1 | 0.83 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.1 | 0.83 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.1 | 1.8 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.1 | 0.83 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.1 | 2.1 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.1 | 0.83 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.1 | 0.83 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.1 | 0.84 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.1 | 1.4 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.1 | 0.83 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.1 | 0.83 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.1 | 0.99 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.1 | 1.3 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.1 | 1.3 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.1 | 0.83 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.1 | 0.83 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.1 | 1.1 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 3

Client Sample ID: E7-3 Lab Sample ID: C47015-26

Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.1 | 1.6 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.1 | 0.83 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.1 | 0.99 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.1 | 0.90 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.1 | 1.1 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.1 | 1.8 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 21 | 7.2 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.1 | 1.2 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.1 | 0.83 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.1 | 2.1 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.1 | 2.0 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.1 | 1.5 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 12.2 | 8.3 | 3.3 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 21 | 8.9 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.1 | 0.92 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.1 | 1.7 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.1 | 1.0 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.1 | 0.83 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.1 | 1.1 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 41 | 11 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.1 | 0.93 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.1 | 1.8 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.1 | 1.1 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.1 | 0.94 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.1 | 1.6 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.1 | 1.2 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.1 | 0.83 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.1 | 1.5 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.1 | 0.97 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.1 | 1.5 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.1 | 1.3 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.1 | 1.4 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 12 | 2.4 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 109% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 112% | | 72-13 | 35% | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Percent Solids: n/a

Page 3 of 3

Client Sample ID: E7-3

Lab Sample ID: C47015-26 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 92% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 100% | | 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

J = Indicates an estimated value

RL = Reporting Limit E = Indicates value exceeds calibration range B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

MDL = Method Detection Limit

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Report of Analysis

Client Sample ID: E7-3

Lab Sample ID: C47015-26 Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a X049011.D 1 09/13/16 AFL 09/12/16 F:OP61834 F:SX2121

Run #2

Final Volume Initial Weight

Run #1 30.0 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Report of Analysis

Client Sample ID: E7-3 Lab Sample ID: C47015-26

Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q | |
|-----------------------------------|---|-----------------------------|--------------------|-----------|-------|---|--|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | £2 Limits | | | |
| 367-12-4 | 2-Fluorophenol | 69% | 40-102% | | | | |
| 4165-62-2 | Phenol-d5 | 77% | 41-100% | | | | |
| 118-79-6 | 2,4,6-Tribromophenol | 114% b | 42-108% | | | | |
| 4165-60-0 | Nitrobenzene-d5 | 71% | 40-105% | | | | |
| 321-60-8 | 2-Fluorobiphenyl | 78% | 43-107% | | | | |
| 1718-51-0 | Terphenyl-d14 | 87% | | 45- | 119% | | |
| 118-79-6 4165-60-0 321-60-8 | Phenol-d5 2,4,6-Tribromophenol Nitrobenzene-d5 2-Fluorobiphenyl | 77% 114% b 71% 78% | 42-108% 40-105% | | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



MDL = Method Detection Limit

⁽b) Outside control limits. However, sample was ND.

Page 1 of 1

Client Sample ID: E7-3

 Lab Sample ID:
 C47015-26
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8270D BY SIM SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ W094948.D 1 09/13/16 AFL 09/12/16 F:OP61828 F:SW4253

Run #2

Initial Weight Final Volume

Run #1 14.8 g 1.0 ml

Run #2

BN PAH List

| Compound | Result | RL | MDL | Units | Q |
|-----------------------------|--|--|--|---|---|
| Acenaphthene | ND | 68 | 27 | ug/kg | |
| Acenaphthylene | ND | 68 | 27 | ug/kg | |
| Anthracene | ND | 68 | 17 | ug/kg | |
| Benzo(a)anthracene | ND | 14 | 3.4 | | |
| | ND | 14 | 3.4 | | |
| Benzo(b)fluoranthene | ND | 14 | 3.4 | | |
| Benzo(g,h,i)perylene | ND | 14 | 3.4 | | |
| Benzo(k)fluoranthene | ND | 14 | 3.4 | | |
| Chrysene | ND | 14 | 3.4 | ug/kg | |
| Dibenzo(a,h)anthracene | ND | 14 | 3.4 | ug/kg | |
| Fluoranthene | ND | 68 | 17 | ug/kg | |
| Fluorene | ND | 68 | 27 | ug/kg | |
| Indeno(1,2,3-cd)pyrene | ND | 14 | 3.4 | ug/kg | |
| 1-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 2-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| Naphthalene | ND | 68 | 27 | ug/kg | |
| Phenanthrene | ND | 68 | 17 | ug/kg | |
| Pyrene | ND | 68 | 17 | ug/kg | |
| Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| Nitrobenzene-d5 | 96% | | 40-10 |)5% | |
| 2-Fluorobiphenyl | 83% | | 43-10 |)7% | |
| Terphenyl-d14 | 82% | 45-119% | | | |
| | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluorene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene 2-Methylnaphthalene Naphthalene Phenanthrene Pyrene Surrogate Recoveries Nitrobenzene-d5 2-Fluorobiphenyl | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(a)pyrene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene ND Benzo(k)fluoranthene ND Chrysene Dibenzo(a,h)anthracene Fluoranthene ND Fluorene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene ND Naphthalene ND Naphthalen | Acenaphthene ND 68 Acenaphthylene ND 68 Anthracene ND 68 Benzo(a)anthracene ND 14 Benzo(a)pyrene ND 14 Benzo(b)fluoranthene ND 14 Benzo(g,h,i)perylene ND 14 Benzo(k)fluoranthene ND 14 Chrysene ND 14 Dibenzo(a,h)anthracene ND 68 Fluoranthene ND 68 Indeno(1,2,3-cd)pyrene ND 68 Indeno(1,2,3-cd)pyrene ND 68 1-Methylnaphthalene ND 68 Naphthalene ND 68 Naphthalene ND 68 Phenanthrene ND 68 Pyrene ND 68 Surrogate Recoveries Run# 1 Run# 2 Nitrobenzene-d5 2-Fluorobiphenyl 83% | Acenaphthene ND 68 27 Acenaphthylene ND 68 27 Anthracene ND 68 17 Benzo(a)anthracene ND 14 3.4 Benzo(a)pyrene ND 14 3.4 Benzo(b)fluoranthene ND 14 3.4 Benzo(g,h,i)perylene ND 14 3.4 Benzo(k)fluoranthene ND 14 3.4 Chrysene ND 14 3.4 Chrysene ND 14 3.4 Dibenzo(a,h)anthracene ND 14 3.4 Fluoranthene ND 68 17 Fluorene ND 68 27 Indeno(1,2,3-cd)pyrene ND 14 3.4 1-Methylnaphthalene ND 68 27 Naphthalene ND 68 27 Naphthalene ND 68 17 Pyrene ND 68 17 Surrogate Rec | Acenaphthene ND 68 27 ug/kg Acenaphthylene ND 68 27 ug/kg Anthracene ND 68 17 ug/kg Benzo(a)anthracene ND 14 3.4 ug/kg Benzo(a)pyrene ND 14 3.4 ug/kg Benzo(b)fluoranthene ND 14 3.4 ug/kg Benzo(k)fluoranthene ND 14 3.4 ug/kg Benzo(k)fluoranthene ND 14 3.4 ug/kg Chrysene ND 14 3.4 ug/kg Dibenzo(a, h)anthracene ND 14 3.4 ug/kg Fluoranthene ND 68 17 ug/kg Fluorene ND 68 27 ug/kg Indeno(1,2,3-cd)pyrene ND 14 3.4 ug/kg I-Methylnaphthalene ND 68 27 ug/kg Phenanthrene ND 68 27 ug/kg |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E7-3

 Lab Sample ID:
 C47015-26
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a UV075823.D 1 09/13/16 AFL n/a n/a F:GUV4035

Run #2

Initial Weight Final Volume Methanol Aliquot
Run #1 5.88 g 5.0 ml 100 ul
Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 4.3 2.1 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 93%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 95%
 66-132%

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

 $J = \ Indicates \ an \ estimated \ value$

RL = Reporting Limit

B = Indicates analyte found in associated method blank

 $E = \ Indicates \ value \ exceeds \ calibration \ range$

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: E7-3

 Lab Sample ID:
 C47015-26
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a TT379361.D 1 09/14/16 AFL 09/12/16 F:OP61829 F:GTT1861

Run #2

Initial Weight Final Volume

Run #1 15.0 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|------------------------------|--------|---------------|------|-------|---|
| 309-00-2 | Aldrin ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC b | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC ^b | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) b | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin ^b | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD ^b | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate b | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde ^b | ND | 3.3 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I b | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II ^b | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor ^b | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide b | ND | 1.7 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | its | |
| 877-09-8 | Tetrachloro-m-xylene | 105% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 81% | 50-133% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated CCV outside control limits.

Report of Analysis

Client Sample ID: E7-3

Lab Sample ID: C47015-26 Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|-----------|------------|------------------|
| Run #1 a | ST138387.D | 1 | 09/13/16 | AFL | 09/12/16 | F:OP61830 | F:GST3293 |
| Run #2 | | | | | | | |

Initial Weight Final Volume Run #1 15.0 g 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--------------------------|------------------------------|----------|----------|------------|----------------|---|
| 12674-11-2 | | ND ND | 17 | 6.7 | ug/kg | |
| 11104-28-2 11141-16-5 | Aroclor 1221 Aroclor 1232 | ND ND | 17 17 | 8.5 8.3 | ug/kg ug/kg | |
| 53469-21-9 12672-29-6 | Aroclor 1242 Aroclor 1248 | ND ND | 17 17 | 6.7 6.7 | ug/kg ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 17 | 8.0 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 95% | | 44-12 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 104% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E7-3

Lab Sample ID: **Date Sampled:** 09/06/16 C47015-26 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8015C SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed $\mathbf{B}\mathbf{y}$ Run #1 a F:GJR98 JR002676.D 09/15/16 AFL 09/12/16 F:OP61833

Run #2

Final Volume Initial Weight Run #1 20.3 g 1.0 ml Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 4.9 4.9 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 84-15-1 | o-Terphenyl | 65% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: E7-3

 Lab Sample ID:
 C47015-26
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|---------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.4 | 4.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | 2.7 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 139 | 44 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.88 | 0.88 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium ^a | 69.0 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 17.2 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 33.4 | 5.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 7.6 | 4.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | < 0.040 | 0.040 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 68.6 | 8.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.4 | 4.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.2 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.2 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 60.1 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 51.9 | 4.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399(2) Instrument QC Batch: F:MA13400(3) Prep QC Batch: F:MP30815(4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E7-5

 Lab Sample ID:
 C47015-27
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ C0117976.D 1 09/09/16 AFL n/a n/a F:VC4680

Run #2

Initial Weight Final Volume

Run #1 5.72 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 44 | 8.9 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.4 | 1.1 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.4 | 1.1 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.4 | 0.97 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.4 | 0.87 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.4 | 0.87 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 22 | 7.9 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.4 | 0.87 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.4 | 0.87 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.4 | 0.87 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.4 | 1.6 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.4 | 0.87 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.4 | 1.7 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.4 | 1.1 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.4 | 0.87 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.4 | 0.87 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.4 | 0.87 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.4 | 1.9 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.4 | 0.87 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.4 | 2.2 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.4 | 0.87 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.4 | 0.87 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.4 | 0.89 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.4 | 1.5 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.4 | 0.87 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.4 | 0.87 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.4 | 1.0 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.4 | 1.3 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.4 | 1.4 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.4 | 0.87 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.4 | 0.87 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.4 | 1.1 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: E7-5

 Lab Sample ID:
 C47015-27

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 Date Received: 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.4 | 1.7 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.4 | 0.87 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.4 | 1.0 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.4 | 0.95 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.4 | 1.1 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.4 | 1.9 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 22 | 7.6 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.4 | 1.2 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.4 | 0.87 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.4 | 2.3 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.4 | 2.1 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.4 | 1.6 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 11.6 | 8.7 | 3.5 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 22 | 9.4 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.4 | 0.97 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.4 | 1.7 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.4 | 1.1 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.4 | 0.87 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.4 | 1.2 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 44 | 12 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.4 | 0.98 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.4 | 1.9 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.4 | 1.1 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.4 | 0.99 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.4 | 1.7 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.4 | 1.3 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.4 | 0.87 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.4 | 1.6 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.4 | 1.0 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.4 | 1.6 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.4 | 1.4 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.4 | 0.87 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.4 | 0.87 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.4 | 1.5 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 13 | 2.5 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 104% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 106% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Page 3 of 3

Client Sample ID: E7-5

Lab Sample ID: C47015-27 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 94% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 94% | | 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



MDL = Method Detection Limit

Report of Analysis

Client Sample ID: E7-5

Lab Sample ID: C47015-27 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8270D SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed $\mathbf{B}\mathbf{y}$ Run #1 a X049012.D 1 09/13/16 AFL 09/12/16 F:OP61834 F:SX2121

Run #2

Final Volume Initial Weight

Run #1 30.0 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

E = Indicates value exceeds calibration range



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E7-5

Lab Sample ID: C47015-27 **Matrix:** SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lin | nits | |
| 367-12-4 | 2-Fluorophenol | 59% | | 40- | 102% | |
| 4165-62-2 | Phenol-d5 | 67% | | 41- | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 97% | | 42- | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 63% | | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 69% | | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 79% | | 45- | 119% | |
| | | | | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E7-5

Lab Sample ID: C47015-27 **Matrix:** SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a W094951.D 1 09/13/16 AFL 09/12/16 F:OP61828 F:SW4253

Run #2

Initial Weight Final Volume

Run #1 14.8 g 1.0 ml

Run #2

BN PAH List

| Compound | Result | RL | MDL | Units | Q |
|-----------------------------|--|--|--|---|---|
| Acenaphthene | ND | 68 | 27 | ug/kg | |
| Acenaphthylene | ND | 68 | 27 | ug/kg | |
| Anthracene | ND | 68 | 17 | ug/kg | |
| Benzo(a)anthracene | ND | 14 | 3.4 | | |
| | ND | 14 | 3.4 | | |
| Benzo(b)fluoranthene | ND | 14 | 3.4 | | |
| Benzo(g,h,i)perylene | ND | 14 | 3.4 | | |
| Benzo(k)fluoranthene | ND | 14 | 3.4 | | |
| Chrysene | ND | 14 | 3.4 | ug/kg | |
| Dibenzo(a,h)anthracene | ND | 14 | 3.4 | ug/kg | |
| Fluoranthene | ND | 68 | 17 | ug/kg | |
| Fluorene | ND | 68 | 27 | ug/kg | |
| Indeno(1,2,3-cd)pyrene | ND | 14 | 3.4 | ug/kg | |
| 1-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| 2-Methylnaphthalene | ND | 68 | 27 | ug/kg | |
| Naphthalene | ND | 68 | 27 | ug/kg | |
| Phenanthrene | ND | 68 | 17 | ug/kg | |
| Pyrene | ND | 68 | 17 | ug/kg | |
| Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| Nitrobenzene-d5 | 82% | | 40-10 |)5% | |
| 2-Fluorobiphenyl | 80% | | 43-10 |)7% | |
| Terphenyl-d14 | 97% | 45-119% | | | |
| | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluorene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene 2-Methylnaphthalene Naphthalene Phenanthrene Pyrene Surrogate Recoveries Nitrobenzene-d5 2-Fluorobiphenyl | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(a)pyrene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene ND Benzo(k)fluoranthene ND Chrysene Dibenzo(a,h)anthracene Fluoranthene ND Fluorene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene ND Naphthalene ND Naphthalen | Acenaphthene ND 68 Acenaphthylene ND 68 Anthracene ND 68 Benzo(a)anthracene ND 14 Benzo(a)pyrene ND 14 Benzo(b)fluoranthene ND 14 Benzo(g,h,i)perylene ND 14 Benzo(k)fluoranthene ND 14 Chrysene ND 14 Dibenzo(a,h)anthracene ND 68 Fluoranthene ND 68 Indeno(1,2,3-cd)pyrene ND 68 Indeno(1,2,3-cd)pyrene ND 68 1-Methylnaphthalene ND 68 Naphthalene ND 68 Naphthalene ND 68 Phenanthrene ND 68 Pyrene ND 68 Surrogate Recoveries Run# 1 Run# 2 Nitrobenzene-d5 82% 2-Fluorobiphenyl 80% | Acenaphthene ND 68 27 Acenaphthylene ND 68 27 Anthracene ND 68 17 Benzo(a)anthracene ND 14 3.4 Benzo(a)pyrene ND 14 3.4 Benzo(b)fluoranthene ND 14 3.4 Benzo(g,h,i)perylene ND 14 3.4 Benzo(k)fluoranthene ND 14 3.4 Chrysene ND 14 3.4 Dibenzo(a,h)anthracene ND 14 3.4 Fluoranthene ND 68 17 Fluorene ND 68 27 Indeno(1,2,3-cd)pyrene ND 14 3.4 1-Methylnaphthalene ND 68 27 Naphthalene ND 68 27 Naphthalene ND 68 27 ND 68 17 Pyrene ND 68 17 ND 68 | Acenaphthene ND 68 27 ug/kg Acenaphthylene ND 68 27 ug/kg Anthracene ND 68 17 ug/kg Benzo(a)anthracene ND 14 3.4 ug/kg Benzo(a)pyrene ND 14 3.4 ug/kg Benzo(b)fluoranthene ND 14 3.4 ug/kg Benzo(k)fluoranthene ND 14 3.4 ug/kg Benzo(k)fluoranthene ND 14 3.4 ug/kg Chrysene ND 14 3.4 ug/kg Dibenzo(a, h)anthracene ND 14 3.4 ug/kg Fluoranthene ND 68 17 ug/kg Fluorene ND 68 27 ug/kg Indeno(1,2,3-cd)pyrene ND 14 3.4 ug/kg I-Methylnaphthalene ND 68 27 ug/kg Phenanthrene ND 68 27 ug/kg |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Ċ

Page 1 of 1

Client Sample ID: E7-5

 Lab Sample ID:
 C47015-27
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a UV075795.D 1 09/13/16 AFL n/a n/a F:GUV4035

Run #2

Initial Weight Final Volume Methanol Aliquot
Run #1 5.29 g 5.0 ml 100 ul
Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 4.7 2.4 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 95%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 95%
 66-132%

(a) Soil vials were not preserved within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



(A

Report of Analysis

Client Sample ID: E7-5

 Lab Sample ID:
 C47015-27
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a TT379363.D 1 09/14/16 AFL 09/12/16 F:OP61829 F:GTT1861

Run #2

Run #1 15.0 g Final Volume 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-------------------------|--------|--------|------|-------|---|
| 309-00-2 | Aldrin ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC b | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC ^b | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) b | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I b | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor ^b | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide b | ND | 1.7 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 877-09-8 | Tetrachloro-m-xylene | 92% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 73% | | 50-1 | 33% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

⁽b) Associated CCV outside control limits.

Report of Analysis

Client Sample ID: E7-5

Lab Sample ID: C47015-27 Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|------------------------|-----------|------------|------------------|
| Run #1 a | ST138390.D | 1 | 09/13/16 | AFL | 09/12/16 | F:OP61830 | F:GST3293 |
| Run #2 | | | | | | | |

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 15.0 g | 5.0 ml |
| Run #2 | | |

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------------|----------------------------------|--|--|---|
| 12674-11-2 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 11096-82-5 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 Aroclor 1260 | ND ND ND ND ND ND ND ND ND | 17 17 17 17 17 17 | 6.7 8.5 8.3 6.7 6.7 8.0 | ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg | |
| CAS No. 877-09-8 2051-24-3 | Surrogate Recoveries Tetrachloro-m-xylene Decachlorobiphenyl | Run# 1 87% 97% | Run# 2 | Limi 44-12 41-14 | ts 26% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E7-5

 Lab Sample ID:
 C47015-27
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a JR002677.D 1 09/15/16 AFL 09/12/16 F:OP61833 F:GJR98

Run #2

Run #1 20.2 g 1.0 ml
Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 81% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

letected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

CCC

Client Sample ID: E7-5

Lab Sample ID: C47015-27 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.2 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic ^a | 4.2 | 2.1 | mg/kg | 5 | 09/12/16 | | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 115 | 42 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.84 | 0.84 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium ^a | 56.7 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 11.4 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper ^a | 31.1 | 5.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 8.5 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | 0.12 | 0.039 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 68.4 | 8.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.2 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.1 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.1 | 2.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 46.4 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 52.7 | 4.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399 (2) Instrument QC Batch: F:MA13400 (3) Prep QC Batch: F:MP30815 (4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

RL = Reporting Limit

Client Sample ID: E8-1

 Lab Sample ID:
 C47015-28
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079446.D 1 09/09/16 AFL n/a n/a F:VF2730

Run #2

Initial Weight Final Volume

Run #1 6.40 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 39 | 8.0 | ug/kg | |
| 71-43-2 | Benzene | ND | 3.9 | 0.98 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 3.9 | 0.95 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 3.9 | 0.87 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 3.9 | 0.78 | ug/kg | |
| 75-25-2 | Bromoform | ND | 3.9 | 0.78 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 20 | 7.1 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 3.9 | 1.4 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 3.9 | 0.78 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 3.9 | 1.6 | ug/kg | |
| 67-66-3 | Chloroform | ND | 3.9 | 0.95 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 3.9 | 0.78 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 3.9 | 0.78 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 3.9 | 0.78 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 3.9 | 1.7 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 3.9 | 0.78 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 3.9 | 1.9 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 3.9 | 0.78 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 3.9 | 0.78 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 3.9 | 0.80 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 3.9 | 1.3 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 3.9 | 0.78 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 3.9 | 0.78 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 3.9 | 0.94 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 3.9 | 1.2 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 3.9 | 1.2 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 3.9 | 0.78 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 3.9 | 0.78 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 3.9 | 1.0 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: E8-1 Lab Sample ID: C47015-28 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 3.9 | 1.5 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 3.9 | 0.78 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 3.9 | 0.93 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 3.9 | 0.85 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 3.9 | 1.0 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 3.9 | 1.7 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 20 | 6.8 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 3.9 | 1.1 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 3.9 | 0.78 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 3.9 | 2.0 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 3.9 | 1.9 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 3.9 | 1.4 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 10.2 | 7.8 | 3.1 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 20 | 8.4 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 3.9 | 0.87 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 3.9 | 1.6 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 3.9 | 0.97 | ug/kg | |
| 100-42-5 | Styrene | ND | 3.9 | 0.78 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 3.9 | 1.1 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 39 | 11 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 3.9 | 0.88 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 3.9 | 1.7 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 3.9 | 1.0 | ug/kg | |
| 108-88-3 | Toluene | ND | 3.9 | 0.88 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 3.9 | 1.5 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 3.9 | 1.2 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 3.9 | 0.78 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 3.9 | 1.4 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 3.9 | 0.91 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 3.9 | 1.5 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 3.9 | 1.3 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 3.9 | 1.3 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 12 | 2.2 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 116% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 117% | | 72-13 | 35% | |

ND = Not detected MDL = Method

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E8-1

Lab Sample ID: C47015-28 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 94% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 95% | | 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit E = Indicates value exceeds calibration range J = Indicates an estimated value



 $\mathbf{B}\mathbf{y}$

AFL

Client Sample ID: E8-1 Lab Sample ID: C470

Lab Sample ID: C47015-28 **Matrix:** SO - Soil

File ID

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/13/16

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Prep DatePrep BatchAnalytical Batch09/12/16F:OP61834F:SX2121

Run #1 ^a Run #2

Initial Weight Final Volume

Run #1 30.0 g 1.0 ml

X049013.D

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Report of Analysis

Client Sample ID: E8-1 Lab Sample ID: C47015-28

Matrix: SO - Soil

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lin | nits | |
| 367-12-4 | 2-Fluorophenol | 62% | | 40- | 102% | |
| 4165-62-2 | Phenol-d5 | 69% | | 41- | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 95% | | 42- | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 63% | | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 69% | | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 78% | | 45- | 119% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E8-1

Lab Sample ID: C47015-28 Matrix: SO - Soil

File ID

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

DF Analyzed **Prep Date Prep Batch Analytical Batch** $\mathbf{B}\mathbf{y}$ F:SW4253 09/13/16 AFL 09/12/16 F:OP61828

Run #1 a Run #2

> **Final Volume Initial Weight**

Run #1 15.2 g 1.0 ml

W094952.D

Run #2

BN PAH List

| Compound | Result | RL | MDL | Units | Q |
|-----------------------------|--|---|--|--|---|
| Acenaphthene | ND | 66 | 26 | ug/kg | |
| Acenaphthylene | ND | 66 | 26 | ug/kg | |
| Anthracene | ND | 66 | 16 | | |
| Benzo(a)anthracene | ND | 13 | 3.3 | | |
| | ND | 13 | 3.3 | | |
| Benzo(b)fluoranthene | ND | 13 | 3.3 | | |
| Benzo(g,h,i)perylene | ND | 13 | 3.3 | | |
| Benzo(k)fluoranthene | ND | 13 | 3.3 | | |
| Chrysene | ND | 13 | 3.3 | ug/kg | |
| Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| Fluoranthene | ND | 66 | 16 | ug/kg | |
| Fluorene | ND | 66 | 26 | ug/kg | |
| Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 1-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| 2-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| Naphthalene | ND | 66 | 26 | ug/kg | |
| Phenanthrene | ND | 66 | 16 | ug/kg | |
| Pyrene | ND | 66 | 16 | ug/kg | |
| Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| Nitrobenzene-d5 | 73% | | 40-10 | 05% | |
| 2-Fluorobiphenyl | 74% | | 43-10 | 07% | |
| Terphenyl-d14 | 79% | | 45-1 | 19% | |
| | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene Chrysene Dibenzo(a,h)anthracene Fluoranthene Fluorene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene 2-Methylnaphthalene Naphthalene Phenanthrene Pyrene Surrogate Recoveries Nitrobenzene-d5 2-Fluorobiphenyl | Acenaphthene Acenaphthylene Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(g,h,i)perylene Benzo(k)fluoranthene Benzo(k)fluoranthene Benzo(a,h)anthracene Benzo(a,h)anthracene Fluoranthene Fluoranthene Indeno(1,2,3-cd)pyrene 1-Methylnaphthalene ND Naphthalene ND ND ND Naphthalene ND | Acenaphthene ND 66 Acenaphthylene ND 66 Anthracene ND 66 Benzo(a)anthracene ND 13 Benzo(b)fluoranthene ND 13 Benzo(g,h,i)perylene ND 13 Benzo(k)fluoranthene ND 13 Chrysene ND 13 Dibenzo(a,h)anthracene ND 13 Fluoranthene ND 66 Fluorene ND 66 Indeno(1,2,3-cd)pyrene ND 13 1-Methylnaphthalene ND 66 Naphthalene ND 66 Naphthalene ND 66 Pyrene ND 66 Surrogate Recoveries Run# 1 Run# 2 Nitrobenzene-d5 73% 2-Fluorobiphenyl 74% | Acenaphthene ND 66 26 Acenaphthylene ND 66 26 Anthracene ND 66 16 Benzo(a)anthracene ND 13 3.3 Benzo(a)pyrene ND 13 3.3 Benzo(b)fluoranthene ND 13 3.3 Benzo(g,h,i)perylene ND 13 3.3 Benzo(k)fluoranthene ND 13 3.3 Chrysene ND 13 3.3 Dibenzo(a,h)anthracene ND 13 3.3 Fluoranthene ND 66 16 Fluorene ND 66 26 Indeno(1,2,3-cd)pyrene ND 13 3.3 1-Methylnaphthalene ND 66 26 Naphthalene ND 66 26 Naphthalene ND 66 16 Pyrene ND 66 16 Surrogate Recoveries Run#1 Run#2 Limi | Acenaphthene ND 66 26 ug/kg Acenaphthylene ND 66 26 ug/kg Anthracene ND 66 16 ug/kg Benzo(a)anthracene ND 13 3.3 ug/kg Benzo(a)pyrene ND 13 3.3 ug/kg Benzo(b)fluoranthene ND 13 3.3 ug/kg Benzo(g,h,i)perylene ND 13 3.3 ug/kg Benzo(k)fluoranthene ND 13 3.3 ug/kg Chrysene ND 13 3.3 ug/kg Chrysene ND 13 3.3 ug/kg Fluoranthene ND 13 3.3 ug/kg Fluoranthene ND 66 16 ug/kg Indeno(1,2,3-cd)pyrene ND 13 3.3 ug/kg I-Methylnaphthalene ND 66 26 ug/kg Phenanthrene ND 66 26 ug/kg |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Percent Solids: n/a

Client Sample ID: E8-1

Lab Sample ID: C47015-28 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed $\mathbf{B}\mathbf{y}$ **Prep Batch** Run #1 a UV075796.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 6.49 g 5.0 ml 100 ul Run #2

CAS No. **MDL** Units Q Compound Result RL

> TPH-GRO (C6-C10) ND 3.9 1.9 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

56-149% 460-00-4 4-Bromofluorobenzene 94% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

(a) Soil vials were not preserved within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E8-1

Lab Sample ID: C47015-28 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8081B SW846 3546 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Analytical Batch** File ID Analyzed **Prep Date Prep Batch** By Run #1 a TT379396.D 09/15/16 **AFL** 09/12/16 F:OP61829 F:GTT1862

Run #2

Final Volume Initial Weight Run #1 15.4 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|------|-------|---|
| 309-00-2 | Aldrin | ND | 1.6 | 0.49 | ug/kg | |
| 319-84-6 | alpha-BHC | ND | 1.6 | 0.50 | ug/kg | |
| 319-85-7 | beta-BHC | ND | 1.6 | 0.50 | ug/kg | |
| 319-86-8 | delta-BHC | ND | 1.6 | 0.47 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.6 | 0.50 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 16 | 6.5 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.6 | 0.61 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.2 | 0.56 | ug/kg | |
| 72-55-9 | 4,4'-DDE ^b | 0.63 | 3.2 | 0.52 | ug/kg | J |
| 50-29-3 | 4,4'-DDT | 1.2 | 3.2 | 0.64 | ug/kg | J |
| 72-20-8 | Endrin | ND | 3.2 | 0.60 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.2 | 0.61 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.2 | 0.60 | ug/kg | |
| 959-98-8 | Endosulfan-I | ND | 1.6 | 0.47 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.6 | 0.60 | ug/kg | |
| 76-44-8 | Heptachlor | ND | 1.6 | 0.55 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide | ND | 1.6 | 0.57 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.2 | 0.83 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 81 | 32 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 94% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 68% | | 50-1 | 33% | |

⁽a) All hits confirmed by dual column analysis. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



⁽b) Primary and confirmation results differ by more than 40%. Lower value reported due to possible coelution.

Page 1 of 1

Client Sample ID: E8-1

 Lab Sample ID:
 C47015-28
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 $^{\rm a}$ ST138454.D 1 09/14/16 AFL 09/12/16 F:OP61830 F:GST3294

Run #2

Run #1 15.4 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|-------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 16 | 6.5 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 16 | 8.3 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 16 | 8.1 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.5 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.5 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | 25.6 | 16 | 7.8 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.5 | ug/kg | |
| | | | | | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 977 00 9 | Tatrachlana m vylana | 105% | | 44.17 | 260/ | |
| 877-09-8 | Tetrachloro-m-xylene | | | 44-12 | | |
| 2051-24-3 | Decachlorobiphenyl | 106% | | 41-14 | 45% | |

(a) All hits confirmed by dual column analysis. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

 $J = \ Indicates \ an \ estimated \ value$



Page 1 of 1

Client Sample ID: E8-1

 Lab Sample ID:
 C47015-28
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a JR002678.D 1 09/15/16 AFL 09/12/16 F:OP61833 F:GJR98

Run #2

Run #1 20.1 g 1.0 ml
Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|--------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | 10.5 44.5 | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 84-15-1 | o-Terphenyl | 82% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

MDL = Method Detection Limit

J = Indicates an estimated value



Client Sample ID: E8-1

 Lab Sample ID:
 C47015-28
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.8 | 4.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | 3.7 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 142 | 48 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.2 | 1.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.95 | 0.95 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium ^a | 70.4 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 14.6 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 33.8 | 6.0 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 37.5 | 4.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | 0.12 | 0.038 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 12 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 81.1 | 9.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.8 | 4.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.4 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.4 | 2.4 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 52.2 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 54.0 | 4.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399(2) Instrument QC Batch: F:MA13400(3) Prep QC Batch: F:MP30815(4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E8-2

 Lab Sample ID:
 C47015-29
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079447.D 1 09/09/16 AFL n/a n/a F:VF2730

Run #2

Initial Weight Final Volume

Run #1 6.03 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | 73.0 | 41 | 8.5 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.1 | 1.0 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.1 | 1.0 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.1 | 0.92 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.1 | 0.83 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.1 | 0.83 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | 12.0 | 21 | 7.5 | ug/kg | J |
| 104-51-8 | n-Butylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.1 | 1.5 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.1 | 0.83 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.1 | 1.7 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.1 | 1.0 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.1 | 0.83 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.1 | 0.83 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.1 | 0.83 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.1 | 1.8 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.1 | 0.83 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.1 | 2.1 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.1 | 0.83 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.1 | 0.83 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.1 | 0.85 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.1 | 1.4 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.1 | 0.83 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.1 | 0.83 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.1 | 1.0 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.1 | 1.3 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.1 | 1.3 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.1 | 0.83 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.1 | 0.83 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.1 | 1.1 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: E8-2

Lab Sample ID: C47015-29 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.1 | 1.6 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.1 | 0.83 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.1 | 0.99 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.1 | 0.90 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.1 | 1.1 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.1 | 1.8 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 21 | 7.2 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.1 | 1.2 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.1 | 0.83 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.1 | 2.1 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.1 | 2.0 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.1 | 1.5 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 9.1 | 8.3 | 3.3 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 21 | 8.9 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.1 | 0.92 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.1 | 1.7 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.1 | 1.0 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.1 | 0.83 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.1 | 1.1 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 41 | 11 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.1 | 0.93 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.1 | 1.8 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.1 | 1.1 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.1 | 0.94 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.1 | 1.6 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.1 | 1.2 | ug/kg | |
| 71-55-6 | 1, 1, 1-Trichloroethane | ND | 4.1 | 0.83 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.1 | 1.5 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.1 | 0.97 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.1 | 1.6 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.1 | 1.4 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.1 | 0.83 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.1 | 1.4 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 12 | 2.4 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 118% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 118% | | 72-13 | 35% | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit E = Indicates value exceeds calibration range J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E8-2

Lab Sample ID: C47015-29 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 94% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 98% | | 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



MDL = Method Detection Limit

Client Sample ID: E8-2 Lab Sample ID:

C47015-29 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil

Method: SW846 8270D SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed $\mathbf{B}\mathbf{y}$ Run #1 a X049014.D 1 09/13/16 AFL 09/12/16 F:OP61834 F:SX2121

Run #2

Final Volume Initial Weight

Run #1 30.0 g 1.0 ml

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit E = Indicates value exceeds calibration range J = Indicates an estimated value



Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E8-2 Lab Sample ID: C47015-29

Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lir | nits | |
| 367-12-4 | 2-Fluorophenol | 61% | | 40- | 102% | |
| 4165-62-2 | Phenol-d5 | 67% | | 41- | 100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 93% | | 42- | 108% | |
| 4165-60-0 | Nitrobenzene-d5 | 62% | | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 68% | | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 76% | | 45- | 119% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E8-2

Lab Sample ID: C47015-29 Matrix: SO - Soil

Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** $\mathbf{B}\mathbf{y}$ Run #1 a F:SW4253 W094953.D 09/13/16 AFL 09/12/16 F:OP61828

Run #2

Final Volume Initial Weight

Run #1 15.5 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-------|-------|---|
| 83-32-9 | Acenaphthene | ND | 65 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 65 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 65 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.2 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.2 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.2 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.2 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.2 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.2 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 65 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 65 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.2 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 65 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 65 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 65 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 65 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 97% | | 40-10 |)5% | |
| 321-60-8 | 2-Fluorobiphenyl | 87% | | 43-10 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 76% | | 45-1 | 19% | |
| | | | | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E8-2

Lab Sample ID: C47015-29 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed $\mathbf{B}\mathbf{y}$ **Prep Batch** Run #1 a UV075797.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

CAS No.

Final Volume Initial Weight Methanol Aliquot Run #1 5.98 g 5.0 ml 100 ul Run #2

Run# 2

Limits

CAS No. **MDL** Units Q Compound Result RLTPH-GRO (C6-C10) ND 4.2 2.1 mg/kg

Run#1

Surrogate Recoveries 56-149% 460-00-4 4-Bromofluorobenzene 94% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

(a) Soil vials were not preserved within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: E8-2

 Lab Sample ID:
 C47015-29
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a TT379367.D 1 09/14/16 AFL 09/12/16 F:OP61829 F:GTT1861

Run #2

Run #1 15.4 g Final Volume 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|---------------------------------|--------|---------|------|-------|---|
| 309-00-2 | Aldrin ^b | ND | 1.6 | 0.49 | ug/kg | |
| 319-84-6 | alpha-BHC ^b | ND | 1.6 | 0.50 | ug/kg | |
| 319-85-7 | beta-BHC b | ND | 1.6 | 0.50 | ug/kg | |
| 319-86-8 | delta-BHC ^b | ND | 1.6 | 0.47 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) b | ND | 1.6 | 0.50 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 16 | 6.5 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.6 | 0.61 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.2 | 0.56 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.2 | 0.52 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.2 | 0.64 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.2 | 0.60 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.2 | 0.61 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.2 | 0.60 | ug/kg | |
| 959-98-8 | Endosulfan-I b | ND | 1.6 | 0.47 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.6 | 0.60 | ug/kg | |
| 76-44-8 | Heptachlor ^b | ND | 1.6 | 0.55 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide ^b | ND | 1.6 | 0.57 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.2 | 0.83 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 81 | 32 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 114% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 61% | 50-133% | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated CCV outside control limits.

Page 1 of 1

Report of Analysis

Client Sample ID: E8-2

Lab Sample ID: C47015-29 Matrix: SO - Soil

Method: SW846 8082A SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|-----------|------------|------------------|
| Run #1 a | ST138392.D | 1 | 09/13/16 | AFL | 09/12/16 | F:OP61830 | F:GST3293 |
| Run #2 | | | | | | | |

| | Initial Weight | Final Volume |
|--------|----------------|--------------|
| Run #1 | 15.4 g | 5.0 ml |
| Run #2 | | |

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 16 | 6.5 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 16 | 8.3 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 16 | 8.1 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.5 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.5 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 16 | 7.8 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.5 | ug/kg | |
| | | | | | | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 95% | | 44-1 | 26% | |
| | • | | | | | |
| 2051-24-3 | Decachlorobiphenyl | 109% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Report of Analysis Page 1 of 1

Client Sample ID: E8-2

 Lab Sample ID:
 C47015-29
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 SW846 3550C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 a JR002679.D 1 09/15/16 AFL 09/12/16 F:OP61833 F:GJR98

Run #2

Run #1 20.3 g Final Volume
Run #2

Kull π2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|------------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND 7.88 | 4.9 4.9 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | 2 Lim | Limits | |
| 84-15-1 | o-Terphenyl | 78% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: E8-2

 Lab Sample ID:
 C47015-29
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|---------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.6 | 4.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | 3.0 | 2.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 177 | 46 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.2 | 1.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.93 | 0.93 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium ^a | 76.3 | 2.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 17.6 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 35.5 | 5.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 9.1 | 4.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | < 0.037 | 0.037 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 12 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 93.4 | 9.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.6 | 4.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.3 | 2.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.3 | 2.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 52.7 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 52.7 | 4.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399(2) Instrument QC Batch: F:MA13400(3) Prep QC Batch: F:MP30815(4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E8-3

Lab Sample ID: C47015-30 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By F:VF2730 Run #1 a F0079448.D 1 09/09/16 AFL n/a n/a

Run #2

Final Volume Initial Weight

Run #1 6.35 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 39 | 8.0 | ug/kg | |
| 71-43-2 | Benzene | ND | 3.9 | 0.99 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 3.9 | 0.96 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 3.9 | 0.87 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 3.9 | 0.79 | ug/kg | |
| 75-25-2 | Bromoform | ND | 3.9 | 0.79 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 20 | 7.1 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 3.9 | 0.79 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 3.9 | 0.79 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 3.9 | 0.79 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 3.9 | 1.4 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 3.9 | 0.79 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 3.9 | 1.6 | ug/kg | |
| 67-66-3 | Chloroform | ND | 3.9 | 0.96 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 3.9 | 0.79 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 3.9 | 0.79 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 3.9 | 0.79 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 3.9 | 1.7 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 3.9 | 0.79 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 3.9 | 2.0 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 3.9 | 0.79 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 3.9 | 0.79 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 3.9 | 0.80 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 3.9 | 1.3 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 3.9 | 0.79 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 3.9 | 0.79 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 3.9 | 0.94 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 3.9 | 1.2 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 3.9 | 1.3 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 3.9 | 0.79 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 3.9 | 0.79 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 3.9 | 1.0 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: E8-3

 Lab Sample ID:
 C47015-30

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|---------------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 3.9 | 1.5 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 3.9 | 0.79 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 3.9 | 0.94 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 3.9 | 0.86 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 3.9 | 1.0 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 3.9 | 1.7 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 20 | 6.9 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 3.9 | 1.1 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 3.9 | 0.79 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 3.9 | 2.0 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 3.9 | 1.9 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 3.9 | 1.4 | ug/kg | |
| 75-09-2 | Methylene Chloride ^b | 5.5 | 7.9 | 3.1 | ug/kg | J |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 20 | 8.4 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 3.9 | 0.87 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 3.9 | 1.6 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 3.9 | 0.98 | ug/kg | |
| 100-42-5 | Styrene | ND | 3.9 | 0.79 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 3.9 | 1.1 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 39 | 11 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 3.9 | 0.88 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 3.9 | 1.7 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 3.9 | 1.0 | ug/kg | |
| 108-88-3 | Toluene | ND | 3.9 | 0.89 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 3.9 | 1.6 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 3.9 | 1.2 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 3.9 | 0.79 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 3.9 | 1.4 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 3.9 | 0.92 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 3.9 | 1.5 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 3.9 | 1.3 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 3.9 | 0.79 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 3.9 | 0.79 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 3.9 | 1.3 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 12 | 2.2 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 120% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 133% | | 72-13 | 35% | |

ND = Not detected MDL =

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E8-3
Lab Sample ID: C47015-30
Matrix: SO - Soil
Method: SW846 8260B

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

VOA 8260 List

Project:

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|-----------------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 92% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 95% | | 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



6

 $\mathbf{B}\mathbf{y}$

AFL

09/12/16

Client Sample ID: E8-3 Lab Sample ID: C47015-30

Matrix: SO - Soil Method: SW846 8270D SW846 3550C

Project:

DF

Vallco Mall, Wolfe Rd, Cupertino CA

Analyzed

09/13/16

Prep Date Prep Batch Analytical Batch

F:SX2121

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

F:OP61834

Run #1 a Run #2

> **Final Volume Initial Weight**

Run #1 30.2 g 1.0 ml

X049015.D

File ID

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



Matrix:

Report of Analysis

Client Sample ID: E8-3 Lab Sample ID: C47015-30

> SO - Soil SW846 8270D SW846 3550C

Method: SW846 8270D SW846 3550C
Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|------|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | its | |
| 367-12-4 | 2-Fluorophenol | 65% | | 40-1 | 02% | |
| 4165-62-2 | Phenol-d5 | 72% | | 41-1 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 102% | | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 65% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 72% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 83% | | 45-1 | 19% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Client Sample ID: E8-3 Lab Sample ID: C47015-30

Matrix: SO - Soil

Method: **Project:** Vallco Mall, Wolfe Rd, Cupertino CA

SW846 8270D BY SIM SW846 3546

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** $\mathbf{B}\mathbf{y}$ Run #1 a F:SW4253 W094954.D 09/13/16 AFL 09/12/16 F:OP61828

Run #2

Final Volume Initial Weight

Run #1 15.0 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------------------------|--|----------------------|--------|-------------------------|------------------|---|
| 83-32-9 | Acenaphthene | ND | 67 | 27 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 67 | 27 | ug/kg | |
| 120-12-7 | Anthracene | ND | 67 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 67 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 67 | 27 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 67 | 27 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 67 | 27 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 67 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 67 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 4165-60-0 | Nitrobenzene-d5 | 80% | | 40-10 |)5% | |
| 321-60-8 | 2-Fluorobiphenyl | 87% | | 43-10 |)7% | |
| 1718-51-0 | Terphenyl-d14 | 82% | | 45-11 | 19% | |
| CAS No. 4165-60-0 321-60-8 | Surrogate Recoveries Nitrobenzene-d5 2-Fluorobiphenyl | Run# 1 80% 87% | | Limi 40-10 43-10 | ts 05% 07% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E8-3

 Lab Sample ID:
 C47015-30
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8015C
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a UV075798.D 1 09/13/16 AFL n/a n/a F:GUV4035

Run #2

Run #1 6.42 g 5.0 ml 100 ul
Run #2

CAS No. Compound Result RL MDL Units Q

TPH-GRO (C6-C10) ND 3.9 1.9 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

 460-00-4
 4-Bromofluorobenzene
 92%
 56-149%

 98-08-8
 aaa-Trifluorotoluene
 94%
 66-132%

(a) Soil vials were not preserved within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Page 1 of 1

Client Sample ID: E8-3

 Lab Sample ID:
 C47015-30
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8081B
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a TT379368.D 1 09/14/16 AFL 09/12/16 F:OP61829 F:GTT1861

Run #2

Initial Weight Final Volume

Run #1 15.2 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|---------------------------------|--------|--------|------|-------|---|
| 309-00-2 | Aldrin ^b | ND | 1.6 | 0.50 | ug/kg | |
| 319-84-6 | alpha-BHC ^b | ND | 1.6 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC b | ND | 1.6 | 0.50 | ug/kg | |
| 319-86-8 | delta-BHC ^b | ND | 1.6 | 0.48 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) b | ND | 1.6 | 0.50 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 16 | 6.6 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.6 | 0.62 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.53 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.64 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.61 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.61 | ug/kg | |
| 959-98-8 | Endosulfan-I ^b | ND | 1.6 | 0.48 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.6 | 0.61 | ug/kg | |
| 76-44-8 | Heptachlor ^b | ND | 1.6 | 0.56 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide ^b | ND | 1.6 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.85 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 82 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 117% | | 50-1 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 73% | | 50-1 | | |
| | | | | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



⁽b) Associated CCV outside control limits.

Page 1 of 1

Client Sample ID: E8-3

 Lab Sample ID:
 C47015-30
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| File | le ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------|----------|----|----------|-----|-----------|------------|-------------------------|
| Run #1 a ST | 138393.D | 1 | 09/13/16 | AFL | 09/12/16 | F:OP61830 | F:GST3293 |

Run #2

Run #1 15.2 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|----------------------|--------|--------|--------|-------|---|
| 12674-11-2 | Aroclor 1016 | ND | 16 | 6.6 | ug/kg | |
| 11104-28-2 | Aroclor 1221 | ND | 16 | 8.4 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 16 | 8.2 | ug/kg | |
| 53469-21-9 | Aroclor 1242 | ND | 16 | 6.6 | ug/kg | |
| 12672-29-6 | Aroclor 1248 | ND | 16 | 6.6 | ug/kg | |
| 11097-69-1 | Aroclor 1254 | ND | 16 | 7.9 | ug/kg | |
| 11096-82-5 | Aroclor 1260 | ND | 16 | 6.6 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits | | |
| 877-09-8 | Tetrachloro-m-xylene | 106% | | 44-1 | 26% | |
| 2051-24-3 | Decachlorobiphenyl | 114% | | 41-1 | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E8-3

Lab Sample ID: C47015-30 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8015C SW846 3550C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed $\mathbf{B}\mathbf{y}$ Run #1 a F:GJR98 JR002680.D 09/15/16 AFL 09/12/16 F:OP61833

Run #2

Final Volume Initial Weight Run #1 20.2 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 69% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound





Client Sample ID: E8-3

Lab Sample ID: C47015-30 **Matrix:** SO - Soil

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 3.8 | 3.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic ^a | 3.1 | 1.9 | mg/kg | 5 | 09/12/16 | | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 112 | 38 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 0.95 | 0.95 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.76 | 0.76 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium ^a | 77.5 | 1.9 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 18.1 | 9.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 33.5 | 4.8 | mg/kg | | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 8.2 | 3.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | 0.055 | 0.040 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 9.5 | 9.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 83.1 | 7.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 3.8 | 3.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver ^a | < 1.9 | 1.9 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 1.9 | 1.9 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 53.9 | 9.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 49.0 | 3.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399(2) Instrument QC Batch: F:MA13400(3) Prep QC Batch: F:MP30815(4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E8-4 Lab Sample ID: C47015-31 Matrix: SO - Soil

 Matrix:
 SO - Soil

 Method:
 SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a F0079449.D 1 09/09/16 AFL n/a n/a F:VF2730

Run #2

Initial Weight Final Volume

Run #1 6.40 g 5.0 ml

Run #2

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------|-----------------------------|--------|-----|------|-------|---|
| 67-64-1 | Acetone | ND | 39 | 8.0 | ug/kg | |
| 71-43-2 | Benzene | ND | 3.9 | 0.98 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 3.9 | 0.95 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 3.9 | 0.87 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 3.9 | 0.78 | ug/kg | |
| 75-25-2 | Bromoform | ND | 3.9 | 0.78 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 20 | 7.1 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 3.9 | 1.4 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 3.9 | 0.78 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 3.9 | 1.6 | ug/kg | |
| 67-66-3 | Chloroform | ND | 3.9 | 0.95 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 3.9 | 0.78 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 3.9 | 0.78 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 3.9 | 0.78 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 3.9 | 1.7 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 3.9 | 0.78 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 3.9 | 1.9 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 3.9 | 0.78 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 3.9 | 0.78 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 3.9 | 0.80 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 3.9 | 1.3 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 3.9 | 0.78 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 3.9 | 0.78 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 3.9 | 0.94 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 3.9 | 1.2 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 3.9 | 1.2 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 3.9 | 0.78 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 3.9 | 0.78 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 3.9 | 1.0 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: E8-4 Lab Sample ID: C47015-31

Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 Date Received: 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 3.9 | 1.5 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 3.9 | 0.78 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 3.9 | 0.93 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 3.9 | 0.85 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 3.9 | 1.0 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 3.9 | 1.7 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 20 | 6.8 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 3.9 | 1.1 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 3.9 | 0.78 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 3.9 | 2.0 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 3.9 | 1.9 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 3.9 | 1.4 | ug/kg | |
| 75-09-2 | Methylene Chloride b | 12.9 | 7.8 | 3.1 | ug/kg | |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 20 | 8.4 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 3.9 | 0.87 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 3.9 | 1.6 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 3.9 | 0.97 | ug/kg | |
| 100-42-5 | Styrene | ND | 3.9 | 0.78 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 3.9 | 1.1 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 39 | 11 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 3.9 | 0.88 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 3.9 | 1.7 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 3.9 | 1.0 | ug/kg | |
| 108-88-3 | Toluene | ND | 3.9 | 0.88 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 3.9 | 1.5 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 3.9 | 1.2 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 3.9 | 0.78 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 3.9 | 1.4 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 3.9 | 0.91 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 3.9 | 1.5 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 3.9 | 1.3 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 3.9 | 0.78 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 3.9 | 1.3 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 12 | 2.2 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 115% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 119% | | 72-13 | 35% | |

ND = Not detected MDL =

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E8-4 Lab Sample ID: C47015-31 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil Method: SW846 8260B Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

VOA 8260 List

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|-----------------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 92% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 98% | | 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

(b) Suspected laboratory contaminant.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit E = Indicates value exceeds calibration range J = Indicates an estimated value





Client Sample ID: E8-4 Lab Sample ID: C47015-31 Matrix: SO - Soil

File ID

X049016.D

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

09/13/16

1

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

Prep Date Prep Batch Analytical Batch Analyzed $\mathbf{B}\mathbf{y}$ AFL 09/12/16 F:OP61834 F:SX2121

Run #1 a Run #2

> **Final Volume Initial Weight** 30.2 g 1.0 ml

Run #1 Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 66 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 20 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Method:

Report of Analysis

Page 2 of 2

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E8-4 Lab Sample ID: C47015-31 Matrix:

SO - Soil SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|--------|-----|-------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 66 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 27 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 20 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 17 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Li | mits | |
| 367-12-4 | 2-Fluorophenol | 57% | | 40 | -102% | |
| 4165-62-2 | Phenol-d5 | 63% | | 41 | -100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 88% | | 42 | -108% | |
| 4165-60-0 | Nitrobenzene-d5 | 58% | | 40 | -105% | |
| 321-60-8 | 2-Fluorobiphenyl | 64% | | 43 | -107% | |
| 1718-51-0 | Terphenyl-d14 | 72% | | 45 | -119% | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



 $\mathbf{B}\mathbf{y}$

AFL

09/12/16

Page 1 of 1

Client Sample ID: E8-4 Lab Sample ID: C47015-31

File ID

W094955.D

Matrix: SO - Soil Method: SW846 8270D BY SIM SW846 3546 **Project:**

DF

Vallco Mall, Wolfe Rd, Cupertino CA

Analyzed

09/13/16

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

F:OP61828

Prep Date Prep Batch Analytical Batch

F:SW4253

Run #1 a Run #2

Final Volume Initial Weight Run #1 15.1 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|---------------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 66 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 66 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 66 | 17 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 66 | 17 | ug/kg | |
| 86-73-7 | Fluorene | ND | 66 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 66 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 66 | 17 | ug/kg | |
| 129-00-0 | Pyrene | ND | 66 | 17 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | its | |
| 4165-60-0 | Nitrobenzene-d5 | 69% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 68% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 77% | 45-119% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E8-4

Lab Sample ID: C47015-31 Matrix: SO - Soil **Method:** SW846 8015C

Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

DF **Prep Date Analytical Batch** File ID Analyzed $\mathbf{B}\mathbf{y}$ **Prep Batch** Run #1 a UV075799.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

Project:

Final Volume Initial Weight Methanol Aliquot Run #1 5.0 ml 100 ul 5.31 g

Run #2

CAS No. Compound **MDL** Units Q Result RL

> TPH-GRO (C6-C10) ND 4.7 2.4 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

56-149% 460-00-4 4-Bromofluorobenzene 94% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

(a) Soil vials were not preserved within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

Page 1 of 1

Report of Analysis

Client Sample ID: E8-4 Lab Sample ID: C47015-31

Matrix: SO - Soil

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Date Sampled: 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 a TT379369.D 1 09/14/16 AFL 09/12/16 F:OP61829 F:GTT1861

Run #2

Initial Weight Final Volume

Run #1 15.4 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|--------|-------|-------|---|
| 309-00-2 | Aldrin ^b | ND | 1.6 | 0.49 | ug/kg | |
| 319-84-6 | alpha-BHC ^b | ND | 1.6 | 0.50 | ug/kg | |
| 319-85-7 | beta-BHC ^b | ND | 1.6 | 0.50 | ug/kg | |
| 319-86-8 | delta-BHC ^b | ND | 1.6 | 0.47 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) b | ND | 1.6 | 0.50 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 16 | 6.5 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.6 | 0.61 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.2 | 0.56 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.2 | 0.52 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.2 | 0.64 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.2 | 0.60 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.2 | 0.61 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.2 | 0.60 | ug/kg | |
| 959-98-8 | Endosulfan-I b | ND | 1.6 | 0.47 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.6 | 0.60 | ug/kg | |
| 76-44-8 | Heptachlor ^b | ND | 1.6 | 0.55 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide b | ND | 1.6 | 0.57 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.2 | 0.83 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 81 | 32 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 103% | | 50-12 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 61% | | 50-13 | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ယ

⁽b) Associated CCV outside control limits.

AFL

09/12/16

Page 1 of 1

F:GST3293

Client Sample ID: E8-4 Lab Sample ID: C47015-31

File ID

ST138394.D

 Matrix:
 SO - Soil

 Method:
 SW846 8082A
 SW846 3546

Vallco Mall, Wolfe Rd, Cupertino CA

DF

Date Sampled: 09/06/16
Date Received: 09/08/16
Percent Solids: n/a

F:OP61830

Analyzed By Prep Date Prep Batch Analytical Batch

Run #1 ^a Run #2

Project:

Run #1 15.4 g Final Volume 5.0 ml

Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--|--|----------------------|----------------------|---------------------------------|---|---|
| 12674-11-2 11104-28-2 11141-16-5 53469-21-9 12672-29-6 | Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 | ND ND ND ND | 16 16 16 16 | 6.5 8.3 8.1 6.5 6.5 | ug/kg ug/kg ug/kg ug/kg ug/kg | |
| 11097-69-1 11096-82-5 | Aroclor 1254 Aroclor 1260 | ND ND | 16 16 | 7.8 6.5 | ug/kg ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 95% 99% | | 44-12 41-14 | | |

09/13/16

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Client Sample ID: E8-4 Lab Sample ID: C47015-31

SO - Soil Method: SW846 8015C SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed $\mathbf{B}\mathbf{y}$ Run #1 a F:GJR98 JR002681.D 09/15/16 AFL 09/12/16 F:OP61833

Run #2

Matrix:

Final Volume Initial Weight Run #1 20.1 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | nits | |
| 84-15-1 | o-Terphenyl | 80% | | 56-1 | 122% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value





Client Sample ID: E8-4 Lab Sample ID: C47015-31 **Date Sampled:** 09/06/16 Matrix: SO - Soil **Date Received:** 09/08/16 Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.5 | 4.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | 4.4 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 86.7 | 45 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.1 | 1.1 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.89 | 0.89 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium ^a | 49.5 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | 11.1 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 25.1 | 5.6 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 8.2 | 4.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | 0.065 | 0.038 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 11 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 61.8 | 8.9 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.5 | 4.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.2 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.2 | 2.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 44.9 | 11 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 49.6 | 4.5 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399 (2) Instrument QC Batch: F:MA13400 (3) Prep QC Batch: F:MP30815 (4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.

Client Sample ID: E8-5

Lab Sample ID: C47015-32 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By F:VF2731 Run #1 a F0079469.D 1 09/10/16 AFL n/a n/a

Run #2

Final Volume Initial Weight

Run #1 6.13 g 5.0 ml

Run #2

CACAT

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units (|) |
|----------|-----------------------------|--------|-----|------|---------|---|
| 67-64-1 | Acetone | ND | 41 | 8.3 | ug/kg | |
| 71-43-2 | Benzene | ND | 4.1 | 1.0 | ug/kg | |
| 108-86-1 | Bromobenzene | ND | 4.1 | 1.0 | ug/kg | |
| 74-97-5 | Bromochloromethane | ND | 4.1 | 0.91 | ug/kg | |
| 75-27-4 | Bromodichloromethane | ND | 4.1 | 0.82 | ug/kg | |
| 75-25-2 | Bromoform | ND | 4.1 | 0.82 | ug/kg | |
| 78-93-3 | 2-Butanone (MEK) | ND | 20 | 7.4 | ug/kg | |
| 104-51-8 | n-Butylbenzene | ND | 4.1 | 0.82 | ug/kg | |
| 135-98-8 | sec-Butylbenzene | ND | 4.1 | 0.82 | ug/kg | |
| 98-06-6 | tert-Butylbenzene | ND | 4.1 | 0.82 | ug/kg | |
| 56-23-5 | Carbon Tetrachloride | ND | 4.1 | 1.5 | ug/kg | |
| 108-90-7 | Chlorobenzene | ND | 4.1 | 0.82 | ug/kg | |
| 75-00-3 | Chloroethane | ND | 4.1 | 1.6 | ug/kg | |
| 67-66-3 | Chloroform | ND | 4.1 | 1.0 | ug/kg | |
| 95-49-8 | o-Chlorotoluene | ND | 4.1 | 0.82 | ug/kg | |
| 106-43-4 | p-Chlorotoluene | ND | 4.1 | 0.82 | ug/kg | |
| 124-48-1 | Dibromochloromethane | ND | 4.1 | 0.82 | ug/kg | |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 4.1 | 1.8 | ug/kg | |
| 106-93-4 | 1,2-Dibromoethane | ND | 4.1 | 0.82 | ug/kg | |
| 75-71-8 | Dichlorodifluoromethane | ND | 4.1 | 2.0 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 4.1 | 0.82 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 4.1 | 0.82 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 4.1 | 0.83 | ug/kg | |
| 75-34-3 | 1,1-Dichloroethane | ND | 4.1 | 1.4 | ug/kg | |
| 107-06-2 | 1,2-Dichloroethane | ND | 4.1 | 0.82 | ug/kg | |
| 75-35-4 | 1,1-Dichloroethylene | ND | 4.1 | 0.82 | ug/kg | |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 4.1 | 0.98 | ug/kg | |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 4.1 | 1.2 | ug/kg | |
| 78-87-5 | 1,2-Dichloropropane | ND | 4.1 | 1.3 | ug/kg | |
| 142-28-9 | 1,3-Dichloropropane | ND | 4.1 | 0.82 | ug/kg | |
| 594-20-7 | 2,2-Dichloropropane | ND | 4.1 | 0.82 | ug/kg | |
| 563-58-6 | 1,1-Dichloropropene | ND | 4.1 | 1.1 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: E8-5

Lab Sample ID: C47015-32 Matrix: SO - Soil Method: SW846 8260B

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

VOA 8260 List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|---------------------------------|--------|--------|-------|-------|---|
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 4.1 | 1.5 | ug/kg | |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 4.1 | 0.82 | ug/kg | |
| 108-20-3 | Di-Isopropyl Ether | ND | 4.1 | 0.97 | ug/kg | |
| 100-41-4 | Ethylbenzene | ND | 4.1 | 0.89 | ug/kg | |
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 4.1 | 1.0 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 4.1 | 1.8 | ug/kg | |
| 591-78-6 | 2-Hexanone | ND | 20 | 7.1 | ug/kg | |
| 98-82-8 | Isopropylbenzene | ND | 4.1 | 1.2 | ug/kg | |
| 99-87-6 | p-Isopropyltoluene | ND | 4.1 | 0.82 | ug/kg | |
| 74-83-9 | Methyl Bromide | ND | 4.1 | 2.1 | ug/kg | |
| 74-87-3 | Methyl Chloride | ND | 4.1 | 2.0 | ug/kg | |
| 74-95-3 | Methylene Bromide | ND | 4.1 | 1.5 | ug/kg | |
| 75-09-2 | Methylene Chloride ^b | 7.8 | 8.2 | 3.3 | ug/kg | J |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 20 | 8.7 | ug/kg | |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 4.1 | 0.91 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 4.1 | 1.6 | ug/kg | |
| 103-65-1 | n-Propylbenzene | ND | 4.1 | 1.0 | ug/kg | |
| 100-42-5 | Styrene | ND | 4.1 | 0.82 | ug/kg | |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 4.1 | 1.1 | ug/kg | |
| 75-65-0 | Tert-Butyl Alcohol | ND | 41 | 11 | ug/kg | |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 4.1 | 0.91 | ug/kg | |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 4.1 | 1.8 | ug/kg | |
| 127-18-4 | Tetrachloroethylene | ND | 4.1 | 1.1 | ug/kg | |
| 108-88-3 | Toluene | ND | 4.1 | 0.92 | ug/kg | |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 4.1 | 1.6 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 4.1 | 1.2 | ug/kg | |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 4.1 | 0.82 | ug/kg | |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 4.1 | 1.5 | ug/kg | |
| 79-01-6 | Trichloroethylene | ND | 4.1 | 0.95 | ug/kg | |
| 75-69-4 | Trichlorofluoromethane | ND | 4.1 | 1.5 | ug/kg | |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 4.1 | 1.3 | ug/kg | |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 4.1 | 0.82 | ug/kg | |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 4.1 | 0.82 | ug/kg | |
| 75-01-4 | Vinyl Chloride | ND | 4.1 | 1.4 | ug/kg | |
| 1330-20-7 | Xylene (total) | ND | 12 | 2.3 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 1868-53-7 | Dibromofluoromethane | 123% | | 75-12 | 24% | |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 128% | | 72-13 | 35% | |

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Client Sample ID: E8-5 Lab Sample ID: C47015-32 Matrix: SO - Soil Method:

SW846 8260B Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

VOA 8260 List

Project:

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|-----------|----------------------|--------|--------|---------|
| 2037-26-5 | Toluene-D8 | 93% | | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 95% | | 71-133% |

- (a) Soil vials were not received within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.
- (b) Suspected laboratory contaminant.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



 $\mathbf{B}\mathbf{y}$

AFL

09/12/16

Client Sample ID: E8-5

Lab Sample ID: C47015-32 Matrix: SO - Soil

File ID

Method: SW846 8270D SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF

Analyzed

09/13/16

Date Sampled: 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

F:OP61834

Prep Date Prep Batch Analytical Batch

F:SX2121

Run #1 a Run #2

> **Final Volume Initial Weight**

Run #1 30.0 g 1.0 ml

X049017.D

Run #2

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|-----------------------------|--------|------|-----|-------|---|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg | |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg | |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg | |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg | |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg | |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg | |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg | |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg | |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg | |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg | |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg | |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg | |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg | |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg | |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg | |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg | |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg | |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg | |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg | |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg | |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg | |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg | |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg | |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg | |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg | |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg | |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg | |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg | |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg | |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg | |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg | |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg | |

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 2

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

Client Sample ID: E8-5 Lab Sample ID: C47015-32

 Matrix:
 SO - Soil

 Method:
 SW846 8270D
 SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA

ABN Full List w/o PAHs

| CAS No. | Compound | Result | RL | MDI | Units | Q |
|-----------|----------------------------|--------|---------|-----|--------|---|
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg | |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg | |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg | |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg | |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg | |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg | |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg | |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg | |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg | |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg | |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg | |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg | |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg | |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg | |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg | |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg | |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg | |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg | |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | L | imits | |
| 367-12-4 | 2-Fluorophenol | 63% | 40-102% | | 0-102% | |
| 4165-62-2 | Phenol-d5 | 70% | | 4. | 1-100% | |
| 118-79-6 | 2,4,6-Tribromophenol | 103% | | 42 | 2-108% | |
| 4165-60-0 | Nitrobenzene-d5 | 64% | | 40 | 0-105% | |
| 321-60-8 | 2-Fluorobiphenyl | 72% | 43-107% | | | |
| 1718-51-0 | Terphenyl-d14 | 84% | | 45 | 5-119% | |
| | | | | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E8-5 Lab Sample ID: C47015-32

Matrix: SO - Soil Method: SW846 8270D BY SIM SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16

Percent Solids: n/a

File ID DF Analyzed **Prep Date Prep Batch Analytical Batch** $\mathbf{B}\mathbf{y}$ Run #1 a F:SW4253 W094956.D 09/13/16 AFL 09/12/16 F:OP61828

Run #2

Final Volume Initial Weight

Run #1 15.2 g 1.0 ml

Run #2

BN PAH List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|------------------------|--------|---------------|------|-------|---|
| 83-32-9 | Acenaphthene | ND | 66 | 26 | ug/kg | |
| 208-96-8 | Acenaphthylene | ND | 66 | 26 | ug/kg | |
| 120-12-7 | Anthracene | ND | 66 | 16 | ug/kg | |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg | |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg | |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg | |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg | |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg | |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg | |
| 206-44-0 | Fluoranthene | ND | 66 | 16 | ug/kg | |
| 86-73-7 | Fluorene | ND | 66 | 26 | ug/kg | |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg | |
| 90-12-0 | 1-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| 91-57-6 | 2-Methylnaphthalene | ND | 66 | 26 | ug/kg | |
| 91-20-3 | Naphthalene | ND | 66 | 26 | ug/kg | |
| 85-01-8 | Phenanthrene | ND | 66 | 16 | ug/kg | |
| 129-00-0 | Pyrene | ND | 66 | 16 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 Limits | | its | |
| 4165-60-0 | Nitrobenzene-d5 | 86% | | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 78% | | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 90% | 45-119% | | | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E8-5

Lab Sample ID: C47015-32 **Date Sampled:** 09/06/16 Matrix: **Date Received:** 09/08/16 SO - Soil **Method:** SW846 8015C Percent Solids: n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

DF **Prep Date Analytical Batch** File ID Analyzed $\mathbf{B}\mathbf{y}$ **Prep Batch** Run #1 a UV075800.D 09/13/16 AFL F:GUV4035 n/an/a

Run #2

Final Volume Initial Weight Methanol Aliquot Run #1 5.69 g 5.0 ml 100 ul

Run #2

CAS No. **MDL** Units Q Compound Result RLTPH-GRO (C6-C10) ND 4.4 2.2 mg/kg

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

56-149% 460-00-4 4-Bromofluorobenzene 93% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

(a) Soil vials were not preserved within 48 hours of sampling; results are considered minimum values. Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 1 of 1

Report of Analysis

Client Sample ID: E8-5

Lab Sample ID: C47015-32 Matrix: SO - Soil

Method: SW846 8081B SW846 3546

Project: Vallco Mall, Wolfe Rd, Cupertino CA

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed $\mathbf{B}\mathbf{y}$ Run #1 a TT379370.D 09/14/16 AFL 09/12/16

Run #2

Final Volume Initial Weight

Run #1 15.0 g 5.0 ml

Run #2

Pesticide PPL List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|------------|-----------------------------|--------|---------|-------|-------|---|
| 309-00-2 | Aldrin ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-84-6 | alpha-BHC ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-85-7 | beta-BHC ^b | ND | 1.7 | 0.51 | ug/kg | |
| 319-86-8 | delta-BHC ^b | ND | 1.7 | 0.49 | ug/kg | |
| 58-89-9 | gamma-BHC (Lindane) b | ND | 1.7 | 0.51 | ug/kg | |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg | |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg | |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg | |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.54 | ug/kg | |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg | |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg | |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg | |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg | |
| 959-98-8 | Endosulfan-I ^b | ND | 1.7 | 0.49 | ug/kg | |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg | |
| 76-44-8 | Heptachlor ^b | ND | 1.7 | 0.57 | ug/kg | |
| 1024-57-3 | Heptachlor epoxide b | ND | 1.7 | 0.58 | ug/kg | |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.86 | ug/kg | |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | ts | |
| 877-09-8 | Tetrachloro-m-xylene | 107% | | 50-12 | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 77% | 50-122% | | | |
| | | | | | | |

⁽a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



F:OP61829

Date Sampled: 09/06/16

Date Received: 09/08/16

Percent Solids: n/a

F:GTT1861

⁽b) Associated CCV outside control limits.

Page 1 of 1

Client Sample ID: E8-5

 Lab Sample ID:
 C47015-32
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Method:
 SW846 8082A
 SW846 3546
 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|----------|------------|----|----------|-----|------------------|-------------------|-------------------------|
| Run #1 a | ST138395.D | 1 | 09/13/16 | AFL | 09/12/16 | F:OP61830 | F:GST3293 |

Run #2

Run #1 15.0 g 5.0 ml
Run #2

PCB List

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|--------------------------|------------------------------|----------|----------|------------|----------------|---|
| 12674-11-2 11104-28-2 | Aroclor 1016 Aroclor 1221 | ND ND | 17 17 | 6.7 8.5 | ug/kg | |
| 11141-16-5 | Aroclor 1232 | ND | 17 | 8.3 | ug/kg ug/kg | |
| 53469-21-9 12672-29-6 | Aroclor 1242 Aroclor 1248 | ND ND | 17 17 | 6.7 6.7 | ug/kg ug/kg | |
| 11097-69-1 11096-82-5 | Aroclor 1254 Aroclor 1260 | ND ND | 17 17 | 8.0 | ug/kg | |
| 11090-82-3 | Afocior 1200 | ND | 1/ | 6.7 | ug/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limi | its | |
| 877-09-8 | Tetrachloro-m-xylene | 99% | 44-126% | | | |
| 2051-24-3 | Decachlorobiphenyl | 108% | | 41-1 | 45% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Page 1 of 1

Report of Analysis

Client Sample ID: E8-5

Lab Sample ID: C47015-32 Matrix: SO - Soil

Method: SW846 8015C SW846 3550C

Project: Vallco Mall, Wolfe Rd, Cupertino CA **Date Sampled:** 09/06/16 **Date Received:** 09/08/16 Percent Solids: n/a

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 a F:GJR98 JR002682.D 09/15/16 AFL 09/12/16 F:OP61833

Run #2

Final Volume Initial Weight Run #1 20.2 g 1.0 ml

Run #2

TPH Extractable

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|---------|----------------------------------|----------|------------|------------|----------------|---|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg | |
| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Lim | iits | |
| 84-15-1 | o-Terphenyl | 82% | | 56-1 | 22% | |

(a) Analysis performed at SGS Accutest, Orlando FL.

ND = Not detected

MDL = Method Detection Limit RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: E8-5

 Lab Sample ID:
 C47015-32
 Date Sampled:
 09/06/16

 Matrix:
 SO - Soil
 Date Received:
 09/08/16

 Percent Solids:
 n/a

Project: Vallco Mall, Wolfe Rd, Cupertino CA

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|-----------------------|--------|-------|-------|----|----------|--------------|--------------------------|--------------------------|
| Antimony ^a | < 4.7 | 4.7 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Arsenic a | 3.6 | 2.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Barium ^a | 115 | 47 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Beryllium a | < 1.2 | 1.2 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cadmium ^a | < 0.93 | 0.93 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Chromium a | 48.9 | 2.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Cobalt ^a | < 12 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Copper a | 27.3 | 5.8 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Lead a | 7.4 | 4.7 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Mercury b | 0.086 | 0.038 | mg/kg | 1 | 09/13/16 | 09/13/16 AFL | SW846 7471B ² | SW846 7471B ⁴ |
| Molybdenum a | < 12 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Nickel a | 62.6 | 9.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Selenium ^a | < 4.7 | 4.7 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Silver a | < 2.3 | 2.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Thallium ^a | < 2.3 | 2.3 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Vanadium ^a | 43.0 | 12 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |
| Zinc ^a | 50.0 | 4.7 | mg/kg | 5 | 09/12/16 | 09/12/16 AFL | SW846 6010C ¹ | SW846 3050B ³ |

(1) Instrument QC Batch: F:MA13399(2) Instrument QC Batch: F:MA13400(3) Prep QC Batch: F:MP30815(4) Prep QC Batch: F:MP30820

(a) Sample dilution required due to difficult matrix. Analysis performed at SGS Accutest, Orlando FL.

(b) Analysis performed at SGS Accutest, Orlando FL.



Section 4

| Misc. Forms |
|--|
| Custody Documents and Other Forms |
| Includes the following where applicable: • Chain of Custody |

| _ |
|---|
| |

| | CHAIN | OF CUSTODY | | | | | | | | | 1084 |
|--|--|---|-------------|-------------|-----------------------|-------------------|----------|--------------------|--|--------|------------------------------------|
| SGS ACCUTEST | 2105 Lunc | ly Ave, San Jose, CA 95131 | FED- | EX Tracking | 4 | | | Bottle O | rder Control # | 110000 | |
| SGS ACCUTEST | (408) 588-6 | 0200 FAX: (408) 588-0201 | sos | Accutest Qu | iote # | 6-304 | , | SGS Acc | utest NC Job #; C | 1111 | 115 |
| Attanonam | | | | VV6 | 201 | 0- 709 | | | | 0911 | 2(2) |
| Client / Reporting Information | Project I | nformation | | | | | Reque | sted | nalysis | | Matrix Codes |
| Company Name Geosphere Consultants | Project Name: Val | leo Mull | | | | | | + 7528-64 | 02 | | WW- Wastewater GW- Ground Water |
| Address 2001 Crow Canyon Rd City San Rumon CA 94583 Project Contact: Colin Frost Phone # (925) 484-5332 | Street Walfe | R.J | 1 | | ALLS | s l | | 1 4 | A R | | SW- Surface Water |
| City State Zip | City | State | - | 5 | 0 | SIM | | 28 | 09 | | SO: Self |
| San Rumon CA 94583 | Cuper tmo | CA | - 7 | 00 | 20 | 3 5 | | V - | 20 | | Ol-Oil WP-Wipe |
| Project Contact: Calin Frost | Project# 91-0 | 3790-B | 1 | 11.0 | Seminolatiles less PA | 2, | • | DRO+ 080, 610-628, | 435 | | LIO - Non-aqueous Ekqu'd |
| Phone # (925) 484-533Z | EMAIL: / Fras | 1@ geosphere in c. 4e | | - 5 | 1- | 0 6 | | 0 | 4 | | - Chron Birthing |
| | Client Purchase Order # | C also balle 12. C. Ale | AM 17 | 5 2 | 3 | 1 2º | 0 | 08 | \$ 00 | | AIR DW- Drinking Water |
| Samplers's Name Colm Frost | Collection | Number of preserved Bo | los 7 | 2 | 7. | VAH'S Volatile | X | + | 3 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, | 步 | (Perchlorate Only) |
| sgs | Collection | | T # | 5 00 | 3 | 7 6 | 3 | 286 | 20 | 3 | |
| Accutest Sample ID / Field Point / Point of Collection Date | Time Sampled by Ma | irix bottles 🖁 🖁 🗸 💆 🦠 🕺 | CONG | | ~ \ | _ | | 4 | 4 10 | フ | LAB USE ONLY |
| E1-1 20p+4@ 1' 9/6 | C. Foost S | 0 3 | X | X | X | x x | × | X | XX | 1 | |
| E1-2 " S' 1 | | | | | | | | | | 2 | |
| E1-3 " 10" | | | | | | | | | | 3 | |
| E1-4 " 15" | | | | | | | | | | 4 | |
| E1-8 " 50' | | | | | | | | | | ς | |
| £2-/ " 1' | | | | | | | | | | 6 | |
| E2-7 11 5' | | | | | | | | | | 1 | |
| E Z-3 " 10' | | | | | | | | | | 8 | |
| E Z-S " Zo' | | | | | | | | | | a | |
| E2-7 " 40" | 1 1 | | V | V | 7 | 1 1 | 1 | T | 7 1 | 10 | |
| Turnaround Time (Business days) | | a Detiverable Information | | | | | Com | ments / I | Remarks | | |
| Approved By: 0 | | al "A" - Results only al "B" - Results with QC summaries | | | 36 | Ales p | pra | dmi | le Te | A THE | 4445 |
| 10 Day | | al "B+" - Results, QC, and chromatograms | | | 1 | 1110 | | 2 | THE | , | 1,20 |
| 3 Day | | vel 4 data package | | | TE | | Jav | 2 | - 5.5 | | 100 |
| 2 Day | EDF for G | | | | ~ | | | | | | i |
| 1 Day | Provide EDI | | | - | Yar) | | | | - 1995 | | |
| Emergency T/A data available VIA Lablink | - Province con | ragione. | | | 14 | COOL | ens | i i | | | |
| Sample Custody must be | locumented below each ti | ne samples change possession, inclu | ling courie | r delivery | | , , , | | | () | | |
| Redinquished by Samples: 1 Colon Frost 4 9/8 | SAM Lands | " 5ne | | V8 | 17:30 | 246 | Received | 5 | | _ | |
| 1 (O(V) Date Time | Received By: Received By: Relinquished By: Relinquished By: Relinquished By: Relinquished By: Relinquished By: | | | | Date Time: | , . | r.m | Received | Ву: | 9 | 220 |
| 3 | 3 | 4 | | 5 | | | III A | 4 | 10 | MP 3 | 0127 |
| Relinquished by: Date Time | Received By: | Custody Seal # | | | Pres. Y/I | | space Y | | On Con | W. 2 | Cooling Lange |
| 5 | 5 | | Labels | match Coc | 7 Y / N | Separate | Receivin | g Check I | List used: Y / N | 2 | 14/210 00 |

C47015: Chain of Custody Page 1 of 5

| 000 | | | | СНА | IN | OF | С | US | TC |)D' | Y | CONTROL OF THE | | | - | | | | - | | 2 | 0=4 |
|---|--------------------------|--------------|--|----------------|--|---|----------------------------------|----------|--------------|--------------|--------|----------------|-----------------|----------------|---------------|-------------|-----------|---------------------------|--------------|------------|---------|---|
| SGS | ACCUT | ECT | | | Lundy A | | | | | | | | Tracking | | | | | Bottle O | | | | |
| | ACCOL | LUI | | (408) | 588-020 | 00 | FAX; (4 | 08) 58 | 38-020 | 11 | | SGS Ac | VV | B- | 2016. | _30 | 4 | SGS Acc | utest NO | Job #: C | 047 | 015 |
| Client / Reporting Info | ormation | | i e i de | Pro | ect Info | rmatio | 1 | | | | | | | | | | Reque | sted Ar | nalysis | | | Matrix Codes |
| Company Name Grosphere | Consultants | | Project N | | Va | 110 | M | a11 | | | | | | | | | | 100 | | | 0 | WW-Wastewater |
| Address 7001 Cvow Co | onyon Rd | 75000 | Street | Wolt | e | Roo | d | 41.0305- | | | 00.00 | | | 1 Hs | | | | ORO+020, C10-028+7628-640 | ARB | 1 | | GW- Ground Water SW- Surface Water SO- Sori |
| San Ramon | CA 9 | zip 4583 | City | uper- | -Mo | | s (| TA | 3 | | | ~ | 00 | PAI | | VJANTES | | 1245 | V | 07 | | Ol-Oil WP-Wipe |
| Project Contact: Colin F | rost | | Project II | 4 | 1-0 | 370 | 10-[| 3 | | | 8 8 | 17 Metals | Pestrushis /PCB | 10.55 | | 79.7 | | - 63 | Asbestus-435 | 7 | | LIO - Non-aqueous Liqui |
| Phone # (925) 984- | 5332 | | EMAIL: | | fro | sta | ue | 060 | herp | M | wet | 1 2 | 1 | Semmola 27 les | ~ | 000 | | CIO | 1 5 | 80 | | |
| Samplers's Name Colin F | | | Cilent Pu | rchase Orde | 11 | - 0 | | -1 | - | 10. | | 7 | 1 de | 7 | 2 | - 4 | 0 | 80 | sto. | 14 | # | AIR DW- Drinking Water |
| sgs | | | Collect | on | | | Numl | per of | preser | ved B | ottles | CAR | 17 | Š | PAH'S | 1, 121/e | , Ro | 0 | 200 | m, | 400 | (Perchlorate Only) |
| Accutest | nt / Point of Collection | Date | Time | Sampled by | Matrix | # of bottles | 9 | MOD 0 | 40304 | MOME WHSO | мери | 3 | 0 | 2 | 7 | 2, | 5 | DRO | × | 2 | - | LAB USE ONLY |
| £3-1 dept40 |) 1' | 4/6 | | C. Frost | 50 | 3 | | | | | | X | X | X | X | X | Х | × | × | X | 11 | |
| E3-2 11 | s' | 1 | | 1 | 1 | 1 | | | | | | | T | | | | 1 | 1 | | | 12 | |
| E3-4 11 | 15 | | | | | | | | | | | П | П | | | | | | | Ш | 13 | |
| E3-6 " | 30' | | | | | | | | | | | | | П | | | | | | | 14 | |
| E4-1 11 | 1,1 | | | | | | | | | | | | | | | | | | 1 | | 15 | MISTO PAGE |
| E4-2 11 | 5' | | | | | | | | | | | | | | | T | | | \top | | 16 | |
| E4-3 " | 101 | | | | | | | | | П | | 9 | | | | | | | | | 11 | |
| ES-1 " | 1 ' | | | | | | | | | | | | | | | | | | | | 13 | |
| E5-2 " | 5' | | | | | | | | | | | | | | | | | | | | | |
| E5-3 10 | 101 | V | | V | V | V | | | | П | | V | 7 | V | V | V | V | J | V | V | 19 | |
| Turnaround Time (Busin | | roved By:/ D | | | Data Data Data Data Data | | Informa | - | | | SEC. | | | | | | - | ments / f | | | | |
| 10 Day 5 Day 3 Day 2 Day | | 10000 072 0 | | Come Come FULT | nercial "E nerical "E I - Level or Geotra | 3" - Resi 3+" - Re: 4 data p icker | ults with sults, Q(ackage | QC sur | bromat | | | | | 3 | both | l les | ρε | V | Sa | mp ke | 1.0 | HINGS CHARLES |
| Same Day Emergency T/A data ava | ilable VIA Lablink | | | | EDF GI | | | | | | | - | | | | | | | | | ooni om | 77 |
| | · Sample Custody | must be d | ocumente | d below ea | ch time | sample | s chan | | | | | ourier d | | | | 700 | | a enev | | 1 | | |
| Reflinguished by Samples: 1 Colm Frost Reflinguished by: | 4 | 9/8 | Received By: Received By: Received By: Received By: Received By: | | | | | | 054 | | 9/8 | | 2:3 | - 1 | Received 2 | By: ميمو | 15 | ato | | | | |
| REDUCTOR SEC | | Date Time: | | Received By | | | | | Kelinguli | shibd By: | | | | Date Time | N. | | | Received | Ву: | | | |
| 3 Relinquished by: | | Date Time: | | Received By | 3 | - | - | - | 4 Custody | Seal # | | Appropri | ste Bottle | / Pres. Y | /N | Head | space Y/ | 4 N | - | On Ice Y/N | | Cooler Temp. |
| 5 | 2127 | | | 5 | | | | | | | | Labels m | atch Coc | 7 Y / N | | Separate | Receiving | Check i | ist used | Y. / N | | oc |

C47015: Chain of Custody Page 2 of 5

| 000 | | | CHA | | | | | | | ΥC | IFFO.F | X Trackin | 0.5 | | | | Bottle C | Order Con | drol# | 3 | 674 |
|--|--------------|---|---|--------------------------|----------|--------|-----------|----------------|---------------------|---------------------|--------------|-------------------|-----------------------|----------|----------|---------|-------------------|------------|-----------|---------|--|
| SGS ACCUTE | ST | | | Lundy A 588-020 | | | | A 951 588-0 | | | SOSA | centest C | 50 | 016. | . 30 | 1_ | SGS Ac | cutest NO | Job#: C | CH | 7015 |
| Client / Reporting Information | | | Pro | ect Infor | mation | 1 | Mass | n and | Victoria de | | | | | | I | Reque | ested A | nalysis | | | Matrix Codes |
| | | Project N | ame: V | 1100 | 11 | .1 | 1 | | | | | | | | | | 3 | | | | WW-Wastewater |
| Geosphere Consultants | | Street | | | 70. | 91 | - | | _ | | \dashv | | F. | 1 | | | 7626CH | | | | GW- Ground Water SW- Surface Water |
| 2001 Craw Canyon Road | | | W. | 1te | K | oad | | | | | | | Z | | | | | | | | SO-Set |
| Address 2001 Craw Canyon Road City State San Ramon CA 9458 Project Contact: Colin Frost | 21p 33 | City | Wo Cupert | mo | | | State | A | | | | 0.0 | 35 | SIM. | Dugantes | | 827-0 | CARB | c DD | | Ol-Oil WP-Wipe |
| Project Contact: Colin Frost | | Project # | | 91- | 03. | 740 | 7-1 | 3 | | | 70 | 12 | \ \ \ \ | 1 | 9 | | 12 | 200 | ř | | LIG - Non-aqueous Liqui |
| Phone # (425) 984-5332 | | EMAIL: | r 4 | rost | @ | | ام | | | net | 7 | 1 | 1-7 | , | 0 | | 3 | -435 | 00 | 4: | AIŘ |
| Samplers's Name Colin Frost | | Cilient Pu | rchase Order | # | | | | 2001 | | | 7 | Postscrides / D/R | Seway wold files less | 2 67 | 11/6 | RO | DRO+080, C10-678+ | stos. | 2,7 | 中日 | DW- Drinking Water (Perchlorate Only) |
| SGS Accutest Sample ID / Field Point / Point of Collection | Date | Collecti | On Sampled by | Matrix | # of | Nur | nber | of pre | serve | d Bottles | (AMIT Motole | Poch | Some | P44's | Volatile | 5 | DR | As bestos. | 2,3 | ENST | LAB USE ONLY |
| | 4/6 | 1880 | C. Frait | 50 | 3 | + | - | ** | 1 | * * * | × | × | × | х | × | x | × | × | X | 21 | |
| ¥6-2 4 51 | 1 | | 1 | í, | 3 | | Ħ | + | Ħ | | ŤΤ | \top | 1 | 1 | 1 | 1 | 1 | 1 | | 22 | - |
| E6-4 11 151 | | _ | 3 | | | | | 11 | Ħ | †† | \top | \top | | \top | 11 | Π | 23 | 1172 | | | |
| E7-1 11 1' | 1 | | 3 jas + + + + + + + + + + + + + + + + + + + | | | | | \forall | Ħ | + | | | \vdash | \Box | \sqcap | \Box | 24 | | | | |
| E7-2 11 51 | 1 | 5 C S | | | 1 | Ĺ | | | 1 | 77 | 11 | 11 | \top | | \top | | T | П | | 25 | |
| E 7-3 " 10" | 1 | | | | | П | | \top | Ħ | 77 | 11 | 11 | \top | | \sqcap | | T | \sqcap | | 26 | |
| E7-5 "1 Zo1 | | | | Н | | П | | \top | П | 11 | 11 | Ħ | | | | \top | П | \top | П | 27 | |
| E8-1 " 1' | | | | \vdash | 1 | H | \forall | \top | П | \top | 11 | Ħ | † | \vdash | | \top | H | 11 | Ш | 28 | |
| ¥8-2 11 51 | | | | | 1 | П | | | П | 11 | 11 | \Box | $^{+}$ | \vdash | \top | \top | | | \Box | 29 | |
| E 9-3 11 10 | 4 | - | 1/ | 1 | 1 | Ħ | \forall | | †† | 11 | 1 | 1 | 1 | V | 1 | 4 | 1 | 1 | 1 | 30 | |
| Turnaround Time (Business days) | | | U | Data De | Sverable | Inform | nation | | | | E STA | | | | | Con | nments / | Remark | 5 | | |
| Approx | red By:/ Dat | *: | 1000000 | nercial "A nercial "B | | | Silver. | summ | arios | | | | Sa | mples | fo | on | E-7 | 'vt | E-8 | include | а |
| 5 Day | | | | nerical "B | | | | nd chro | matog | rams | | | | | | | | | | jars | |
| 3 Day | | | | 1 - Level - or Geotra | | - | | Form | at | | | | 160 | 0 1 (0 | Je_ | MIT | 18 | 1105 |) | 1402 | |
| 1 Day | 111000 | | Provid | EDF GIO | obal ID | | | | | - | _ | | | | - 66 | | | | (9) | 11.223 | |
| Same Day | | 111111111111111111111111111111111111111 | Provid | EDF Lo | gcode: | | | 11.5721 | 16317 | | - | | | | | | | | | | |
| Emergency T/A data available VIA Lablink Sample Custody me | ust be do | cumente | d below ea | ch time : | sample | s cha | nge į | oosses | ssion, | including | courle | delive | y. | | 11 | 52.5 | | (| |) | |
| Ballandshad by Camples | Sate Times | ocumented below each time samples change possession, including Received By: Received By: Received By: Received By: Received By: Received By: | | | | | | 111/2/2019 | Date Tin | 3 1 | 1:3 | Ppm | Receive 2 | d By: | .e | 500 | | | | | |
| Relinquished by: | Date Time: | | Received By: Relinquished By: | | | | | | | Date Tin | 100 | | AC 10 | Receive | d By: | | deinti | | | | |
| Relinquished by: | Date Time: | | 3 Received By | | - | | | 4 Cus | tody \$e | al # | Approp | riste Bot | Ug / Pres. | Y/N | Head | space Y | 1N | | On Ice Y/ | N | Cooler Temp. |
| 5 | | | E | | | | | | | | | | c? Y / N | | Separate | Receivi | ng Check | Listuse | E Y/N | | 60 |

C47015: Chain of Custody Page 3 of 5

| cubest mpte ID Sampte ID / Field Point / Point of Collection Date Time Sampled by Matrix bottles Q Q Q Q Q Q Q Q Q | 000 | CHAIN O | F CUSTODY | tern ev | | | 7/4 | | | | | Ч | 01=4 |
|--|---|--|---|----------|---------------|---------|----------|-------|-------------|---------------|--------------|-------|------------------------------|
| Client / Reporting information Project Information | ACCUTEST | 2105 Lundy Ave, | | | | | | | | | | | |
| Transcord Tind (Bostoss days) Approved by: Date: Commercial Tax-Results with a Commercial Ta | AUGUIEUI | (408) 388-0200 | FAX: (408) 588-0201 | 30370 | VV | 820 | 16-3 | 04 | SUS ACC | mest NO | Job #: C | CLE | 1015 |
| Transcruct Tind (Boileos days) Approved by: Date: Commercial Tax-Results with discussions Commercial Tax-Res | Client / Reporting Information | Project Informa | ition | | | | | Reque | sted Ar | alvsls | | · · | IMatrix Codes |
| State Vol 1 Cvaw Canyon Pond State Vol 1 R Rand Rand Rand Rand Rand Rand Rand Ra | Company Name / TROS places Consultants | Project Name: 1/11/ | 11.11 | | | | | | | | | | |
| Collection Collection Collection Number of preserved Bottles Collection C | Aridress | Street | 701411 | 4 | | Ĩ | | | 30 | | | | 하나 이 아이는 그 것이다. 얼마 없어 있어 있다. |
| Collection Contestion Sample ID / Fletd Point / Point of Collection Date Time Tim | 2001 Crow Canyon Road | Wolfe R. | ond | | | 2 | | | 27 | S | | | 50-7000 (Spanish Over) |
| Collection Collection Collection Number of preserved Bottles Collection C | City State Zip | City Custom + Min | State A | 1 | 100. | 2 2 | 2 | | 10 | X | DO | | OLO. |
| Collection Collection Collection Number of preserved Bottles Collection C | Day Namon CA 1138- | Project# | CA | - 2 | 2 | 2 0 | 2 | | - | 5 | U | | |
| Collection Collection Collection Number of preserved Bottles Collection C | Colin trost | 91-037 | 7-90-15 | - 2 | 1 | 10 | 3 | | 0) | 3 | | | LIQ - Non-aqueous Liquid |
| Collection Collection Collection Number of preserved Bottles Collection C | Phone # (425) 484-5372 | EMAIL: Ctrostag | eosphereinc. net | T | Les | \$ 3 | 1 | | O | 7 | 00 | 1 | AIR |
| Tunaround Time (Business days) Approved By: Date: Commercial "B" - Results only Commerci | Samplers's Name Colm Frost | Client Purchase Order # | | 1 | 2 | 3 | | 0 | 4 | tos | | 牛 | DW- Drinking Water |
| Tunaround Time (Business days) Approved By: Date: Commercial "B" - Results only Commerci | sgs | Collection | Number of preserved Bottles | 1 3 | + | 3 7 | -4 | 1 | 2 | 3 | | 3 | v concess con |
| Turnarourd Time (Business days) Turnarourd Time (Business days) Date Deticeable Information Approved By/ Date: Commercial "A" - Results only Commercial "B" - Results only Commercia | Accidest | | | V | 00 | V 5 | 20 | - | A | A | 2 | 13 | LAB USE ONLY |
| Turnaround Time (Business days) Data Describite Information Commercial "A-" - Results Approved By: Date: Commercial "A-" - Results Commercial "A-" - Results Commercial "B-" - Results Commercial "B- | E8-4 Leoth @ 15' 4/6 | | | V | × | VV | x | x | ~ | × | v | 21 | |
| Turnaround Time (Business days) Data Deliverable Information Comments (Remarks. Approved By: Date: Commercial "A" - Results with QC summaries Commercial "B" - Results, QC, and chromatograms FULT 1 Level 4 data package EDF for Geotracker EDD Format To Day Provide EDF Logeode: Emergency T/A data available V/A Lablink Sample Custody must be documented below each time samples change possession, including could relivery. | F4-5 " 70" 1 | 1 11 | J. F. Tank | 1 | , | | 1 | _ | ~ | | | | |
| Turnaround Time (Bursiness days) Date Describb Information Comments / Remarks Approved By-Date: Commencial "A" - Results only Commencial "B" - Results with QC summaries 5 Day Commencial "B" - Results with QC summaries FOURTH - Level 4 data package Commencial "B" - Results vith QC summaries FOURTH - Level 4 data package EDF for Geotracker DEDF Format Provide EDF Global ID Same Day Emergency T/A data available VIA Lablink Sample Custody must be documented below each time samples change possession including course delivery. | F 6 3 | +++++ | - | + | + | ++ | Н | + | \dashv | + | + | 10 | |
| Turnaround Time (Bursiness days) Data Describb Information Commercial "A" - Results only Approved By-Date: Commercial "A" - Results only Commercial "B" - Results with QC summaries 5 Day Commercial "B" - Results with QC summaries FOUR COMMERCIAL "B" - Results with QC summar | | + + + + + + + + + + + + + + + + + + + | | + | | HH | H | + | + | - | | - | |
| Turnaround Time (Bursiness days) Data Describb Information Commercial "A" - Results only Approved By-Date: Commercial "A" - Results only Commercial "B" - Results with QC summaries 5 Day Commercial "B" - Results with QC summaries FOUR COMMERCIAL "B" - Results with QC summar | | | | + | \rightarrow | H | \vdash | + | + | 1 | | _ | |
| Turnaround Time (Bursiness days) Data Describb Information Commercial "A" - Results only Approved By-Date: Commercial "A" - Results only Commercial "B" - Results with QC summaries 5 Day Commercial "B" - Results with QC summaries FOUR COMMERCIAL "B" - Results with QC summar | | | $\overline{}$ | H | \perp | H | \sqcup | - | -11 | \perp | \perp | _ | |
| Turnaround Time (Bursiness days) Data Describb Information Commercial "A" - Results only Approved By-Date: Commercial "A" - Results only Commercial "B" - Results with QC summaries 5 Day Commercial "B" - Results with QC summaries FOUR COMMERCIAL "B" - Results with QC summar | | | | \vdash | | \Box | Ш | | \perp | \perp | | | |
| Turnaround Time (Bursiness days) Data Describb Information Commercial "A" - Results only Approved By-Date: Commercial "A" - Results only Commercial "B" - Results with QC summaries 5 Day Commercial "B" - Results with QC summaries FOUR COMMERCIAL "B" - Results with QC summar | | | | | | | | | | | | | |
| Turnaround Time (Bursiness days) Data Describb Information Commercial "A" - Results only Approved By-Date: Commercial "A" - Results only Commercial "B" - Results with QC summaries 5 Day Commercial "B" - Results with QC summaries FOUR COMMERCIAL "B" - Results with QC summar | | | | | | | | | | | | | |
| Turnaround Time (Bursiness days) Data Describb Information Commercial "A" - Results only Approved By-Date: Commercial "A" - Results only Commercial "B" - Results with QC summaries 5 Day Commercial "B" - Results with QC summaries FOUR COMMERCIAL "B" - Results with QC summar | | | | | | П | П | | | | 11 | | |
| Commercial "A" - Results only Commercial "A" - Results only Commercial "B" - Results with QC summaries Commercial "B" - Results with QC summaries Commercial "B" - Results, QC, and chromatograms FUTAL To vo. kT + plus 3 and S Provide EDF for Gostrackar EDD Format EDD Format Provide EDF Logode: Emergency T/A data available VIA Lablink Sample Custody must be documented below each time samples change possession including courier delivery. | V | 1 1 | | V | U. | 1 | V | V | V | V | V | | |
| 2 Day | | | WARRANT CO. | | | SE AUGE | | | ridaria I C | Der Treatment | | | |
| 2 Day | | | | | 5 | amolec | In. | w | E-7 | 7+ | E-8 | inclu | dea |
| 2 Day | | | | 1 | J | -1-2 | - / - | 1 | | 7 | _ | | |
| 1 Day Provide EDF Global ID Same Day Emergency T/A data available VIA Lablink Sample Custody must be documented below each time samples change possession, including courier delivery | | | 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | | 7 | VIN TO | re Kl | 7 | # 1 | 105 | 3) | ars | |
| Emergency T/A data available VIA Lablink Same Day Provide EDF Logcode: Emergency T/A data available VIA Lablink | | | | | | | | | | | | | |
| ' Sample Custody must be documented below each time samples change possession, including courier delivery | | Provide EDF Logcor | de: | _ | | | | | | | | | |
| Sample Custody must be documented below each time samples change possession, including courier delivery. Relinquiched by Sampler: | | | | | | | | | | | | | |
| COLM FOOST (9/8, 8AM) WINDS FOOT 2 LONGUE FOOT 9/8 12:30-10 | Retinquished by Sampler: Sample Custody must be | documented below each time sam le: Received By: | nples change possession, including o | ourler d | elivery. | Time: | | | Received | Ву: (| (| | |
| | 1 COLM Frost of 9/8 | 8, 8 AM, buyton F: | 2 Lauten F | 1054 | . 4 | 1/8 | 12:3 | 00 | 2 | 1 ~ | X | 2 | |
| Relinquished by: Date Time: Received By: Relinquished By: Que Time: Received By: | Relinquished by: Date Tim | ie: Received By: | Relinquished By: | | Date | Time: | 101.1 | P | Received | a): | | | |
| 3 4 4 4 4 4 Redisquished by: Date Time: Received By: Costody Seal # Appropriate Bottle / Pres. Y / N Headspace Y / N On (ce Y / N Cooler Temp. | 3 Patigraphed by: Date Tin | 3 Received By: | 4 Custody Seal # | Appropri | to Roble / D | 04 V/N | Hande | ara V | 4 | | In Ice V (** | 7.55 | Cooler Tamp |

C47015: Chain of Custody Page 4 of 5

Separate Receiving Check List used: Y / N

4

SGS Accutest Sample Receipt Summary

| Job Number : <u>C47015</u> C I | lient: GEOSPHERE | Project: VALCO MALL | |
|---|-----------------------------|--|---------------|
| Date / Time Received: 9/8/2016 12:30:00 PM | Delivery Method: | Client Airbill #'s: | |
| Cooler Temps (Initial/Adjusted): #1: (3.2/2.9): | #2: (3/2.7); #3: (2.9/2.6); | | |
| 1. Custody Seals Fleselli. | OC Present: | Sample Integrity - Documentation 1. Sample labels present on bottles: 2. Container labeling complete: 3. Sample container label / COC agree: Sample Integrity - Condition 1. Sample recvd within HT: 2. All containers accounted for: 3. Condition of sample: | Y or N |
| A VOCs headspace free: | N/A ☑ ☑ | Sample Integrity - Instructions 1. Analysis requested is clear: 2. Bottles received for unspecified tests 3. Sufficient volume recvd for analysis: 4. Compositing instructions clear: 5. Filtering instructions clear: | Y or N N/A V |
| Comments | | | |

C47015: Chain of Custody

Page 5 of 5



Section 5

| orms |
|------------|
| |
| |
| : : |
| |

| | SGS ACC | | | CHAIN | OF | , C | UST | OD | Y | | | | | | | | | 3 | - | 855.10 | of 3 | |
|----------------------|--|--------------------|---------------------|----------------|---------------|--------------------|--|-----------------------|----------|------------|------------------------------------|---|--|--------------|-------------|----------|------|------------|---------------|---------------|--------|--|
| _ | JUJ ACC | UTEST | | 2105 Lur | dy Avenu | , San J | ose, CA 95 | 131 | | | | | FED-EX Trecking | | | | - | Bottle Ord | ler Control I | 3 | | and the same of th |
| | INTO A SERVICE AND A SERVICE A | | | TEL, 408 | | FAX: | 408-588-0 | 201 | | | | | SGS Accutest Qu | orte Ø | | | -00 | Accutest - | lob # | C | 47015 | |
| Compan | Client / Reporting Information | | | Project I | nformat | ion | | | | | | N. Contract | | Requeste | d Analys | ls (see | TEST | CODE | sheet) | | 90 | Matrix Codes |
| | Accutest Laboratories | Project Name: | | Valico Mall,W | Inifa Dd | Cunad | inn CA | | | | | | OT S | - | | | | | | | 3 | 1 |
| Street A | | Street | | Yanco Man, Y | Gile Ru, | ouper | IIIO CA | | | | - | | - PAH 7826(| | | | | | | | 9. | DW - Drinking Wat GW - Ground Wat |
| 511 | Lundy Avenue | | - 12 | | | | on (if ditter | ent fro | m Rep | port to) | | | RO. | | 10.1 | | | | | | | SW - Surface Wat SO - Soil |
| San | State Zip Jose, CA 9513' | City | | State | Company | Name | | | - 200 | | | | 8827 015G | | | | | | | | | SL- Sludge SED-Sediment |
| Project C | ontect E-mail | Project # | | | Street Add | fress | | *** | | | _ | | , BROTEDIROORO , BRZZIOSIMPAH PRORZPICBAO , VROTEGRO , VRZEGSTD | | | | | | | | | OI - OII |
| nutar Phone # | .kabin@sgs.com | | | *** | | | | | | | | 70 | CBAC | | | | | | | | | AIR - Air SOL - Other Soli |
| | Fax # 588-0200 | Client Purchase C | rder# | | City | | | 8 | tate | | 2 | Ζір | 082P | | | | | | | | | WP - Wipe FB-Field Blank |
| | | Project Manager | | | Attention: | - | | | | - | - | | H. H. | 1 | | | | | | | | EB-Equipment Black |
| | | | | And the Hot | ۷., | | ×. | | | | | 500.000 | A38270STD-PAH ,(p,P8081PESTPPL ,p ,CAM17(60108) | | | | | | | | | TB-Trip Blank |
| 505 | | | | Collection | \vdash | | | - | Numbe | er of pres | erved B | lottlen | 108TH | - 1 | 1 | | | | . 1 | | - 1 | |
| Accutest Sample # | Field ID / Point of Collection | MECH/D/ Val # | Date | Time | Sampled by | Matric | # of bottles | 0 3 | NO3 | 230A | M Mah | NCOF NCOF | PB08 CAM | - 1 | | | | | | | | LAB USE ONL |
| 1 | E1-1 | | 9/6/16 | 12:00:00 AM | - | so | | 1 | - | - | 1 | 1 | X | | + | | | | - | - | + | LAB USE UNL |
| 2 | E1-2 | | 9/6/16 | 12:00:00 AM | | so | - | + | Н | Н | ++ | + | X | | + | | - | | + | + | | + |
| 3 | E1-3 | | 9/6/18 | 12:00:00 AM | - | so | 1 | + | + | \vdash | H | + | X | _ | - | \vdash | | | + | - | + | - |
| 4 | E1-4 | - | 9/6/16 | 12:00:00 AM | SIR Law | so | | + | Н | \vdash | + | + | x | | - | - | - | | \rightarrow | - | + | |
| 5 | E1-8 | | 9/6/16 | 12:00:00 AM | | so | | + | + | + | + | + | 1 x | - | - | - | - | | - | + | + | |
| 6 | E2-1 | | 9/6/16 | 12:00:00 AM | - | so | | + | + | + | H | + | × | - | + | | | | - | \rightarrow | + | |
| 7 | E2-2 | | 9/6/16 | 12:00:00 AM | | so | | - | Н | - | H | ++ | + ^ | - | + | \vdash | - | | - | + | - | |
| 8 | E2-3 | | 9/6/16 | 12:00:00 AM | | so | | Н | Н | - | + | + | - | - | | - | | | - | - | _ | 4 |
| 9 | E2-5 | - | 9/6/16 | 12:00:00 AM | | so | - | + | Н | H | H | + | X | - | 1 | | - | | - | - | _ | - |
| 10 | E2-7 | | 9/6/16 | 12:00:00 AM | | so | | + | Н | - | + | + | T x | - 6 | - | - | - | | | - | _ | - |
| 11 | E3-1 | 1000 | 9/6/16 | 12:00:00 AM | - | so | | + | + | + | H | + | | - | + | \vdash | | - 1 | - | - | _ | |
| 12 | E3-2 | | 9/8/16 | 12:00:00 AM | - | so | - | + | Н | + | + | + | X | _ | - | - | - | _ | 337 | - | _ | |
| - | Turnaround Time (Business days) | | 8/0/10 | 12:00:00 AM | - 4 | 50 | Date I | Deliver | able b | nformat | ion | \perp | X | - 4 | L | | | 1 | pecial Ins | | _ | |
| | Std. 10 Business Days 3 Day RUSH 3 Day EMI RGENCY 1 Day EMERGENCY 1 Day EMERGENCY 1 Day EMERGENCY 5 Other Due 9/15/2018 | Approved By (SGS A | coutset PMI: / Date | | □° | ALLT1 (J Reduc | ial "A" (Le lal "B" (Le Level 3+4 ed ial "C" Commercia | vel 1) vel 2)) | Resul | ts Only | NYA NYA State EDD Othe | SP Cate SP Cate e Forms Format | gory B | Plear | se sub to | ALSE to | | | - | HI GLOCK | 70 | |
| | ency & Rush T/A data evallable VIA Lablink | | -100 | | | | Commercia NJ Reduce | d = Re | sults + | QC Sur | nmary | + Partial | Row data | | | | | | | | | 4 * |
| Relings | ighted by Sampler - Date Tine | 1. | Sample C | ustody must be | documer | ted be | low each t | lme si Relingu | ample | e chan | ge po | ssessi | on, including co | urier delive | | ×. | 1 | | 1 | | / | 930 |
| _ | 98 | 9/8/16 1340 700 | | | | | | 2 | named t | .,. | | + | X | | Date Time | * | | 1 | 1 | 1 | - | 9/9/16 |
| Relinqu | isted by Same in: Date Tim | 4 | Received By: | | | | | Retinqu | dshed (| By: | - | | | | Date Time | d . | 1 | teceived B | | | 12-11 | 1110 |
| Relinqu | bate Time | e; | eceived By: | 56801 | 116017 | | | Gustod; | y Seal i | - | | | Intect Not intact | Presen | ed where ap | plicable | | | | On ice | D **** | 4.0 4.Z |

C47015: Chain of Custody
Page 1 of 5
SGS Accutest Southeast

| | SGS ACC | CUTEST | | | | | | | | | | | | FED-EX Tracking # | | TVX-TV | | _ | Bottle Order C | | 2 of | Y |
|-----------------|--|-------------------------|------------------------|--|-----------------------|---------------------|---------------------------|---------------|-----------|------------|--------|----------|------------|--|------------|------------|---------------|--------|----------------|------------|--------|---|
| | ALI | OIF21 | | 2105 Lur TEL, 408 | ndy Aven 8-588-020 | ue, San J | ose, CA 95 408-588-0 | 131 | | | | | | SGS Accutest Quote | - | | | | Accused Job | | | |
| | Client / Reporting Information | 1 | 174 | THE STATE OF THE S | ww | w.sgs.cor | | 2000 | | | - | _ | _ | 700.0 -0. 007.01.00-7 VA | | | | | | | C47015 | |
| Compan | | Project Name: | | Project I | intorma | stion | 1000 | | | | _ | | | | equested | Analys | is (see | TEST | CODE she | et) | | Matrix Code |
| | Accutest Laboratories | | | Valico Mali,W | Volfe Rd | (Cupert | ino CA | | | | | | | Z > | 1 | | | | | | 1 1 | DW - Drinking W |
| 210 | ddress 5 Lundy Avenue | Street | | 2001 | | | | | - 1 | | | | 20 | G,MO, | | | | | | | 1 | GW - Ground Wi WW - Water |
| City | State Zip | City | | State | Compani | Informati y Name | on (if differ | ent fro | m Re | port to | _ | | | 0 X 8 8 | 1 | | | | | | 1 7 | SW - Surface Wi SO - Soil |
| | Jose, CA 9513 | | | | 8 | | | | | | | | | CR.C S. B. | | | | | | | | SL- Sludge SED-Sedimen |
| Project (| Contect E-mail | Project # | | | Street A | ddress | | | | | | - | | A 0.00 | 1 | | | | 1 1 | | 1 1 | OI - OII LIQ - Other Liqu AIR - Air |
| Phone # | | Client Purchase C | Order# | | City | 7.11 | | S | tate | | _ | Zip | - | S 6 8 8 | | | | | | 1 | | SOL - Other Sol WP - Wipe |
| | 588-0200 | | | | 1523X 1623J | | 4.1 | 9550 | | | | | | AG / BE / 8062 SSTD | | | | | | | 1 1 | FB-Field Blank EB-Equipment Bit |
| oampier | (s) Name(s) Pho | ne Project Manager | 8 | | Attention | 0 | | | | | | | | ABBZTOSTD-PAH AG AS BROISCREOCRO BRZTOSIWANH BA, BE CD, CD, CR, CU, HG, PAGGIFESTPPL, PROGEPCBAO, PB, SB, SE, T, WROISGEO, NESSOSTD, ZN, | | | | | | | | RB- Rinse Blank TB-Trip Blank |
| | - | + | | Codection | | | | - | Numb | ber of pre | serve: | d Bottle | les . | MPA MPA NO. | | | | | | | | 10-11p blank |
| 5GS Attories | | | | | 10 113 | 1 | | Π, | | 12 | , la | T | ORE | 2708 2708 2708 115G | | | | | | | 1 1 | |
| Sumple # | Field ID / Point of Collection | MEOHOLVINI | Date | Time | Sampled by | Matrix | # of bottles | F 5 | HNO. | HZSK | N/G | MEO | BNC BNC | AB8, P80, V80, | | | | | | | | LAB USE ONL |
| 13 | E3-4 | | 9/6/16 | 12:00:00 AM | | so | | T | | П | T | | | х | | | | | | | | |
| 14 | E3-6 | | 9/6/16 | 12:00:00 AM | | so | | | | | | | | X | | | | _ | | | | |
| 15 | E4-1 | | 9/6/16 | 12:00:00 AM | | so | | T | T | П | T | П | | X | | | | | - | 1 | | ~- |
| 16 | E4-2 | | 9/6/16 | 12:00:00 AM | | so | | | Т | П | | | | X | | | | - | | | | |
| 17 | E4-3 | | 9/6/16 | 12:00:00 AM | | so | | | | П | | \Box | | X | | | | | | + | + | |
| 18 | E5-1 | | 9/6/16 | 12:00:00 AM | | so | | | | | | | 1 | X | | \vdash | | | | + | | |
| 19 | E5-2 | | 9/6/16 | 12:00:00 AM | | 50 | | | | \sqcap | | Ħ | 1 | x | | | | | | - | 11 | - |
| 20 | E5-3 | | 9/6/16 | 12:00:00 AM | | so | | | | | 1 | \Box | | X | | 1 | \rightarrow | - | | _ | + | |
| 21 | E6-1 | | 9/6/16 | 12:00:00 AM | (| so | | \top | T | T | T | П | 1 | × | | \vdash | | \neg | | + | + | |
| 22 | E6-2 | | 9/6/16 | 12:00:00 AM | | so | | | | T | 1 | Ħ | | X | | \vdash | | | | 1 | + | |
| 23 | E6-4 | | 9/6/16 | 12:00:00 AM | | so | | \top | П | \vdash | T | | \top | x | | | | \neg | - | 1 | 1 | STEEDING. |
| 24 | E7-1 | | 9/6/16 | 12:00:00 AM | | so | | | \forall | \vdash | T | 11 | + | × | | | | - | _ | + | ++ | |
| | Turnaround Time (Business days) | | | | | | Data D | eliver | able I | Informa | tion | | -1 | | - | | | Comn | nents / Spec | ial Instru | ctions | |
| г | Std, 10 Business Days | Approved By (SGS J | Accurrent PMj: / Date: | | | | ial "A" (Levial "B" (Lev | | | | | | Catego | | Please | sub to | ALSE for | CAM | 17 (6010B |). | | 7337 |
| | 5 Day RUSH | | | | | | Level 3+4) | | | E | - | ato Fe | | мув | | | | | | | | |
| 1.55 | 3 Day EMERGENCY 2 Day EMERGENCY | | | | | U Reduc | | | | | | | ormat | | 1 | | | | | | | |
| | 1 Day EMERGENCY | | | 1 | | ommerc | lal "C" Commercia | PAT - | Daniel | | | ther C | COM | MB | - | | | | | | | |
| _ [3 | other Due 9/15/2016 Sency & Rush T/A data available VIA Lublink | | | | | | Commercia | 1.B. = | Resul | itts + QC | Surr | nmary | | | | | | | | | | |
| | | | Sample Co | stody must be | docume | nted be | NJ Reduce | i = Red | sults + | + QC Su | nge i | nose | Pertiel F | law data s, including couri | ar delheer | | | _ | *** | | | - 03/ |
| Relings | dayed by Sample Octo | 8/10/15 | 30 PE | X | | - | 1 | telinqu | ished I | Ву: | | 17.00 | | 4 mending court | or deavery | Oute Time | | - | teceived of: | / | - | 420 |
| Relinqu | fished by Sampler: Date | Dank Time: Received By: | | | | | | 2 Relinqui | Labor . | | 2 | T | X | 200 | | | | - | 3/ | 7 | | - 9/9/16 |
| 3 | | 33 | | | | | - 4 | 1 | | | | | 11000 | | | Date Time | | 7 | teceived By | | | |
| Keiinqu | falsed by: Dafe 1 | ime: | Received By: | | | | (| custody | Seal I | | | | | intect Not intect | Preserve | d where ap | plicable | | 0 | On Ic | | Cooler Temp. |


C47015: Chain of Custody Page 2 of 5

| | SGS A | | | CHAIN | , 0, | | USI | OD | • | | | | | | 10577 | | | MTS. | 3 of 3 | ł0 -si |
|----------------|--|-------------------------|---------------------------|----------------|------------------|-----------|------------------------|---------------------|----------|------------|--------|-----------------|---|--------------|------------------|------------|---------------|----------------|------------|--|
| | JUJ A | CCUTES | Т | 2105 Lu | ndy Avenu | oe, San J | ose, CA 95 | 131 | | | | | FED-EX Tracking 6 | | | | Bottle Or | nder Control # | | - 2 |
| | | | 12400 | TEL. 408 | 3-588-020 www | O FAX: | 408-588-0 | 201 | | | | | SGS Accutest Qual | to # | | | Acoutest | Job # | C47015 | |
| Compan | Client / Reporting Information | Project Name: | - | Project | Informa | tion | | | | | | | , | Requeste | d Analysi | s (see TE | T CODE | sheet) | | Matrix Codes |
| | Accutest Laboratories |) idea idea | | Valico Mali,V | Jolfe Rd | Cupert | ino CA | | | | | | 2 | | | | | | | AV. STILL |
| treet A | 1747 f | Street | | Tunos mange | L | оория | ano on | | | | | | 8.5 | - 1 | | | | | 11 | DW - Drinking We GW - Ground Wa |
| 210 | State State | Zio City | | | Billing l | nformatic | on (if differ | ent from | n Rep | ort to) | 1945 | 14860 | SE SE | | | | | 1 1 | 1 1 | WW - Water SW - Surface Wa SO - Soil |
| | Jose, CA 9513 | Zip City | | State | Company | y Name | | | | | | | ROOR 8.58 | | | | | | | SL- Sludge SEO-Sediment |
| roject (| | Project # | - 55 | | Street Ad | idress | | | | | | | 000 | - | | | | | | OI - OII |
| hone # | .kabir@sgs.com | Fax # Client Purchase | Order # | | City | | | - Qi | wte | | Z | | S .88 | | | | 1 | | | AIR - Air SOL - Other Soil |
| | 588-0200 | | | | 5.04 | | | | and: | | : 60 | p | AG A SOSZ STD | - 1 | | | | | 1 2 | WP - Wipe FB-Field Blank |
| Sampler | (s) Name(s) | Phone Project Manage | N. | | Attention | | | | - | | | | ABSTOSTO-PAH AG AS BBOISDROORD BBSTOSIMPAH BA JBC CD CO CR CU HG MO PBOSI PESTPPL, PBOGREGAO PB JBR SE TL V VBOISGRO VRZZOSTD ZN | | | | | | 1 1 | EB-Equipment Big R8- Rinse Blank TB-Trip Blank |
| | | | | Codection | L | | | | Number | r of prese | Wed Bo | tter | MPAI MPAI RO.V | | | 1 | 1 | | 1.4 | TIB-Trip Islanic |
| SGS couleet | | | | | Sampled | | 1 | | TT | | 2 | 製 | 270S 270S 270S 191PF | | | | | | | |
| empie il | Field ID / Point of Collection | MECH/DI Visi # | Date | Time | by | Matrix | # of bottles | NaQei | HNC3 | HZSO4 | DI Wan | 8 | A88. ,P86. | | | | | | 11 | LAB USE ONL |
| 25 | E7-2 | | 9/6/16 | 12:00:00 AM | | so | | | | | | | X | | | | | | | |
| 26 | E7-3 | | 9/6/16 | 12:00:00 AM | | so | | | | | | | X | | | | | | | |
| 27 | E7-6 | | 9/6/16 | 12:00:00 AM | | so | 2073802 | | | | | | X | | | | | | | |
| 28 | E8-1 | | 9/6/16 | 12:00:00 AM | | \$0 | | | | \Box | | | X | - | | | | | | |
| 29 | E8-2 | | 9/6/16 | 12:00:00 AM | | so | | | П | | | | X | | | | | | | |
| 30 | E8-3 | | 9/6/16 | 12:00:00 AM | | so | | | | | | | X | | | | | | | |
| 31 | E8-4 | | 9/8/16 | 12:00:00 AM | | so | | | | | | | Х | | 9 | | | | | |
| 32 | E8-5 | | 9/6/16 | 12:00:00 AM | | so | | | П | | | | Х | | | | | | | |
| - | | | | | | | | | П | | | | | | | | | | | |
| - | | | | | | | | 1 | Ш | | | | 100 | | | | | | | |
| \rightarrow | | | | | | | | | Ш | | | | | | | | | | | |
| - | Turnaround Time (Business days) | | | | | | | | | | | | | | | | | | | |
| _ | (Uniterbulid Fittle (Dustriess days) | Approved By (SG) | Accusest PM): / Date | | | ommerci | Data D | | ible in | formation | | P Catego | | 1- | | | | Special Instru | uctions | |
| | Approved By (SGS Access) Phil; / Date: Std. 10 Business Days | | | | | ommerci | lat "B" (Lev | rel 2) | | | | P Catego | | Pleas | e sub to A | LSE for CA | M17 (601 | 10B). | | |
| | 5 Day RUSH 3 Day EMERGENCY | | | | | | Level 3+4) | | | | | Forms Format | | | | | | | | |
| | 2 Day EMERGENCY | - | NJ Reduced Commercial "C" | | | | | | | | COM | ив | | | | | | | | |
| | 1 Day EMERGENCY other Due 9/15/2018 | | | | | | Commercia | | | s Only | | | | | | | | | | |
| Emery | ency & Rush T/A data available VIA Lablink | | | | | | Commercia NJ Reduce | f = Res | ults + i | QC Sum | mary 4 | Cartist 5 | Row data | 10 8251 | | | | | | 340,000 |
| Relings | lahed by Samp 2 9 | word on are | Sample C | ustody must be | documer | nted bel | | ime sa telingui: | | | e pos | session | n, including cour | ier delive | y. Date Yime: | | On the second | 1 | 1 | 930 |
| - | Les 100 - 496/61 FOO | | | | | | | 2 | | 50 | | 1> | | | 200 1886 | | 2 | 1 | <u>_</u> | 9/9/16 |
| Relinqu | ellinguished by Sampler: Date Time: Received By: 3 | | | | | | 1 | tellinquis 1 | ihed By | y: | | - | | 73 4-17 | Date Time: | - | Received I | | | - / - |
| Stutteres | Impulshed by: Data Time: Received By: E | | | | | - 1 | Sustady | Seal # | | | | Intset | Descan | ed where app | Sankle | -/- | On le | 2.00 | sier Temp. | |

C47015: Chain of Custody Page 3 of 5

| SGS ACCUTEST'S JOB NUMBER: | SAMPLE RECEIPT CONFIRMATION PROJECT: Va / Co Ma |
|----------------------------|--|
| NE 00/46 | WER SIGNATURE/DATE KD 9 9 16 nation 020116.xls |

C47015: Chain of Custody Page 4 of 5



C47015: Chain of Custody Page 5 of 5



Section 6

GC/MS Volatiles

QC Data Summaries

(SGS Accutest Southeast)

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VC4680-MB | File ID C0117966.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VC4680 |
|---------------------|------------------------------|----------------|--------------------------|----------|---------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-27

| CAS No. | Compound | Result | RL | MDL | Units Q |
|------------|-----------------------------|--------|-----|-----|---------|
| 67-64-1 | Acetone | ND | 50 | 10 | ug/kg |
| 71-43-2 | Benzene | ND | 5.0 | 1.3 | ug/kg |
| 108-86-1 | Bromobenzene | ND | 5.0 | 1.2 | ug/kg |
| 74-97-5 | Bromochloromethane | ND | 5.0 | 1.1 | ug/kg |
| 75-27-4 | Bromodichloromethane | ND | 5.0 | 1.0 | ug/kg |
| 75-25-2 | Bromoform | ND | 5.0 | 1.0 | ug/kg |
| 78-93-3 | 2-Butanone (MEK) | ND | 25 | 9.1 | ug/kg |
| 104-51-8 | n-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 135-98-8 | sec-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 98-06-6 | tert-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 56-23-5 | Carbon Tetrachloride | ND | 5.0 | 1.8 | ug/kg |
| 108-90-7 | Chlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-00-3 | Chloroethane | ND | 5.0 | 2.0 | ug/kg |
| 67-66-3 | Chloroform | ND | 5.0 | 1.2 | ug/kg |
| 95-49-8 | o-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg |
| 106-43-4 | p-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg |
| 124-48-1 | Dibromochloromethane | ND | 5.0 | 1.0 | ug/kg |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.0 | 2.2 | ug/kg |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.0 | 1.0 | ug/kg |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 2.5 | ug/kg |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.0 | 1.7 | ug/kg |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.0 | 1.0 | ug/kg |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.0 | 1.0 | ug/kg |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.0 | 1.2 | ug/kg |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.0 | 1.5 | ug/kg |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.0 | 1.6 | ug/kg |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.0 | 1.0 | ug/kg |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.0 | 1.0 | ug/kg |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.0 | 1.3 | ug/kg |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.0 | 1.9 | ug/kg |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.0 | 1.0 | ug/kg |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.0 | 1.2 | ug/kg |
| 100-41-4 | Ethylbenzene | ND | 5.0 | 1.1 | ug/kg |
| | | | | | |

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VC4680-MB | File ID C0117966.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VC4680 |
|---------------------|---------------------------|-------------|--------------------------|----------|---------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-27

| CAS No. | Compound | Result | RL | MDL | Units Q |
|-----------|-----------------------------|--------|-----|-----|---------|
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.0 | 1.3 | ug/kg |
| 87-68-3 | Hexachlorobutadiene | ND | 5.0 | 2.2 | ug/kg |
| 591-78-6 | 2-Hexanone | ND | 25 | 8.7 | ug/kg |
| 98-82-8 | Isopropylbenzene | ND | 5.0 | 1.4 | ug/kg |
| 99-87-6 | p-Isopropyltoluene | ND | 5.0 | 1.0 | ug/kg |
| 74-83-9 | Methyl Bromide | ND | 5.0 | 2.6 | ug/kg |
| 74-87-3 | Methyl Chloride | ND | 5.0 | 2.4 | ug/kg |
| 74-95-3 | Methylene Bromide | ND | 5.0 | 1.8 | ug/kg |
| 75-09-2 | Methylene Chloride | ND | 10 | 4.0 | ug/kg |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 25 | 11 | ug/kg |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.0 | 1.1 | ug/kg |
| 91-20-3 | Naphthalene | ND | 5.0 | 2.0 | ug/kg |
| 103-65-1 | n-Propylbenzene | ND | 5.0 | 1.2 | ug/kg |
| 100-42-5 | Styrene | ND | 5.0 | 1.0 | ug/kg |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.0 | 1.4 | ug/kg |
| 75-65-0 | Tert-Butyl Alcohol | ND | 50 | 14 | ug/kg |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.0 | 1.1 | ug/kg |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.0 | 2.2 | ug/kg |
| 127-18-4 | Tetrachloroethylene | ND | 5.0 | 1.3 | ug/kg |
| 108-88-3 | Toluene | ND | 5.0 | 1.1 | ug/kg |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.0 | 2.0 | ug/kg |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.0 | 1.5 | ug/kg |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.0 | 1.0 | ug/kg |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.0 | 1.8 | ug/kg |
| 79-01-6 | Trichloroethylene | ND | 5.0 | 1.2 | ug/kg |
| 75-69-4 | Trichlorofluoromethane | ND | 5.0 | 1.9 | ug/kg |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.0 | 1.6 | ug/kg |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-01-4 | Vinyl Chloride | ND | 5.0 | 1.7 | ug/kg |
| 1330-20-7 | Xylene (total) | ND | 15 | 2.9 | ug/kg |

CAS No. Surrogate Recoveries

Limits

1868-53-7 Dibromofluoromethane

103% 75-124%

Page 3 of 3

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| VC4680 | |
|--------|--|
| | |

The QC reported here applies to the following samples:

C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-27

Method: SW846 8260B

| CAS No. | Surrogate Recoveries | | Limits |
|------------|-----------------------------|------|---------|
| 17060-07-0 | 1,2-Dichloroethane-D4 | 102% | 72-135% |
| 2037-26-5 | Toluene-D8 | 98% | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 95% | 71-133% |

Page 1 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2730-MB | File ID F0079441.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2730 |
|---------------------|------------------------------|-------------|--------------------------|----------|----------------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-2, C47015-3, C47015-4, C47015-5, C47015-24, C47015-25, C47015-26, C47015-28, C47015-29, C47015-30, C47015-31

| CAS No. | Compound | Result | RL | MDL | Units Q |
|------------|-----------------------------|--------|-----|-----|---------|
| 67-64-1 | Acetone | ND | 50 | 10 | ug/kg |
| 71-43-2 | Benzene | ND | 5.0 | 1.3 | ug/kg |
| 108-86-1 | Bromobenzene | ND | 5.0 | 1.2 | ug/kg |
| 74-97-5 | Bromochloromethane | ND | 5.0 | 1.1 | ug/kg |
| 75-27-4 | Bromodichloromethane | ND | 5.0 | 1.0 | ug/kg |
| 75-25-2 | Bromoform | ND | 5.0 | 1.0 | ug/kg |
| 78-93-3 | 2-Butanone (MEK) | ND | 25 | 9.1 | ug/kg |
| 104-51-8 | n-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 135-98-8 | sec-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 98-06-6 | tert-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 56-23-5 | Carbon Tetrachloride | ND | 5.0 | 1.8 | ug/kg |
| 108-90-7 | Chlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-00-3 | Chloroethane | ND | 5.0 | 2.0 | ug/kg |
| 67-66-3 | Chloroform | ND | 5.0 | 1.2 | ug/kg |
| 95-49-8 | o-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg |
| 106-43-4 | p-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg |
| 124-48-1 | Dibromochloromethane | ND | 5.0 | 1.0 | ug/kg |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.0 | 2.2 | ug/kg |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.0 | 1.0 | ug/kg |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 2.5 | ug/kg |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.0 | 1.7 | ug/kg |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.0 | 1.0 | ug/kg |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.0 | 1.0 | ug/kg |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.0 | 1.2 | ug/kg |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.0 | 1.5 | ug/kg |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.0 | 1.6 | ug/kg |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.0 | 1.0 | ug/kg |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.0 | 1.0 | ug/kg |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.0 | 1.3 | ug/kg |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.0 | 1.9 | ug/kg |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.0 | 1.0 | ug/kg |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.0 | 1.2 | ug/kg |
| 100-41-4 | Ethylbenzene | ND | 5.0 | 1.1 | ug/kg |

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2730-MB | File ID F0079441.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2730 |
|---------------------|------------------------------|-------------|--------------------------|----------|---------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-2, C47015-3, C47015-4, C47015-5, C47015-24, C47015-25, C47015-26, C47015-28, C47015-29, C47015-30, C47015-31

| CAS No. | Compound | Result | RL | MDL | Units Q |
|-----------|-----------------------------|--------|-----|-----|---------|
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.0 | 1.3 | ug/kg |
| 87-68-3 | Hexachlorobutadiene | ND | 5.0 | 2.2 | ug/kg |
| 591-78-6 | 2-Hexanone | ND | 25 | 8.7 | ug/kg |
| 98-82-8 | Isopropylbenzene | ND | 5.0 | 1.4 | ug/kg |
| 99-87-6 | p-Isopropyltoluene | ND | 5.0 | 1.0 | ug/kg |
| 74-83-9 | Methyl Bromide | ND | 5.0 | 2.6 | ug/kg |
| 74-87-3 | Methyl Chloride | ND | 5.0 | 2.4 | ug/kg |
| 74-95-3 | Methylene Bromide | ND | 5.0 | 1.8 | ug/kg |
| 75-09-2 | Methylene Chloride | ND | 10 | 4.0 | ug/kg |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 25 | 11 | ug/kg |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.0 | 1.1 | ug/kg |
| 91-20-3 | Naphthalene | ND | 5.0 | 2.0 | ug/kg |
| 103-65-1 | n-Propylbenzene | ND | 5.0 | 1.2 | ug/kg |
| 100-42-5 | Styrene | ND | 5.0 | 1.0 | ug/kg |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.0 | 1.4 | ug/kg |
| 75-65-0 | Tert-Butyl Alcohol | ND | 50 | 14 | ug/kg |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.0 | 1.1 | ug/kg |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.0 | 2.2 | ug/kg |
| 127-18-4 | Tetrachloroethylene | ND | 5.0 | 1.3 | ug/kg |
| 108-88-3 | Toluene | ND | 5.0 | 1.1 | ug/kg |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.0 | 2.0 | ug/kg |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.0 | 1.5 | ug/kg |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.0 | 1.0 | ug/kg |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.0 | 1.8 | ug/kg |
| 79-01-6 | Trichloroethylene | ND | 5.0 | 1.2 | ug/kg |
| 75-69-4 | Trichlorofluoromethane | ND | 5.0 | 1.9 | ug/kg |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.0 | 1.6 | ug/kg |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-01-4 | Vinyl Chloride | ND | 5.0 | 1.7 | ug/kg |
| 1330-20-7 | Xylene (total) | ND | 15 | 2.9 | ug/kg |

CAS No. Surrogate Recoveries

Limits

1868-53-7 Dibromofluoromethane

103% 75-124%

Page 3 of 3

Method: SW846 8260B

1

N

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2730-MB | File ID F0079441.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2730 |
|---------------------|------------------------------|-------------|--------------------------|----------|----------------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-2, C47015-3, C47015-4, C47015-5, C47015-24, C47015-25, C47015-26, C47015-28, C47015-29, C47015-30, C47015-31

| CAS No. | Surrogate Recoveries | | Limits |
|------------|-----------------------------|------|---------|
| 17060-07-0 | 1,2-Dichloroethane-D4 | 104% | 72-135% |
| 2037-26-5 | Toluene-D8 | 91% | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 100% | 71-133% |

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2731-MB | File ID F0079467.D | DF 1 | Analyzed 09/10/16 | By AD | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2731 |
|---------------------|------------------------------|----------------|--------------------------|-----------------|----------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Compound | Result | RL | MDL | Units Q |
|------------|-----------------------------|--------|-----|-----|---------|
| 67-64-1 | Acetone | ND | 50 | 10 | ug/kg |
| 71-43-2 | Benzene | ND | 5.0 | 1.3 | ug/kg |
| 108-86-1 | Bromobenzene | ND | 5.0 | 1.2 | ug/kg |
| 74-97-5 | Bromochloromethane | ND | 5.0 | 1.1 | ug/kg |
| 75-27-4 | Bromodichloromethane | ND | 5.0 | 1.0 | ug/kg |
| 75-25-2 | Bromoform | ND | 5.0 | 1.0 | ug/kg |
| 78-93-3 | 2-Butanone (MEK) | ND | 25 | 9.1 | ug/kg |
| 104-51-8 | n-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 135-98-8 | sec-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 98-06-6 | tert-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 56-23-5 | Carbon Tetrachloride | ND | 5.0 | 1.8 | ug/kg |
| 108-90-7 | Chlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-00-3 | Chloroethane | ND | 5.0 | 2.0 | ug/kg |
| 67-66-3 | Chloroform | ND | 5.0 | 1.2 | ug/kg |
| 95-49-8 | o-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg |
| 106-43-4 | p-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg |
| 124-48-1 | Dibromochloromethane | ND | 5.0 | 1.0 | ug/kg |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.0 | 2.2 | ug/kg |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.0 | 1.0 | ug/kg |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 2.5 | ug/kg |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.0 | 1.7 | ug/kg |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.0 | 1.0 | ug/kg |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.0 | 1.0 | ug/kg |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.0 | 1.2 | ug/kg |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.0 | 1.5 | ug/kg |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.0 | 1.6 | ug/kg |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.0 | 1.0 | ug/kg |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.0 | 1.0 | ug/kg |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.0 | 1.3 | ug/kg |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.0 | 1.9 | ug/kg |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.0 | 1.0 | ug/kg |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.0 | 1.2 | ug/kg |
| 100-41-4 | Ethylbenzene | ND | 5.0 | 1.1 | ug/kg |
| | | | | | |

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed 09/10/16 | By | Prep Date | Prep Batch | Analytical Batch |
|-----------|----------------|-----------|--------------------------|----|-----------|------------|------------------|
| VF2731-MB | F0079467.D | 1 | | AD | n/a | n/a | VF2731 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-11, C47015-12, C47015-15, C47015-16, C47015-19, C47015-20, C47015-21, C47015-32

| CAS No. | Compound | Result | RL | MDL | Units Q |
|-----------|-----------------------------|--------|-----|-----|---------|
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.0 | 1.3 | ug/kg |
| 87-68-3 | Hexachlorobutadiene | ND | 5.0 | 2.2 | ug/kg |
| 591-78-6 | 2-Hexanone | ND | 25 | 8.7 | ug/kg |
| 98-82-8 | Isopropylbenzene | ND | 5.0 | 1.4 | ug/kg |
| 99-87-6 | p-Isopropyltoluene | ND | 5.0 | 1.0 | ug/kg |
| 74-83-9 | Methyl Bromide | ND | 5.0 | 2.6 | ug/kg |
| 74-87-3 | Methyl Chloride | ND | 5.0 | 2.4 | ug/kg |
| 74-95-3 | Methylene Bromide | ND | 5.0 | 1.8 | ug/kg |
| 75-09-2 | Methylene Chloride | ND | 10 | 4.0 | ug/kg |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 25 | 11 | ug/kg |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.0 | 1.1 | ug/kg |
| 91-20-3 | Naphthalene | ND | 5.0 | 2.0 | ug/kg |
| 103-65-1 | n-Propylbenzene | ND | 5.0 | 1.2 | ug/kg |
| 100-42-5 | Styrene | ND | 5.0 | 1.0 | ug/kg |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.0 | 1.4 | ug/kg |
| 75-65-0 | Tert-Butyl Alcohol | ND | 50 | 14 | ug/kg |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.0 | 1.1 | ug/kg |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.0 | 2.2 | ug/kg |
| 127-18-4 | Tetrachloroethylene | ND | 5.0 | 1.3 | ug/kg |
| 108-88-3 | Toluene | ND | 5.0 | 1.1 | ug/kg |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.0 | 2.0 | ug/kg |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.0 | 1.5 | ug/kg |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.0 | 1.0 | ug/kg |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.0 | 1.8 | ug/kg |
| 79-01-6 | Trichloroethylene | ND | 5.0 | 1.2 | ug/kg |
| 75-69-4 | Trichlorofluoromethane | ND | 5.0 | 1.9 | ug/kg |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.0 | 1.6 | ug/kg |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-01-4 | Vinyl Chloride | ND | 5.0 | 1.7 | ug/kg |
| 1330-20-7 | Xylene (total) | ND | 15 | 2.9 | ug/kg |

CAS No. Surrogate Recoveries

Limits

1868-53-7 Dibromofluoromethane

111% 75-124%

Page 3 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: C47015

CAS No.

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2731-MB | File ID F0079467.D | DF 1 | Analyzed 09/10/16 | By AD | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2731 |
|---------------------|------------------------------|-------------|--------------------------|-----------------|---------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

Surrogate Recoveries

C47015-1, C47015-11, C47015-12, C47015-15, C47015-16, C47015-19, C47015-20, C47015-21, C47015-32

Limits

| 17060-07-0 | 1,2-Dichloroethane-D4 | 110% | 72-135% |
|------------|-----------------------|------|---------|
| 2037-26-5 | Toluene-D8 | 96% | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 95% | 71-133% |

į.

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VC4681-MB | File ID C0117994.D | DF 1 | Analyzed 09/12/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VC4681 |
|---------------------|------------------------------|-------------|--------------------------|----------|------------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-13, C47015-14, C47015-17, C47015-18, C47015-22, C47015-23

| CAS No. | Compound | Result | RL | MDL | Units Q |
|------------|-----------------------------|--------|-----|-----|----------------|
| 67-64-1 | Acetone | ND | 50 | 10 | ug/kg |
| 71-43-2 | Benzene | ND | 5.0 | 1.3 | ug/kg |
| 108-86-1 | Bromobenzene | ND | 5.0 | 1.2 | ug/kg |
| 74-97-5 | Bromochloromethane | ND | 5.0 | 1.1 | ug/kg |
| 75-27-4 | Bromodichloromethane | ND | 5.0 | 1.0 | ug/kg |
| 75-25-2 | Bromoform | ND | 5.0 | 1.0 | ug/kg |
| 78-93-3 | 2-Butanone (MEK) | ND | 25 | 9.1 | ug/kg |
| 104-51-8 | n-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 135-98-8 | sec-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 98-06-6 | tert-Butylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 56-23-5 | Carbon Tetrachloride | ND | 5.0 | 1.8 | ug/kg |
| 108-90-7 | Chlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-00-3 | Chloroethane | ND | 5.0 | 2.0 | ug/kg |
| 67-66-3 | Chloroform | ND | 5.0 | 1.2 | ug/kg |
| 95-49-8 | o-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg |
| 106-43-4 | p-Chlorotoluene | ND | 5.0 | 1.0 | ug/kg |
| 124-48-1 | Dibromochloromethane | ND | 5.0 | 1.0 | ug/kg |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 5.0 | 2.2 | ug/kg |
| 106-93-4 | 1,2-Dibromoethane | ND | 5.0 | 1.0 | ug/kg |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 2.5 | ug/kg |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-34-3 | 1,1-Dichloroethane | ND | 5.0 | 1.7 | ug/kg |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.0 | 1.0 | ug/kg |
| 75-35-4 | 1,1-Dichloroethylene | ND | 5.0 | 1.0 | ug/kg |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 5.0 | 1.2 | ug/kg |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 5.0 | 1.5 | ug/kg |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.0 | 1.6 | ug/kg |
| 142-28-9 | 1,3-Dichloropropane | ND | 5.0 | 1.0 | ug/kg |
| 594-20-7 | 2,2-Dichloropropane | ND | 5.0 | 1.0 | ug/kg |
| 563-58-6 | 1,1-Dichloropropene | ND | 5.0 | 1.3 | ug/kg |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.0 | 1.9 | ug/kg |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.0 | 1.0 | ug/kg |
| 108-20-3 | Di-Isopropyl Ether | ND | 5.0 | 1.2 | ug/kg |
| 100-41-4 | Ethylbenzene | ND | 5.0 | 1.1 | ug/kg |
| | - | | | | - - |

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed 09/12/16 | By | Prep Date | Prep Batch | Analytical Batch |
|-----------|----------------|-----------|--------------------------|----|-----------|------------|------------------|
| VC4681-MB | C0117994.D | 1 | | EP | n/a | n/a | VC4681 |
| | | | | | | | |

Limits

The QC reported here applies to the following samples:

C47015-13, C47015-14, C47015-17, C47015-18, C47015-22, C47015-23

| CAS No. | Compound | Result | RL | MDL | Units Q |
|-----------|-----------------------------|--------|-----|-----|---------|
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 5.0 | 1.3 | ug/kg |
| 87-68-3 | Hexachlorobutadiene | ND | 5.0 | 2.2 | ug/kg |
| 591-78-6 | 2-Hexanone | ND | 25 | 8.7 | ug/kg |
| 98-82-8 | Isopropylbenzene | ND | 5.0 | 1.4 | ug/kg |
| 99-87-6 | p-Isopropyltoluene | ND | 5.0 | 1.0 | ug/kg |
| 74-83-9 | Methyl Bromide | ND | 5.0 | 2.6 | ug/kg |
| 74-87-3 | Methyl Chloride | ND | 5.0 | 2.4 | ug/kg |
| 74-95-3 | Methylene Bromide | ND | 5.0 | 1.8 | ug/kg |
| 75-09-2 | Methylene Chloride | ND | 10 | 4.0 | ug/kg |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 25 | 11 | ug/kg |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 5.0 | 1.1 | ug/kg |
| 91-20-3 | Naphthalene | ND | 5.0 | 2.0 | ug/kg |
| 103-65-1 | n-Propylbenzene | ND | 5.0 | 1.2 | ug/kg |
| 100-42-5 | Styrene | ND | 5.0 | 1.0 | ug/kg |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 5.0 | 1.4 | ug/kg |
| 75-65-0 | Tert-Butyl Alcohol | ND | 50 | 14 | ug/kg |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 5.0 | 1.1 | ug/kg |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.0 | 2.2 | ug/kg |
| 127-18-4 | Tetrachloroethylene | ND | 5.0 | 1.3 | ug/kg |
| 108-88-3 | Toluene | ND | 5.0 | 1.1 | ug/kg |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 5.0 | 2.0 | ug/kg |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 5.0 | 1.5 | ug/kg |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 5.0 | 1.0 | ug/kg |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 5.0 | 1.8 | ug/kg |
| 79-01-6 | Trichloroethylene | ND | 5.0 | 1.2 | ug/kg |
| 75-69-4 | Trichlorofluoromethane | ND | 5.0 | 1.9 | ug/kg |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 5.0 | 1.6 | ug/kg |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 5.0 | 1.0 | ug/kg |
| 75-01-4 | Vinyl Chloride | ND | 5.0 | 1.7 | ug/kg |
| 1330-20-7 | Xylene (total) | ND | 15 | 2.9 | ug/kg |

CAS No. Surrogate Recoveries

1868-53-7 Dibromofluoromethane 103% 75-124%

Page 3 of 3

Method Blank Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VC4681-MB | File ID C0117994.D | DF 1 | Analyzed 09/12/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VC4681 |
|---------------------|------------------------------|-------------|--------------------------|----------|---------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-13, C47015-14, C47015-17, C47015-18, C47015-22, C47015-23

| CAS No. | Surrogate Recoveries | | Limits |
|------------|-----------------------|------|---------|
| 17060-07-0 | 1,2-Dichloroethane-D4 | 103% | 72-135% |
| 2037-26-5 | Toluene-D8 | 97% | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 97% | 71-133% |

Page 1 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VC4680-BS | File ID C0117965.D | DF | Analyzed 09/09/16 | By EP | Prep Date | Prep Batch | Analytical Batch VC4680 |
|---------------------|------------------------------|-----------|--------------------------|-----------------|-----------|------------|----------------------------|
| V C 1000 BS | C0117703.D | 1 | 07/07/10 | Li | π, α | 11/ tt | V C 1000 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-27

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|------------|-----------------------------|----------------|--------------|----------|--------|
| 67-64-1 | Acetone | 250 | 216 | 86 | 61-152 |
| 71-43-2 | Benzene | 50 | 50.8 | 102 | 76-126 |
| 108-86-1 | Bromobenzene | 50 | 49.3 | 99 | 76-122 |
| 74-97-5 | Bromochloromethane | 50 | 50.4 | 101 | 77-120 |
| 75-27-4 | Bromodichloromethane | 50 | 51.0 | 102 | 74-130 |
| 75-25-2 | Bromoform | 50 | 51.2 | 102 | 76-127 |
| 78-93-3 | 2-Butanone (MEK) | 250 | 219 | 88 | 75-137 |
| 104-51-8 | n-Butylbenzene | 50 | 53.5 | 107 | 71-128 |
| 135-98-8 | sec-Butylbenzene | 50 | 54.5 | 109 | 79-135 |
| 98-06-6 | tert-Butylbenzene | 50 | 53.2 | 106 | 77-133 |
| 56-23-5 | Carbon Tetrachloride | 50 | 52.4 | 105 | 78-133 |
| 108-90-7 | Chlorobenzene | 50 | 50.4 | 101 | 81-129 |
| 75-00-3 | Chloroethane | 50 | 50.2 | 100 | 68-133 |
| 67-66-3 | Chloroform | 50 | 51.3 | 103 | 72-123 |
| 95-49-8 | o-Chlorotoluene | 50 | 52.4 | 105 | 77-129 |
| 106-43-4 | p-Chlorotoluene | 50 | 49.7 | 99 | 80-134 |
| 124-48-1 | Dibromochloromethane | 50 | 51.1 | 102 | 76-127 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | 50 | 48.8 | 98 | 70-137 |
| 106-93-4 | 1,2-Dibromoethane | 50 | 48.8 | 98 | 77-126 |
| 75-71-8 | Dichlorodifluoromethane | 50 | 52.6 | 105 | 68-168 |
| 95-50-1 | 1,2-Dichlorobenzene | 50 | 52.1 | 104 | 80-129 |
| 541-73-1 | 1,3-Dichlorobenzene | 50 | 54.6 | 109 | 81-129 |
| 106-46-7 | 1,4-Dichlorobenzene | 50 | 53.5 | 107 | 76-130 |
| 75-34-3 | 1,1-Dichloroethane | 50 | 53.3 | 107 | 73-125 |
| 107-06-2 | 1,2-Dichloroethane | 50 | 49.9 | 100 | 74-128 |
| 75-35-4 | 1,1-Dichloroethylene | 50 | 51.8 | 104 | 81-136 |
| 156-59-2 | cis-1,2-Dichloroethylene | 50 | 49.4 | 99 | 74-126 |
| 156-60-5 | trans-1,2-Dichloroethylene | 50 | 58.4 | 117 | 70-127 |
| 78-87-5 | 1,2-Dichloropropane | 50 | 49.8 | 100 | 74-125 |
| 142-28-9 | 1,3-Dichloropropane | 50 | 46.3 | 93 | 76-122 |
| 594-20-7 | 2,2-Dichloropropane | 50 | 53.6 | 107 | 77-133 |
| 563-58-6 | 1,1-Dichloropropene | 50 | 49.2 | 98 | 75-130 |
| 10061-01-5 | cis-1,3-Dichloropropene | 50 | 49.6 | 99 | 80-123 |
| 10061-02-6 | trans-1,3-Dichloropropene | 50 | 52.8 | 106 | 75-131 |
| 108-20-3 | Di-Isopropyl Ether | 50 | 50.6 | 101 | 75-122 |
| 100-41-4 | Ethylbenzene | 50 | 54.7 | 109 | 77-123 |

^{* =} Outside of Control Limits.

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VC4680-BS | File ID C0117965.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VC4680 |
|---------------------|---------------------------|----------------|--------------------------|----------|---------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-27

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|-----------|-----------------------------|----------------|--------------|----------|---------|
| CAS NO. | Compound | ug/ kg | ug/ kg | /0 | Lillius |
| 637-92-3 | Ethyl Tert Butyl Ether | 50 | 49.2 | 98 | 75-117 |
| 87-68-3 | Hexachlorobutadiene | 50 | 47.8 | 96 | 74-136 |
| 591-78-6 | 2-Hexanone | 250 | 217 | 87 | 72-133 |
| 98-82-8 | Isopropylbenzene | 50 | 52.8 | 106 | 80-136 |
| 99-87-6 | p-Isopropyltoluene | 50 | 56.5 | 113 | 77-131 |
| 74-83-9 | Methyl Bromide | 50 | 49.1 | 98 | 65-139 |
| 74-87-3 | Methyl Chloride | 50 | 46.6 | 93 | 71-144 |
| 74-95-3 | Methylene Bromide | 50 | 50.5 | 101 | 74-124 |
| 75-09-2 | Methylene Chloride | 50 | 48.3 | 97 | 74-137 |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | 250 | 248 | 99 | 76-132 |
| 1634-04-4 | Methyl Tert Butyl Ether | 50 | 48.9 | 98 | 77-120 |
| 91-20-3 | Naphthalene | 50 | 56.9 | 114 | 79-129 |
| 103-65-1 | n-Propylbenzene | 50 | 57.2 | 114 | 80-135 |
| 100-42-5 | Styrene | 50 | 51.0 | 102 | 78-125 |
| 994-05-8 | Tert-Amyl Methyl Ether | 50 | 49.3 | 99 | 69-130 |
| 75-65-0 | Tert-Butyl Alcohol | 500 | 496 | 99 | 58-136 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | 50 | 55.0 | 110 | 78-126 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 50 | 49.2 | 98 | 71-126 |
| 127-18-4 | Tetrachloroethylene | 50 | 49.7 | 99 | 79-130 |
| 108-88-3 | Toluene | 50 | 51.0 | 102 | 76-124 |
| 87-61-6 | 1,2,3-Trichlorobenzene | 50 | 52.2 | 104 | 77-128 |
| 120-82-1 | 1,2,4-Trichlorobenzene | 50 | 47.8 | 96 | 78-130 |
| 71-55-6 | 1,1,1-Trichloroethane | 50 | 49.2 | 98 | 70-129 |
| 79-00-5 | 1,1,2-Trichloroethane | 50 | 49.7 | 99 | 74-124 |
| 79-01-6 | Trichloroethylene | 50 | 50.6 | 101 | 75-128 |
| 75-69-4 | Trichlorofluoromethane | 50 | 49.0 | 98 | 73-145 |
| 96-18-4 | 1,2,3-Trichloropropane | 50 | 49.1 | 98 | 74-127 |
| 95-63-6 | 1,2,4-Trimethylbenzene | 50 | 55.7 | 111 | 74-123 |
| 108-67-8 | 1,3,5-Trimethylbenzene | 50 | 55.0 | 110 | 73-122 |
| 75-01-4 | Vinyl Chloride | 50 | 47.0 | 94 | 76-141 |
| 1330-20-7 | Xylene (total) | 150 | 159 | 106 | 80-129 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|---------|----------------------|-----|--------|
| | | | |

1868-53-7 Dibromofluoromethane 102% 75-124%

^{* =} Outside of Control Limits.

Page 3 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VC4680-BS | File ID C0117965.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VC4680 |
|---------------------|---------------------------|----------------|--------------------------|----------|---------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-27

| CAS No. | Surrogate Recoveries | BSP | Limits |
|----------|-----------------------------|------|---------|
| | 1,2-Dichloroethane-D4 | 97% | 72-135% |
| | Toluene-D8 | 100% | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 98% | 71-133% |

^{* =} Outside of Control Limits.

Page 1 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2730-BS | File ID F0079440.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2730 |
|---------------------|------------------------------|-------------|--------------------------|----------|------------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-2, C47015-3, C47015-4, C47015-5, C47015-24, C47015-25, C47015-26, C47015-28, C47015-29, C47015-30, C47015-31

| | | Spike | BSP | BSP | |
|------------|-----------------------------|-------|-------|-----|--------|
| CAS No. | Compound | ug/kg | ug/kg | % | Limits |
| c= c+ 1 | | 2.50 | 222 | 0.2 | -1.170 |
| 67-64-1 | Acetone | 250 | 232 | 93 | 61-152 |
| 71-43-2 | Benzene | 50 | 49.1 | 98 | 76-126 |
| 108-86-1 | Bromobenzene | 50 | 50.9 | 102 | 76-122 |
| 74-97-5 | Bromochloromethane | 50 | 48.6 | 97 | 77-120 |
| 75-27-4 | Bromodichloromethane | 50 | 49.6 | 99 | 74-130 |
| 75-25-2 | Bromoform | 50 | 53.2 | 106 | 76-127 |
| 78-93-3 | 2-Butanone (MEK) | 250 | 198 | 79 | 75-137 |
| 104-51-8 | n-Butylbenzene | 50 | 49.2 | 98 | 71-128 |
| 135-98-8 | sec-Butylbenzene | 50 | 53.8 | 108 | 79-135 |
| 98-06-6 | tert-Butylbenzene | 50 | 51.0 | 102 | 77-133 |
| 56-23-5 | Carbon Tetrachloride | 50 | 48.6 | 97 | 78-133 |
| 108-90-7 | Chlorobenzene | 50 | 53.2 | 106 | 81-129 |
| 75-00-3 | Chloroethane | 50 | 50.0 | 100 | 68-133 |
| 67-66-3 | Chloroform | 50 | 48.9 | 98 | 72-123 |
| 95-49-8 | o-Chlorotoluene | 50 | 53.2 | 106 | 77-129 |
| 106-43-4 | p-Chlorotoluene | 50 | 51.6 | 103 | 80-134 |
| 124-48-1 | Dibromochloromethane | 50 | 53.7 | 107 | 76-127 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | 50 | 49.9 | 100 | 70-137 |
| 106-93-4 | 1,2-Dibromoethane | 50 | 51.1 | 102 | 77-126 |
| 75-71-8 | Dichlorodifluoromethane | 50 | 50.5 | 101 | 68-168 |
| 95-50-1 | 1,2-Dichlorobenzene | 50 | 54.1 | 108 | 80-129 |
| 541-73-1 | 1,3-Dichlorobenzene | 50 | 52.3 | 105 | 81-129 |
| 106-46-7 | 1,4-Dichlorobenzene | 50 | 52.3 | 105 | 76-130 |
| 75-34-3 | 1,1-Dichloroethane | 50 | 51.7 | 103 | 73-125 |
| 107-06-2 | 1,2-Dichloroethane | 50 | 48.7 | 97 | 74-128 |
| 75-35-4 | 1,1-Dichloroethylene | 50 | 49.4 | 99 | 81-136 |
| 156-59-2 | cis-1,2-Dichloroethylene | 50 | 49.4 | 99 | 74-126 |
| 156-60-5 | trans-1,2-Dichloroethylene | 50 | 55.3 | 111 | 70-127 |
| 78-87-5 | 1,2-Dichloropropane | 50 | 49.4 | 99 | 74-125 |
| 142-28-9 | 1,3-Dichloropropane | 50 | 48.0 | 96 | 76-122 |
| 594-20-7 | 2,2-Dichloropropane | 50 | 53.7 | 107 | 77-133 |
| 563-58-6 | 1,1-Dichloropropene | 50 | 47.9 | 96 | 75-130 |
| 10061-01-5 | | 50 | 48.6 | 97 | 80-123 |
| 10061-02-6 | | 50 | 52.5 | 105 | 75-131 |
| 108-20-3 | Di-Isopropyl Ether | 50 | 50.3 | 101 | 75-131 |
| 100-20-3 | Ethylbenzene | 50 | 52.9 | 106 | 77-123 |
| 100-41-4 | Larytochizene | 50 | 34.7 | 100 | 11-123 |

^{* =} Outside of Control Limits.

Page 2 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2730-BS | File ID F0079440.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2730 |
|---------------------|------------------------------|----------------|--------------------------|----------|---------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-2, C47015-3, C47015-4, C47015-5, C47015-24, C47015-25, C47015-26, C47015-28, C47015-29, C47015-30, C47015-31

| | | Spike | BSP | BSP | |
|-----------|-----------------------------|-------|-------|-----|--------|
| CAS No. | Compound | ug/kg | ug/kg | % | Limits |
| (27.02.2 | Educal Trans Dested Educa | 50 | 40.0 | 06 | 75 117 |
| 637-92-3 | Ethyl Tert Butyl Ether | 50 | 48.0 | 96 | 75-117 |
| 87-68-3 | Hexachlorobutadiene | 50 | 49.0 | 98 | 74-136 |
| 591-78-6 | 2-Hexanone | 250 | 241 | 96 | 72-133 |
| 98-82-8 | Isopropylbenzene | 50 | 56.8 | 114 | 80-136 |
| 99-87-6 | p-Isopropyltoluene | 50 | 53.1 | 106 | 77-131 |
| 74-83-9 | Methyl Bromide | 50 | 49.4 | 99 | 65-139 |
| 74-87-3 | Methyl Chloride | 50 | 48.4 | 97 | 71-144 |
| 74-95-3 | Methylene Bromide | 50 | 49.8 | 100 | 74-124 |
| 75-09-2 | Methylene Chloride | 50 | 53.8 | 108 | 74-137 |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | 250 | 282 | 113 | 76-132 |
| 1634-04-4 | Methyl Tert Butyl Ether | 50 | 47.7 | 95 | 77-120 |
| 91-20-3 | Naphthalene | 50 | 58.2 | 116 | 79-129 |
| 103-65-1 | n-Propylbenzene | 50 | 52.8 | 106 | 80-135 |
| 100-42-5 | Styrene | 50 | 54.0 | 108 | 78-125 |
| 994-05-8 | Tert-Amyl Methyl Ether | 50 | 49.4 | 99 | 69-130 |
| 75-65-0 | Tert-Butyl Alcohol | 500 | 518 | 104 | 58-136 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | 50 | 55.6 | 111 | 78-126 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 50 | 48.7 | 97 | 71-126 |
| 127-18-4 | Tetrachloroethylene | 50 | 53.7 | 107 | 79-130 |
| 108-88-3 | Toluene | 50 | 51.6 | 103 | 76-124 |
| 87-61-6 | 1,2,3-Trichlorobenzene | 50 | 52.5 | 105 | 77-128 |
| 120-82-1 | 1,2,4-Trichlorobenzene | 50 | 52.1 | 104 | 78-130 |
| 71-55-6 | 1, 1, 1-Trichloroethane | 50 | 47.3 | 95 | 70-129 |
| 79-00-5 | 1, 1, 2-Trichloroethane | 50 | 50.2 | 100 | 74-124 |
| 79-01-6 | Trichloroethylene | 50 | 50.2 | 100 | 75-128 |
| 75-69-4 | Trichlorofluoromethane | 50 | 52.3 | 105 | 73-145 |
| 96-18-4 | 1,2,3-Trichloropropane | 50 | 49.9 | 100 | 74-127 |
| 95-63-6 | 1,2,4-Trimethylbenzene | 50 | 51.7 | 103 | 74-123 |
| 108-67-8 | 1,3,5-Trimethylbenzene | 50 | 53.0 | 106 | 73-122 |
| 75-01-4 | Vinyl Chloride | 50 | 44.9 | 90 | 76-141 |
| 1330-20-7 | Xylene (total) | 150 | 157 | 105 | 80-129 |
| 1330-20-7 | zyrene (totar) | 130 | 137 | 103 | 00-12) |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|-----------|----------------------|-----|---------|
| 1868-53-7 | Dibromofluoromethane | 98% | 75-1249 |

^{* =} Outside of Control Limits.



Page 3 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2730-BS | File ID F0079440.D | DF 1 | Analyzed 09/09/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2730 |
|---------------------|------------------------------|-------------|--------------------------|----------|------------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-2, C47015-3, C47015-4, C47015-5, C47015-24, C47015-25, C47015-26, C47015-28, C47015-29, C47015-30, C47015-31

| CAS No. | Surrogate Recoveries | BSP | Limits |
|-----------|-----------------------------|------|---------|
| | 1,2-Dichloroethane-D4 | 96% | 72-135% |
| 2037-26-5 | Toluene-D8 | 100% | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 98% | 71-133% |

^{* =} Outside of Control Limits.

Page 1 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2731-BS | File ID F0079466.D | DF 1 | Analyzed 09/10/16 | By AD | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2731 |
|---------------------|------------------------------|-------------|--------------------------|-----------------|------------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|------------|-----------------------------|----------------|--------------|----------|--------|
| 67-64-1 | Acetone | 250 | 259 | 104 | 61-152 |
| 71-43-2 | Benzene | 50 | 50.1 | 100 | 76-126 |
| 108-86-1 | Bromobenzene | 50 | 50.3 | 101 | 76-122 |
| 74-97-5 | Bromochloromethane | 50 | 50.0 | 100 | 77-120 |
| 75-27-4 | Bromodichloromethane | 50 | 54.4 | 109 | 74-130 |
| 75-25-2 | Bromoform | 50 | 53.3 | 107 | 76-127 |
| 78-93-3 | 2-Butanone (MEK) | 250 | 216 | 86 | 75-137 |
| 104-51-8 | n-Butylbenzene | 50 | 51.1 | 102 | 71-128 |
| 135-98-8 | sec-Butylbenzene | 50 | 54.1 | 108 | 79-135 |
| 98-06-6 | tert-Butylbenzene | 50 | 52.4 | 105 | 77-133 |
| 56-23-5 | Carbon Tetrachloride | 50 | 55.5 | 111 | 78-133 |
| 108-90-7 | Chlorobenzene | 50 | 52.7 | 105 | 81-129 |
| 75-00-3 | Chloroethane | 50 | 59.1 | 118 | 68-133 |
| 67-66-3 | Chloroform | 50 | 54.6 | 109 | 72-123 |
| 95-49-8 | o-Chlorotoluene | 50 | 53.6 | 107 | 77-129 |
| 106-43-4 | p-Chlorotoluene | 50 | 52.6 | 105 | 80-134 |
| 124-48-1 | Dibromochloromethane | 50 | 53.9 | 108 | 76-127 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | 50 | 54.5 | 109 | 70-137 |
| 106-93-4 | 1,2-Dibromoethane | 50 | 49.8 | 100 | 77-126 |
| 75-71-8 | Dichlorodifluoromethane | 50 | 55.3 | 111 | 68-168 |
| 95-50-1 | 1,2-Dichlorobenzene | 50 | 54.8 | 110 | 80-129 |
| 541-73-1 | 1,3-Dichlorobenzene | 50 | 53.2 | 106 | 81-129 |
| 106-46-7 | 1,4-Dichlorobenzene | 50 | 52.8 | 106 | 76-130 |
| 75-34-3 | 1,1-Dichloroethane | 50 | 54.1 | 108 | 73-125 |
| 107-06-2 | 1,2-Dichloroethane | 50 | 55.9 | 112 | 74-128 |
| 75-35-4 | 1,1-Dichloroethylene | 50 | 55.3 | 111 | 81-136 |
| 156-59-2 | cis-1,2-Dichloroethylene | 50 | 52.7 | 105 | 74-126 |
| 156-60-5 | trans-1,2-Dichloroethylene | 50 | 57.5 | 115 | 70-127 |
| 78-87-5 | 1,2-Dichloropropane | 50 | 52.1 | 104 | 74-125 |
| 142-28-9 | 1,3-Dichloropropane | 50 | 45.9 | 92 | 76-122 |
| 594-20-7 | 2,2-Dichloropropane | 50 | 60.0 | 120 | 77-133 |
| 563-58-6 | 1,1-Dichloropropene | 50 | 50.6 | 101 | 75-130 |
| 10061-01-5 | cis-1,3-Dichloropropene | 50 | 50.3 | 101 | 80-123 |
| 10061-02-6 | trans-1,3-Dichloropropene | 50 | 51.7 | 103 | 75-131 |
| 108-20-3 | Di-Isopropyl Ether | 50 | 52.0 | 104 | 75-122 |
| 100-41-4 | Ethylbenzene | 50 | 52.8 | 106 | 77-123 |

^{* =} Outside of Control Limits.

Page 2 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2731-BS | File ID F0079466. D | DF 1 | Analyzed 09/10/16 | By AD | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2731 |
|---------------------|-------------------------------|-------------|--------------------------|----------|------------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| | | Spike | BSP | BSP | |
|-----------|-----------------------------|-------|-------|----------|--------|
| CAS No. | Compound | ug/kg | ug/kg | % | Limits |
| 627.02.2 | Ed 1E (D (1Ed | 50 | 50. T | 107 | 75 117 |
| 637-92-3 | Ethyl Tert Butyl Ether | 50 | 52.7 | 105 | 75-117 |
| 87-68-3 | Hexachlorobutadiene | 50 | 55.6 | 111 | 74-136 |
| 591-78-6 | 2-Hexanone | 250 | 242 | 97 | 72-133 |
| 98-82-8 | Isopropylbenzene | 50 | 56.9 | 114 | 80-136 |
| 99-87-6 | p-Isopropyltoluene | 50 | 52.4 | 105 | 77-131 |
| 74-83-9 | Methyl Bromide | 50 | 55.0 | 110 | 65-139 |
| 74-87-3 | Methyl Chloride | 50 | 51.8 | 104 | 71-144 |
| 74-95-3 | Methylene Bromide | 50 | 53.5 | 107 | 74-124 |
| 75-09-2 | Methylene Chloride | 50 | 60.0 | 120 | 74-137 |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | 250 | 292 | 117 | 76-132 |
| 1634-04-4 | Methyl Tert Butyl Ether | 50 | 53.1 | 106 | 77-120 |
| 91-20-3 | Naphthalene | 50 | 58.6 | 117 | 79-129 |
| 103-65-1 | n-Propylbenzene | 50 | 52.9 | 106 | 80-135 |
| 100-42-5 | Styrene | 50 | 53.7 | 107 | 78-125 |
| 994-05-8 | Tert-Amyl Methyl Ether | 50 | 53.3 | 107 | 69-130 |
| 75-65-0 | Tert-Butyl Alcohol | 500 | 525 | 105 | 58-136 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | 50 | 57.0 | 114 | 78-126 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 50 | 49.2 | 98 | 71-126 |
| 127-18-4 | Tetrachloroethylene | 50 | 50.9 | 102 | 79-130 |
| 108-88-3 | Toluene | 50 | 51.2 | 102 | 76-124 |
| 87-61-6 | 1,2,3-Trichlorobenzene | 50 | 54.1 | 108 | 77-128 |
| 120-82-1 | 1,2,4-Trichlorobenzene | 50 | 54.1 | 108 | 78-130 |
| 71-55-6 | 1,1,1-Trichloroethane | 50 | 54.3 | 109 | 70-129 |
| 79-00-5 | 1,1,2-Trichloroethane | 50 | 50.9 | 102 | 74-124 |
| 79-01-6 | Trichloroethylene | 50 | 52.5 | 105 | 75-128 |
| 75-69-4 | Trichlorofluoromethane | 50 | 59.5 | 119 | 73-145 |
| 96-18-4 | 1,2,3-Trichloropropane | 50 | 49.6 | 99 | 74-127 |
| 95-63-6 | 1,2,4-Trimethylbenzene | 50 | 53.1 | 106 | 74-123 |
| 108-67-8 | 1,3,5-Trimethylbenzene | 50 | 53.3 | 107 | 73-122 |
| 75-01-4 | Vinyl Chloride | 50 | 47.7 | 95 | 76-141 |
| 1330-20-7 | Xylene (total) | 150 | 164 | 109 | 80-129 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|-----------|----------------------|------|---------|
| 1868-53-7 | Dibromofluoromethane | 106% | 75-1249 |

^{* =} Outside of Control Limits.

Page 3 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VF2731-BS | File ID F0079466.D | DF 1 | Analyzed 09/10/16 | By AD | Prep Date n/a | Prep Batch n/a | Analytical Batch VF2731 |
|---------------------|------------------------------|-------------|--------------------------|-----------------|------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Surrogate Recoveries | BSP | Limits |
|------------|-----------------------------|------|---------|
| 17060-07-0 | 1,2-Dichloroethane-D4 | 107% | 72-135% |
| 2037-26-5 | Toluene-D8 | 98% | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 94% | 71-133% |

^{* =} Outside of Control Limits.

Page 1 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VC4681-BS | File ID C0117993.D | DF 1 | Analyzed 09/12/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VC4681 |
|---------------------|------------------------------|----------------|--------------------------|-----------------|----------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-13, C47015-14, C47015-17, C47015-18, C47015-22, C47015-23

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|------------|-----------------------------|----------------|--------------|----------|--------|
| 67-64-1 | Acetone | 250 | 221 | 88 | 61-152 |
| 71-43-2 | Benzene | 50 | 49.9 | 100 | 76-126 |
| 108-86-1 | Bromobenzene | 50 | 49.7 | 99 | 76-122 |
| 74-97-5 | Bromochloromethane | 50 | 50.0 | 100 | 77-120 |
| 75-27-4 | Bromodichloromethane | 50 | 51.3 | 103 | 74-130 |
| 75-25-2 | Bromoform | 50 | 52.5 | 105 | 76-127 |
| 78-93-3 | 2-Butanone (MEK) | 250 | 206 | 82 | 75-137 |
| 104-51-8 | n-Butylbenzene | 50 | 54.9 | 110 | 71-128 |
| 135-98-8 | sec-Butylbenzene | 50 | 52.3 | 105 | 79-135 |
| 98-06-6 | tert-Butylbenzene | 50 | 51.7 | 103 | 77-133 |
| 56-23-5 | Carbon Tetrachloride | 50 | 51.0 | 102 | 78-133 |
| 108-90-7 | Chlorobenzene | 50 | 51.0 | 102 | 81-129 |
| 75-00-3 | Chloroethane | 50 | 51.1 | 102 | 68-133 |
| 67-66-3 | Chloroform | 50 | 50.1 | 100 | 72-123 |
| 95-49-8 | o-Chlorotoluene | 50 | 51.6 | 103 | 77-129 |
| 106-43-4 | p-Chlorotoluene | 50 | 50.8 | 102 | 80-134 |
| 124-48-1 | Dibromochloromethane | 50 | 52.5 | 105 | 76-127 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | 50 | 47.9 | 96 | 70-137 |
| 106-93-4 | 1,2-Dibromoethane | 50 | 48.9 | 98 | 77-126 |
| 75-71-8 | Dichlorodifluoromethane | 50 | 48.1 | 96 | 68-168 |
| 95-50-1 | 1,2-Dichlorobenzene | 50 | 51.7 | 103 | 80-129 |
| 541-73-1 | 1,3-Dichlorobenzene | 50 | 55.7 | 111 | 81-129 |
| 106-46-7 | 1,4-Dichlorobenzene | 50 | 54.8 | 110 | 76-130 |
| 75-34-3 | 1,1-Dichloroethane | 50 | 51.7 | 103 | 73-125 |
| 107-06-2 | 1,2-Dichloroethane | 50 | 50.0 | 100 | 74-128 |
| 75-35-4 | 1,1-Dichloroethylene | 50 | 53.7 | 107 | 81-136 |
| 156-59-2 | cis-1,2-Dichloroethylene | 50 | 49.2 | 98 | 74-126 |
| 156-60-5 | trans-1,2-Dichloroethylene | 50 | 56.2 | 112 | 70-127 |
| 78-87-5 | 1,2-Dichloropropane | 50 | 50.2 | 100 | 74-125 |
| 142-28-9 | 1,3-Dichloropropane | 50 | 46.2 | 92 | 76-122 |
| 594-20-7 | 2,2-Dichloropropane | 50 | 49.4 | 99 | 77-133 |
| 563-58-6 | 1,1-Dichloropropene | 50 | 48.5 | 97 | 75-130 |
| 10061-01-5 | cis-1,3-Dichloropropene | 50 | 51.3 | 103 | 80-123 |
| 10061-02-6 | trans-1,3-Dichloropropene | 50 | 53.3 | 107 | 75-131 |
| 108-20-3 | Di-Isopropyl Ether | 50 | 50.5 | 101 | 75-122 |
| 100-41-4 | Ethylbenzene | 50 | 53.8 | 108 | 77-123 |

^{* =} Outside of Control Limits.

Page 2 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed 09/12/16 | By | Prep Date | Prep Batch | Analytical Batch |
|-----------|----------------|-----------|--------------------------|----|-----------|------------|------------------|
| VC4681-BS | C0117993.D | 1 | | EP | n/a | n/a | VC4681 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-13, C47015-14, C47015-17, C47015-18, C47015-22, C47015-23

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|-----------|------------------------------|----------------|--------------|----------|--------|
| 637-92-3 | Ethyl Tert Butyl Ether | 50 | 50.3 | 101 | 75-117 |
| 87-68-3 | Hexachlorobutadiene | 50 | 50.6 | 101 | 74-136 |
| 591-78-6 | 2-Hexanone | 250 | 226 | 90 | 72-133 |
| 98-82-8 | Isopropylbenzene | 50 | 50.2 | 100 | 80-136 |
| 99-87-6 | p-Isopropyltoluene | 50 | 56.3 | 113 | 77-131 |
| 74-83-9 | Methyl Bromide | 50 | 50.9 | 102 | 65-139 |
| 74-87-3 | Methyl Chloride | 50 | 43.1 | 86 | 71-144 |
| 74-95-3 | Methylene Bromide | 50 | 50.4 | 101 | 74-124 |
| 75-09-2 | Methylene Chloride | 50 | 53.0 | 106 | 74-137 |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | 250 | 245 | 98 | 76-132 |
| 1634-04-4 | Methyl Tert Butyl Ether | 50 | 49.2 | 98 | 77-120 |
| 91-20-3 | Naphthalene | 50 | 54.6 | 109 | 79-129 |
| 103-65-1 | n-Propylbenzene | 50 | 57.1 | 114 | 80-135 |
| 100-42-5 | Styrene | 50 | 51.4 | 103 | 78-125 |
| 994-05-8 | Tert-Amyl Methyl Ether | 50 | 49.6 | 99 | 69-130 |
| 75-65-0 | Tert-Butyl Alcohol | 500 | 489 | 98 | 58-136 |
| 630-20-6 | 1, 1, 1, 2-Tetrachloroethane | 50 | 53.6 | 107 | 78-126 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 50 | 49.5 | 99 | 71-126 |
| 127-18-4 | Tetrachloroethylene | 50 | 48.2 | 96 | 79-130 |
| 108-88-3 | Toluene | 50 | 49.7 | 99 | 76-124 |
| 87-61-6 | 1,2,3-Trichlorobenzene | 50 | 51.7 | 103 | 77-128 |
| 120-82-1 | 1,2,4-Trichlorobenzene | 50 | 50.3 | 101 | 78-130 |
| 71-55-6 | 1,1,1-Trichloroethane | 50 | 47.4 | 95 | 70-129 |
| 79-00-5 | 1,1,2-Trichloroethane | 50 | 50.3 | 101 | 74-124 |
| 79-01-6 | Trichloroethylene | 50 | 50.8 | 102 | 75-128 |
| 75-69-4 | Trichlorofluoromethane | 50 | 51.4 | 103 | 73-145 |
| 96-18-4 | 1,2,3-Trichloropropane | 50 | 50.0 | 100 | 74-127 |
| 95-63-6 | 1,2,4-Trimethylbenzene | 50 | 55.0 | 110 | 74-123 |
| 108-67-8 | 1,3,5-Trimethylbenzene | 50 | 54.5 | 109 | 73-122 |
| 75-01-4 | Vinyl Chloride | 50 | 47.4 | 95 | 76-141 |
| 1330-20-7 | Xylene (total) | 150 | 157 | 105 | 80-129 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|-----------|----------------------|------|---------|
| 1868-53-7 | Dibromofluoromethane | 102% | 75-124% |

^{* =} Outside of Control Limits.

Page 3 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample VC4681-BS | File ID C0117993.D | DF 1 | Analyzed 09/12/16 | By EP | Prep Date n/a | Prep Batch n/a | Analytical Batch VC4681 |
|---------------------|------------------------------|-------------|--------------------------|----------|---------------|-------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Surrogate Recoveries | BSP | Limits |
|------------|-----------------------------|-----|---------|
| 17060-07-0 | 1,2-Dichloroethane-D4 | 96% | 72-135% |
| 2037-26-5 | Toluene-D8 | 98% | 75-126% |
| 460-00-4 | 4-Bromofluorobenzene | 99% | 71-133% |

^{* =} Outside of Control Limits.

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|------------------|
| FA36744-2MS | C0117977.D | 1 | 09/09/16 | EP | n/a | n/a | VC4680 |
| FA36744-2MSD | C0117978.D | 1 | 09/09/16 | EP | n/a | n/a | VC4680 |
| FA36744-2 | C0117969.D | 1 | 09/09/16 | EP | n/a | n/a | VC4680 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-27

| | | FA36744-2 | Spike | MS | MS | Spike | MSD | MSD | | Limits |
|----------|-----------------------------|-----------|-------|-------|-----|-------|-------|-----|-----|-----------|
| CAS No. | Compound | ug/kg Q | ug/kg | ug/kg | % | ug/kg | ug/kg | % | RPD | Rec/RPD |
| 67 64 1 | | 20.11 | 200 | 2.12 | 0.1 | 200 | 255 | 0.5 | ~ | 61 150/07 |
| 67-64-1 | Acetone | 38 U | 298 | 243 | 81 | 300 | 255 | 85 | 5 | 61-152/27 |
| 71-43-2 | Benzene | 3.8 U | 59.7 | 51.4 | 86 | 60 | 51.5 | 86 | 0 | 76-126/26 |
| 108-86-1 | Bromobenzene | 3.8 U | 59.7 | 57.2 | 96 | 60 | 54.5 | 91 | 5 | 76-122/32 |
| 74-97-5 | Bromochloromethane | 3.8 U | 59.7 | 52.9 | 89 | 60 | 54.0 | 90 | 2 | 77-120/24 |
| 75-27-4 | Bromodichloromethane | 3.8 U | 59.7 | 53.8 | 90 | 60 | 54.2 | 90 | 1 | 74-130/25 |
| 75-25-2 | Bromoform | 3.8 U | 59.7 | 51.6 | 86 | 60 | 52.0 | 87 | 1 | 76-127/26 |
| 78-93-3 | 2-Butanone (MEK) | 19 U | 298 | 227 | 76 | 300 | 235 | 78 | 3 | 75-137/25 |
| 104-51-8 | n-Butylbenzene | 3.8 U | 59.7 | 62.8 | 105 | 60 | 58.9 | 98 | 6 | 71-128/35 |
| 135-98-8 | sec-Butylbenzene | 3.8 U | 59.7 | 57.8 | 97 | 60 | 53.8 | 90 | 7 | 79-135/34 |
| 98-06-6 | tert-Butylbenzene | 3.8 U | 59.7 | 57.7 | 97 | 60 | 54.9 | 91 | 5 | 77-133/34 |
| 56-23-5 | Carbon Tetrachloride | 3.8 U | 59.7 | 46.0 | 77* | 60 | 46.6 | 78 | 1 | 78-133/29 |
| 108-90-7 | Chlorobenzene | 3.8 U | 59.7 | 54.8 | 92 | 60 | 53.7 | 89 | 2 | 81-129/29 |
| 75-00-3 | Chloroethane | 3.8 U | 59.7 | 47.5 | 80 | 60 | 49.1 | 82 | 3 | 68-133/29 |
| 67-66-3 | Chloroform | 3.8 U | 59.7 | 52.6 | 88 | 60 | 52.9 | 88 | 1 | 72-123/26 |
| 95-49-8 | o-Chlorotoluene | 3.8 U | 59.7 | 60.5 | 101 | 60 | 56.9 | 95 | 6 | 77-129/33 |
| 106-43-4 | p-Chlorotoluene | 3.8 U | 59.7 | 60.6 | 102 | 60 | 57.7 | 96 | 5 | 80-134/33 |
| 124-48-1 | Dibromochloromethane | 3.8 U | 59.7 | 53.8 | 90 | 60 | 53.9 | 90 | 0 | 76-127/27 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | 3.8 U | 59.7 | 50.5 | 85 | 60 | 51.8 | 86 | 3 | 70-137/29 |
| 106-93-4 | 1,2-Dibromoethane | 3.8 U | 59.7 | 52.4 | 88 | 60 | 51.7 | 86 | 1 | 77-126/26 |
| 75-71-8 | Dichlorodifluoromethane | 3.8 U | 59.7 | 35.0 | 59* | 60 | 35.4 | 59* | 1 | 68-168/29 |
| 95-50-1 | 1,2-Dichlorobenzene | 3.8 U | 59.7 | 58.0 | 97 | 60 | 55.5 | 92 | 4 | 80-129/32 |
| 541-73-1 | 1,3-Dichlorobenzene | 3.8 U | 59.7 | 64.6 | 108 | 60 | 60.7 | 101 | 6 | 81-129/33 |
| 106-46-7 | 1,4-Dichlorobenzene | 3.8 U | 59.7 | 64.3 | 108 | 60 | 60.6 | 101 | 6 | 76-130/32 |
| 75-34-3 | 1,1-Dichloroethane | 3.8 U | 59.7 | 52.2 | 87 | 60 | 52.8 | 88 | 1 | 73-125/27 |
| 107-06-2 | 1,2-Dichloroethane | 3.8 U | 59.7 | 53.5 | 90 | 60 | 53.8 | 90 | 1 | 74-128/23 |
| 75-35-4 | 1,1-Dichloroethylene | 3.8 U | 59.7 | 48.8 | 82 | 60 | 49.5 | 82 | 1 | 81-136/28 |
| 156-59-2 | cis-1,2-Dichloroethylene | 3.8 U | 59.7 | 51.3 | 86 | 60 | 52.2 | 87 | 2 | 74-126/26 |
| 156-60-5 | trans-1,2-Dichloroethylene | 3.8 U | 59.7 | 54.5 | 91 | 60 | 54.7 | 91 | 0 | 70-127/27 |
| 78-87-5 | 1,2-Dichloropropane | 3.8 U | 59.7 | 53.7 | 90 | 60 | 53.6 | 89 | 0 | 74-125/25 |
| 142-28-9 | 1,3-Dichloropropane | 3.8 U | 59.7 | 52.8 | 89 | 60 | 51.3 | 85 | 3 | 76-122/26 |
| 594-20-7 | 2,2-Dichloropropane | 3.8 U | 59.7 | 46.0 | 77 | 60 | 47.7 | 79 | 4 | 77-133/28 |
| 563-58-6 | 1,1-Dichloropropene | 3.8 U | 59.7 | 48.4 | 81 | 60 | 48.0 | 80 | 1 | 75-130/28 |
| | cis-1,3-Dichloropropene | 3.8 U | 59.7 | 54.4 | 91 | 60 | 52.4 | 87 | 4 | 80-123/26 |
| | trans-1,3-Dichloropropene | 3.8 U | 59.7 | 57.0 | 96 | 60 | 54.3 | 90 | 5 | 75-131/28 |
| 108-20-3 | Di-Isopropyl Ether | 3.8 U | 59.7 | 55.0 | 92 | 60 | 56.0 | 93 | 2 | 75-122/25 |
| 100-20-3 | Ethylbenzene | 3.8 U | 59.7 | 58.7 | 98 | 60 | 58.7 | 98 | 0 | 77-123/31 |
| 100 -111 | Lui ji locii Leiic | 5.00 | 27.1 | 50.7 | 70 | 00 | 50.1 | 70 | U | 11 123/31 |

^{* =} Outside of Control Limits.

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | Ву | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|------------------|
| FA36744-2MS | C0117977.D | 1 | 09/09/16 | EP | n/a | n/a | VC4680 |
| FA36744-2MSD | C0117978.D | 1 | 09/09/16 | EP | n/a | n/a | VC4680 |
| FA36744-2 | C0117969.D | 1 | 09/09/16 | EP | n/a | n/a | VC4680 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-27

| CAS No. | Compound | FA36744-2 ug/kg Q | Spike ug/kg | MS ug/kg | MS % | Spike ug/kg | MSD ug/kg | MSD % | RPD | Limits Rec/RPD |
|-----------|-----------------------------|----------------------|----------------|-------------|---------|----------------|--------------|----------|-----|-------------------|
| 637-92-3 | Ethyl Tert Butyl Ether | 3.8 U | 59.7 | 55.3 | 93 | 60 | 57.3 | 95 | 4 | 75-117/24 |
| 87-68-3 | Hexachlorobutadiene | 3.8 U | 59.7 | 48.3 | 81 | 60 | 44.0 | 73* | 9 | 74-136/38 |
| 591-78-6 | 2-Hexanone | 19 U | 298 | 245 | 82 | 300 | 250 | 83 | 2 | 72-133/26 |
| 98-82-8 | Isopropylbenzene | 3.8 U | 59.7 | 52.2 | 87 | 60 | 51.9 | 86 | 1 | 80-136/32 |
| 99-87-6 | p-Isopropyltoluene | 3.8 U | 59.7 | 65.7 | 110 | 60 | 61.4 | 102 | 7 | 77-131/34 |
| 74-83-9 | Methyl Bromide | 3.8 U | 59.7 | 47.0 | 79 | 60 | 46.6 | 78 | 1 | 65-139/31 |
| 74-87-3 | Methyl Chloride | 3.8 U | 59.7 | 42.5 | 71 | 60 | 42.3 | 70* | 0 | 71-144/27 |
| 74-95-3 | Methylene Bromide | 3.8 U | 59.7 | 52.5 | 88 | 60 | 52.7 | 88 | 0 | 74-124/24 |
| 75-09-2 | Methylene Chloride | 7.6 U | 59.7 | 58.8 | 99 | 60 | 58.7 | 98 | 0 | 74-137/28 |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | 19 U | 298 | 266 | 89 | 300 | 276 | 92 | 4 | 76-132/26 |
| 1634-04-4 | Methyl Tert Butyl Ether | 3.8 U | 59.7 | 53.9 | 90 | 60 | 55.4 | 92 | 3 | 77-120/24 |
| 91-20-3 | Naphthalene | 3.8 U | 59.7 | 51.6 | 86 | 60 | 47.5 | 79 | 8 | 79-129/33 |
| 103-65-1 | n-Propylbenzene | 3.8 U | 59.7 | 66.2 | 111 | 60 | 63.2 | 105 | 5 | 80-135/33 |
| 100-42-5 | Styrene | 3.8 U | 59.7 | 55.6 | 93 | 60 | 54.9 | 91 | 1 | 78-125/30 |
| 994-05-8 | Tert-Amyl Methyl Ether | 3.8 U | 59.7 | 54.8 | 92 | 60 | 56.2 | 94 | 3 | 69-130/23 |
| 75-65-0 | Tert-Butyl Alcohol | 38 U | 597 | 660 | 111 | 600 | 663 | 110 | 0 | 74-126/32 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | 3.8 U | 59.7 | 56.6 | 95 | 60 | 58.5 | 97 | 3 | 78-126/27 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 3.8 U | 59.7 | 55.3 | 93 | 60 | 54.5 | 91 | 1 | 71-126/30 |
| 127-18-4 | Tetrachloroethylene | 3.8 U | 59.7 | 54.0 | 91 | 60 | 53.1 | 88 | 2 | 79-130/31 |
| 108-88-3 | Toluene | 3.8 U | 59.7 | 54.8 | 92 | 60 | 53.8 | 90 | 2 | 76-124/30 |
| 87-61-6 | 1,2,3-Trichlorobenzene | 3.8 U | 59.7 | 53.1 | 89 | 60 | 48.1 | 80 | 10 | 77-128/35 |
| 120-82-1 | 1,2,4-Trichlorobenzene | 3.8 U | 59.7 | 57.9 | 97 | 60 | 51.1 | 85 | 12 | 78-130/34 |
| 71-55-6 | 1,1,1-Trichloroethane | 3.8 U | 59.7 | 46.0 | 77 | 60 | 46.6 | 78 | 1 | 70-129/27 |
| 79-00-5 | 1,1,2-Trichloroethane | 3.8 U | 59.7 | 54.8 | 92 | 60 | 54.1 | 90 | 1 | 74-124/28 |
| 79-01-6 | Trichloroethylene | 3.8 U | 59.7 | 53.0 | 89 | 60 | 52.3 | 87 | 1 | 75-128/27 |
| 75-69-4 | Trichlorofluoromethane | 3.8 U | 59.7 | 37.3 | 63* | 60 | 39.5 | 66* | 6 | 73-145/31 |
| 96-18-4 | 1,2,3-Trichloropropane | 3.8 U | 59.7 | 53.9 | 90 | 60 | 54.3 | 90 | 1 | 74-127/27 |
| 95-63-6 | 1,2,4-Trimethylbenzene | 3.8 U | 59.7 | 66.3 | 111 | 60 | 62.9 | 105 | 5 | 74-123/34 |
| 108-67-8 | 1,3,5-Trimethylbenzene | 3.8 U | 59.7 | 65.0 | 109 | 60 | 61.9 | 103 | 5 | 73-122/33 |
| 75-01-4 | Vinyl Chloride | 3.8 U | 59.7 | 43.7 | 73* | 60 | 44.1 | 73* | 1 | 76-141/27 |
| 1330-20-7 | Xylene (total) | 11 U | 179 | 176 | 98 | 180 | 174 | 97 | 1 | 80-129/30 |
| CAS No. | Surrogate Recoveries | MS | MSD | FA. | 36744-2 | Limits | | | | |
| 1868-53-7 | Dibromofluoromethane | 99% | 102% | 103 | % | 75-1249 | % | | | |

^{* =} Outside of Control Limits.



6.3.1

Page 3 of 3

Method: SW846 8260B

σ

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | Ву | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|------------------|
| FA36744-2MS | C0117977.D | 1 | 09/09/16 | EP | n/a | n/a | VC4680 |
| FA36744-2MSD | C0117978.D | 1 | 09/09/16 | EP | n/a | n/a | VC4680 |
| FA36744-2 | C0117969.D | 1 | 09/09/16 | EP | n/a | n/a | VC4680 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-27

| CAS No. | Surrogate Recoveries | MS | MSD | FA36744-2 | Limits |
|---------|-----------------------|------|------|-----------|---------|
| | 1,2-Dichloroethane-D4 | 95% | 96% | 101% | 72-135% |
| | Toluene-D8 | 100% | 101% | 95% | 75-126% |
| | 4-Bromofluorobenzene | 103% | 101% | 98% | 71-133% |

^{* =} Outside of Control Limits.

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|------------------|
| C47015-24MS | F0079451.D | 1 | 09/09/16 | EP | n/a | n/a | VF2730 |
| C47015-24MSD | F0079452.D | 1 | 09/09/16 | EP | n/a | n/a | VF2730 |
| C47015-24 a | F0079442.D | 1 | 09/09/16 | EP | n/a | n/a | VF2730 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-2, C47015-3, C47015-4, C47015-5, C47015-24, C47015-25, C47015-26, C47015-28, C47015-29, C47015-30, C47015-31

| CAS No. Compound ug/kg Q ug/kg ug/kg ug/kg ug/kg ug/kg % RPD Rec | /RPD |
|---|-------|
| | MD |
| | |
| | 52/27 |
| | 26/26 |
| 108-86-1 Bromobenzene ND 61.3 55.0 90 61 51.9 85 6 76-1 | 22/32 |
| 74-97-5 Bromochloromethane ND 61.3 52.2 85 61 51.0 84 2 77-1 | 20/24 |
| | 30/25 |
| | 27/26 |
| 78-93-3 2-Butanone (MEK) 45.9 306 276 75 305 244 65* 12 75-1 | 37/25 |
| 104-51-8 n-Butylbenzene ND 61.3 49.6 81 61 52.0 85 5 71-1 | 28/35 |
| 135-98-8 sec-Butylbenzene ND 61.3 52.5 86 61 52.7 86 0 79-1 | 35/34 |
| 98-06-6 tert-Butylbenzene ND 61.3 53.0 86 61 51.9 85 2 77-1 | 33/34 |
| 56-23-5 Carbon Tetrachloride ND 61.3 40.4 66* 61 48.2 79 18 78-1 | 33/29 |
| 108-90-7 Chlorobenzene ND 61.3 51.3 84 61 53.2 87 4 81-1 | 29/29 |
| 75-00-3 Chloroethane ND 61.3 49.0 80 61 50.5 83 3 68-1 | 33/29 |
| 67-66-3 Chloroform ND 61.3 53.9 88 61 51.7 85 4 72-1 | 23/26 |
| 95-49-8 o-Chlorotoluene ND 61.3 55.3 90 61 54.4 89 2 77-1 | 29/33 |
| 106-43-4 p-Chlorotoluene ND 61.3 55.5 91 61 55.5 91 0 80-1 | 34/33 |
| 124-48-1 Dibromochloromethane ND 61.3 54.6 89 61 55.6 91 2 76-1 | 27/27 |
| 96-12-8 1,2-Dibromo-3-chloropropane ND 61.3 52.6 86 61 51.0 84 3 70-1 | 37/29 |
| | 26/26 |
| 75-71-8 Dichlorodifluoromethane ND 61.3 39.9 65* 61 41.7 68 4 68-1 | 68/29 |
| 95-50-1 1,2-Dichlorobenzene ND 61.3 48.8 80 61 52.7 86 8 80-1 | 29/32 |
| 541-73-1 1,3-Dichlorobenzene ND 61.3 49.2 80* 61 53.1 87 8 81-1 | 29/33 |
| 106-46-7 1,4-Dichlorobenzene ND 61.3 49.4 81 61 53.9 88 9 76-1 | 30/32 |
| 75-34-3 1,1-Dichloroethane ND 61.3 51.4 84 61 51.5 84 0 73-1 | 25/27 |
| 107-06-2 1,2-Dichloroethane ND 61.3 59.5 97 61 56.5 93 5 74-1 | 28/23 |
| 75-35-4 1,1-Dichloroethylene ND 61.3 50.4 82 61 49.3 81 2 81-1 | 36/28 |
| · | 26/26 |
| | 27/27 |
| | 25/25 |
| | 22/26 |
| | 33/28 |
| | 30/28 |
| | 23/26 |
| | 31/28 |
| , 1 1 | 22/25 |
| | 23/31 |

^{* =} Outside of Control Limits.

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | Ву | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|------------------|
| C47015-24MS | F0079451.D | 1 | 09/09/16 | EP | n/a | n/a | VF2730 |
| C47015-24MSD | F0079452.D | 1 | 09/09/16 | EP | n/a | n/a | VF2730 |
| C47015-24 a | F0079442.D | 1 | 09/09/16 | EP | n/a | n/a | VF2730 |
| | | | | | | | |

The QC reported here applies to the following samples:

 $C47015-2,\ C47015-3,\ C47015-4,\ C47015-5,\ C47015-24,\ C47015-25,\ C47015-26,\ C47015-28,\ C47015-29,\ C47015-30,$ C47015-31

| CAS No. | Compound | C47015-24 ug/kg Q | Spike ug/kg | MS ug/kg | MS % | Spike ug/kg | MSD ug/kg | MSD % | RPD | Limits Rec/RPD |
|-----------|-----------------------------|----------------------|----------------|-------------|---------|----------------|--------------|----------|-----|-------------------|
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 61.3 | 56.1 | 92 | 61 | 52.4 | 86 | 7 | 75-117/24 |
| 87-68-3 | Hexachlorobutadiene | ND | 61.3 | 40.7 | 66* | 61 | 49.0 | 80 | 19 | 74-136/38 |
| 591-78-6 | 2-Hexanone | ND | 306 | 319 | 104 | 305 | 274 | 90 | 15 | 72-133/26 |
| 98-82-8 | Isopropylbenzene | ND | 61.3 | 50.5 | 82 | 61 | 54.9 | 90 | 8 | 80-136/32 |
| 99-87-6 | p-Isopropyltoluene | ND | 61.3 | 52.6 | 86 | 61 | 54.5 | 89 | 4 | 77-131/34 |
| 74-83-9 | Methyl Bromide | ND | 61.3 | 46.4 | 76 | 61 | 49.8 | 82 | 7 | 65-139/31 |
| 74-87-3 | Methyl Chloride | ND | 61.3 | 44.8 | 73 | 61 | 47.1 | 77 | 5 | 71-144/27 |
| 74-95-3 | Methylene Bromide | ND | 61.3 | 59.2 | 97 | 61 | 56.2 | 92 | 5 | 74-124/24 |
| 75-09-2 | Methylene Chloride | 13.6 | 61.3 | 63.3 | 81 | 61 | 63.5 | 82 | 0 | 74-137/28 |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 306 | 318 | 104 | 305 | 297 | 97 | 7 | 76-132/26 |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 61.3 | 55.4 | 90 | 61 | 53.3 | 87 | 4 | 77-120/24 |
| 91-20-3 | Naphthalene | ND | 61.3 | 38.8 | 63* | 61 | 49.8 | 82 | 25 | 79-129/33 |
| 103-65-1 | n-Propylbenzene | ND | 61.3 | 57.5 | 94 | 61 | 55.3 | 91 | 4 | 80-135/33 |
| 100-42-5 | Styrene | ND | 61.3 | 49.9 | 81 | 61 | 54.2 | 89 | 8 | 78-125/30 |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 61.3 | 54.9 | 90 | 61 | 53.6 | 88 | 2 | 69-130/23 |
| 75-65-0 | Tert-Butyl Alcohol | ND | 613 | 664 | 108 | 610 | 596 | 98 | 11 | 74-126/32 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 61.3 | 50.3 | 82 | 61 | 53.7 | 88 | 7 | 78-126/27 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 61.3 | 57.3 | 94 | 61 | 51.3 | 84 | 11 | 71-126/30 |
| 127-18-4 | Tetrachloroethylene | ND | 61.3 | 53.0 | 86 | 61 | 57.9 | 95 | 9 | 79-130/31 |
| 108-88-3 | Toluene | ND | 61.3 | 50.4 | 82 | 61 | 51.6 | 85 | 2 | 76-124/30 |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 61.3 | 33.1 | 54* | 61 | 46.6 | 76* | 34 | 77-128/35 |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 61.3 | 37.8 | 62* | 61 | 49.5 | 81 | 27 | 78-130/34 |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 61.3 | 49.6 | 81 | 61 | 49.6 | 81 | 0 | 70-129/27 |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 61.3 | 55.5 | 91 | 61 | 52.9 | 87 | 5 | 74-124/28 |
| 79-01-6 | Trichloroethylene | ND | 61.3 | 56.4 | 92 | 61 | 53.3 | 87 | 6 | 75-128/27 |
| 75-69-4 | Trichlorofluoromethane | ND | 61.3 | 50.6 | 83 | 61 | 49.9 | 82 | 1 | 73-145/31 |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 61.3 | 62.4 | 102 | 61 | 54.3 | 89 | 14 | 74-127/27 |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 61.3 | 54.3 | 89 | 61 | 55.4 | 91 | 2 | 74-123/34 |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 61.3 | 55.4 | 90 | 61 | 54.9 | 90 | 1 | 73-122/33 |
| 75-01-4 | Vinyl Chloride | ND | 61.3 | 40.7 | 66* | 61 | 43.1 | 71* | 6 | 76-141/27 |
| 1330-20-7 | Xylene (total) | ND | 184 | 154 | 84 | 183 | 162 | 89 | 5 | 80-129/30 |
| CAS No. | Surrogate Recoveries | MS | MSD | C47 | 7015-24 | Limits | | | | |
| 1868-53-7 | Dibromofluoromethane | 104% | 101% | 111 | % | 75-1249 | 6 | | | |

^{* =} Outside of Control Limits.



6.3.2

Page 3 of 3

Method: SW846 8260B

ග

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|------------------|
| C47015-24MS | F0079451.D | 1 | 09/09/16 | EP | n/a | n/a | VF2730 |
| C47015-24MSD | F0079452.D | 1 | 09/09/16 | EP | n/a | n/a | VF2730 |
| C47015-24 a | F0079442.D | 1 | 09/09/16 | EP | n/a | n/a | VF2730 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-2, C47015-3, C47015-4, C47015-5, C47015-24, C47015-25, C47015-26, C47015-28, C47015-29, C47015-30, C47015-31

| CAS No. | Surrogate Recoveries | MS | MSD | C47015-24 | Limits |
|-----------------------|------------------------------------|-------------|-------------|-------------|--------------------|
| | 1,2-Dichloroethane-D4 | 109% | 108% | 113% | 72-135% |
| 2037-26-5 460-00-4 | Toluene-D8 4-Bromofluorobenzene | 96% 107% | 97% 104% | 94% 113% | 75-126% 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values.

^{* =} Outside of Control Limits.

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|------------------|------------|------------------|
| C47015-32MS | F0079474.D | 1 | 09/10/16 | AD | n/a | n/a | VF2731 |
| C47015-32MSD | F0079475.D | 1 | 09/10/16 | AD | n/a | n/a | VF2731 |
| C47015-32 a | F0079469.D | 1 | 09/10/16 | AD | n/a | n/a | VF2731 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-11, C47015-12, C47015-15, C47015-16, C47015-19, C47015-20, C47015-21, C47015-32

| | | | Spike | MS | MS | Spike | MSD | MSD | | Limits |
|----------|-----------------------------|---------|-------|-------|-----|-------|-------|-----|-----|-----------|
| CAS No. | Compound | ug/kg Q | ug/kg | ug/kg | % | ug/kg | ug/kg | % | RPD | Rec/RPD |
| | | | | | | | | | | |
| 67-64-1 | Acetone | ND | 274 | 279 | 102 | 275 | 238 | 87 | 16 | 61-152/27 |
| 71-43-2 | Benzene | ND | 54.7 | 49.3 | 90 | 54.9 | 47.2 | 86 | 4 | 76-126/26 |
| 108-86-1 | Bromobenzene | ND | 54.7 | 52.5 | 96 | 54.9 | 54.2 | 99 | 3 | 76-122/32 |
| 74-97-5 | Bromochloromethane | ND | 54.7 | 51.1 | 93 | 54.9 | 46.1 | 84 | 10 | 77-120/24 |
| 75-27-4 | Bromodichloromethane | ND | 54.7 | 54.4 | 99 | 54.9 | 53.5 | 97 | 2 | 74-130/25 |
| 75-25-2 | Bromoform | ND | 54.7 | 55.3 | 101 | 54.9 | 51.1 | 93 | 8 | 76-127/26 |
| 78-93-3 | 2-Butanone (MEK) | ND | 274 | 236 | 86 | 275 | 214 | 78 | 10 | 75-137/25 |
| 104-51-8 | n-Butylbenzene | ND | 54.7 | 57.9 | 106 | 54.9 | 54.6 | 99 | 6 | 71-128/35 |
| 135-98-8 | sec-Butylbenzene | ND | 54.7 | 53.9 | 99 | 54.9 | 54.3 | 99 | 1 | 79-135/34 |
| 98-06-6 | tert-Butylbenzene | ND | 54.7 | 52.7 | 96 | 54.9 | 52.1 | 95 | 1 | 77-133/34 |
| 56-23-5 | Carbon Tetrachloride | ND | 54.7 | 51.3 | 94 | 54.9 | 48.1 | 88 | 6 | 78-133/29 |
| 108-90-7 | Chlorobenzene | ND | 54.7 | 54.7 | 100 | 54.9 | 52.1 | 95 | 5 | 81-129/29 |
| 75-00-3 | Chloroethane | ND | 54.7 | 48.7 | 89 | 54.9 | 49.2 | 90 | 1 | 68-133/29 |
| 67-66-3 | Chloroform | ND | 54.7 | 54.7 | 100 | 54.9 | 49.2 | 90 | 11 | 72-123/26 |
| 95-49-8 | o-Chlorotoluene | ND | 54.7 | 57.0 | 104 | 54.9 | 56.5 | 103 | 1 | 77-129/33 |
| 106-43-4 | p-Chlorotoluene | ND | 54.7 | 55.9 | 102 | 54.9 | 58.3 | 106 | 4 | 80-134/33 |
| 124-48-1 | Dibromochloromethane | ND | 54.7 | 57.5 | 105 | 54.9 | 53.3 | 97 | 8 | 76-127/27 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 54.7 | 59.1 | 108 | 54.9 | 46.6 | 85 | 24 | 70-137/29 |
| 106-93-4 | 1,2-Dibromoethane | ND | 54.7 | 53.6 | 98 | 54.9 | 51.1 | 93 | 5 | 77-126/26 |
| 75-71-8 | Dichlorodifluoromethane | ND | 54.7 | 44.3 | 81 | 54.9 | 40.9 | 74 | 8 | 68-168/29 |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 54.7 | 58.2 | 106 | 54.9 | 54.3 | 99 | 7 | 80-129/32 |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 54.7 | 58.0 | 106 | 54.9 | 56.6 | 103 | 2 | 81-129/33 |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 54.7 | 58.9 | 108 | 54.9 | 56.6 | 103 | 4 | 76-130/32 |
| 75-34-3 | 1,1-Dichloroethane | ND | 54.7 | 52.5 | 96 | 54.9 | 48.8 | 89 | 7 | 73-125/27 |
| 107-06-2 | 1,2-Dichloroethane | ND | 54.7 | 57.6 | 105 | 54.9 | 53.8 | 98 | 7 | 74-128/23 |
| 75-35-4 | 1,1-Dichloroethylene | ND | 54.7 | 49.7 | 91 | 54.9 | 46.3 | 84 | 7 | 81-136/28 |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 54.7 | 51.0 | 93 | 54.9 | 46.6 | 85 | 9 | 74-126/26 |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 54.7 | 53.5 | 98 | 54.9 | 50.5 | 92 | 6 | 70-127/27 |
| 78-87-5 | 1,2-Dichloropropane | ND | 54.7 | 49.7 | 91 | 54.9 | 49.5 | 90 | 0 | 74-125/25 |
| 142-28-9 | 1,3-Dichloropropane | ND | 54.7 | 50.7 | 93 | 54.9 | 49.5 | 90 | 2 | 76-122/26 |
| 594-20-7 | 2,2-Dichloropropane | ND | 54.7 | 54.5 | 100 | 54.9 | 45.3 | 82 | 18 | 77-133/28 |
| 563-58-6 | 1,1-Dichloropropene | ND | 54.7 | 50.4 | 92 | 54.9 | 47.2 | 86 | 7 | 75-130/28 |
| | cis-1,3-Dichloropropene | ND | 54.7 | 51.2 | 94 | 54.9 | 53.2 | 97 | 4 | 80-123/26 |
| | trans-1,3-Dichloropropene | ND | 54.7 | 53.3 | 97 | 54.9 | 54.8 | 100 | 3 | 75-131/28 |
| 108-20-3 | Di-Isopropyl Ether | ND | 54.7 | 51.0 | 93 | 54.9 | 48.7 | 89 | 5 | 75-122/25 |
| 100-41-4 | Ethylbenzene | ND | 54.7 | 55.9 | 102 | 54.9 | 51.1 | 93 | 9 | 77-123/31 |
| | . J | | | / | | | | , - | - | |

^{* =} Outside of Control Limits.

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|-------------------------|
| C47015-32MS | F0079474.D | 1 | 09/10/16 | AD | n/a | n/a | VF2731 |
| C47015-32MSD | F0079475.D | 1 | 09/10/16 | AD | n/a | n/a | VF2731 |
| C47015-32 a | F0079469.D | 1 | 09/10/16 | AD | n/a | n/a | VF2731 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-11, C47015-12, C47015-15, C47015-16, C47015-19, C47015-20, C47015-21, C47015-32

| CAS No. | Compound | C47015 ug/kg | -32 Q | Spike ug/kg | MS ug/kg | MS % | Spike ug/kg | MSD ug/kg | MSD % | RPD | Limits Rec/RPD |
|-----------|-----------------------------|-----------------|----------|----------------|-------------|---------|----------------|--------------|----------|-----|-------------------|
| 637-92-3 | Ethyl Tert Butyl Ether | ND | | 54.7 | 54.6 | 100 | 54.9 | 49.4 | 90 | 10 | 75-117/24 |
| 87-68-3 | Hexachlorobutadiene | ND | | 54.7 | 61.2 | 112 | 54.9 | 56.3 | 102 | 8 | 74-136/38 |
| 591-78-6 | 2-Hexanone | ND | | 274 | 275 | 101 | 275 | 260 | 95 | 6 | 72-133/26 |
| 98-82-8 | Isopropylbenzene | ND | | 54.7 | 59.7 | 109 | 54.9 | 52.4 | 95 | 13 | 80-136/32 |
| 99-87-6 | p-Isopropyltoluene | ND | | 54.7 | 56.3 | 103 | 54.9 | 56.4 | 103 | 0 | 77-131/34 |
| 74-83-9 | Methyl Bromide | ND | | 54.7 | 50.2 | 92 | 54.9 | 47.2 | 86 | 6 | 65-139/31 |
| 74-87-3 | Methyl Chloride | ND | | 54.7 | 45.8 | 84 | 54.9 | 43.6 | 79 | 5 | 71-144/27 |
| 74-95-3 | Methylene Bromide | ND | | 54.7 | 57.1 | 104 | 54.9 | 53.4 | 97 | 7 | 74-124/24 |
| 75-09-2 | Methylene Chloride | 7.8 | J | 54.7 | 57.6 | 91 | 54.9 | 51.0 | 79 | 12 | 74-137/28 |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | | 274 | 325 | 119 | 275 | 264 | 96 | 21 | 76-132/26 |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | | 54.7 | 55.5 | 101 | 54.9 | 48.9 | 89 | 13 | 77-120/24 |
| 91-20-3 | Naphthalene | ND | | 54.7 | 61.9 | 113 | 54.9 | 52.4 | 95 | 17 | 79-129/33 |
| 103-65-1 | n-Propylbenzene | ND | | 54.7 | 55.3 | 101 | 54.9 | 55.6 | 101 | 1 | 80-135/33 |
| 100-42-5 | Styrene | ND | | 54.7 | 55.2 | 101 | 54.9 | 53.9 | 98 | 2 | 78-125/30 |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | | 54.7 | 55.6 | 102 | 54.9 | 49.8 | 91 | 11 | 69-130/23 |
| 75-65-0 | Tert-Butyl Alcohol | ND | | 547 | 517 | 95 | 549 | 505 | 92 | 2 | 74-126/32 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | | 54.7 | 57.5 | 105 | 54.9 | 49.8 | 91 | 14 | 78-126/27 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | | 54.7 | 50.7 | 93 | 54.9 | 47.8 | 87 | 6 | 71-126/30 |
| 127-18-4 | Tetrachloroethylene | ND | | 54.7 | 58.2 | 106 | 54.9 | 53.8 | 98 | 8 | 79-130/31 |
| 108-88-3 | Toluene | ND | | 54.7 | 52.8 | 97 | 54.9 | 47.7 | 87 | 10 | 76-124/30 |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | | 54.7 | 60.3 | 110 | 54.9 | 53.3 | 97 | 12 | 77-128/35 |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | | 54.7 | 67.6 | 124 | 54.9 | 57.2 | 104 | 17 | 78-130/34 |
| 71-55-6 | 1,1,1-Trichloroethane | ND | | 54.7 | 51.8 | 95 | 54.9 | 47.2 | 86 | 9 | 70-129/27 |
| 79-00-5 | 1,1,2-Trichloroethane | ND | | 54.7 | 53.2 | 97 | 54.9 | 50.0 | 91 | 6 | 74-124/28 |
| 79-01-6 | Trichloroethylene | ND | | 54.7 | 52.3 | 96 | 54.9 | 51.2 | 93 | 2 | 75-128/27 |
| 75-69-4 | Trichlorofluoromethane | ND | | 54.7 | 50.4 | 92 | 54.9 | 48.1 | 88 | 5 | 73-145/31 |
| 96-18-4 | 1,2,3-Trichloropropane | ND | | 54.7 | 52.8 | 97 | 54.9 | 50.1 | 91 | 5 | 74-127/27 |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | | 54.7 | 56.2 | 103 | 54.9 | 56.3 | 102 | 0 | 74-123/34 |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | | 54.7 | 56.6 | 103 | 54.9 | 55.9 | 102 | 1 | 73-122/33 |
| 75-01-4 | Vinyl Chloride | ND | | 54.7 | 43.2 | 79 | 54.9 | 41.1 | 75* | 5 | 76-141/27 |
| 1330-20-7 | Xylene (total) | ND | | 164 | 172 | 105 | 165 | 155 | 94 | 10 | 80-129/30 |
| CAS No. | Surrogate Recoveries | MS | | MSD | C47 | 7015-32 | Limits | | | | |
| 1868-53-7 | Dibromofluoromethane | 106% | | 102% | 123 | % | 75-1249 | 6 | | | |

^{* =} Outside of Control Limits.



6.3.3

Page 3 of 3

Method: SW846 8260B

σ

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| 9474.D 1 | 09/10/16 | | | | |
|----------|----------|----|-----|-----|--------|
| | 09/10/10 | AD | n/a | n/a | VF2731 |
| 9475.D 1 | 09/10/16 | AD | n/a | n/a | VF2731 |
| 9469.D 1 | 09/10/16 | AD | n/a | n/a | VF2731 |
| | | | | | |
| | | | ., | | |

The QC reported here applies to the following samples:

C47015-1, C47015-11, C47015-12, C47015-15, C47015-16, C47015-19, C47015-20, C47015-21, C47015-32

| CAS No. | Surrogate Recoveries | MS | MSD | C47015-32 | Limits |
|---------|-----------------------------|------|------|-----------|---------|
| | 1,2-Dichloroethane-D4 | 111% | 107% | 128% | 72-135% |
| | Toluene-D8 | 101% | 93% | 93% | 75-126% |
| | 4-Bromofluorobenzene | 97% | 103% | 95% | 71-133% |

(a) Soil vials were not received within 48 hours of sampling; results are considered minimum values.

^{* =} Outside of Control Limits.

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|------------------|
| C47015-14MS | C0118012.D | 1 | 09/12/16 | EP | n/a | n/a | VC4681 |
| C47015-14MSD | C0118013.D | 1 | 09/12/16 | EP | n/a | n/a | VC4681 |
| C47015-14 a | C0117996.D | 1 | 09/12/16 | EP | n/a | n/a | VC4681 |
| | | | | | | | |

The QC reported here applies to the following samples:

| | | C47015-14 | Spike | MS | MS | Spike | MSD | MSD | | Limits |
|------------|-----------------------------|-----------|-------|-------|-----|-------|-------|-----|-----|-----------|
| CAS No. | Compound | ug/kg Q | ug/kg | ug/kg | % | ug/kg | ug/kg | % | RPD | Rec/RPD |
| | | | | | | | | | | |
| 67-64-1 | Acetone | ND | 256 | 182 | 71 | 258 | 205 | 80 | 12 | 61-152/27 |
| 71-43-2 | Benzene | ND | 51.2 | 44.5 | 87 | 51.5 | 41.2 | 80 | 8 | 76-126/26 |
| 108-86-1 | Bromobenzene | ND | 51.2 | 44.1 | 86 | 51.5 | 39.6 | 77 | 11 | 76-122/32 |
| 74-97-5 | Bromochloromethane | ND | 51.2 | 46.7 | 91 | 51.5 | 44.0 | 85 | 6 | 77-120/24 |
| 75-27-4 | Bromodichloromethane | ND | 51.2 | 47.7 | 93 | 51.5 | 44.5 | 86 | 7 | 74-130/25 |
| 75-25-2 | Bromoform | ND | 51.2 | 47.1 | 92 | 51.5 | 42.8 | 83 | 10 | 76-127/26 |
| 78-93-3 | 2-Butanone (MEK) | ND | 256 | 208 | 81 | 258 | 200 | 78 | 4 | 75-137/25 |
| 104-51-8 | n-Butylbenzene | ND | 51.2 | 43.6 | 85 | 51.5 | 38.0 | 74 | 14 | 71-128/35 |
| 135-98-8 | sec-Butylbenzene | ND | 51.2 | 43.6 | 85 | 51.5 | 38.3 | 74* | 13 | 79-135/34 |
| 98-06-6 | tert-Butylbenzene | ND | 51.2 | 45.8 | 89 | 51.5 | 40.4 | 78 | 13 | 77-133/34 |
| 56-23-5 | Carbon Tetrachloride | ND | 51.2 | 42.9 | 84 | 51.5 | 39.1 | 76* | 9 | 78-133/29 |
| 108-90-7 | Chlorobenzene | ND | 51.2 | 45.6 | 89 | 51.5 | 41.4 | 80* | 10 | 81-129/29 |
| 75-00-3 | Chloroethane | ND | 51.2 | 33.7 | 66* | 51.5 | 35.7 | 69 | 6 | 68-133/29 |
| 67-66-3 | Chloroform | ND | 51.2 | 46.1 | 90 | 51.5 | 42.8 | 83 | 7 | 72-123/26 |
| 95-49-8 | o-Chlorotoluene | ND | 51.2 | 45.5 | 89 | 51.5 | 40.0 | 78 | 13 | 77-129/33 |
| 106-43-4 | p-Chlorotoluene | ND | 51.2 | 44.7 | 87 | 51.5 | 39.3 | 76* | 13 | 80-134/33 |
| 124-48-1 | Dibromochloromethane | ND | 51.2 | 47.8 | 93 | 51.5 | 43.7 | 85 | 9 | 76-127/27 |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 51.2 | 43.0 | 84 | 51.5 | 40.6 | 79 | 6 | 70-137/29 |
| 106-93-4 | 1,2-Dibromoethane | ND | 51.2 | 44.5 | 87 | 51.5 | 41.5 | 81 | 7 | 77-126/26 |
| 75-71-8 | Dichlorodifluoromethane | ND | 51.2 | 33.5 | 65* | 51.5 | 30.7 | 60* | 9 | 68-168/29 |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 51.2 | 45.2 | 88 | 51.5 | 40.3 | 78* | 11 | 80-129/32 |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 51.2 | 47.0 | 92 | 51.5 | 41.3 | 80* | 13 | 81-129/33 |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 51.2 | 46.7 | 91 | 51.5 | 41.3 | 80 | 12 | 76-130/32 |
| 75-34-3 | 1,1-Dichloroethane | ND | 51.2 | 38.2 | 75 | 51.5 | 41.7 | 81 | 9 | 73-125/27 |
| 107-06-2 | 1,2-Dichloroethane | ND | 51.2 | 47.1 | 92 | 51.5 | 44.1 | 86 | 7 | 74-128/23 |
| 75-35-4 | 1,1-Dichloroethylene | ND | 51.2 | 40.3 | 79* | 51.5 | 36.5 | 71* | 10 | 81-136/28 |
| 156-59-2 | cis-1,2-Dichloroethylene | ND | 51.2 | 43.0 | 84 | 51.5 | 41.1 | 80 | 5 | 74-126/26 |
| 156-60-5 | trans-1,2-Dichloroethylene | ND | 51.2 | 34.6 | 68* | 51.5 | 37.3 | 72 | 8 | 70-127/27 |
| 78-87-5 | 1,2-Dichloropropane | ND | 51.2 | 45.4 | 89 | 51.5 | 42.1 | 82 | 8 | 74-125/25 |
| 142-28-9 | 1,3-Dichloropropane | ND | 51.2 | 44.2 | 86 | 51.5 | 40.6 | 79 | 8 | 76-122/26 |
| 594-20-7 | 2,2-Dichloropropane | ND | 51.2 | 38.2 | 75* | 51.5 | 35.5 | 69* | 7 | 77-133/28 |
| 563-58-6 | 1,1-Dichloropropene | ND | 51.2 | 41.4 | 81 | 51.5 | 37.9 | 74* | 9 | 75-130/28 |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 51.2 | 43.7 | 85 | 51.5 | 42.3 | 82 | 3 | 80-123/26 |
| | trans-1,3-Dichloropropene | ND | 51.2 | 44.3 | 86 | 51.5 | 41.5 | 81 | 7 | 75-131/28 |
| 108-20-3 | Di-Isopropyl Ether | ND | 51.2 | 39.5 | 77 | 51.5 | 43.3 | 84 | 9 | 75-122/25 |
| 100-41-4 | Ethylbenzene | ND | 51.2 | 48.5 | 95 | 51.5 | 43.9 | 85 | 10 | 77-123/31 |

^{* =} Outside of Control Limits.

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|------------------|------------|-------------------------|
| C47015-14MS | C0118012.D | 1 | 09/12/16 | EP | n/a | n/a | VC4681 |
| C47015-14MSD | C0118013.D | 1 | 09/12/16 | EP | n/a | n/a | VC4681 |
| C47015-14 a | C0117996.D | 1 | 09/12/16 | EP | n/a | n/a | VC4681 |
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Compound | C47015-14 ug/kg Q | Spike ug/kg | MS ug/kg | MS % | Spike ug/kg | MSD ug/kg | MSD % | RPD | Limits Rec/RPD |
|-----------|-----------------------------|----------------------|----------------|-------------|---------|----------------|--------------|----------|-----|-------------------|
| 637-92-3 | Ethyl Tert Butyl Ether | ND | 51.2 | 47.6 | 93 | 51.5 | 44.7 | 87 | 6 | 75-117/24 |
| 87-68-3 | Hexachlorobutadiene | ND | 51.2 | 42.8 | 84 | 51.5 | 35.5 | 69* | 19 | 74-136/38 |
| 591-78-6 | 2-Hexanone | ND | 256 | 212 | 83 | 258 | 204 | 79 | 4 | 72-133/26 |
| 98-82-8 | Isopropylbenzene | ND | 51.2 | 43.9 | 86 | 51.5 | 38.7 | 75* | 13 | 80-136/32 |
| 99-87-6 | p-Isopropyltoluene | ND | 51.2 | 48.9 | 95 | 51.5 | 43.1 | 84 | 13 | 77-131/34 |
| 74-83-9 | Methyl Bromide | ND | 51.2 | 39.5 | 77 | 51.5 | 35.1 | 68 | 12 | 65-139/31 |
| 74-87-3 | Methyl Chloride | ND | 51.2 | 36.3 | 71 | 51.5 | 34.2 | 66* | 6 | 71-144/27 |
| 74-95-3 | Methylene Bromide | ND | 51.2 | 45.5 | 89 | 51.5 | 43.6 | 85 | 4 | 74-124/24 |
| 75-09-2 | Methylene Chloride | 11.3 | 51.2 | 40.8 | 58* | 51.5 | 40.4 | 56* | 1 | 74-137/28 |
| 108-10-1 | 4-Methyl-2-pentanone (MIBK) | ND | 256 | 231 | 90 | 258 | 217 | 84 | 6 | 76-132/26 |
| 1634-04-4 | Methyl Tert Butyl Ether | ND | 51.2 | 40.6 | 79 | 51.5 | 44.6 | 87 | 9 | 77-120/24 |
| 91-20-3 | Naphthalene | ND | 51.2 | 42.4 | 83 | 51.5 | 39.3 | 76* | 8 | 79-129/33 |
| 103-65-1 | n-Propylbenzene | ND | 51.2 | 48.7 | 95 | 51.5 | 42.9 | 83 | 13 | 80-135/33 |
| 100-42-5 | Styrene | ND | 51.2 | 44.9 | 88 | 51.5 | 41.5 | 81 | 8 | 78-125/30 |
| 994-05-8 | Tert-Amyl Methyl Ether | ND | 51.2 | 47.3 | 92 | 51.5 | 44.8 | 87 | 5 | 69-130/23 |
| 75-65-0 | Tert-Butyl Alcohol | ND | 512 | 523 | 102 | 515 | 434 | 84 | 19 | 74-126/32 |
| 630-20-6 | 1,1,1,2-Tetrachloroethane | ND | 51.2 | 49.1 | 96 | 51.5 | 44.1 | 86 | 11 | 78-126/27 |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 51.2 | 44.8 | 87 | 51.5 | 40.3 | 78 | 11 | 71-126/30 |
| 127-18-4 | Tetrachloroethylene | ND | 51.2 | 54.4 | 106 | 51.5 | 49.0 | 95 | 10 | 79-130/31 |
| 108-88-3 | Toluene | ND | 51.2 | 44.6 | 87 | 51.5 | 40.8 | 79 | 9 | 76-124/30 |
| 87-61-6 | 1,2,3-Trichlorobenzene | ND | 51.2 | 39.2 | 77 | 51.5 | 35.0 | 68* | 11 | 77-128/35 |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 51.2 | 36.1 | 70* | 51.5 | 31.6 | 61* | 13 | 78-130/34 |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 51.2 | 42.4 | 83 | 51.5 | 38.8 | 75 | 9 | 70-129/27 |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 51.2 | 46.8 | 91 | 51.5 | 42.9 | 83 | 9 | 74-124/28 |
| 79-01-6 | Trichloroethylene | ND | 51.2 | 45.2 | 88 | 51.5 | 41.6 | 81 | 8 | 75-128/27 |
| 75-69-4 | Trichlorofluoromethane | ND | 51.2 | 33.0 | 64* | 51.5 | 31.1 | 60* | 6 | 73-145/31 |
| 96-18-4 | 1,2,3-Trichloropropane | ND | 51.2 | 46.6 | 91 | 51.5 | 41.6 | 81 | 11 | 74-127/27 |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 51.2 | 49.8 | 97 | 51.5 | 43.4 | 84 | 14 | 74-123/34 |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 51.2 | 49.3 | 96 | 51.5 | 42.8 | 83 | 14 | 73-122/33 |
| 75-01-4 | Vinyl Chloride | ND | 51.2 | 36.6 | 71* | 51.5 | 33.8 | 66* | 8 | 76-141/27 |
| 1330-20-7 | Xylene (total) | ND | 154 | 143 | 93 | 155 | 129 | 83 | 10 | 80-129/30 |
| CAS No. | Surrogate Recoveries | MS | MSD | C4 | 7015-14 | Limits | | | | |
| 1868-53-7 | Dibromofluoromethane | 102% | 105% | 105 | | 75-1249 | 6 | | | |
| 1000-33-7 | Dioronionuoi omemane | 10270 | 10370 | 10. | 70 | 13-1249 | U | | | |

^{* =} Outside of Control Limits.

6.3.4

Page 3 of 3

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | Ву | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|------------------|
| C47015-14MS | C0118012.D | 1 | 09/12/16 | EP | n/a | n/a | VC4681 |
| C47015-14MSD | C0118013.D | 1 | 09/12/16 | EP | n/a | n/a | VC4681 |
| C47015-14 a | C0117996.D | 1 | 09/12/16 | EP | n/a | n/a | VC4681 |
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Surrogate Recoveries | MS | MSD | C47015-14 | Limits |
|---------|-----------------------|------|------|-----------|---------|
| | 1,2-Dichloroethane-D4 | 100% | 103% | 103% | 72-135% |
| | Toluene-D8 | 98% | 97% | 94% | 75-126% |
| | 4-Bromofluorobenzene | 100% | 97% | 97% | 71-133% |

⁽a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values.

^{* =} Outside of Control Limits.

Section 7

GC/MS Semi-volatiles

QC Data Summaries

(SGS Accutest Southeast)

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method: SW846 8270D

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61812-MB | File ID X048968.D | DF 1 | Analyzed 09/12/16 | By MV | Prep Date 09/09/16 | Prep Batch OP61812 | Analytical Batch SX2120 |
|----------------------|-----------------------------|----------------|--------------------------|----------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

| CAS No. | Compound | Result | RL | MDL | Units Q |
|-----------|-----------------------------|--------|------|-----|---------|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg |
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg |

Method: SW846 8270D

7.1.1

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61812-MB | File ID X048968.D | DF 1 | Analyzed 09/12/16 | By MV | Prep Date 09/09/16 | Prep Batch OP61812 | Analytical Batch SX2120 |
|----------------------|-----------------------------|----------------|--------------------------|-----------------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

| CAS No. Compound | | Result | RL | MDL | Units Q |
|------------------|----------------------------|--------|--------|-----|---------|
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg |
| | | | | | |
| CAS No. | Surrogate Recoveries | | Limits | | |
| 367-12-4 | 2-Fluorophenol | 64% | 40-102 | % | |
| 4165-62-2 | Phenol-d5 | 71% | 41-100 | % | |
| 118-79-6 | 2,4,6-Tribromophenol | 58% | 42-108 | % | |
| 4165-60-0 | Nitrobenzene-d5 | 63% | 40-105 | % | |
| 321-60-8 | 2-Fluorobiphenyl | 66% | 43-107 | % | |
| 1718-51-0 | Terphenyl-d14 | 69% | 45-119 | % | |
| | | | | | |

Method: SW846 8270D

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|------------|-----------|----|----------|----|------------------|------------|-------------------------|
| OP61834-MB | X049004.D | 1 | 09/13/16 | MV | 09/12/16 | OP61834 | SX2121 |
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Compound | Result | RL | MDL | Units Q |
|-----------|-----------------------------|--------|------|-----|---------|
| 65-85-0 | Benzoic Acid | ND | 830 | 170 | ug/kg |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 170 | 25 | ug/kg |
| 95-57-8 | 2-Chlorophenol | ND | 170 | 21 | ug/kg |
| 120-83-2 | 2,4-Dichlorophenol | ND | 170 | 23 | ug/kg |
| 105-67-9 | 2,4-Dimethylphenol | ND | 170 | 20 | ug/kg |
| 51-28-5 | 2,4-Dinitrophenol | ND | 830 | 170 | ug/kg |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 330 | 67 | ug/kg |
| 95-48-7 | 2-Methylphenol | ND | 170 | 18 | ug/kg |
| | 3&4-Methylphenol | ND | 170 | 39 | ug/kg |
| 88-75-5 | 2-Nitrophenol | ND | 170 | 21 | ug/kg |
| 100-02-7 | 4-Nitrophenol | ND | 830 | 130 | ug/kg |
| 87-86-5 | Pentachlorophenol | ND | 830 | 130 | ug/kg |
| 108-95-2 | Phenol | ND | 170 | 20 | ug/kg |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 170 | 18 | ug/kg |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 170 | 20 | ug/kg |
| 62-53-3 | Aniline | ND | 170 | 33 | ug/kg |
| 92-87-5 | Benzidine | ND | 1700 | 330 | ug/kg |
| 100-51-6 | Benzyl Alcohol | ND | 170 | 22 | ug/kg |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 170 | 19 | ug/kg |
| 85-68-7 | Butyl benzyl phthalate | ND | 170 | 33 | ug/kg |
| 86-74-8 | Carbazole | ND | 170 | 19 | ug/kg |
| 106-47-8 | 4-Chloroaniline | ND | 170 | 23 | ug/kg |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 170 | 25 | ug/kg |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 170 | 30 | ug/kg |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 170 | 24 | ug/kg |
| 91-58-7 | 2-Chloronaphthalene | ND | 170 | 23 | ug/kg |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 170 | 21 | ug/kg |
| 132-64-9 | Dibenzofuran | ND | 170 | 21 | ug/kg |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 170 | 17 | ug/kg |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 170 | 19 | ug/kg |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 170 | 20 | ug/kg |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 170 | 18 | ug/kg |
| 84-66-2 | Diethyl Phthalate | ND | 330 | 33 | ug/kg |
| 131-11-3 | Dimethyl Phthalate | ND | 170 | 33 | ug/kg |
| 117-84-0 | Di-n-octyl Phthalate | ND | 170 | 33 | ug/kg |
| 84-74-2 | Di-n-butyl Phthalate | ND | 330 | 67 | ug/kg |

Method: SW846 8270D

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61834-MB | File ID X049004.D | DF 1 | Analyzed 09/13/16 | By MV | Prep Date 09/12/16 | Prep Batch OP61834 | Analytical Batch SX2121 |
|----------------------|-----------------------------|----------------|--------------------------|----------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. Compound | | Result | RL | MDL | Units Q |
|------------------|----------------------------|--------|-----|-----|---------|
| 121-14-2 | 2,4-Dinitrotoluene | ND | 170 | 17 | ug/kg |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 170 | 21 | ug/kg |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 170 | 28 | ug/kg |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 330 | 33 | ug/kg |
| 118-74-1 | Hexachlorobenzene | ND | 170 | 21 | ug/kg |
| 87-68-3 | Hexachlorobutadiene | ND | 170 | 19 | ug/kg |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 170 | 33 | ug/kg |
| 67-72-1 | Hexachloroethane | ND | 170 | 19 | ug/kg |
| 78-59-1 | Isophorone | ND | 170 | 17 | ug/kg |
| 88-74-4 | 2-Nitroaniline | ND | 170 | 28 | ug/kg |
| 99-09-2 | 3-Nitroaniline | ND | 170 | 28 | ug/kg |
| 100-01-6 | 4-Nitroaniline | ND | 170 | 28 | ug/kg |
| 98-95-3 | Nitrobenzene | ND | 170 | 22 | ug/kg |
| 62-75-9 | N-Nitrosodimethylamine | ND | 170 | 40 | ug/kg |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 170 | 18 | ug/kg |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 170 | 32 | ug/kg |
| 110-86-1 | Pyridine | ND | 330 | 33 | ug/kg |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 170 | 20 | ug/kg |
| | | | | | |

| CAS No. Surrogate Recoveries | | | | Limits |
|------------------------------|-----------|----------------------|-----|---------|
| | 367-12-4 | 2-Fluorophenol | 57% | 40-102% |
| | 4165-62-2 | Phenol-d5 | 62% | 41-100% |
| | 118-79-6 | 2,4,6-Tribromophenol | 83% | 42-108% |
| | 4165-60-0 | Nitrobenzene-d5 | 54% | 40-105% |
| | 321-60-8 | 2-Fluorobiphenyl | 60% | 43-107% |
| | 1718-51-0 | Terphenyl-d14 | 65% | 45-119% |

Method: SW846 8270D BY SIM

7.1.3

Method Blank Summary

Job Number: C47015

CAS No.

4165-60-0

321-60-8

Surrogate Recoveries

Nitrobenzene-d5

2-Fluorobiphenyl

1718-51-0 Terphenyl-d14

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61814-MB | File ID W094886.D | DF 1 | Analyzed 09/12/16 | By MG | Prep Date 09/10/16 | Prep Batch OP61814 | Analytical Batch SW4252 |
|----------------------|-----------------------------|-------------|--------------------------|----------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

Limits

40-105%

43-107%

45-119%

| CAS No. | Compound | Result | RL | MDL | Units Q |
|----------|------------------------|--------|----|-----|---------|
| 83-32-9 | Acenaphthene | ND | 67 | 27 | ug/kg |
| 208-96-8 | Acenaphthylene | ND | 67 | 27 | ug/kg |
| 120-12-7 | Anthracene | ND | 67 | 17 | ug/kg |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg |
| 206-44-0 | Fluoranthene | ND | 67 | 17 | ug/kg |
| 86-73-7 | Fluorene | ND | 67 | 27 | ug/kg |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg |
| 90-12-0 | 1-Methylnaphthalene | ND | 67 | 27 | ug/kg |
| 91-57-6 | 2-Methylnaphthalene | ND | 67 | 27 | ug/kg |
| 91-20-3 | Naphthalene | ND | 67 | 27 | ug/kg |
| 85-01-8 | Phenanthrene | ND | 67 | 17 | ug/kg |
| 129-00-0 | Pyrene | ND | 67 | 17 | ug/kg |
| | | | | | - |

82%

82%

89%

| 000 | 426 of 493 |
|-----|--------------------|
| 202 | ACCUTEST C47015 |

Method: SW846 8270D BY SIM

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61828-MB | File ID W094930.D | DF 1 | Analyzed 09/13/16 | By MG | Prep Date 09/12/16 | Prep Batch OP61828 | Analytical Batch SW4253 |
|----------------------|-----------------------------|----------------|--------------------------|----------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Compound | Result | RL | MDL | Units Q |
|----------|------------------------|--------|----|-----|---------|
| 83-32-9 | Acenaphthene | ND | 67 | 27 | ug/kg |
| 208-96-8 | Acenaphthylene | ND | 67 | 27 | ug/kg |
| 120-12-7 | Anthracene | ND | 67 | 17 | ug/kg |
| 56-55-3 | Benzo(a)anthracene | ND | 13 | 3.3 | ug/kg |
| 50-32-8 | Benzo(a)pyrene | ND | 13 | 3.3 | ug/kg |
| 205-99-2 | Benzo(b)fluoranthene | ND | 13 | 3.3 | ug/kg |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 13 | 3.3 | ug/kg |
| 207-08-9 | Benzo(k)fluoranthene | ND | 13 | 3.3 | ug/kg |
| 218-01-9 | Chrysene | ND | 13 | 3.3 | ug/kg |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 13 | 3.3 | ug/kg |
| 206-44-0 | Fluoranthene | ND | 67 | 17 | ug/kg |
| 86-73-7 | Fluorene | ND | 67 | 27 | ug/kg |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 13 | 3.3 | ug/kg |
| 90-12-0 | 1-Methylnaphthalene | ND | 67 | 27 | ug/kg |
| 91-57-6 | 2-Methylnaphthalene | ND | 67 | 27 | ug/kg |
| 91-20-3 | Naphthalene | ND | 67 | 27 | ug/kg |
| 85-01-8 | Phenanthrene | ND | 67 | 17 | ug/kg |
| 129-00-0 | Pyrene | ND | 67 | 17 | ug/kg |

| CAS No. | Surrogate Recoveries | | Limits | | |
|-----------|----------------------|-----|---------|--|--|
| | | | | | |
| 4165-60-0 | Nitrobenzene-d5 | 81% | 40-105% | | |
| 321-60-8 | 2-Fluorobiphenyl | 89% | 43-107% | | |
| 1718-51-0 | Terphenyl-d14 | 81% | 45-119% | | |

Method: SW846 8270D

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample File ID DF Analyzed By Prep Date Prep Batch Analytical Bat OP61812-BS X048967.D 1 09/12/16 MV 09/09/16 OP61812 SX2120 | | | DF 1 | • | • | | | Analytical Bate SX2120 |
|--|--|--|----------------|---|---|--|--|---------------------------|
|--|--|--|----------------|---|---|--|--|---------------------------|

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-10 11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

| | | Spike | BSP | BSP | |
|-----------|-----------------------------|-------|-------|-----|--------|
| CAS No. | Compound | ug/kg | ug/kg | % | Limits |
| | | | | | |
| 65-85-0 | Benzoic Acid | 3330 | 3020 | 91 | 36-118 |
| 59-50-7 | 4-Chloro-3-methyl Phenol | 1670 | 1460 | 88 | 52-108 |
| 95-57-8 | 2-Chlorophenol | 1670 | 1300 | 78 | 48-104 |
| 120-83-2 | 2,4-Dichlorophenol | 1670 | 1300 | 78 | 51-105 |
| 105-67-9 | 2,4-Dimethylphenol | 1670 | 1180 | 71 | 43-96 |
| 51-28-5 | 2,4-Dinitrophenol | 3330 | 2310 | 69 | 40-119 |
| 534-52-1 | 4,6-Dinitro-o-cresol | 3330 | 2860 | 86 | 64-121 |
| 95-48-7 | 2-Methylphenol | 1670 | 1320 | 79 | 46-107 |
| | 3&4-Methylphenol | 3330 | 2680 | 80 | 44-111 |
| 88-75-5 | 2-Nitrophenol | 1670 | 1280 | 77 | 49-104 |
| 100-02-7 | 4-Nitrophenol | 3330 | 2630 | 79 | 56-116 |
| 87-86-5 | Pentachlorophenol | 3330 | 3010 | 90 | 61-114 |
| 108-95-2 | Phenol | 1670 | 1390 | 83 | 45-110 |
| 95-95-4 | 2,4,5-Trichlorophenol | 1670 | 1500 | 90 | 58-112 |
| 88-06-2 | 2,4,6-Trichlorophenol | 1670 | 1420 | 85 | 56-109 |
| 62-53-3 | Aniline | 1670 | 1300 | 78 | 42-108 |
| 100-51-6 | Benzyl Alcohol | 1670 | 1370 | 82 | 53-108 |
| 101-55-3 | 4-Bromophenyl phenyl ether | 1670 | 1380 | 83 | 62-110 |
| 85-68-7 | Butyl benzyl phthalate | 1670 | 1610 | 97 | 65-113 |
| 86-74-8 | Carbazole | 1670 | 1420 | 85 | 60-111 |
| 106-47-8 | 4-Chloroaniline | 1670 | 1270 | 76 | 30-115 |
| 111-91-1 | bis(2-Chloroethoxy)methane | 1670 | 1350 | 81 | 48-105 |
| 111-44-4 | bis(2-Chloroethyl)ether | 1670 | 1260 | 76 | 46-103 |
| 108-60-1 | bis(2-Chloroisopropyl)ether | 1670 | 1480 | 89 | 40-110 |
| 91-58-7 | 2-Chloronaphthalene | 1670 | 1420 | 85 | 53-106 |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | 1670 | 1450 | 87 | 58-106 |
| 132-64-9 | Dibenzofuran | 1670 | 1390 | 83 | 57-108 |
| 95-50-1 | 1,2-Dichlorobenzene | 1670 | 1210 | 73 | 44-102 |
| 541-73-1 | 1,3-Dichlorobenzene | 1670 | 1200 | 72 | 42-100 |
| 106-46-7 | 1,4-Dichlorobenzene | 1670 | 1210 | 73 | 40-106 |
| 91-94-1 | 3,3'-Dichlorobenzidine | 1670 | 1290 | 77 | 36-114 |
| 84-66-2 | Diethyl Phthalate | 1670 | 1450 | 87 | 61-109 |
| 131-11-3 | Dimethyl Phthalate | 1670 | 1460 | 88 | 59-108 |
| 117-84-0 | Di-n-octyl Phthalate | 1670 | 1970 | 118 | 64-119 |
| 84-74-2 | Di-n-butyl Phthalate | 1670 | 1480 | 89 | 63-108 |
| 121-14-2 | 2,4-Dinitrotoluene | 1670 | 1570 | 94 | 59-109 |

^{* =} Outside of Control Limits.

Method: SW846 8270D

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61812-BS | File ID X048967.D | DF 1 | Analyzed 09/12/16 | By MV | Prep Date 09/09/16 | Prep Batch OP61812 | Analytical Batch SX2120 |
|----------------------|-----------------------------|-------------|--------------------------|----------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|-----------|----------------------------|----------------|--------------|----------|--------|
| 606-20-2 | 2,6-Dinitrotoluene | 1670 | 1470 | 88 | 61-107 |
| 122-66-7 | 1,2-Diphenylhydrazine | 1670 | 1640 | 98 | 58-112 |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | 1670 | 1660 | 100 | 64-115 |
| 118-74-1 | Hexachlorobenzene | 1670 | 1390 | 83 | 59-111 |
| 87-68-3 | Hexachlorobutadiene | 1670 | 1230 | 74 | 41-108 |
| 77-47-4 | Hexachlorocyclopentadiene | 1670 | 1440 | 86 | 49-110 |
| 67-72-1 | Hexachloroethane | 1670 | 1250 | 75 | 40-105 |
| 78-59-1 | Isophorone | 1670 | 1390 | 83 | 42-89 |
| 88-74-4 | 2-Nitroaniline | 1670 | 1660 | 100 | 56-123 |
| 99-09-2 | 3-Nitroaniline | 1670 | 1320 | 79 | 41-111 |
| 100-01-6 | 4-Nitroaniline | 1670 | 1440 | 86 | 54-113 |
| 98-95-3 | Nitrobenzene | 1670 | 1380 | 83 | 43-108 |
| 62-75-9 | N-Nitrosodimethylamine | 1670 | 1240 | 74 | 40-106 |
| 621-64-7 | N-Nitrosodi-n-propylamine | 1670 | 1420 | 85 | 48-108 |
| 86-30-6 | N-Nitrosodiphenylamine | 1670 | 1500 | 90 | 62-110 |
| 110-86-1 | Pyridine | 1670 | 1020 | 61 | 31-102 |
| 120-82-1 | 1,2,4-Trichlorobenzene | 1670 | 1200 | 72 | 45-100 |
| CAS No. | Surrogate Recoveries | BSP | Lim | its | |
| 367-12-4 | 2-Fluorophenol | 74% | 40-1 | 02% | |
| 4165-62-2 | Phenol-d5 | 80% | 41-1 | 00% | |
| 118-79-6 | 2,4,6-Tribromophenol | 77% | 42-1 | 08% | |
| 4165-60-0 | Nitrobenzene-d5 | 76% | 40-1 | 05% | |
| 321-60-8 | 2-Fluorobiphenyl | 79% | 43-1 | 07% | |
| 1718-51-0 | Terphenyl-d14 | 89% | 45-1 | 19% | |

^{* =} Outside of Control Limits.

Method: SW846 8270D

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61834-BS | File ID X049003.D | DF 1 | Analyzed 09/13/16 | By MV | Prep Date 09/12/16 | Prep Batch OP61834 | Analytical Batch SX2121 |
|----------------------|--------------------------|----------------|--------------------------|-----------------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| | | Spike | BSP | BSP | |
|-----------|-----------------------------|-------|-------|-----|--------|
| CAS No. | Compound | ug/kg | ug/kg | % | Limits |
| | | | | | |
| 65-85-0 | Benzoic Acid | 3330 | 2420 | 73 | 36-118 |
| 59-50-7 | 4-Chloro-3-methyl Phenol | 1670 | 1190 | 71 | 52-108 |
| 95-57-8 | 2-Chlorophenol | 1670 | 1080 | 65 | 48-104 |
| 120-83-2 | 2,4-Dichlorophenol | 1670 | 1230 | 74 | 51-105 |
| 105-67-9 | 2,4-Dimethylphenol | 1670 | 1040 | 62 | 43-96 |
| 51-28-5 | 2,4-Dinitrophenol | 3330 | 2370 | 71 | 40-119 |
| 534-52-1 | 4,6-Dinitro-o-cresol | 3330 | 2640 | 79 | 64-121 |
| 95-48-7 | 2-Methylphenol | 1670 | 1060 | 64 | 46-107 |
| | 3&4-Methylphenol | 3330 | 2170 | 65 | 44-111 |
| 88-75-5 | 2-Nitrophenol | 1670 | 1190 | 71 | 49-104 |
| 100-02-7 | 4-Nitrophenol | 3330 | 1900 | 57 | 56-116 |
| 87-86-5 | Pentachlorophenol | 3330 | 2930 | 88 | 61-114 |
| 108-95-2 | Phenol | 1670 | 1100 | 66 | 45-110 |
| 95-95-4 | 2,4,5-Trichlorophenol | 1670 | 1310 | 79 | 58-112 |
| 88-06-2 | 2,4,6-Trichlorophenol | 1670 | 1270 | 76 | 56-109 |
| 62-53-3 | Aniline | 1670 | 1070 | 64 | 42-108 |
| 92-87-5 | Benzidine | 1670 | 599 | 36 | 10-109 |
| 100-51-6 | Benzyl Alcohol | 1670 | 1110 | 67 | 53-108 |
| 101-55-3 | 4-Bromophenyl phenyl ether | 1670 | 1400 | 84 | 62-110 |
| 85-68-7 | Butyl benzyl phthalate | 1670 | 1300 | 78 | 65-113 |
| 86-74-8 | Carbazole | 1670 | 1310 | 79 | 60-111 |
| 106-47-8 | 4-Chloroaniline | 1670 | 1210 | 73 | 30-115 |
| 111-91-1 | bis(2-Chloroethoxy)methane | 1670 | 1220 | 73 | 48-105 |
| 111-44-4 | bis(2-Chloroethyl)ether | 1670 | 1080 | 65 | 46-103 |
| 108-60-1 | bis(2-Chloroisopropyl)ether | 1670 | 1180 | 71 | 40-110 |
| 91-58-7 | 2-Chloronaphthalene | 1670 | 1210 | 73 | 53-106 |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | 1670 | 1300 | 78 | 58-106 |
| 132-64-9 | Dibenzofuran | 1670 | 1290 | 77 | 57-108 |
| 95-50-1 | 1,2-Dichlorobenzene | 1670 | 1110 | 67 | 44-102 |
| 541-73-1 | 1,3-Dichlorobenzene | 1670 | 1080 | 65 | 42-100 |
| 106-46-7 | 1,4-Dichlorobenzene | 1670 | 1090 | 65 | 40-106 |
| 91-94-1 | 3,3'-Dichlorobenzidine | 1670 | 1190 | 71 | 36-114 |
| 84-66-2 | Diethyl Phthalate | 1670 | 1290 | 77 | 61-109 |
| 131-11-3 | Dimethyl Phthalate | 1670 | 1190 | 71 | 59-108 |
| 117-84-0 | Di-n-octyl Phthalate | 1670 | 1320 | 79 | 64-119 |
| 84-74-2 | Di-n-butyl Phthalate | 1670 | 1300 | 78 | 63-108 |
| | • | | | | |

^{* =} Outside of Control Limits.



Method: SW846 8270D

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61834-BS | File ID X049003.D | DF 1 | Analyzed 09/13/16 | By MV | Prep Date 09/12/16 | Prep Batch OP61834 | Analytical Batch SX2121 |
|----------------------|-----------------------------|----------------|--------------------------|----------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|----------|----------------------------|----------------|--------------|----------|--------|
| 121-14-2 | 2,4-Dinitrotoluene | 1670 | 1220 | 73 | 59-109 |
| 606-20-2 | 2,6-Dinitrotoluene | 1670 | 1190 | 71 | 61-107 |
| 122-66-7 | 1,2-Diphenylhydrazine | 1670 | 1270 | 76 | 58-112 |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | 1670 | 1300 | 78 | 64-115 |
| 118-74-1 | Hexachlorobenzene | 1670 | 1590 | 95 | 59-111 |
| 87-68-3 | Hexachlorobutadiene | 1670 | 1280 | 77 | 41-108 |
| 77-47-4 | Hexachlorocyclopentadiene | 1670 | 1390 | 83 | 49-110 |
| 67-72-1 | Hexachloroethane | 1670 | 1070 | 64 | 40-105 |
| 78-59-1 | Isophorone | 1670 | 1210 | 73 | 42-89 |
| 88-74-4 | 2-Nitroaniline | 1670 | 1250 | 75 | 56-123 |
| 99-09-2 | 3-Nitroaniline | 1670 | 1130 | 68 | 41-111 |
| 100-01-6 | 4-Nitroaniline | 1670 | 1230 | 74 | 54-113 |
| 98-95-3 | Nitrobenzene | 1670 | 1180 | 71 | 43-108 |
| 62-75-9 | N-Nitrosodimethylamine | 1670 | 1020 | 61 | 40-106 |
| 621-64-7 | N-Nitrosodi-n-propylamine | 1670 | 1070 | 64 | 48-108 |
| 86-30-6 | N-Nitrosodiphenylamine | 1670 | 1290 | 77 | 62-110 |
| 110-86-1 | Pyridine | 1670 | 944 | 57 | 31-102 |
| 120-82-1 | 1,2,4-Trichlorobenzene | 1670 | 1190 | 71 | 45-100 |
| | | | | | |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|-----------|-----------------------------|-----|---------|
| | | | |
| 367-12-4 | 2-Fluorophenol | 63% | 40-102% |
| 4165-62-2 | Phenol-d5 | 68% | 41-100% |
| 118-79-6 | 2,4,6-Tribromophenol | 94% | 42-108% |
| 4165-60-0 | Nitrobenzene-d5 | 67% | 40-105% |
| 321-60-8 | 2-Fluorobiphenyl | 69% | 43-107% |
| 1718-51-0 | Terphenyl-d14 | 88% | 45-119% |

^{* =} Outside of Control Limits.

Method: SW846 8270D BY SIM

Blank Spike Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA **Project:**

| Sample OP61814-BS | File ID W094885.D | DF 1 | Analyzed 09/12/16 | By MG | Prep Date 09/10/16 | Prep Batch OP61814 | Analytical Batch SW4252 |
|----------------------|-----------------------------|----------------|--------------------------|-----------------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|-----------|------------------------|----------------|--------------|----------|--------|
| 83-32-9 | Acenaphthene | 667 | 512 | 77 | 53-100 |
| 208-96-8 | Acenaphthylene | 667 | 515 | 77 | 51-100 |
| 120-12-7 | Anthracene | 333 | 231 | 69 | 60-102 |
| 56-55-3 | Benzo(a)anthracene | 333 | 259 | 78 | 60-106 |
| 50-32-8 | Benzo(a)pyrene | 333 | 269 | 81 | 58-105 |
| 205-99-2 | Benzo(b)fluoranthene | 333 | 298 | 89 | 59-112 |
| 191-24-2 | Benzo(g,h,i)perylene | 333 | 275 | 82 | 56-109 |
| 207-08-9 | Benzo(k)fluoranthene | 333 | 288 | 86 | 58-109 |
| 218-01-9 | Chrysene | 333 | 287 | 86 | 62-104 |
| 53-70-3 | Dibenzo(a,h)anthracene | 333 | 301 | 90 | 55-110 |
| 206-44-0 | Fluoranthene | 667 | 461 | 69 | 59-109 |
| 86-73-7 | Fluorene | 667 | 536 | 80 | 56-104 |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | 333 | 302 | 91 | 54-110 |
| 90-12-0 | 1-Methylnaphthalene | 667 | 500 | 75 | 50-101 |
| 91-57-6 | 2-Methylnaphthalene | 667 | 455 | 68 | 49-100 |
| 91-20-3 | Naphthalene | 667 | 451 | 68 | 49-101 |
| 85-01-8 | Phenanthrene | 667 | 503 | 75 | 57-104 |
| 129-00-0 | Pyrene | 667 | 462 | 69 | 58-106 |
| CAS No. | Surrogate Recoveries | BSP | Lin | nits | |
| 4165-60-0 | Nitrobenzene-d5 | 84% | 40- | 105% | |
| 321-60-8 | 2-Fluorobiphenyl | 82% | 43- | 107% | |
| 1718-51-0 | Terphenyl-d14 | 83% | 45- | 119% | |

^{* =} Outside of Control Limits.

Method: SW846 8270D BY SIM

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61828-BS | File ID W094929.D | DF 1 | Analyzed 09/13/16 | By MG | Prep Date 09/12/16 | Prep Batch OP61828 | Analytical Batch SW4253 |
|----------------------|-----------------------------|----------------|--------------------------|-----------------|---------------------------|-----------------------|----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|----------|------------------------|----------------|--------------|----------|--------|
| CAB NO. | Compound | ug/ Kg | ug/ Kg | 70 | Limits |
| 83-32-9 | Acenaphthene | 667 | 615 | 92 | 53-100 |
| 208-96-8 | Acenaphthylene | 667 | 573 | 86 | 51-100 |
| 120-12-7 | Anthracene | 333 | 327 | 98 | 60-102 |
| 56-55-3 | Benzo(a)anthracene | 333 | 251 | 75 | 60-106 |
| 50-32-8 | Benzo(a)pyrene | 333 | 255 | 76 | 58-105 |
| 205-99-2 | Benzo(b)fluoranthene | 333 | 295 | 88 | 59-112 |
| 191-24-2 | Benzo(g,h,i)perylene | 333 | 285 | 85 | 56-109 |
| 207-08-9 | Benzo(k)fluoranthene | 333 | 296 | 89 | 58-109 |
| 218-01-9 | Chrysene | 333 | 320 | 96 | 62-104 |
| 53-70-3 | Dibenzo(a,h)anthracene | 333 | 301 | 90 | 55-110 |
| 206-44-0 | Fluoranthene | 667 | 596 | 89 | 59-109 |
| 86-73-7 | Fluorene | 667 | 664 | 100 | 56-104 |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | 333 | 288 | 86 | 54-110 |
| 90-12-0 | 1-Methylnaphthalene | 667 | 497 | 75 | 50-101 |
| 91-57-6 | 2-Methylnaphthalene | 667 | 505 | 76 | 49-100 |
| 91-20-3 | Naphthalene | 667 | 512 | 77 | 49-101 |
| 85-01-8 | Phenanthrene | 667 | 618 | 93 | 57-104 |
| 129-00-0 | Pyrene | 667 | 550 | 82 | 58-106 |
| | | | | | |
| | | | | | |
| CAS No. | Surrogate Recoveries | BSP | Lim | its | |

| 321-60-8 | Nitrobenzene-d5 2-Fluorobiphenyl Terphenyl-d14 | 83% 88% 92% | 40-105% 43-107% 45-119% |
|----------|--|-------------------|-------------------------------|
| | | | |

^{* =} Outside of Control Limits.

Method: SW846 8270D

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------|-----------|----|----------|-------|------------------|------------|-------------------------|
| OP61812-MS | X048974.D | 1 | 09/12/16 | MV | 09/09/16 | OP61812 | SX2120 |
| OP61812-MSD | X048975.D | 1 | 09/12/16 | MV | 09/09/16 | OP61812 | SX2120 |
| C47015-4 | X048973.D | 1 | 09/12/16 | MV | 09/09/16 | OP61812 | SX2120 |
| C47013-4 | A040773.D | 1 | 07/12/10 | 1V1 V | 07/07/10 | 01 01012 | 5712120 |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

| | | C47015-4 | Spike | MS | MS | Spike | MSD | MSD | | Limits |
|-----------|-----------------------------|----------|-------|-------|------|-------|-------|-----|-----|-----------|
| CAS No. | Compound | ug/kg Q | ug/kg | ug/kg | % | ug/kg | ug/kg | % | RPD | Rec/RPD |
| | | | | | | | | | | |
| 65-85-0 | Benzoic Acid | ND | 3280 | 2210 | 67 | 3300 | 2090 | 63 | 6 | 36-118/41 |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 1640 | 1440 | 88 | 1650 | 1320 | 80 | 9 | 52-108/21 |
| 95-57-8 | 2-Chlorophenol | ND | 1640 | 1280 | 78 | 1650 | 1200 | 73 | 6 | 48-104/26 |
| 120-83-2 | 2,4-Dichlorophenol | ND | 1640 | 1320 | 81 | 1650 | 1230 | 75 | 7 | 51-105/27 |
| 105-67-9 | 2,4-Dimethylphenol | ND | 1640 | 1230 | 75 | 1650 | 1160 | 70 | 6 | 43-96/23 |
| 51-28-5 | 2,4-Dinitrophenol | ND | 3280 | 1890 | 58 | 3300 | 1730 | 52 | 9 | 40-119/32 |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 3280 | 2370 | 72 | 3300 | 2240 | 68 | 6 | 64-121/29 |
| 95-48-7 | 2-Methylphenol | ND | 1640 | 1310 | 80 | 1650 | 1220 | 74 | 7 | 46-107/24 |
| | 3&4-Methylphenol | ND | 3280 | 2720 | 83 | 3300 | 2500 | 76 | 8 | 44-111/24 |
| 88-75-5 | 2-Nitrophenol | ND | 1640 | 1280 | 78 | 1650 | 1200 | 73 | 6 | 49-104/27 |
| 100-02-7 | 4-Nitrophenol | ND | 3280 | 2610 | 80 | 3300 | 2400 | 73 | 8 | 56-116/23 |
| 87-86-5 | Pentachlorophenol | ND | 3280 | 2670 | 81 | 3300 | 2380 | 72 | 11 | 61-114/23 |
| 108-95-2 | Phenol | ND | 1640 | 1380 | 84 | 1650 | 1290 | 78 | 7 | 45-110/24 |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 1640 | 1440 | 88 | 1650 | 1360 | 82 | 6 | 58-112/22 |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 1640 | 1370 | 84 | 1650 | 1310 | 79 | 4 | 56-109/25 |
| 62-53-3 | Aniline | ND | 1640 | 1300 | 79 | 1650 | 1250 | 76 | 4 | 42-108/28 |
| 92-87-5 | Benzidine | ND | 1640 | 1080 | 66 | 1650 | 1110 | 67 | 3 | 10-109/35 |
| 100-51-6 | Benzyl Alcohol | ND | 1640 | 1370 | 84 | 1650 | 1300 | 79 | 5 | 53-108/24 |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 1640 | 1320 | 81 | 1650 | 1260 | 76 | 5 | 62-110/21 |
| 85-68-7 | Butyl benzyl phthalate | ND | 1640 | 1740 | 106 | 1650 | 1670 | 101 | 4 | 65-113/20 |
| 86-74-8 | Carbazole | ND | 1640 | 1450 | 88 | 1650 | 1390 | 84 | 4 | 60-111/19 |
| 106-47-8 | 4-Chloroaniline | ND | 1640 | 1160 | 71 | 1650 | 1130 | 68 | 3 | 30-115/30 |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 1640 | 1350 | 82 | 1650 | 1290 | 78 | 5 | 48-105/24 |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 1640 | 1250 | 76 | 1650 | 1220 | 74 | 2 | 46-103/27 |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 1640 | 1440 | 88 | 1650 | 1410 | 85 | 2 | 40-110/25 |
| 91-58-7 | 2-Chloronaphthalene | ND | 1640 | 1350 | 82 | 1650 | 1310 | 79 | 3 | 53-106/23 |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 1640 | 1370 | 84 | 1650 | 1260 | 76 | 8 | 58-106/21 |
| 132-64-9 | Dibenzofuran | ND | 1640 | 1420 | 87 | 1650 | 1360 | 82 | 4 | 57-108/22 |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 1640 | 1190 | 73 | 1650 | 1150 | 70 | 3 | 44-102/28 |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 1640 | 1160 | 71 | 1650 | 1140 | 69 | 2 | 42-100/30 |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 1640 | 1180 | 72 | 1650 | 1160 | 70 | 2 | 40-106/29 |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 1640 | 1450 | 88 | 1650 | 1360 | 82 | 6 | 36-114/28 |
| 84-66-2 | Diethyl Phthalate | ND | 1640 | 1490 | 91 | 1650 | 1390 | 84 | 7 | 61-109/20 |
| 131-11-3 | Dimethyl Phthalate | ND | 1640 | 1450 | 88 | 1650 | 1360 | 82 | 6 | 59-108/20 |
| 117-84-0 | Di-n-octyl Phthalate | ND | 1640 | 2000 | 122* | 1650 | 1960 | 119 | 2 | 64-119/21 |
| 84-74-2 | Di-n-butyl Phthalate | ND | 1640 | 1540 | 94 | 1650 | 1440 | 87 | 7 | 63-108/19 |
| 0-1-1-2 | Di-ii-outyi i iitilalate | אויז | 1040 | 1340 | 74 | 1050 | 1770 | 07 | 1 | 03-100/17 |

^{* =} Outside of Control Limits.



Method: SW846 8270D

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|-------------|-----------|----|----------|------------------------|------------------|------------|-------------------------|
| OP61812-MS | X048974.D | 1 | 09/12/16 | MV | 09/09/16 | OP61812 | SX2120 |
| OP61812-MSD | X048975.D | 1 | 09/12/16 | MV | 09/09/16 | OP61812 | SX2120 |
| C47015-4 | X048973.D | 1 | 09/12/16 | MV | 09/09/16 | OP61812 | SX2120 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

| CAS No. | Compound | C47015-4 ug/kg (| | Spike 1g/kg | MS ug/kg | MS % | Spike ug/kg | MSD ug/kg | MSD % | RPD | Limits Rec/RPD |
|-------------|----------------------------|-----------------------|---|----------------|-------------|---------|----------------|--------------|----------|-----|-------------------|
| 121-14-2 | 2,4-Dinitrotoluene | ND | 1 | 640 | 1600 | 98 | 1650 | 1470 | 89 | 8 | 59-109/20 |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 1 | 640 | 1440 | 88 | 1650 | 1360 | 82 | 6 | 61-107/22 |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 1 | 640 | 1580 | 96 | 1650 | 1520 | 92 | 4 | 58-112/22 |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 1 | 640 | 1800 | 110 | 1650 | 1720 | 104 | 5 | 64-115/23 |
| 118-74-1 | Hexachlorobenzene | ND | 1 | 640 | 1340 | 82 | 1650 | 1230 | 75 | 9 | 59-111/21 |
| 87-68-3 | Hexachlorobutadiene | ND | 1 | 640 | 1170 | 71 | 1650 | 1140 | 69 | 3 | 41-108/27 |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 1 | 640 | 773 | 47* | 1650 | 822 | 50 | 6 | 49-110/31 |
| 67-72-1 | Hexachloroethane | ND | 1 | 640 | 1160 | 71 | 1650 | 1150 | 70 | 1 | 40-105/32 |
| 78-59-1 | Isophorone | ND | 1 | 640 | 1360 | 83 | 1650 | 1300 | 79 | 5 | 42-89/22 |
| 88-74-4 | 2-Nitroaniline | ND | 1 | 640 | 1630 | 99 | 1650 | 1570 | 95 | 4 | 56-123/24 |
| 99-09-2 | 3-Nitroaniline | ND | 1 | 640 | 1370 | 84 | 1650 | 1330 | 81 | 3 | 41-111/25 |
| 100-01-6 | 4-Nitroaniline | ND | 1 | 640 | 1370 | 84 | 1650 | 1280 | 78 | 7 | 54-113/22 |
| 98-95-3 | Nitrobenzene | ND | 1 | 640 | 1350 | 82 | 1650 | 1300 | 79 | 4 | 43-108/25 |
| 62-75-9 | N-Nitrosodimethylamine | ND | 1 | 640 | 1160 | 71 | 1650 | 1180 | 72 | 2 | 40-106/27 |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 1 | 640 | 1400 | 85 | 1650 | 1300 | 79 | 7 | 48-108/27 |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 1 | 640 | 1470 | 90 | 1650 | 1390 | 84 | 6 | 62-110/21 |
| 110-86-1 | Pyridine | ND | 1 | 640 | 926 | 56 | 1650 | 948 | 57 | 2 | 31-102/38 |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 1 | 640 | 1180 | 72 | 1650 | 1130 | 68 | 4 | 45-100/26 |
| CAS No. | Surrogate Recoveries | MS | N | MSD | C | 47015-4 | Limits | | | | |
| 367-12-4 | 2-Fluorophenol | 75% | 7 | 1% | 80 |)% | 40-102% | ń | | | |
| 4165-62-2 | Phenol-d5 | 81% | | 6% | | 9% | 41-100% | | | | |
| 118-79-6 | 2,4,6-Tribromophenol | 75% | | 0% | | 3% | 42-108% | | | | |
| 4165-60-0 | Nitrobenzene-d5 | 74% | | 2% | | 3% | 40-105% | | | | |
| 321-60-8 | 2-Fluorobiphenyl | 74% | | 2% | | 7% | 43-107% | | | | |
| 1718-51-0 | Terphenyl-d14 | 92% | | 37% | | 1% | 45-119% | | | | |
| - / 10 01 0 | r | - - / - | U | . , • | 0. | . , , | / | - | | | |

^{* =} Outside of Control Limits.

Method: SW846 8270D

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------|-----------|----|----------|----|-----------|------------|------------------|
| OP61834-MS | X049018.D | 1 | 09/13/16 | MV | 09/12/16 | OP61834 | SX2121 |
| OP61834-MSD | X049019.D | 1 | 09/13/16 | MV | 09/12/16 | OP61834 | SX2121 |
| C47015-32 | X049017.D | 1 | 09/13/16 | MV | 09/12/16 | OP61834 | SX2121 |
| | | | | | | | |

The QC reported here applies to the following samples:

| | | C47015-32 | | MS | MS | Spike | MSD | MSD | | Limits |
|-----------|-----------------------------|-----------|-------|-------|-----|-------|-------|-----|-----|-----------|
| CAS No. | Compound | ug/kg Q | ug/kg | ug/kg | % | ug/kg | ug/kg | % | RPD | Rec/RPD |
| | | | | | | | | | | |
| 65-85-0 | Benzoic Acid | ND | 3310 | 1710 | 52 | 3330 | 1970 | 59 | 14 | 36-118/41 |
| 59-50-7 | 4-Chloro-3-methyl Phenol | ND | 1660 | 1270 | 77 | 1670 | 1320 | 79 | 4 | 52-108/21 |
| 95-57-8 | 2-Chlorophenol | ND | 1660 | 1140 | 69 | 1670 | 1200 | 72 | 5 | 48-104/26 |
| 120-83-2 | 2,4-Dichlorophenol | ND | 1660 | 1340 | 81 | 1670 | 1390 | 83 | 4 | 51-105/27 |
| 105-67-9 | 2,4-Dimethylphenol | ND | 1660 | 1090 | 66 | 1670 | 1150 | 69 | 5 | 43-96/23 |
| 51-28-5 | 2,4-Dinitrophenol | ND | 3310 | 1990 | 60 | 3330 | 2270 | 68 | 13 | 40-119/32 |
| 534-52-1 | 4,6-Dinitro-o-cresol | ND | 3310 | 2550 | 77 | 3330 | 2760 | 83 | 8 | 64-121/29 |
| 95-48-7 | 2-Methylphenol | ND | 1660 | 1110 | 67 | 1670 | 1160 | 70 | 4 | 46-107/24 |
| | 3&4-Methylphenol | ND | 3310 | 2260 | 68 | 3330 | 2340 | 70 | 3 | 44-111/24 |
| 88-75-5 | 2-Nitrophenol | ND | 1660 | 1240 | 75 | 1670 | 1300 | 78 | 5 | 49-104/27 |
| 100-02-7 | 4-Nitrophenol | ND | 3310 | 2120 | 64 | 3330 | 2210 | 66 | 4 | 56-116/23 |
| 87-86-5 | Pentachlorophenol | ND | 3310 | 3310 | 100 | 3330 | 3530 | 106 | 6 | 61-114/23 |
| 108-95-2 | Phenol | ND | 1660 | 1150 | 69 | 1670 | 1200 | 72 | 4 | 45-110/24 |
| 95-95-4 | 2,4,5-Trichlorophenol | ND | 1660 | 1450 | 88 | 1670 | 1510 | 91 | 4 | 58-112/22 |
| 88-06-2 | 2,4,6-Trichlorophenol | ND | 1660 | 1370 | 83 | 1670 | 1430 | 86 | 4 | 56-109/25 |
| 62-53-3 | Aniline | ND | 1660 | 1120 | 68 | 1670 | 1180 | 71 | 5 | 42-108/28 |
| 92-87-5 | Benzidine | ND | 1660 | 668 | 40 | 1670 | 820 | 49 | 20 | 10-109/35 |
| 100-51-6 | Benzyl Alcohol | ND | 1660 | 1130 | 68 | 1670 | 1190 | 71 | 5 | 53-108/24 |
| 101-55-3 | 4-Bromophenyl phenyl ether | ND | 1660 | 1520 | 92 | 1670 | 1580 | 95 | 4 | 62-110/21 |
| 85-68-7 | Butyl benzyl phthalate | ND | 1660 | 1330 | 80 | 1670 | 1360 | 82 | 2 | 65-113/20 |
| 86-74-8 | Carbazole | ND | 1660 | 1370 | 83 | 1670 | 1430 | 86 | 4 | 60-111/19 |
| 106-47-8 | 4-Chloroaniline | ND | 1660 | 1220 | 74 | 1670 | 1270 | 76 | 4 | 30-115/30 |
| 111-91-1 | bis(2-Chloroethoxy)methane | ND | 1660 | 1240 | 75 | 1670 | 1290 | 77 | 4 | 48-105/24 |
| 111-44-4 | bis(2-Chloroethyl)ether | ND | 1660 | 1050 | 63 | 1670 | 1130 | 68 | 7 | 46-103/27 |
| 108-60-1 | bis(2-Chloroisopropyl)ether | ND | 1660 | 1120 | 68 | 1670 | 1180 | 71 | 5 | 40-110/25 |
| 91-58-7 | 2-Chloronaphthalene | ND | 1660 | 1250 | 75 | 1670 | 1320 | 79 | 5 | 53-106/23 |
| 7005-72-3 | 4-Chlorophenyl phenyl ether | ND | 1660 | 1310 | 79 | 1670 | 1390 | 83 | 6 | 58-106/21 |
| 132-64-9 | Dibenzofuran | ND | 1660 | 1330 | 80 | 1670 | 1400 | 84 | 5 | 57-108/22 |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 1660 | 1090 | 66 | 1670 | 1160 | 70 | 6 | 44-102/28 |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 1660 | 1070 | 65 | 1670 | 1140 | 68 | 6 | 42-100/30 |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 1660 | 1090 | 66 | 1670 | 1160 | 70 | 6 | 40-106/29 |
| 91-94-1 | 3,3'-Dichlorobenzidine | ND | 1660 | 1330 | 80 | 1670 | 1430 | 86 | 7 | 36-114/28 |
| 84-66-2 | Diethyl Phthalate | ND | 1660 | 1330 | 80 | 1670 | 1390 | 83 | 4 | 61-109/20 |
| 131-11-3 | Dimethyl Phthalate | ND | 1660 | 1330 | 80 | 1670 | 1400 | 84 | 5 | 59-108/20 |
| 117-84-0 | Di-n-octyl Phthalate | ND | 1660 | 1370 | 83 | 1670 | 1380 | 83 | 1 | 64-119/21 |
| 84-74-2 | Di-n-butyl Phthalate | ND | 1660 | 1350 | 82 | 1670 | 1430 | 86 | 6 | 63-108/19 |
| 0-1-1-2 | Di-ii-outyi i iiiiaiaic | ND | 1000 | 1330 | 02 | 1070 | 1730 | 30 | J | 03-100/17 |

^{* =} Outside of Control Limits.

Method: SW846 8270D

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------|-----------|----|----------|----|-----------|------------|------------------|
| OP61834-MS | X049018.D | 1 | 09/13/16 | MV | 09/12/16 | OP61834 | SX2121 |
| OP61834-MSD | X049019.D | 1 | 09/13/16 | MV | 09/12/16 | OP61834 | SX2121 |
| C47015-32 | X049017.D | 1 | 09/13/16 | MV | 09/12/16 | OP61834 | SX2121 |
| | | | | | | | |

The QC reported here applies to the following samples:

| | | C47015-32 | Spike | MS | MS | Spike | MSD | MSD | | Limits |
|-----------|----------------------------|-----------|-------|-------|--------------------|----------------------|-------|-----|-----|-----------|
| CAS No. | Compound | ug/kg Q | ug/kg | ug/kg | ; % | ug/kg | ug/kg | % | RPD | Rec/RPD |
| 121-14-2 | 2,4-Dinitrotoluene | ND | 1660 | 1290 | 78 | 1670 | 1360 | 82 | 5 | 59-109/20 |
| 606-20-2 | 2,6-Dinitrotoluene | ND | 1660 | 1300 | 79 | 1670 | 1390 | 83 | 7 | 61-107/22 |
| 122-66-7 | 1,2-Diphenylhydrazine | ND | 1660 | 1300 | 79 | 1670 | 1350 | 81 | 4 | 58-112/22 |
| 117-81-7 | bis(2-Ethylhexyl)phthalate | ND | 1660 | 1340 | 81 | 1670 | 1380 | 83 | 3 | 64-115/23 |
| 118-74-1 | Hexachlorobenzene | ND | 1660 | 1760 | 106 | 1670 | 1820 | 109 | 3 | 59-111/21 |
| 87-68-3 | Hexachlorobutadiene | ND | 1660 | 1290 | 78 | 1670 | 1350 | 81 | 5 | 41-108/27 |
| 77-47-4 | Hexachlorocyclopentadiene | ND | 1660 | 1310 | 79 | 1670 | 1370 | 82 | 4 | 49-110/31 |
| 67-72-1 | Hexachloroethane | ND | 1660 | 1030 | 62 | 1670 | 1100 | 66 | 7 | 40-105/32 |
| 78-59-1 | Isophorone | ND | 1660 | 1220 | 74 | 1670 | 1260 | 76 | 3 | 42-89/22 |
| 88-74-4 | 2-Nitroaniline | ND | 1660 | 1280 | 77 | 1670 | 1340 | 80 | 5 | 56-123/24 |
| 99-09-2 | 3-Nitroaniline | ND | 1660 | 1250 | 75 | 1670 | 1300 | 78 | 4 | 41-111/25 |
| 100-01-6 | 4-Nitroaniline | ND | 1660 | 1250 | 75 | 1670 | 1310 | 79 | 5 | 54-113/22 |
| 98-95-3 | Nitrobenzene | ND | 1660 | 1190 | 72 | 1670 | 1240 | 74 | 4 | 43-108/25 |
| 62-75-9 | N-Nitrosodimethylamine | ND | 1660 | 909 | 55 | 1670 | 952 | 57 | 5 | 40-106/27 |
| 621-64-7 | N-Nitrosodi-n-propylamine | ND | 1660 | 1080 | 65 | 1670 | 1110 | 67 | 3 | 48-108/27 |
| 86-30-6 | N-Nitrosodiphenylamine | ND | 1660 | 1380 | 83 | 1670 | 1430 | 86 | 4 | 62-110/21 |
| 110-86-1 | Pyridine | ND | 1660 | 827 | 50 | 1670 | 893 | 54 | 8 | 31-102/38 |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 1660 | 1240 | 75 | 1670 | 1300 | 78 | 5 | 45-100/26 |
| | | | | | | | | | | |
| CAS No. | Surrogate Recoveries | MS | MSD | C | 47015-32 | Limits | | | | |
| 367-12-4 | 2-Fluorophenol | 64% | 66% | 6 | 3% | 40-1029 | % | | | |
| 4165-62-2 | Phenol-d5 | 69% | 71% | | 0% | 41-1009 | | | | |
| 118-79-6 | 2,4,6-Tribromophenol | 105% | 109%* | | 03% | 42-1089 | | | | |
| 4165-60-0 | Nitrobenzene-d5 | 66% | 68% | | 4% | 40-1059 | | | | |
| 321-60-8 | 2-Fluorobiphenyl | 73% | 75% | | 2% | 43-1079 | | | | |
| 1718-51-0 | Terphenyl-d14 | 86% | 86% | | 2 <i>7</i> 0 4% | 45-1199 | | | | |
| 1/10-51-0 | 1 ci piloliyi-u1+ | 00/0 | 30 /0 | O. | T/U | -1 J-1177 | .0 | | | |

^{* =} Outside of Control Limits.

Method: SW846 8270D BY SIM

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | $\mathbf{B}\mathbf{y}$ | Prep Date | Prep Batch | Analytical Batch |
|-------------|-----------|----|----------|------------------------|-----------|------------|-------------------------|
| OP61814-MS | W094890.D | 1 | 09/12/16 | MG | 09/10/16 | OP61814 | SW4252 |
| OP61814-MSD | W094891.D | 1 | 09/12/16 | MG | 09/10/16 | OP61814 | SW4252 |
| C47015-3 | W094889.D | 1 | 09/12/16 | MG | 09/10/16 | OP61814 | SW4252 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-10 11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

| CACN | C 1 | C47015-3 | | Spike | MS | | MS | Spike | MSD | MSD | DDD | Limits |
|-----------|------------------------|----------|---|-------|------|----------------|-------|----------|-------|-----|-----|-----------|
| CAS No. | Compound | ug/kg | Q | ug/kg | ug/k | g | % | ug/kg | ug/kg | % | RPD | Rec/RPD |
| 83-32-9 | Acenaphthene | ND | | 676 | 571 | | 85 | 667 | 553 | 83 | 3 | 53-100/28 |
| 208-96-8 | Acenaphthylene | ND | | 676 | 542 | | 80 | 667 | 598 | 90 | 10 | 51-100/25 |
| 120-12-7 | Anthracene | ND | | 338 | 301 | | 89 | 333 | 304 | 91 | 1 | 60-102/29 |
| 56-55-3 | Benzo(a)anthracene | ND | | 338 | 300 | | 89 | 333 | 319 | 96 | 6 | 60-106/30 |
| 50-32-8 | Benzo(a)pyrene | ND | | 338 | 320 | | 95 | 333 | 239 | 72 | 29 | 58-105/30 |
| 205-99-2 | Benzo(b)fluoranthene | ND | | 338 | 347 | | 103 | 333 | 286 | 86 | 19 | 59-112/33 |
| 191-24-2 | Benzo(g,h,i)perylene | ND | | 338 | 207 | | 61 | 333 | 173 | 52* | 18 | 56-109/31 |
| 207-08-9 | Benzo(k)fluoranthene | ND | | 338 | 408 | | 121* | 333 | 304 | 91 | 29 | 58-109/33 |
| 218-01-9 | Chrysene | ND | | 338 | 333 | | 99 | 333 | 312 | 94 | 7 | 62-104/30 |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | | 338 | 249 | | 74 | 333 | 222 | 67 | 11 | 55-110/31 |
| 206-44-0 | Fluoranthene | ND | | 676 | 618 | | 91 | 667 | 582 | 87 | 6 | 59-109/29 |
| 86-73-7 | Fluorene | ND | | 676 | 584 | | 86 | 667 | 612 | 92 | 5 | 56-104/27 |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | | 338 | 238 | | 70 | 333 | 224 | 67 | 6 | 54-110/32 |
| 90-12-0 | 1-Methylnaphthalene | ND | | 676 | 523 | | 77 | 667 | 573 | 86 | 9 | 50-101/30 |
| 91-57-6 | 2-Methylnaphthalene | ND | | 676 | 489 | | 72 | 667 | 554 | 83 | 12 | 49-100/26 |
| 91-20-3 | Naphthalene | ND | | 676 | 563 | | 83 | 667 | 525 | 79 | 7 | 49-101/28 |
| 85-01-8 | Phenanthrene | ND | | 676 | 612 | | 91 | 667 | 586 | 88 | 4 | 57-104/27 |
| 129-00-0 | Pyrene | ND | | 676 | 507 | | 75 | 667 | 560 | 84 | 10 | 58-106/29 |
| | | | | | | | | | | | | |
| G L G M | G | 3.50 | | 3.5GD | | ~ 4 = 6 | 4.5.0 | . | | | | |
| CAS No. | Surrogate Recoveries | MS | | MSD | (| C470 |)15-3 | Limits | | | | |
| 4165-60-0 | Nitrobenzene-d5 | 92% | | 90% | 8 | 84% | | 40-1059 | 6 | | | |
| 321-60-8 | 2-Fluorobiphenyl | 90% | | 86% | 8 | 87% | | 43-1079 | 6 | | | |
| 1718-51-0 | Terphenyl-d14 | 91% | | 94% | 8 | 89% | | 45-1199 | 6 | | | |

^{* =} Outside of Control Limits.

Method: SW846 8270D BY SIM

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------|-----------|----|----------|----|-----------|------------|-------------------------|
| OP61828-MS | W094949.D | 1 | 09/13/16 | MG | 09/12/16 | OP61828 | SW4253 |
| OP61828-MSD | W094950.D | 1 | 09/13/16 | MG | 09/12/16 | OP61828 | SW4253 |
| C47015-26 | W094948.D | 1 | 09/13/16 | MG | 09/12/16 | OP61828 | SW4253 |
| | | | | | | | |

The QC reported here applies to the following samples:

| CAS No. | Compound | C47015-26 ug/kg Q | Spike ug/kg | MS ug/kg | MS % | Spike ug/kg | MSD ug/kg | MSD % | RPD | Limits Rec/RPD |
|-----------|------------------------|----------------------|----------------|-------------|---------|----------------|--------------|----------|-----|-------------------|
| 83-32-9 | Acenaphthene | ND | 676 | 479 | 71 | 667 | 494 | 74 | 3 | 53-100/28 |
| 208-96-8 | Acenaphthylene | ND | 676 | 456 | 67 | 667 | 497 | 75 | 9 | 51-100/25 |
| 120-12-7 | Anthracene | ND | 338 | 261 | 77 | 333 | 274 | 82 | 5 | 60-102/29 |
| 56-55-3 | Benzo(a)anthracene | ND | 338 | 267 | 79 | 333 | 283 | 85 | 6 | 60-106/30 |
| 50-32-8 | Benzo(a)pyrene | ND | 338 | 236 | 70 | 333 | 282 | 85 | 18 | 58-105/30 |
| 205-99-2 | Benzo(b)fluoranthene | ND | 338 | 244 | 72 | 333 | 319 | 96 | 27 | 59-112/33 |
| 191-24-2 | Benzo(g,h,i)perylene | ND | 338 | 236 | 70 | 333 | 290 | 87 | 21 | 56-109/31 |
| 207-08-9 | Benzo(k)fluoranthene | ND | 338 | 277 | 82 | 333 | 312 | 94 | 12 | 58-109/33 |
| 218-01-9 | Chrysene | ND | 338 | 286 | 85 | 333 | 321 | 96 | 12 | 62-104/30 |
| 53-70-3 | Dibenzo(a,h)anthracene | ND | 338 | 257 | 76 | 333 | 296 | 89 | 14 | 55-110/31 |
| 206-44-0 | Fluoranthene | ND | 676 | 507 | 75 | 667 | 600 | 90 | 17 | 59-109/29 |
| 86-73-7 | Fluorene | ND | 676 | 510 | 75 | 667 | 527 | 79 | 3 | 56-104/27 |
| 193-39-5 | Indeno(1,2,3-cd)pyrene | ND | 338 | 278 | 82 | 333 | 297 | 89 | 7 | 54-110/32 |
| 90-12-0 | 1-Methylnaphthalene | ND | 676 | 455 | 67 | 667 | 477 | 72 | 5 | 50-101/30 |
| 91-57-6 | 2-Methylnaphthalene | ND | 676 | 465 | 69 | 667 | 499 | 75 | 7 | 49-100/26 |
| 91-20-3 | Naphthalene | ND | 676 | 469 | 69 | 667 | 468 | 70 | 0 | 49-101/28 |
| 85-01-8 | Phenanthrene | ND | 676 | 522 | 77 | 667 | 598 | 90 | 14 | 57-104/27 |
| 129-00-0 | Pyrene | ND | 676 | 459 | 68 | 667 | 525 | 79 | 13 | 58-106/29 |
| CAS No. | Surrogate Recoveries | MS | MSD | C 4 | 7015-26 | Limits | | | | |
| 4165-60-0 | Nitrobenzene-d5 | 85% | 81% | 96 | % | 40-105% | ó | | | |
| 321-60-8 | 2-Fluorobiphenyl | 77% | 74% | 83 | | 43-107% | | | | |
| 1718-51-0 | Terphenyl-d14 | 84% | 88% | 82 | | 45-119% | | | | |

^{* =} Outside of Control Limits.



Section 8

GC Volatiles

QC Data Summaries

(SGS Accutest Southeast)

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method: SW846 8015C

Page 1 of 1

Job Number: C47015

Method Blank Summary

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample GUV4033-MB | File ID UV075719.D | DF 1 | Analyzed 09/09/16 | By CG | Prep Date n/a | Prep Batch n/a | Analytical Batch GUV4033 |
|----------------------|------------------------------|-------------|--------------------------|----------|------------------|-------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9

CAS No. Compound **MDL** Result \mathbf{RL} Units Q

TPH-GRO (C6-C10) ND 5.0 2.5 mg/kg

CAS No. Limits **Surrogate Recoveries**

460-00-4 4-Bromofluorobenzene 106% 56-149% 98-08-8 aaa-Trifluorotoluene 99% 66-132%

Method: SW846 8015C

Job Number: C47015

Method Blank Summary

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample GUV4034-MB | File ID UV075762.D | DF 1 | Analyzed 09/12/16 | By CG | Prep Date n/a | Prep Batch n/a | Analytical Batch GUV4034 |
|----------------------|------------------------------|-------------|--------------------------|-----------------|---------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20, C47015-21

CAS No. Compound **MDL** Result \mathbf{RL} Units Q

> TPH-GRO (C6-C10) ND 5.0 2.5 mg/kg

CAS No. Limits **Surrogate Recoveries**

460-00-4 4-Bromofluorobenzene 94% 56-149% 98-08-8 aaa-Trifluorotoluene 95% 66-132%

Method: SW846 8015C

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample GUV4035-MB | File ID UV075794.D | DF 1 | Analyzed 09/13/16 | By CG | Prep Date n/a | Prep Batch n/a | Analytical Batch GUV4035 |
|----------------------|------------------------------|-------------|--------------------------|-----------------|----------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-10, C47015-11, C47015-12, C47015-13, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | Result | RL | MDL | Units Q |
|---------|------------------|--------|-----|-----|---------|
| | TPH-GRO (C6-C10) | ND | 5.0 | 2.5 | mg/kg |

| CAS No. | Surrogate Recoveries | | Limits |
|----------|---|-----|---------|
| 460-00-4 | 4-Bromofluorobenzene aaa-Trifluorotoluene | 90% | 56-149% |
| 98-08-8 | | 94% | 66-132% |

.1.3

Method: SW846 8015C

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample GUV4033-BS | File ID UV075718.D | DF 1 | Analyzed 09/09/16 | By CG | Prep Date n/a | Prep Batch n/a | Analytical Batch GUV4033 |
|----------------------|------------------------------|-------------|--------------------------|----------|---------------|-------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9

| CAS No. | Compound | Spike mg/kg | BSP mg/kg | BSP % | Limits |
|---------|-----------------------------|----------------|--------------|----------|--------|
| | TPH-GRO (C6-C10) | 20 | 17.4 | 87 | 74-128 |
| | | | | | |
| CAS No. | Surrogate Recoveries | BSP | Lim | its | |
| | | | | | |

^{* =} Outside of Control Limits.

Method: SW846 8015C

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample GUV4034-BS | File ID UV075761.D | DF 1 | Analyzed 09/12/16 | By CG | Prep Date n/a | Prep Batch n/a | Analytical Batch GUV4034 |
|----------------------|------------------------------|-------------|--------------------------|-----------------|----------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20, C47015-21

| CAS No. | Compound | Spike mg/kg | BSP mg/kg | BSP % | Limits |
|---------|------------------|----------------|--------------|----------|--------|
| | TPH-GRO (C6-C10) | 20 | 16.4 | 82 | 74-128 |
| | | | | | |

CAS No. **BSP** Limits **Surrogate Recoveries** 460-00-4 4-Bromofluorobenzene 97% 56-149% 98-08-8 aaa-Trifluorotoluene 97% 66-132%

^{* =} Outside of Control Limits.

Method: SW846 8015C

Blank Spike Summary

Job Number: C47015

98-08-8

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample GUV4035-BS | File ID UV075813.D | DF 1 | Analyzed 09/13/16 | By CG | Prep Date n/a | Prep Batch n/a | Analytical Batch GUV4035 |
|----------------------|------------------------------|-------------|--------------------------|-----------------|----------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

aaa-Trifluorotoluene

C47015-10, C47015-11, C47015-12, C47015-13, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

66-132%

| CAS No. | Compound | Spike mg/kg | BSP mg/kg | BSP % | Limits |
|----------|----------------------|----------------|--------------|----------|--------|
| | TPH-GRO (C6-C10) | 20 | 17.4 | 87 | 74-128 |
| CAS No. | Surrogate Recoveries | BSP | Lim | nits | |
| 460-00-4 | 4-Bromofluorobenzene | 99% | 56-1 | 149% | |

92%

^{* =} Outside of Control Limits.

Method: SW846 8015C

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|-------------------------|
| FA36718-1MS | UV075721.D | 1 | 09/09/16 | CG | n/a | n/a | GUV4033 |
| FA36718-1MSD | UV075722.D | 1 | 09/09/16 | CG | n/a | n/a | GUV4033 |
| FA36718-1 | UV075720.D | 1 | 09/09/16 | CG | n/a | n/a | GUV4033 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9

| CAS No. | Compound | FA36718-1 mg/kg Q | | MS mg/kg | MS % | Spike mg/kg | MSD mg/kg | MSD % | RPD | Limits Rec/RPD |
|---------------------|--|----------------------|-------------|-------------|---------|--------------------|--------------|----------|-----|-------------------|
| | TPH-GRO (C6-C10) | 66.5 E | 19 | 80.8 | 75 | 19 | 81.1 | 77 | 0 | 74-128/17 |
| CAS No. | Surrogate Recoveries | MS | MSD | FAS | 36718-1 | Limits | | | | |
| 460-00-4 98-08-8 | 4-Bromofluorobenzene aaa-Trifluorotoluene | 80% 116% | 81% 114% | 80% 114 | | 56-149% 66-132% | - | | | |



^{* =} Outside of Control Limits.

0.3.2

Page 1 of 1

Method: SW846 8015C

∞

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample C47015-12MS | File ID UV075807.D | DF | Analyzed 09/13/16 | By CG | Prep Date | Prep Batch | Analytical Batch GUV4035 |
|-----------------------|------------------------------|----|--------------------------|----------|------------|------------|-----------------------------|
| C47015-12MSD | UV075807.D UV075808.D | 1 | 09/13/16 | CG | n/a n/a | n/a n/a | GUV4035 GUV4035 |
| C47015-12 a | UV075806.D | 1 | 09/13/16 | CG | n/a | n/a | GUV4035 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-10, C47015-11, C47015-12, C47015-13, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | C47015-12 mg/kg Q | Spike mg/kg | MS mg/kg | MS % | Spike mg/kg | MSD mg/kg | MSD % | RPD | Limits Rec/RPD | |
|---------------------|---|----------------------|----------------|-------------|---------|--------------------|--------------|----------|-----|-------------------|--|
| | TPH-GRO (C6-C10) | ND | 20.2 | 14.3 | 71* | 20.2 | 15.5 | 77 | 8 | 74-128/17 | |
| | | | | | | | | | | | |
| CAS No. | Surrogate Recoveries | MS | MSD | C47 | 015-12 | Limits | | | | | |
| 460-00-4 98-08-8 | 4-Bromofluorobenzene aaa-Trifluorotoluene | 92% 98% | 97% 98% | 92% 94% | | 56-149% 66-132% | | | | | |

⁽a) Sample was received in a bulk container but was not preserved within 48 hours of sampling. Reported results are considered minimum values.

^{* =} Outside of Control Limits.

Method: SW846 8015C

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | Ву | Prep Date | Prep Batch | Analytical Batch |
|--------------|------------|----|----------|----|-----------|------------|-------------------------|
| FA36771-1MS | UV075814.D | 1 | 09/13/16 | CG | n/a | n/a | GUV4034 |
| FA36771-1MSD | UV075815.D | 1 | 09/13/16 | CG | n/a | n/a | GUV4034 |
| FA36771-1 | UV075763.D | 1 | 09/12/16 | CG | n/a | n/a | GUV4034 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20, C47015-21

| CAS No. | Compound | FA36771-1 mg/kg Q | Spike mg/kg | MS mg/kg | MS % | Spike mg/kg | MSD mg/kg | MSD % | RPD | Limits Rec/RPD |
|---------------------|---|----------------------|----------------|-------------|---------|--------------------|--------------|----------|-----|-------------------|
| | TPH-GRO (C6-C10) | ND | 27.5 | 21.7 | 79 | 27.5 | 22.5 | 82 | 4 | 74-128/17 |
| CAS No. | Surrogate Recoveries | MS | MSD | FA | 36771-1 | Limits | | | | |
| 460-00-4 98-08-8 | 4-Bromofluorobenzene aaa-Trifluorotoluene | 97% 98% | 95% 98% | 91% 93% | | 56-149% 66-132% | • | | | |

^{* =} Outside of Control Limits.



Section 9

GC Semi-volatiles

QC Data Summaries

(SGS Accutest Southeast)

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method: SW846 8081B

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61815-MB | File ID TT379319.D | DF 1 | Analyzed 09/13/16 | By NG | Prep Date 09/10/16 | Prep Batch OP61815 | Analytical Batch GTT1860 |
|----------------------|------------------------------|-------------|--------------------------|-----------------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16

| CAS No. | Compound | Result | RL | MDL | Units Q |
|------------|---------------------|--------|-----|------|---------|
| 309-00-2 | Aldrin | ND | 1.7 | 0.51 | ug/kg |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.51 | ug/kg |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.49 | ug/kg |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.54 | ug/kg |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.49 | ug/kg |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.57 | ug/kg |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.58 | ug/kg |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.86 | ug/kg |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg |

| CAS No. | Surrogate Recoveries | Limits |
|---------|-----------------------------|--------|
|---------|-----------------------------|--------|

| 877-09-8 | Tetrachloro-m-xylene | 96% | 50-122% |
|-----------|----------------------|-----|---------|
| 2051-24-3 | Decachlorobiphenyl | 92% | 50-133% |

Method: SW846 8081B

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61829-MB | File ID TT379355.D | DF 1 | Analyzed 09/14/16 | By NG | Prep Date 09/12/16 | Prep Batch OP61829 | Analytical Batch GTT1861 |
|----------------------|------------------------------|-------------|--------------------------|----------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-17, C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | Result | RL | MDL | Units Q |
|------------|---------------------|--------|-----|------|---------|
| 309-00-2 | Aldrin | ND | 1.7 | 0.51 | ug/kg |
| 319-84-6 | alpha-BHC | ND | 1.7 | 0.51 | ug/kg |
| 319-85-7 | beta-BHC | ND | 1.7 | 0.51 | ug/kg |
| 319-86-8 | delta-BHC | ND | 1.7 | 0.49 | ug/kg |
| 58-89-9 | gamma-BHC (Lindane) | ND | 1.7 | 0.51 | ug/kg |
| 12789-03-6 | Chlordane | ND | 17 | 6.7 | ug/kg |
| 60-57-1 | Dieldrin | ND | 1.7 | 0.63 | ug/kg |
| 72-54-8 | 4,4'-DDD | ND | 3.3 | 0.57 | ug/kg |
| 72-55-9 | 4,4'-DDE | ND | 3.3 | 0.54 | ug/kg |
| 50-29-3 | 4,4'-DDT | ND | 3.3 | 0.65 | ug/kg |
| 72-20-8 | Endrin | ND | 3.3 | 0.62 | ug/kg |
| 1031-07-8 | Endosulfan sulfate | ND | 3.3 | 0.62 | ug/kg |
| 7421-93-4 | Endrin aldehyde | ND | 3.3 | 0.62 | ug/kg |
| 959-98-8 | Endosulfan-I | ND | 1.7 | 0.49 | ug/kg |
| 33213-65-9 | Endosulfan-II | ND | 1.7 | 0.62 | ug/kg |
| 76-44-8 | Heptachlor | ND | 1.7 | 0.57 | ug/kg |
| 1024-57-3 | Heptachlor epoxide | ND | 1.7 | 0.58 | ug/kg |
| 72-43-5 | Methoxychlor | ND | 3.3 | 0.86 | ug/kg |
| 8001-35-2 | Toxaphene | ND | 83 | 33 | ug/kg |
| | | | | | |

| CAS No. | Surrogate Recoveries | | Limits |
|-----------|----------------------|-----|---------|
| 877-09-8 | Tetrachloro-m-xylene | 89% | 50-122% |
| 2051-24-3 | Decachlorobiphenyl | 85% | 50-133% |

Method: SW846 8082A

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61816-MB | File ID ST138352.D | DF 1 | Analyzed 09/13/16 | By NJ | Prep Date 09/10/16 | Prep Batch OP61816 | Analytical Batch GST3293 |
|----------------------|-----------------------|-------------|--------------------------|-----------------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16

| CAS No. | Compound | Result | RL | MDL | Units Q |
|------------|--------------|--------|----|-----|---------|
| 12674-11-2 | Aroclor 1016 | ND | 17 | 6.7 | ug/kg |
| 11104-28-2 | Aroclor 1221 | ND | 17 | 8.5 | ug/kg |
| 11141-16-5 | Aroclor 1232 | ND | 17 | 8.3 | ug/kg |
| 53469-21-9 | Aroclor 1242 | ND | 17 | 6.7 | ug/kg |
| 12672-29-6 | Aroclor 1248 | ND | 17 | 6.7 | ug/kg |
| 11097-69-1 | Aroclor 1254 | ND | 17 | 8.0 | ug/kg |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.7 | ug/kg |

| CAS No. | Surrogate Recoveries | | Limits |
|-----------|-----------------------------|-----|---------|
| 877-09-8 | Tetrachloro-m-xylene | 96% | 44-126% |
| 2051-24-3 | Decachlorobiphenyl | 95% | 41-145% |

Method: SW846 8082A

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61830-MB | File ID ST138375.D | DF 1 | Analyzed 09/13/16 | By NJ | Prep Date 09/12/16 | Prep Batch OP61830 | Analytical Batch GST3293 |
|----------------------|-----------------------|-------------|--------------------------|-----------------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-17, C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | Result | RL | MDL | Units Q |
|------------|--------------|--------|----|-----|---------|
| 12674-11-2 | Aroclor 1016 | ND | 17 | 6.7 | ug/kg |
| 11104-28-2 | Aroclor 1221 | ND | 17 | 8.5 | ug/kg |
| 11141-16-5 | Aroclor 1232 | ND | 17 | 8.3 | ug/kg |
| 53469-21-9 | Aroclor 1242 | ND | 17 | 6.7 | ug/kg |
| 12672-29-6 | Aroclor 1248 | ND | 17 | 6.7 | ug/kg |
| 11097-69-1 | Aroclor 1254 | ND | 17 | 8.0 | ug/kg |
| 11096-82-5 | Aroclor 1260 | ND | 17 | 6.7 | ug/kg |

| CAS No. | Surrogate Recoveries | Limits | |
|-----------|-----------------------------|--------|---------|
| 877-09-8 | Tetrachloro-m-xylene | 91% | 44-126% |
| 2051-24-3 | Decachlorobiphenyl | 101% | 41-145% |

Method: SW846 8015C

Method Blank Summary

Job Number: C47015

84-15-1

o-Terphenyl

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61813-MB | File ID JR002579.D | DF 1 | Analyzed 09/12/16 | By SJL | Prep Date 09/09/16 | Prep Batch OP61813 | Analytical Batch GJR96 |
|----------------------|------------------------------|----------------|--------------------------|-----------|---------------------------|-----------------------|---------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-10 11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17

56-122%

| CAS No. | Compound | Result | RL | MDL | Units Q |
|---------|----------------------------------|----------|------------|------------|----------------|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg |
| CAS No. | Surrogate Recoveries | | Limit | ts | |

61%

Method: SW846 8015C

.1.6

Method Blank Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61833-MB | File ID JR002664.D | DF 1 | Analyzed 09/15/16 | By SJL | Prep Date 09/12/16 | Prep Batch OP61833 | Analytical Batch GJR98 |
|----------------------|------------------------------|----------------|--------------------------|------------------|---------------------------|-----------------------|---------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | Result | RL | MDL | Units Q |
|---------|----------------------------------|----------|------------|------------|----------------|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 5.0 5.0 | 2.5 2.5 | mg/kg mg/kg |
| CAS No. | Surrogate Recoveries | | Limits | | |
| 84-15-1 | o-Terphenyl | 81% | 56-122 | % | |

Method: SW846 8081B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61815-BS | File ID TT379317.D | DF 1 | Analyzed 09/13/16 | By NG | Prep Date 09/10/16 | Prep Batch OP61815 | Analytical Batch GTT1860 |
|----------------------|------------------------------|-------------|--------------------------|-----------------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-10 11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16

| | - | Spike | BSP | BSP | |
|------------|----------------------|-------|-------|------|--------|
| CAS No. | Compound | ug/kg | ug/kg | % | Limits |
| 309-00-2 | Aldrin | 16.7 | 16.4 | 98 | 57-120 |
| 319-84-6 | alpha-BHC | 16.7 | 19.0 | 114 | 60-117 |
| 319-85-7 | beta-BHC | 16.7 | 17.9 | 107 | 57-125 |
| 319-86-8 | delta-BHC | 16.7 | 17.4 | 104 | 42-126 |
| 58-89-9 | gamma-BHC (Lindane) | 16.7 | 18.4 | 110 | 60-123 |
| 60-57-1 | Dieldrin | 16.7 | 15.1 | 91 | 63-125 |
| 72-54-8 | 4,4'-DDD | 16.7 | 15.0 | 90 | 55-135 |
| 72-55-9 | 4,4'-DDE | 16.7 | 15.1 | 91 | 61-129 |
| 50-29-3 | 4,4'-DDT | 16.7 | 15.7 | 94 | 60-136 |
| 72-20-8 | Endrin | 16.7 | 15.4 | 92 | 67-138 |
| 1031-07-8 | Endosulfan sulfate | 16.7 | 15.6 | 94 | 59-119 |
| 7421-93-4 | Endrin aldehyde | 16.7 | 14.0 | 84 | 37-110 |
| 959-98-8 | Endosulfan-I | 16.7 | 13.8 | 83 | 62-122 |
| 33213-65-9 | Endosulfan-II | 16.7 | 14.4 | 86 | 62-122 |
| 76-44-8 | Heptachlor | 16.7 | 16.6 | 100 | 58-123 |
| 1024-57-3 | Heptachlor epoxide | 16.7 | 15.8 | 95 | 60-122 |
| 72-43-5 | Methoxychlor | 16.7 | 15.7 | 94 | 57-133 |
| | | | | | |
| CAS No. | Surrogate Recoveries | BSP | Liı | nits | |
| 877-09-8 | Tetrachloro-m-xylene | 100% | 50- | 122% | |

92%

50-133%

2051-24-3 Decachlorobiphenyl



^{* =} Outside of Control Limits.

Method: SW846 8081B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61815-BS2 | File ID TT379318.D | DF 1 | Analyzed 09/13/16 | By NG | Prep Date 09/10/16 | Prep Batch OP61815 | Analytical Batch GTT1860 |
|-----------------------|------------------------------|----------------|--------------------------|-----------------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-10 11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|------------|-----------|----------------|--------------|----------|--------|
| 12789-03-6 | Chlordane | 83.3 | 79.3 | 95 | 52-146 |
| 8001-35-2 | Toxaphene | 167 | 154 | 92 | 48-155 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|-----------|----------------------|-----|---------|
| 877-09-8 | Tetrachloro-m-xylene | 92% | 50-122% |
| 2051-24-3 | Decachlorobiphenyl | 89% | 50-133% |



^{* =} Outside of Control Limits.

Method: SW846 8081B

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61829-BS | File ID TT379353.D | DF 1 | Analyzed 09/14/16 | By NG | Prep Date 09/12/16 | Prep Batch OP61829 | Analytical Batch GTT1861 |
|----------------------|---------------------------|----------------|--------------------------|-----------------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-17, C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| | | Spike | BSP | | BSP | |
|------------|----------------------|-------|------|-------------------|------|---------|
| CAS No. | Compound | ug/kg | ug/k | g | % | Limits |
| 200.00.2 | A11: | 167 | 17.0 | | 102 | 57, 100 |
| 309-00-2 | Aldrin | 16.7 | 17.2 | | 103 | 57-120 |
| 319-84-6 | alpha-BHC | 16.7 | 17.8 | | 107 | 60-117 |
| 319-85-7 | beta-BHC | 16.7 | 18.7 | | 112 | 57-125 |
| 319-86-8 | delta-BHC | 16.7 | 17.4 | | 104 | 42-126 |
| 58-89-9 | gamma-BHC (Lindane) | 16.7 | 18.2 | | 109 | 60-123 |
| 60-57-1 | Dieldrin | 16.7 | 16.3 | | 98 | 63-125 |
| 72-54-8 | 4,4'-DDD | 16.7 | 16.1 | | 97 | 55-135 |
| 72-55-9 | 4,4'-DDE | 16.7 | 16.2 | | 97 | 61-129 |
| 50-29-3 | 4,4'-DDT | 16.7 | 16.0 | | 96 | 60-136 |
| 72-20-8 | Endrin | 16.7 | 17.2 | | 103 | 67-138 |
| 1031-07-8 | Endosulfan sulfate | 16.7 | 16.9 | | 101 | 59-119 |
| 7421-93-4 | Endrin aldehyde | 16.7 | 16.2 | | 97 | 37-110 |
| 959-98-8 | Endosulfan-I | 16.7 | 15.2 | | 91 | 62-122 |
| 33213-65-9 | Endosulfan-II | 16.7 | 15.8 | | 95 | 62-122 |
| 76-44-8 | Heptachlor | 16.7 | 17.1 | | 103 | 58-123 |
| 1024-57-3 | Heptachlor epoxide | 16.7 | 17.4 | | 104 | 60-122 |
| 72-43-5 | Methoxychlor | 16.7 | 16.6 | | 100 | 57-133 |
| | | | | | | |
| | | | | | | |
| CAS No. | Surrogate Recoveries | BSP |] | L im i | its | |
| 877-09-8 | Tetrachloro-m-xylene | 94% | 4 | 50_1 ² | 22% | |
| 2051-24-3 | Decachlorobiphenyl | 91% | | 50-1. | | |
| 2031-24-3 | Decucinoroorphenyi | 11/0 | • | JU-1. | 3370 | |



^{* =} Outside of Control Limits.

Method: SW846 8081B

Blank Spike Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61829-BS2 | File ID TT379354.D | DF 1 | Analyzed 09/14/16 | By NG | Prep Date 09/12/16 | Prep Batch OP61829 | Analytical Batch GTT1861 |
|-----------------------|------------------------------|----------------|--------------------------|-----------------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-17, C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|------------|-----------|----------------|--------------|----------|--------|
| 12789-03-6 | Chlordane | 83.3 | 83.4 | 100 | 52-146 |
| 8001-35-2 | Toxaphene | 167 | 139 | 83 | 48-155 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|-----------|----------------------|-----|---------|
| 877-09-8 | Tetrachloro-m-xylene | 87% | 50-122% |
| 2051-24-3 | Decachlorobiphenyl | 88% | 50-133% |

^{* =} Outside of Control Limits.

Method: SW846 8082A

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61816-BS | File ID ST138351.D | DF 1 | Analyzed 09/13/16 | By NJ | Prep Date 09/10/16 | Prep Batch OP61816 | Analytical Batch GST3293 |
|----------------------|-----------------------|-------------|--------------------------|-----------------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-10 11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|---------|--------------|----------------|--------------|----------|--------|
| | Aroclor 1016 | 133 | 129 | 97 | 58-126 |
| | Aroclor 1260 | 133 | 153 | 115 | 59-133 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|-----------|-----------------------------|-----|---------|
| 877-09-8 | Tetrachloro-m-xylene | 96% | 44-126% |
| 2051-24-3 | Decachlorobiphenyl | 97% | 41-145% |

^{* =} Outside of Control Limits.

Method: SW846 8082A

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61830-BS | File ID ST138374.D | DF 1 | Analyzed 09/13/16 | By NJ | Prep Date 09/12/16 | Prep Batch OP61830 | Analytical Batch GST3293 |
|----------------------|-----------------------|-------------|--------------------------|-----------------|---------------------------|-----------------------|-----------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-17, C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | Spike ug/kg | BSP ug/kg | BSP % | Limits |
|---------|--------------|----------------|--------------|----------|--------|
| | Aroclor 1016 | 133 | 114 | 86 | 58-126 |
| | Aroclor 1260 | 133 | 138 | 104 | 59-133 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|-----------|-----------------------------|-----|---------|
| 877-09-8 | Tetrachloro-m-xylene | 82% | 44-126% |
| 2051-24-3 | Decachlorobiphenyl | 87% | 41-145% |

^{* =} Outside of Control Limits.

Method: SW846 8015C

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61813-BS | File ID JR002578.D | DF 1 | Analyzed 09/12/16 | By SJL | Prep Date 09/09/16 | Prep Batch OP61813 | Analytical Batch GJR96 |
|----------------------|-----------------------|----------------|--------------------------|-----------|---------------------------|-----------------------|---------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17

| CAS No. | Compound | Spike mg/kg | BSP mg/kg | BSP % | Limits |
|---------|-----------------|----------------|--------------|----------|--------|
| | TPH (C10-C28) | 50 | 42.0 | 84 | 62-116 |
| | TPH (> C28-C40) | 50 | 34.4 | 69 | 47-138 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|---------|----------------------|-----|---------|
| 84-15-1 | o-Terphenyl | 80% | 56-122% |

^{* =} Outside of Control Limits.

Method: SW846 8015C

Blank Spike Summary Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample OP61833-BS | File ID JR002663.D | DF 1 | Analyzed 09/15/16 | By SJL | Prep Date 09/12/16 | Prep Batch OP61833 | Analytical Batch GJR98 |
|----------------------|------------------------------|-------------|--------------------------|-----------|---------------------------|-----------------------|---------------------------|
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | | BSP mg/kg | BSP % | Limits |
|---------|-----------------|----|--------------|----------|--------|
| | TPH (C10-C28) | 50 | 37.9 | 76 | 62-116 |
| | TPH (> C28-C40) | 50 | 36.2 | 72 | 47-138 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|---------|-----------------------------|-----|---------|
| 84-15-1 | o-Terphenyl | 76% | 56-122% |

^{* =} Outside of Control Limits.

Method: SW846 8081B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------|------------|----|----------|----|------------------|------------|------------------|
| OP61815-MS | TT379300.D | 1 | 09/13/16 | NG | 09/10/16 | OP61815 | GTT1859 |
| OP61815-MSD | TT379301.D | 1 | 09/13/16 | NG | 09/10/16 | OP61815 | GTT1859 |
| C47015-5 | TT379284.D | 1 | 09/13/16 | NG | 09/10/16 | OP61815 | GTT1859 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16

| | | C47015-5 | Spike | MS | MS | Spike | MSD | MSD | | Limits |
|------------|-----------------------------|----------|-------|------------|--------|---------|----------|-----|-----|-----------|
| CAS No. | Compound | ug/kg Q | ug/kg | ug/kg | % | ug/kg | ug/kg | % | RPD | Rec/RPD |
| | | | | | | | | | | |
| 309-00-2 | Aldrin | ND | 16.1 | 14.5 | 90 | 16.2 | 15.5 | 95 | 7 | 57-120/28 |
| 319-84-6 | alpha-BHC | ND | 16.1 | 16.5 | 102 | 16.2 | 17.9 | 110 | 8 | 60-117/24 |
| 319-85-7 | beta-BHC | ND | 16.1 | 16.2 | 100 | 16.2 | 17.5 | 108 | 8 | 57-125/26 |
| 319-86-8 | delta-BHC | ND | 16.1 | 15.4 | 95 | 16.2 | 16.8 | 103 | 9 | 42-126/24 |
| 58-89-9 | gamma-BHC (Lindane) | ND | 16.1 | 16.2 | 100 | 16.2 | 17.7 | 109 | 9 | 60-123/29 |
| 60-57-1 | Dieldrin | ND | 16.1 | 12.9 | 80 | 16.2 | 13.9 | 86 | 7 | 63-125/29 |
| 72-54-8 | 4,4'-DDD | ND | 16.1 | 12.5 | 77 | 16.2 | 13.6 | 84 | 8 | 55-135/31 |
| 72-55-9 | 4,4'-DDE | ND | 16.1 | 12.8 | 79 | 16.2 | 13.9 | 86 | 8 | 61-129/31 |
| 50-29-3 | 4,4'-DDT | ND | 16.1 | 12.3 | 76 | 16.2 | 13.5 | 83 | 9 | 60-136/39 |
| 72-20-8 | Endrin | ND | 16.1 | 13.2 | 82 | 16.2 | 14.1 | 87 | 7 | 67-138/28 |
| 1031-07-8 | Endosulfan sulfate | ND | 16.1 | 12.6 | 78 | 16.2 | 13.9 | 86 | 10 | 59-119/28 |
| 7421-93-4 | Endrin aldehyde | ND | 16.1 | 11.7 | 73 | 16.2 | 12.9 | 79 | 10 | 37-110/25 |
| 959-98-8 | Endosulfan-I | ND | 16.1 | 11.8 | 73 | 16.2 | 12.6 | 78 | 7 | 62-122/29 |
| 33213-65-9 | Endosulfan-II | ND | 16.1 | 11.4 | 71 | 16.2 | 12.7 | 78 | 11 | 62-122/31 |
| 76-44-8 | Heptachlor | ND | 16.1 | 14.7 | 91 | 16.2 | 15.9 | 98 | 8 | 58-123/30 |
| 1024-57-3 | Heptachlor epoxide | ND | 16.1 | 13.4 | 83 | 16.2 | 14.5 | 89 | 8 | 60-122/33 |
| 72-43-5 | Methoxychlor | ND | 16.1 | 12.4 | 77 | 16.2 | 13.7 | 84 | 10 | 57-133/31 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| CAS No. | Surrogate Recoveries | MS | MSD | C 4 | 7015-5 | Limits | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 91% | 100% | 11 | 0% | 50-122% | <u>′</u> | | | |
| 2051-24-3 | Decachlorobiphenyl | 75% | 80% | 74 | | 50-122% | | | | |
| | 1 - | | | | | | | | | |

^{* =} Outside of Control Limits.

Method: SW846 8081B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | Ву | Prep Date | Prep Batch | Analytical Batch |
|-------------|------------|----|----------|----|-----------|------------|------------------|
| OP61829-MS | TT379364.D | 1 | 09/14/16 | NG | 09/12/16 | OP61829 | GTT1861 |
| OP61829-MSD | TT379365.D | 1 | 09/14/16 | NG | 09/12/16 | OP61829 | GTT1861 |
| C47015-27 | TT379363.D | 1 | 09/14/16 | NG | 09/12/16 | OP61829 | GTT1861 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-17, C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| | | C47015-27 | Spike | MS | MS | Spike | MSD | MSD | | Limits |
|------------|----------------------|-----------|-------|------------|----------|---------|--------|------|-----|-----------|
| CAS No. | Compound | ug/kg Q | ug/kg | ug/kg | % | ug/kg | ug/kg | % | RPD | Rec/RPD |
| 309-00-2 | Aldrin | ND | 16.7 | 18.8 | 113 | 16.7 | 20.5 | 123* | 9 | 57-120/28 |
| 319-84-6 | alpha-BHC | ND | 16.7 | 19.1 | 115 | 16.7 | 21.3 | 128* | 11 | 60-117/24 |
| 319-85-7 | beta-BHC | ND | 16.7 | 20.2 | 121 | 16.7 | 22.4 | 134* | 10 | 57-125/26 |
| 319-86-8 | delta-BHC | ND | 16.7 | 18.7 | 112 | 16.7 | 20.9 | 125 | 11 | 42-126/24 |
| 58-89-9 | gamma-BHC (Lindane) | ND | 16.7 | 19.5 | 117 | 16.7 | 21.7 | 130* | 11 | 60-123/29 |
| 60-57-1 | Dieldrin | ND | 16.7 | 17.5 | 105 | 16.7 | 19.0 | 114 | 8 | 63-125/29 |
| 72-54-8 | 4,4'-DDD | ND | 16.7 | 17.0 | 102 | 16.7 | 19.0 | 114 | 11 | 55-135/31 |
| 72-55-9 | 4,4'-DDE | ND | 16.7 | 16.8 | 101 | 16.7 | 19.0 | 114 | 12 | 61-129/31 |
| 50-29-3 | 4,4'-DDT | ND | 16.7 | 16.6 | 100 | 16.7 | 18.6 | 112 | 11 | 60-136/39 |
| 72-20-8 | Endrin | ND | 16.7 | 17.8 | 107 | 16.7 | 19.9 | 119 | 11 | 67-138/28 |
| 1031-07-8 | Endosulfan sulfate | ND | 16.7 | 18.2 | 109 | 16.7 | 19.8 | 119 | 8 | 59-119/28 |
| 7421-93-4 | Endrin aldehyde | ND | 16.7 | 17.2 | 103 | 16.7 | 18.9 | 113* | 9 | 37-110/25 |
| 959-98-8 | Endosulfan-I | ND | 16.7 | 15.9 | 95 | 16.7 | 17.9 | 107 | 12 | 62-122/29 |
| 33213-65-9 | Endosulfan-II | ND | 16.7 | 16.5 | 99 | 16.7 | 18.5 | 111 | 11 | 62-122/31 |
| 76-44-8 | Heptachlor | ND | 16.7 | 18.3 | 110 | 16.7 | 20.4 | 122 | 11 | 58-123/30 |
| 1024-57-3 | Heptachlor epoxide | ND | 16.7 | 18.0 | 108 | 16.7 | 20.4 | 122 | 13 | 60-122/33 |
| 72-43-5 | Methoxychlor | ND | 16.7 | 17.0 | 102 | 16.7 | 18.7 | 112 | 10 | 57-133/31 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| CAS No. | Surrogate Recoveries | MS | MSD | C 2 | 17015-27 | Limits | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 103% | 113% | 92 | % | 50-122% | ,) | | | |
| 2051-24-3 | Decachlorobiphenyl | 79% | 88% | 73 | % | 50-133% | | | | |
| | | | | | | | | | | |

^{* =} Outside of Control Limits.

Method: SW846 8082A

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California **Project:** GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| OP61816-MS ST1 | | | | By | Prep Date | Prep Batch | Analytical Batch |
|----------------|----------|---|----------|----|-----------|------------|-------------------------|
| OP01910-M2 31 | 138357.D | 1 | 09/13/16 | NJ | 09/10/16 | OP61816 | GST3293 |
| OP61816-MSD ST | 138358.D | 1 | 09/13/16 | NJ | 09/10/16 | OP61816 | GST3293 |
| C47015-4 ST1 | 138356.D | 1 | 09/13/16 | NJ | 09/10/16 | OP61816 | GST3293 |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-10 11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16

| CAS No. | Compound | C47015-4 ug/kg Q | Spike ug/kg | MS ug/kg | MS % | Spike ug/kg | MSD ug/kg | MSD % | RPD | Limits Rec/RPD |
|-----------------------|--|---------------------|----------------|-------------|-----------|--------------------|--------------|-----------|-----|------------------------|
| | 2 Aroclor 1016 5 Aroclor 1260 | ND ND | 132 132 | 117 135 | 89 103 | 132 132 | 116 137 | 88 103 | 1 | 58-126/25 59-133/31 |
| CAS No. | Surrogate Recoveries | MS | MSD | C4' | 7015-4 | Limits | | | | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 87% 88% | 83% 84% | 879 889 | | 44-1269 41-1459 | | | | |

^{* =} Outside of Control Limits.

Method: SW846 8082A

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|------------|--------------------------|------------------------------|--|--|--|---|
| ST138388.D | 1 | 09/13/16 | NJ | 09/12/16 | OP61830 | GST3293 |
| ST138389.D | 1 | 09/13/16 | NJ | 09/12/16 | OP61830 | GST3293 |
| ST138387.D | 1 | 09/13/16 | NJ | 09/12/16 | OP61830 | GST3293 |
| | | | | | | |
| | ST138388.D ST138389.D | ST138388.D 1 ST138389.D 1 | ST138388.D 1 09/13/16 ST138389.D 1 09/13/16 | ST138388.D 1 09/13/16 NJ ST138389.D 1 09/13/16 NJ | ST138388.D 1 09/13/16 NJ 09/12/16 ST138389.D 1 09/13/16 NJ 09/12/16 | ST138388.D 1 09/13/16 NJ 09/12/16 OP61830 ST138389.D 1 09/13/16 NJ 09/12/16 OP61830 |

The QC reported here applies to the following samples:

C47015-17, C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | C47015-26 ug/kg Q | Spike ug/kg | MS ug/kg | MS % | Spike ug/kg | MSD ug/kg | MSD % | RPD | Limits Rec/RPD |
|-----------------------|--|----------------------|----------------|-------------|------------|--------------------|--------------|------------|-----|------------------------|
| | Aroclor 1016 Aroclor 1260 | ND ND | 132 132 | 138 168 | 104 127 | 132 132 | 136 166 | 103 125 | 1 | 58-126/25 59-133/31 |
| CAS No. | Surrogate Recoveries | MS | MSD | C47 | 7015-26 | Limits | | | | |
| 877-09-8 2051-24-3 | Tetrachloro-m-xylene Decachlorobiphenyl | 100% 112% | 100% 108% | 95% 104 | | 44-126% 41-145% | | | | |



^{* =} Outside of Control Limits.

Method: SW846 8015C

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| 3 GJR96 |
|---------|
| 3 GJR96 |
| 3 GJR96 |
| |
| |

The QC reported here applies to the following samples:

C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17

| CAS No. | Compound | C47015-5 mg/kg Q | Spike mg/kg | MS mg/kg | MS % | Spike mg/kg | MSD mg/kg | MSD % | RPD | Limits Rec/RPD |
|---------|----------------------------------|---------------------|----------------|--------------|----------|----------------|--------------|----------|----------|------------------------|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 50.8 50.8 | 35.8 29.1 | 71 57 | 50.3 50.3 | 40.2 32.4 | 80 64 | 12 11 | 62-116/35 47-138/29 |
| CAS No. | Surrogate Recoveries | MS | MSD | C47 | 7015-5 | Limits | | | | |
| 84-15-1 | o-Terphenyl | 63% | 71% | 75% | ó | 56-122% | 6 | | | |



^{* =} Outside of Control Limits.

Method: SW846 8015C

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: C47015

Account: ALNCA SGS Accutest Northern California

Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

| Sample | File ID | DF | Analyzed | Ву | Prep Date | Prep Batch | Analytical Batch |
|-------------|------------|----|----------|-----|-----------|------------|------------------|
| OP61833-MS | JR002683.D | 1 | 09/15/16 | SJL | 09/12/16 | OP61833 | GJR98 |
| OP61833-MSD | JR002684.D | 1 | 09/15/16 | SJL | 09/12/16 | OP61833 | GJR98 |
| C47015-32 | JR002682.D | 1 | 09/15/16 | SJL | 09/12/16 | OP61833 | GJR98 |
| | | | | | | | |

The QC reported here applies to the following samples:

C47015-18, C47015-19, C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

| CAS No. | Compound | C47015-32 mg/kg Q | Spike mg/kg | MS mg/kg | MS % | Spike mg/kg | MSD mg/kg | MSD % | RPD | Limits Rec/RPD |
|---------|----------------------------------|----------------------|----------------|--------------|----------|----------------|--------------|----------|-----|------------------------|
| | TPH (C10-C28) TPH (> C28-C40) | ND ND | 50 50 | 41.9 35.4 | 84 71 | 49.8 49.8 | 40.6 34.4 | 82 69 | 3 | 62-116/35 47-138/29 |
| CAS No. | Surrogate Recoveries | MS | MSD | C47 | 7015-32 | Limits | | | | |
| 84-15-1 | o-Terphenyl | 85% | 80% | 82% | ó | 56-122% | 6 | | | |



^{* =} Outside of Control Limits.



Section 10

Metals Analysis

QC Data Summaries

(SGS Accutest Southeast)

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: C47015

Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30813 Matrix Type: SOLID Methods: SW846 6010C Units: mg/kg

Prep Date:

09/09/16

| Metal | RL | IDL | MDL | MB raw | final |
|------------|------|------|------|-----------|-------|
| Aluminum | 10 | .7 | 1.8 | | |
| Antimony | 1.0 | .05 | .065 | 0.035 | <1.0 |
| Arsenic | 0.50 | .065 | .1 | -0.015 | <0.50 |
| Barium | 10 | .05 | .05 | -0.010 | <10 |
| Beryllium | 0.25 | .01 | .025 | -0.0050 | <0.25 |
| Cadmium | 0.20 | .01 | .025 | 0.0 | <0.20 |
| Calcium | 250 | 2.5 | 2.5 | | |
| Chromium | 0.50 | .05 | .05 | 0.055 | <0.50 |
| Cobalt | 2.5 | .01 | .025 | -0.0050 | <2.5 |
| Copper | 1.3 | .05 | .05 | 0.0 | <1.3 |
| Iron | 15 | .85 | .85 | | |
| Lead | 1.0 | .05 | .05 | -0.060 | <1.0 |
| Magnesium | 250 | 1.8 | 1.8 | | |
| Manganese | 0.75 | .025 | .025 | | |
| Molybdenum | 2.5 | .015 | .025 | 0.020 | <2.5 |
| Nickel | 2.0 | .02 | .025 | 0.010 | <2.0 |
| Potassium | 500 | 10 | 10 | | |
| Selenium | 1.0 | .12 | .12 | -0.040 | <1.0 |
| Silver | 0.50 | .035 | .041 | 0.040 | <0.50 |
| Sodium | 500 | 25 | 25 | | |
| Strontium | 0.50 | .025 | .025 | | |
| Thallium | 0.50 | .055 | .055 | -0.070 | <0.50 |
| Tin | 2.5 | .045 | .045 | | |
| Titanium | 0.50 | .025 | .025 | | |
| Vanadium | 2.5 | .025 | .025 | 0.010 | <2.5 |
| Zinc | 1.0 | .15 | .15 | 0.20 | <1.0 |

Associated samples MP30813: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30813 Methods: SW846 6010C Matrix Type: SOLID Units: mg/kg

Prep Date: 09/09/16 09/09/16

| Metal | FA36723- Original | | RPD | QC Limits | FA36723- Original | | Spikelot MPFLICP2 | | QC Limits |
|------------|----------------------|----------|----------|--------------|----------------------|----------|----------------------|----------|--------------|
| Aluminum | | | | | | | | | |
| Antimony | 0.0 | 0.0 (a) | NC | 0-20 | 0.0 | 21.0 (a) | 25.3 | 82.9 | 80-120 |
| Arsenic | 0.0 | 0.0 | NC | 0-20 | 0.0 | 110 | 101 | 108.6 | 80-120 |
| Barium | 2.6 | 2.2 | 16.7 | 0-20 | 2.6 | 115 | 101 | 111.0 | 80-120 |
| Beryllium | 0.017 | 0.014 | 19.4 | 0-20 | 0.017 | 2.8 | 2.53 | 109.9 | 80-120 |
| Cadmium | 0.0 | 0.0 (a) | NC | 0-20 | 0.0 | 2.7 (a) | 2.53 | 106.6 | 80-120 |
| Calcium | | | | | | | | | |
| Chromium | 2.9 | 2.8 (a) | 3.5 | 0-20 | 2.9 | 13.7 (a) | 10.1 | 106.6 | 80-120 |
| Cobalt | 0.038 | 0.053 | 33.0 (b) | 0-20 | 0.038 | 25.7 | 25.3 | 101.4 | 80-120 |
| Copper | 0.69 | 0.68 | 1.5 | 0-20 | 0.69 | 14.9 | 12.7 | 112.3 | 80-120 |
| Iron | | | | | | | | | |
| Lead | 17.1 | 15.1 (a) | 12.4 | 0-20 | 17.1 | 41.9 (a) | 25.3 | 98.0 | 80-120 |
| Magnesium | | | | | | | | | |
| Manganese | | | | | | | | | |
| Molybdenum | 0.030 | 0.014 | 72.7 (b) | 0-20 | 0.030 | 27.6 | 25.3 | 108.9 | 80-120 |
| Nickel | 0.71 | 0.70 | 1.4 | 0-20 | 0.71 | 26.4 | 25.3 | 101.5 | 80-120 |
| Potassium | | | | | | | | | |
| Selenium | 0.0 | 0.0 (a) | NC | 0-20 | 0.0 | 106 (a) | 101 | 104.7 | 80-120 |
| Silver | 0.0 | 0.0 | NC | 0-20 | 0.0 | 2.7 | 2.53 | 106.6 | 80-120 |
| Sodium | | | | | | | | | |
| Strontium | | | | | | | | | |
| Thallium | 0.0 | 0.0 (a) | NC | 0-20 | 0.0 | 103 (a) | 101 | 101.7 | 80-120 |
| Tin | | | | | | | | | |
| Titanium | | | | | | | | | |
| Vanadium | 2.0 | 1.8 | 10.5 | 0-20 | 2.0 | 28.1 | 25.3 | 103.1 | 80-120 |
| Zinc | 11.8 | 13.0 (a) | 9.7 | 0-20 | 11.8 | 44.3 (a) | 25.3 | 128.4N(c | 80-120 |

Associated samples MP30813: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19

Results < IDL are shown as zero for calculation purposes

- (*) Outside of QC limits
- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested
- (a) Elevated reporting limit(s) due to matrix interference.
- (b) RPD acceptable due to low duplicate and sample concentrations.
- (c) Spike recovery indicates possible matrix interference and/or sample non-homogeneity.

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30813 Methods: SW846 6010C Matrix Type: SOLID Units: mg/kg

Prep Date:

09/09/16

| Metal | FA36723- Original | | Spikelot MPFLICP2 | | MSD RPD | QC Limit |
|------------|----------------------|----------|----------------------|-------|------------|-------------|
| Aluminum | | | | | | |
| Antimony | 0.0 | 22.0 (a) | 25.8 | 85.4 | 4.7 | 20 |
| Arsenic | 0.0 | 114 | 103 | 110.6 | 3.6 | 20 |
| Barium | 2.6 | 121 | 103 | 114.9 | 5.1 | 20 |
| Beryllium | 0.017 | 2.9 | 2.58 | 111.9 | 3.5 | 20 |
| Cadmium | 0.0 | 2.9 (a) | 2.58 | 112.6 | 7.1 | 20 |
| Calcium | | | | | | |
| Chromium | 2.9 | 14.6 (a) | 10.3 | 113.6 | 6.4 | 20 |
| Cobalt | 0.038 | 27.0 | 25.8 | 104.7 | 4.9 | 20 |
| Copper | 0.69 | 15.2 | 12.9 | 112.7 | 2.0 | 20 |
| Iron | | | | | | |
| Lead | 17.1 | 42.4 (a) | 25.8 | 98.2 | 1.2 | 20 |
| Magnesium | | | | | | |
| Manganese | | | | | | |
| Molybdenum | 0.030 | 28.9 | 25.8 | 112.1 | 4.6 | 20 |
| Nickel | 0.71 | 27.7 | 25.8 | 104.8 | 4.8 | 20 |
| Potassium | | | | | | |
| Selenium | 0.0 | 112 (a) | 103 | 108.7 | 5.5 | 20 |
| Silver | 0.0 | 2.8 | 2.58 | 108.7 | 3.6 | 20 |
| Sodium | | | | | | |
| Strontium | | | | | | |
| Thallium | 0.0 | 111 (a) | 103 | 107.7 | 7.5 | 20 |
| Tin | | | | | | |
| Titanium | | | | | | |
| Vanadium | 2.0 | 29.0 | 25.8 | 104.8 | 3.2 | 20 |
| Zinc | 11.8 | 39.8 (a) | 25.8 | 108.7 | 10.7 | 20 |

Associated samples MP30813: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19

 ${\tt Results} \, < \, {\tt IDL} \, \, {\tt are } \, \, {\tt shown} \, \, {\tt as} \, \, {\tt zero} \, \, {\tt for} \, \, {\tt calculation} \, \, {\tt purposes} \, \,$

- (*) Outside of QC limits
- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested
- (a) Elevated reporting limit(s) due to matrix interference.



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30813 Matrix Type: SOLID Methods: SW846 6010C Units: mg/kg

Prep Date:

09/09/16

| Metal | BSP Result | Spikelot MPFLICP2 | | QC Limits |
|------------|---------------|----------------------|-------|--------------|
| Aluminum | | | | |
| Antimony | 27.7 | 25 | 110.8 | 80-120 |
| Arsenic | 109 | 100 | 109.0 | 80-120 |
| Barium | 115 | 100 | 115.0 | 80-120 |
| Beryllium | 2.9 | 2.5 | 116.0 | 80-120 |
| Cadmium | 2.8 | 2.5 | 112.0 | 80-120 |
| Calcium | | | | |
| Chromium | 11.5 | 10 | 115.0 | 80-120 |
| Cobalt | 28.0 | 25 | 112.0 | 80-120 |
| Copper | 14.3 | 12.5 | 114.4 | 80-120 |
| Iron | | | | |
| Lead | 27.2 | 25 | 108.8 | 80-120 |
| Magnesium | | | | |
| Manganese | | | | |
| Molybdenum | 29.3 | 25 | 117.2 | 80-120 |
| Nickel | 28.3 | 25 | 113.2 | 80-120 |
| Potassium | | | | |
| Selenium | 109 | 100 | 109.0 | 80-120 |
| Silver | 2.7 | 2.5 | 108.0 | 80-120 |
| Sodium | | | | |
| Strontium | | | | |
| Thallium | 109 | 100 | 109.0 | 80-120 |
| Tin | | | | |
| Titanium | | | | |
| Vanadium | 27.2 | 25 | 108.8 | 80-120 |
| Zinc | 28.2 | 25 | 112.8 | 80-120 |

Associated samples MP30813: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30813 Methods: SW846 6010C Matrix Type: SOLID Units: ug/l

Prep Date: 09/09/16

| Metal | FA36723- Original | 1 SDL 1:5 | %DIF | QC Limits |
|------------|----------------------|--------------|----------|--------------|
| Aluminum | | | | |
| Antimony | 0.00 | 0.00 | NC | 0-10 |
| Arsenic | 0.00 | 0.00 | NC | 0-10 |
| Barium | 60.3 | 58.0 | 3.8 | 0-10 |
| Beryllium | 0.400 | 0.00 | 100.0(a) | 0-10 |
| Cadmium | 0.00 | 0.00 | NC | 0-10 |
| Calcium | | | | |
| Chromium | 69.7 | 73.5 | 5.5 | 0-10 |
| Cobalt | 0.900 | 1.30 | 44.4 (a) | 0-10 |
| Copper | 16.3 | 13.7 | 16.0 (a) | 0-10 |
| Iron | | | | |
| Lead | 404 | 334 | 17.2*(b) | 0-10 |
| Magnesium | | | | |
| Manganese | | | | |
| Molybdenum | 0.700 | 0.00 | 100.0(a) | 0-10 |
| Nickel | 16.7 | 16.5 | 1.2 | 0-10 |
| Potassium | | | | |
| Selenium | 0.00 | 0.00 | NC | 0-10 |
| Silver | 0.00 | 0.00 | NC | 0-10 |
| Sodium | | | | |
| Strontium | | | | |
| Thallium | 0.00 | 0.00 | NC | 0-10 |
| Tin | | | | |
| Titanium | | | | |
| Vanadium | 46.9 | 45.3 | 3.4 | 0-10 |
| Zinc | 280 | 352 | 26.0 (a) | 0-10 |

Associated samples MP30813: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19

 ${\tt Results} \, < \, {\tt IDL} \, \, {\tt are } \, \, {\tt shown} \, \, {\tt as} \, \, {\tt zero} \, \, {\tt for} \, \, {\tt calculation} \, \, {\tt purposes} \, \,$

- (*) Outside of QC limits
- (anr) Analyte not requested
- (a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).
- (b) Serial dilution indicates possible matrix interference.



POST DIGESTATE SPIKE SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30813 Methods: SW846 6010C Matrix Type: SOLID Units: ug/l

09/09/16 Prep Date:

| Metal | Sample ml | Final ml | FA36723- Raw | -1 Corr.** | PS ug/l | Spike ml | Spike ug/ml | Spike ug/l | % Rec | QC Limits |
|------------|--------------|-------------|-----------------|---------------|------------|-------------|----------------|---------------|----------|--------------|
| Aluminum | | | | | | | | | | |
| Antimony | 9.8 | 10 | | | 78.3 | 0.2 | 5 | 100 | 78.3*(a) | 80-120 |
| Arsenic | 9.8 | 10 | | | 113.5 | 0.2 | 5 | 100 | 113.5 | 80-120 |
| Barium | 9.8 | 10 | 60.3 | 59.094 | 340 | 0.2 | 12.5 | 250 | 112.4 | 80-120 |
| Beryllium | 9.8 | 10 | . 4 | .392 | 52.9 | 0.2 | 2.5 | 50 | 105.0 | 80-120 |
| Cadmium | 9.8 | 10 | | | 41 | 0.2 | 2.5 | 50 | 82.0 | 80-120 |
| Calcium | | | | | | | | | | |
| Chromium | 9.8 | 10 | 69.7 | 68.306 | 111.1 | 0.2 | 2.5 | 50 | 85.6 | 80-120 |
| Cobalt | 9.8 | 10 | .9 | .882 | 52.5 | 0.2 | 2.5 | 50 | 103.2 | 80-120 |
| Copper | 9.8 | 10 | 16.3 | 15.974 | 126.1 | 0.2 | 5 | 100 | 110.1 | 80-120 |
| Iron | | | | | | | | | | |
| Lead | 9.8 | 10 | 403.6 | 395.528 | 445 | 0.2 | 2.5 | 50 | 98.9 | 80-120 |
| Magnesium | | | | | | | | | | |
| Manganese | | | | | | | | | | |
| Molybdenum | 9.8 | 10 | .7 | .686 | 107.1 | 0.2 | 5 | 100 | 106.4 | 80-120 |
| Nickel | 9.8 | 10 | 16.7 | 16.366 | 116.2 | 0.2 | 5 | 100 | 99.8 | 80-120 |
| Potassium | | | | | | | | | | |
| Selenium | 9.8 | 10 | | | 72.2 | 0.2 | 5 | 100 | 72.2*(a) | 80-120 |
| Silver | 9.8 | 10 | | | 48.7 | 0.2 | 2.5 | 50 | 97.4 | 80-120 |
| Sodium | | | | | | | | | | |
| Strontium | | | | | | | | | | |
| Thallium | 9.8 | 10 | | | 75.6 | 0.2 | 5 | 100 | 75.6*(a) | 80-120 |
| Tin | | | | | | | | | | |
| Titanium | | | | | | | | | | |
| Vanadium | 9.8 | 10 | 46.9 | 45.962 | 96 | 0.2 | 2.5 | 50 | 100.1 | 80-120 |
| Zinc | 9.8 | 10 | 279.6 | 274.008 | 478.8 | 0.2 | 12.5 | 250 | 81.9 | 80-120 |

Associated samples MP30813: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19

Results < IDL are shown as zero for calculation purposes



^(*) Outside of QC limits (**) Corr. sample result = Raw * (sample volume / final volume)

⁽anr) Analyte not requested

⁽a) Spike recovery indicates matrix interference and/or outside control limits due to high level in sample relative to spike amount.

BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: C47015

Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30815 Matrix Type: SOLID Methods: SW846 6010C Units: mg/kg

Prep Date:

09/12/16

| RL | IDL | MDL | MB raw | final |
|------|--|---|--|--|
| 10 | .7 | 1.8 | | |
| 1.0 | .05 | .065 | 0.055 | <1.0 |
| 0.50 | .065 | .1 | -0.050 | <0.50 |
| 10 | .05 | .05 | -0.0050 | <10 |
| 0.25 | .01 | .025 | 0.0 | <0.25 |
| 0.20 | .01 | .025 | 0.0 | <0.20 |
| 250 | 2.5 | 2.5 | | |
| 0.50 | .05 | .05 | 0.050 | <0.50 |
| 2.5 | .01 | .025 | -0.0050 | <2.5 |
| 1.3 | .05 | .05 | -0.010 | <1.3 |
| 15 | .85 | .85 | | |
| 1.0 | .05 | .05 | 0.080 | <1.0 |
| 250 | 1.8 | 1.8 | | |
| 0.75 | .025 | .025 | | |
| 2.5 | .015 | .025 | -0.040 | <2.5 |
| 2.0 | .02 | .025 | 0.015 | <2.0 |
| 500 | 10 | 10 | | |
| 1.0 | .12 | .12 | 0.025 | <1.0 |
| 0.50 | .035 | .041 | -0.010 | <0.50 |
| 500 | 25 | 25 | | |
| 0.50 | .025 | .025 | | |
| 0.50 | .055 | .055 | -0.045 | <0.50 |
| 2.5 | .045 | .045 | | |
| 0.50 | .025 | .025 | | |
| 2.5 | .025 | .025 | -0.010 | <2.5 |
| 1.0 | .15 | .15 | 0.20 | <1.0 |
| | 10 1.0 0.50 10 0.25 0.20 250 0.50 2.5 1.3 15 1.0 250 0.75 2.5 2.0 500 1.0 0.50 500 0.50 2.5 0.50 2.5 | 10 .7 1.0 .05 0.50 .065 10 .05 0.25 .01 0.20 .01 250 2.5 0.50 .05 2.5 .01 1.3 .05 15 .85 1.0 .05 250 1.8 0.75 .025 2.5 .015 2.0 .02 500 10 1.0 .12 0.50 .035 500 25 0.50 .025 0.50 .025 2.5 .045 0.50 .025 2.5 .045 | 10 .7 1.8 1.0 .05 .065 0.50 .065 .1 10 .05 .05 0.25 .01 .025 0.20 .01 .025 250 2.5 2.5 0.50 .05 .05 2.5 .01 .025 1.3 .05 .05 15 .85 .85 1.0 .05 .05 250 1.8 1.8 0.75 .025 .025 2.5 .015 .025 2.5 .015 .025 2.0 .02 .025 500 10 10 1.0 .12 .12 0.50 .035 .041 500 25 .25 0.50 .025 .025 0.50 .055 .055 2.5 .045 .045 0.50 .025 .025 2.5 .025 .025 | RL IDL MDL raw 1.0 .7 1.8 1.0 .05 .065 0.055 0.50 .065 .1 -0.050 10 .05 .05 -0.0050 0.25 .01 .025 0.0 0.20 .01 .025 0.0 250 2.5 2.5 0.50 .05 0.050 2.5 .01 .025 -0.0050 1.3 .05 .05 -0.010 15 .85 .85 1.0 .05 .05 0.080 250 1.8 1.8 0.75 .025 .025 2.5 .015 .025 -0.040 2.0 .02 .025 2.5 .015 .025 -0.040 2.0 .02 .025 0.50 .035 .041 -0.010 500 .025 .025 |

Associated samples MP30815: C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30815 Methods: SW846 6010C Matrix Type: SOLID Units: mg/kg

Prep Date: 09/12/16 09/12/16

| Metal | FA36748- Original | | RPD | QC Limits | FA36748- Original | | Spikelot MPFLICP2 | | QC Limits |
|------------|----------------------|-------|----------|--------------|----------------------|------|----------------------|----------|--------------|
| Aluminum | | | | | | | | | |
| Antimony | 0.0 | 0.0 | NC | 0-20 | 0.0 | 6.7 | 25.4 | 26.4N(b) | 80-120 |
| Arsenic | 0.55 | 0.62 | 12.0 | 0-20 | 0.55 | 98.1 | 102 | 96.0 | 80-120 |
| Barium | 8.6 | 9.0 | 4.5 | 0-20 | 8.6 | 116 | 102 | 105.7 | 80-120 |
| Beryllium | 0.11 | 0.11 | 0.0 | 0-20 | 0.11 | 2.8 | 2.54 | 105.9 | 80-120 |
| Cadmium | 0.011 | 0.015 | 30.8 (a) | 0-20 | 0.011 | 2.6 | 2.54 | 101.9 | 80-120 |
| Calcium | | | | | | | | | |
| Chromium | 4.9 | 5.1 | 4.0 | 0-20 | 4.9 | 15.9 | 10.2 | 108.3 | 80-120 |
| Cobalt | 0.31 | 0.32 | 3.2 | 0-20 | 0.31 | 25.7 | 25.4 | 100.0 | 80-120 |
| Copper | 0.76 | 0.83 | 8.8 | 0-20 | 0.76 | 14.2 | 12.7 | 105.8 | 80-120 |
| Iron | | | | | | | | | |
| Lead | 2.9 | 3.2 | 9.8 | 0-20 | 2.9 | 31.0 | 25.4 | 110.6 | 80-120 |
| Magnesium | | | | | | | | | |
| Manganese | | | | | | | | | |
| Molybdenum | 1.2 | 1.2 | 0.0 | 0-20 | 1.2 | 25.8 | 25.4 | 96.9 | 80-120 |
| Nickel | 0.84 | 0.91 | 8.0 | 0-20 | 0.84 | 26.6 | 25.4 | 101.4 | 80-120 |
| Potassium | | | | | | | | | |
| Selenium | 0.40 | 0.36 | 10.5 | 0-20 | 0.40 | 99.1 | 102 | 97.2 | 80-120 |
| Silver | 0.039 | 0.041 | 5.0 | 0-20 | 0.039 | 2.5 | 2.54 | 96.9 | 80-120 |
| Sodium | | | | | | | | | |
| Strontium | | | | | | | | | |
| Thallium | 0.0 | 0.0 | NC | 0-20 | 0.0 | 110 | 102 | 108.3 | 80-120 |
| Tin | | | | | | | | | |
| Titanium | | | | | | | | | |
| Vanadium | 6.7 | 7.0 | 4.4 | 0-20 | 6.7 | 32.0 | 25.4 | 99.6 | 80-120 |
| Zinc | 3.8 | 4.0 | 5.1 | 0-20 | 3.8 | 30.0 | 25.4 | 103.2 | 80-120 |

Associated samples MP30815: C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

 ${\tt Results} \, < \, {\tt IDL} \, \, {\tt are} \, \, {\tt shown} \, \, {\tt as} \, \, {\tt zero} \, \, {\tt for} \, \, {\tt calculation} \, \, {\tt purposes} \, \,$

- (*) Outside of QC limits
- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested
- (a) RPD acceptable due to low duplicate and sample concentrations.
- (b) Spike recovery indicates possible matrix interference and/or sample non-homogeneity.

SGS 479 of 493
ACCUTEST
C47015

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30815 Methods: SW846 6010C Matrix Type: SOLID Units: mg/kg

Prep Date:

09/12/16

| Metal | FA36748 Origina | | Spikelo MPFLICP | t 2 % Rec | MSD RPD | QC Limit |
|------------|--------------------|------|--------------------|--------------|------------|-------------|
| Aluminum | | | | | | |
| Antimony | 0.0 | 6.5 | 25 | 26.0N(a) | 3.0 | 20 |
| Arsenic | 0.55 | 95.6 | 100 | 95.0 | 2.6 | 20 |
| Barium | 8.6 | 114 | 100 | 105.4 | 1.7 | 20 |
| Beryllium | 0.11 | 2.7 | 2.5 | 103.6 | 3.6 | 20 |
| Cadmium | 0.011 | 2.5 | 2.5 | 99.5 | 3.9 | 20 |
| Calcium | | | | | | |
| Chromium | 4.9 | 15.9 | 10 | 110.0 | 0.0 | 20 |
| Cobalt | 0.31 | 25.2 | 25 | 99.5 | 2.0 | 20 |
| Copper | 0.76 | 13.9 | 12.5 | 105.1 | 2.1 | 20 |
| Iron | | | | | | |
| Lead | 2.9 | 30.7 | 25 | 111.2 | 1.0 | 20 |
| Magnesium | | | | | | |
| Manganese | | | | | | |
| Molybdenum | 1.2 | 25.3 | 25 | 96.4 | 2.0 | 20 |
| Nickel | 0.84 | 25.9 | 25 | 100.2 | 2.7 | 20 |
| Potassium | | | | | | |
| Selenium | 0.40 | 96.7 | 100 | 96.3 | 2.5 | 20 |
| Silver | 0.039 | 2.4 | 2.5 | 94.4 | 4.1 | 20 |
| Sodium | | | | | | |
| Strontium | | | | | | |
| Thallium | 0.0 | 108 | 100 | 108.0 | 1.8 | 20 |
| Tin | | | | | | |
| Titanium | | | | | | |
| Vanadium | 6.7 | 31.8 | 25 | 100.4 | 0.6 | 20 |
| Zinc | 3.8 | 28.9 | 25 | 100.4 | 3.7 | 20 |

Associated samples MP30815: C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

Results < IDL are shown as zero for calculation purposes

- (*) Outside of QC limits
- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested
- (a) Spike recovery indicates possible matrix interference and/or sample non-homogeneity.



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30815 Matrix Type: SOLID Methods: SW846 6010C Units: mg/kg

Prep Date:

09/12/16

| Metal | BSP Result | Spikelot MPFLICP2 | | QC Limits |
|------------|---------------|----------------------|-------|--------------|
| Aluminum | | | | |
| Antimony | 27.5 | 25 | 110.0 | 80-120 |
| Arsenic | 111 | 100 | 111.0 | 80-120 |
| Barium | 117 | 100 | 117.0 | 80-120 |
| Beryllium | 2.9 | 2.5 | 116.0 | 80-120 |
| Cadmium | 2.8 | 2.5 | 112.0 | 80-120 |
| Calcium | | | | |
| Chromium | 11.6 | 10 | 116.0 | 80-120 |
| Cobalt | 28.3 | 25 | 113.2 | 80-120 |
| Copper | 14.5 | 12.5 | 116.0 | 80-120 |
| Iron | | | | |
| Lead | 27.6 | 25 | 110.4 | 80-120 |
| Magnesium | | | | |
| Manganese | | | | |
| Molybdenum | 29.5 | 25 | 118.0 | 80-120 |
| Nickel | 28.7 | 25 | 114.8 | 80-120 |
| Potassium | | | | |
| Selenium | 111 | 100 | 111.0 | 80-120 |
| Silver | 2.6 | 2.5 | 104.0 | 80-120 |
| Sodium | | | | |
| Strontium | | | | |
| Thallium | 110 | 100 | 110.0 | 80-120 |
| Tin | | | | |
| Titanium | | | | |
| Vanadium | 27.5 | 25 | 110.0 | 80-120 |
| Zinc | 28.5 | 25 | 114.0 | 80-120 |

Associated samples MP30815: C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30815 Methods: SW846 6010C Matrix Type: SOLID Units: ug/l

Prep Date: 09/12/16

| TICP DUCC | | | 03/12/10 | |
|------------|----------------------|--------------|----------|--------------|
| Metal | FA36748- Original | 3 SDL 1:5 | %DIF | QC Limits |
| Aluminum | | | | |
| Antimony | 0.00 | 0.00 | NC | 0-10 |
| Arsenic | 9.90 | 8.60 | 13.1 (a) | 0-10 |
| Barium | 154 | 165 | 7.5 | 0-10 |
| Beryllium | 1.90 | 2.00 | 5.3 | 0-10 |
| Cadmium | 0.200 | 0.00 | 100.0(a) | 0-10 |
| Calcium | | | | |
| Chromium | 87.8 | 95.0 | 8.2 | 0-10 |
| Cobalt | 5.50 | 6.00 | 9.1 | 0-10 |
| Copper | 13.5 | 14.1 | 4.4 | 0-10 |
| Iron | | | | |
| Lead | 51.6 | 52.9 | 2.5 | 0-10 |
| Magnesium | | | | |
| Manganese | | | | |
| Molybdenum | 21.4 | 19.4 | 9.3 | 0-10 |
| Nickel | 15.0 | 16.7 | 11.3 (a) | 0-10 |
| Potassium | | | | |
| Selenium | 7.10 | 0.00 | 100.0(a) | 0-10 |
| Silver | 0.700 | 0.00 | 100.0(a) | 0-10 |
| Sodium | | | | |
| Strontium | | | | |
| Thallium | 0.00 | 0.00 | NC | 0-10 |
| Tin | | | | |
| Titanium | | | | |
| Vanadium | 120 | 128 | 7.4 | 0-10 |
| Zinc | 68.4 | 110 | 61.1 (a) | 0-10 |
| | | | | |

Associated samples MP30815: C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).



POST DIGESTATE SPIKE SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30815 Methods: SW846 6010C Matrix Type: SOLID Units: ug/l

Prep Date: 09/12/16

| Metal | Sample ml | Final ml | FA36748- Raw | -3 Corr.** | PS ug/l | Spike ml | Spike ug/ml | Spike ug/l | % Rec | QC Limits |
|------------|--------------|-------------|-----------------|---------------|------------|-------------|----------------|---------------|-------|--------------|
| Aluminum | | | | | | | | | | |
| Antimony | 9.8 | 10 | | | 105 | 0.2 | 5 | 100 | 105.0 | 80-120 |
| Arsenic | 9.8 | 10 | 9.9 | 9.702 | 111 | 0.2 | 5 | 100 | 101.3 | 80-120 |
| Barium | 9.8 | 10 | 153.9 | 150.822 | 414.9 | 0.2 | 12.5 | 250 | 105.6 | 80-120 |
| Beryllium | 9.8 | 10 | 1.9 | 1.862 | 53.5 | 0.2 | 2.5 | 50 | 103.3 | 80-120 |
| Cadmium | 9.8 | 10 | . 2 | .196 | 50.8 | 0.2 | 2.5 | 50 | 101.2 | 80-120 |
| Calcium | | | | | | | | | | |
| Chromium | 9.8 | 10 | 87.8 | 86.044 | 137.9 | 0.2 | 2.5 | 50 | 103.7 | 80-120 |
| Cobalt | 9.8 | 10 | 5.5 | 5.39 | 56.1 | 0.2 | 2.5 | 50 | 101.4 | 80-120 |
| Copper | 9.8 | 10 | 13.5 | 13.23 | 119.3 | 0.2 | 5 | 100 | 106.1 | 80-120 |
| Iron | | | | | | | | | | |
| Lead | 9.8 | 10 | 51.6 | 50.568 | 104.8 | 0.2 | 2.5 | 50 | 108.5 | 80-120 |
| Magnesium | | | | | | | | | | |
| Manganese | | | | | | | | | | |
| Molybdenum | 9.8 | 10 | 21.4 | 20.972 | 122.2 | 0.2 | 5 | 100 | 101.2 | 80-120 |
| Nickel | 9.8 | 10 | 15 | 14.7 | 115.5 | 0.2 | 5 | 100 | 100.8 | 80-120 |
| Potassium | | | | | | | | | | |
| Selenium | 9.8 | 10 | 7.1 | 6.958 | 103.7 | 0.2 | 5 | 100 | 96.7 | 80-120 |
| Silver | 9.8 | 10 | .7 | .686 | 45.3 | 0.2 | 2.5 | 50 | 89.2 | 80-120 |
| Sodium | | | | | | | | | | |
| Strontium | | | | | | | | | | |
| Thallium | 9.8 | 10 | | | 104.5 | 0.2 | 5 | 100 | 104.5 | 80-120 |
| Tin | | | | | | | | | | |
| Titanium | | | | | | | | | | |
| Vanadium | 9.8 | 10 | 119.5 | 117.11 | 166.5 | 0.2 | 2.5 | 50 | 98.8 | 80-120 |
| Zinc | 9.8 | 10 | 68.4 | 67.032 | 327 | 0.2 | 12.5 | 250 | 104.0 | 80-120 |

Associated samples MP30815: C47015-20, C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (**) Corr. sample result = Raw * (sample volume / final volume)

(anr) Analyte not requested



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: C47015

Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30816 Matrix Type: SOLID Methods: SW846 7471B Units: mg/kg

Prep Date:

09/12/16

| Metal | RL | IDL | MDL | MB raw | final |
|---------|-------|-------|-------|-----------|--------|
| Mercury | 0.042 | .0025 | .0042 | -0.0017 | <0.042 |

Associated samples MP30816: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30816 Matrix Type: SOLID

Methods: SW846 7471B Units: mg/kg

Prep Date: 09/12/16

Original DUP

C47015-3

0.063

| RPD | QC Limits | C47015- Origina | | Spikelot HGFLWS1 | | QC Limits | |
|-----|--------------|--------------------|------|---------------------|------|--------------|--|
| 6.2 | 0-20 | 0.063 | 0.27 | 0.227 | 91.1 | 80-120 | |

09/12/16

Associated samples MP30816: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits

0.067

Metal

Mercury

- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30816 Methods: SW846 7471B Matrix Type: SOLID Units: mg/kg

Prep Date:

09/12/16

Associated samples MP30816: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits

- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested



.3.3 10

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C47015
Account: ALNCA - SGS Accutest Northern California
Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30816 Matrix Type: SOLID Methods: SW846 7471B Units: mg/kg

Prep Date:

09/12/16

Associated samples MP30816: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested



10

SERIAL DILUTION RESULTS SUMMARY

Login Number: C47015
Account: ALNCA - SGS Accutest Northern California
Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30816 Methods: SW846 7471B Matrix Type: SOLID Units: ug/l

Prep Date: 09/12/16

Associated samples MP30816: C47015-1, C47015-2, C47015-3, C47015-4, C47015-5, C47015-6, C47015-7, C47015-8, C47015-9, C47015-10, C47015-11, C47015-12, C47015-13, C47015-14, C47015-15, C47015-16, C47015-17, C47015-18, C47015-19, C47015-20

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: C47015

Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30820 Methods: SW846 7471B Matrix Type: SOLID Units: mg/kg

Prep Date: 09/13/16

Associated samples MP30820: C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30820 Matrix Type: SOLID

09/13/16

09/13/16

Methods: SW846 7471B

Units: mg/kg

| Metal | C47015- Origina | | RPD | QC Limits | C47015- Origina | | Spikelot HGFLWS1 | | QC Limits | |
|---------|--------------------|-------|----------|--------------|--------------------|------|---------------------|------|--------------|--|
| Mercury | 0.13 | 0.071 | 58.7*(a) | 0-20 | 0.13 | 0.35 | 0.224 | 98.3 | 80-120 | |

Associated samples MP30820: C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits

Prep Date:

- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested
- (a) High RPD due to possible sample non-homogeneity.



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: C47015 Account: ALNCA - SGS Accutest Northern California Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30820 Methods: SW846 7471B Matrix Type: SOLID Units: mg/kg

Prep Date:

09/13/16

| Metal | C47015-2 Original | | Spikelot HGFLWS1 | | MSD RPD | QC Limit |
|---------|----------------------|------|---------------------|------|------------|-------------|
| Mercury | 0.13 | 0.31 | 0.224 | 80.4 | 12.1 | 2.0 |

Associated samples MP30820: C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested



.4.3 10

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: C47015
Account: ALNCA - SGS Accutest Northern California
Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30820 Matrix Type: SOLID Methods: SW846 7471B Units: mg/kg

Prep Date:

09/13/16

| Metal | BSP | Spikelot | QC |
|-----------|--------|---------------|--------|
| | Result | HGFLWS1 % Rec | Limits |
| Monganary | 0.26 | 0.25 104.0 | 00 100 |

Associated samples MP30820: C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested



10

SERIAL DILUTION RESULTS SUMMARY

Login Number: C47015
Account: ALNCA - SGS Accutest Northern California
Project: GEOSCASR: Vallco Mall, Wolfe Rd, Cupertino CA

QC Batch ID: MP30820 Methods: SW846 7471B Matrix Type: SOLID Units: ug/l

Prep Date: 09/13/16


Associated samples MP30820: C47015-21, C47015-22, C47015-23, C47015-24, C47015-25, C47015-26, C47015-27, C47015-28, C47015-29, C47015-30, C47015-31, C47015-32

 ${\tt Results} \, < \, {\tt IDL} \, \, {\tt are} \, \, {\tt shown} \, \, {\tt as} \, \, {\tt zero} \, \, {\tt for} \, \, {\tt calculation} \, \, {\tt purposes} \, \,$

(*) Outside of QC limits

(anr) Analyte not requested

(a) Serial dilution indicates possible matrix interference.





(Air Resources Board Method 435, June 6, 1991)

Accutest Northern California, Inc. 3164 **Client ID:** Project Manager **Report Number:** N008580 2105 Lundy Ave **Date Received:** 09/08/16 **Date Analyzed:** 09/15/16 **Date Printed:** San Jose, CA 95131 09/15/16 Job ID/Site: C47015X FALL Job ID: 3164 **Total Samples Submitted:** 32 32 PLM Report Number: N/A **Total Samples Analyzed:**

Sample Preparation and Analysis:

Samples were analyzed by the Air Resources Board's Method 435, Determination of Asbestos Content of Serpentine Aggregate. Samples were ground to 200 particle size in the laboratory. Approximately 1 pint was retained for analysis. Samples were prepared for observation according to the guidelines of Exception I and Exception II as defined by the 435 Method. Samples which contained less than 10% asbestos were prepared for observation according to the point count technique as defined by the 435 Method. This analysis was performed with a standard cross-hair reticle.

Sample ID Lab Number Layer Description

E1-1 11807319 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100

Visual estimation percentage: None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E1-2 11807320 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E1-3 11807321 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E1-4 11807322 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected



(Air Resources Board Method 435, June 6, 1991)

Accutest Northern California, Inc. 3164 **Client ID:** Project Manager **Report Number:** N008580 2105 Lundy Ave **Date Received:** 09/08/16 **Date Analyzed:** 09/15/16 **Date Printed:** San Jose, CA 95131 09/15/16 Job ID/Site: C47015X FALL Job ID: 3164 **Total Samples Submitted:** 32 32 PLM Report Number: N/A **Total Samples Analyzed:**

Sample Preparation and Analysis:

Samples were analyzed by the Air Resources Board's Method 435, Determination of Asbestos Content of Serpentine Aggregate. Samples were ground to 200 particle size in the laboratory. Approximately 1 pint was retained for analysis. Samples were prepared for observation according to the guidelines of Exception I and Exception II as defined by the 435 Method. Samples which contained less than 10% asbestos were prepared for observation according to the point count technique as defined by the 435 Method. This analysis was performed with a standard cross-hair reticle.

Sample ID Lab Number Layer Description

E1-8 11807323 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100

Visual estimation percentage: None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E2-1 11807324 **Black Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E2-2 11807325 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E2-3 11807326 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected



(Air Resources Board Method 435, June 6, 1991)

Accutest Northern California, Inc. 3164 **Client ID:** Project Manager **Report Number:** N008580 2105 Lundy Ave **Date Received:** 09/08/16 **Date Analyzed:** 09/15/16 **Date Printed:** San Jose, CA 95131 09/15/16 Job ID/Site: C47015X FALL Job ID: 3164 **Total Samples Submitted:** 32 32 PLM Report Number: N/A **Total Samples Analyzed:**

Sample Preparation and Analysis:

Samples were analyzed by the Air Resources Board's Method 435, Determination of Asbestos Content of Serpentine Aggregate. Samples were ground to 200 particle size in the laboratory. Approximately 1 pint was retained for analysis. Samples were prepared for observation according to the guidelines of Exception I and Exception II as defined by the 435 Method. Samples which contained less than 10% asbestos were prepared for observation according to the point count technique as defined by the 435 Method. This analysis was performed with a standard cross-hair reticle.

Sample ID

Lab Number Layer Description

E2-5

Visual Estimation Results:

Matrix percentage of entire

Visual estimation percentage:
Asbestos type(s) detected:

None Detected

None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E2-7 11807328 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E3-1 11807329 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E3-2 11807330 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected



(Air Resources Board Method 435, June 6, 1991)

Accutest Northern California, Inc. 3164 **Client ID:** Project Manager **Report Number:** N008580 2105 Lundy Ave **Date Received:** 09/08/16 **Date Analyzed:** 09/15/16 **Date Printed:** San Jose, CA 95131 09/15/16 Job ID/Site: C47015X FALL Job ID: 3164 **Total Samples Submitted:** 32 32 PLM Report Number: N/A **Total Samples Analyzed:**

Sample Preparation and Analysis:

Samples were analyzed by the Air Resources Board's Method 435, Determination of Asbestos Content of Serpentine Aggregate. Samples were ground to 200 particle size in the laboratory. Approximately 1 pint was retained for analysis. Samples were prepared for observation according to the guidelines of Exception I and Exception II as defined by the 435 Method. Samples which contained less than 10% asbestos were prepared for observation according to the point count technique as defined by the 435 Method. This analysis was performed with a standard cross-hair reticle.

Sample ID Lab Number Layer Description

E3-3 11807331 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100

Visual estimation percentage: None Detected

Asbestos type(s) detected:

None Detected

None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E3-4 11807332 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E3-6 11807333 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E4-1 11807334 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected



(Air Resources Board Method 435, June 6, 1991)

Accutest Northern California, Inc. 3164 **Client ID:** Project Manager **Report Number:** N008580 2105 Lundy Ave **Date Received:** 09/08/16 **Date Analyzed:** 09/15/16 **Date Printed:** San Jose, CA 95131 09/15/16 Job ID/Site: C47015X FALL Job ID: 3164 **Total Samples Submitted:** 32 32 PLM Report Number: N/A **Total Samples Analyzed:**

Sample Preparation and Analysis:

Samples were analyzed by the Air Resources Board's Method 435, Determination of Asbestos Content of Serpentine Aggregate. Samples were ground to 200 particle size in the laboratory. Approximately 1 pint was retained for analysis. Samples were prepared for observation according to the guidelines of Exception I and Exception II as defined by the 435 Method. Samples which contained less than 10% asbestos were prepared for observation according to the point count technique as defined by the 435 Method. This analysis was performed with a standard cross-hair reticle.

Sample ID Lab Number Layer Description

E4-2 11807335 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100

Visual estimation percentage: None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E5-1 11807336 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E5-2 11807337 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E5-3 11807338 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected



(Air Resources Board Method 435, June 6, 1991)

Accutest Northern California, Inc. 3164 **Client ID:** Project Manager **Report Number:** N008580 2105 Lundy Ave **Date Received:** 09/08/16 **Date Analyzed:** 09/15/16 **Date Printed:** San Jose, CA 95131 09/15/16 Job ID/Site: C47015X FALL Job ID: 3164 **Total Samples Submitted:** 32 32 PLM Report Number: N/A **Total Samples Analyzed:**

Sample Preparation and Analysis:

Samples were analyzed by the Air Resources Board's Method 435, Determination of Asbestos Content of Serpentine Aggregate. Samples were ground to 200 particle size in the laboratory. Approximately 1 pint was retained for analysis. Samples were prepared for observation according to the guidelines of Exception I and Exception II as defined by the 435 Method. Samples which contained less than 10% asbestos were prepared for observation according to the point count technique as defined by the 435 Method. This analysis was performed with a standard cross-hair reticle.

Sample ID Lab Number Layer Description

E6-1 11807339 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100

Visual estimation percentage: None Detected
Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E6-2 11807340 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E6-4 11807341 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E7-1 11807342 **Black Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected



(Air Resources Board Method 435, June 6, 1991)

Accutest Northern California, Inc. 3164 **Client ID:** Project Manager **Report Number:** N008580 2105 Lundy Ave **Date Received:** 09/08/16 **Date Analyzed:** 09/15/16 **Date Printed:** San Jose, CA 95131 09/15/16 Job ID/Site: C47015X FALL Job ID: 3164 **Total Samples Submitted:** 32 32 PLM Report Number: N/A **Total Samples Analyzed:**

Sample Preparation and Analysis:

Samples were analyzed by the Air Resources Board's Method 435, Determination of Asbestos Content of Serpentine Aggregate. Samples were ground to 200 particle size in the laboratory. Approximately 1 pint was retained for analysis. Samples were prepared for observation according to the guidelines of Exception I and Exception II as defined by the 435 Method. Samples which contained less than 10% asbestos were prepared for observation according to the point count technique as defined by the 435 Method. This analysis was performed with a standard cross-hair reticle.

Sample ID Lab Number Layer Description

E7-2 11807343 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100

Visual estimation percentage: None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E7-3 11807344 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E7-5 11807345 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E8-1 11807346 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected



(Air Resources Board Method 435, June 6, 1991)

Accutest Northern California, Inc. 3164 **Client ID:** Project Manager N008580 **Report Number:** 2105 Lundy Ave **Date Received:** 09/08/16 **Date Analyzed:** 09/15/16 **Date Printed:** San Jose, CA 95131 09/15/16 Job ID/Site: C47015X FALL Job ID: 3164 **Total Samples Submitted:** 32 32 PLM Report Number: N/A **Total Samples Analyzed:**

Sample Preparation and Analysis:

Samples were analyzed by the Air Resources Board's Method 435, Determination of Asbestos Content of Serpentine Aggregate. Samples were ground to 200 particle size in the laboratory. Approximately 1 pint was retained for analysis. Samples were prepared for observation according to the guidelines of Exception I and Exception II as defined by the 435 Method. Samples which contained less than 10% asbestos were prepared for observation according to the point count technique as defined by the 435 Method. This analysis was performed with a standard cross-hair reticle.

E8-2 11807347 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100

Visual estimation percentage: None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E8-3 11807348 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E8-4 11807349 **Brown Soil**

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected

Comment: This result meets the requirements of Exception I as defined by the 435 Method.

E8-5 11807350 Brown Soil

Visual Estimation Results:

Matrix percentage of entire 100 **Visual estimation percentage:** None Detected

Asbestos type(s) detected: None Detected



(Air Resources Board Method 435, June 6, 1991)

| Date Hinted. 5713/10 |
|--|
| Date Analyzed: 09/15/16 Date Printed: 09/15/16 |
| Ornia, Inc. Client ID: 3164 Report Number: N008580 Date Received: 09/08/16 |

Sample Preparation and Analysis:


Samples were analyzed by the Air Resources Board's Method 435, Determination of Asbestos Content of Serpentine Aggregate. Samples were ground to 200 particle size in the laboratory. Approximately 1 pint was retained for analysis. Samples were prepared for observation according to the guidelines of Exception I and Exception II as defined by the 435 Method. Samples which contained less than 10% asbestos were prepared for observation according to the point count technique as defined by the 435 Method. This analysis was performed with a standard cross-hair reticle.



Tad Thrower, Laboratory Supervisor, Hayward Laboratory

Note: Limit of Quantification (LOQ) = 0.25%. Trace denotes the presence of asbestos below the LOQ. ND = None Detected. Analytical results and reports are generated by Forensic Analytical Laboratories Inc. (FALI) at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by FALI to any third party without prior written request from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full, unless approved by FALI. The client is solely responsible for the use and interpretation of test results and reports requested from FALI. Forensic Analytical Laboratories Inc. is not able to assess the degree of hazard resulting from materials analyzed. FALI reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified. All samples were received in acceptable condition unless otherwise noted.





FINAL LAB REPORT

C47015X

A9226

29-Sep-2016

Prepared by

SGS NORTH AMERICA

Prepared for

SGS Accutest Laboratories

Nutan Kabir

2105 Lundy Avenue San Jose, CA 95131 Phone: 408.588.0200

Emil: nutan.kabir@sgs.com

This report is approved by

amara jungi

Tamara Morgan 2016 09 29 15:54:35 -04:00

Tamara Morgan

Senior Project Manager

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms and conditions.htm. Attention is drawn to the limitation of lability, indemnification and jurisdiction issues defined therein.

GS remains committed to serving you in the most effective manner. Should you have any questions or need additional information and technical support, please do not hesitate to contact us.

The management and staff of SGS welcomes customer feedback, both positive and negative, as we continually improve our services. Please visit our web site at www.sgs.com/ultratrace and lick on the 'Email Us' link or go to our survey here. Thank you for choosing SGS.

Any holder of this document is advised that it is a final submission and supersedes and voids all prior reports with the same report or identification number. The information contained hereon effects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility in conducting the work herein is to its Client and does not exonerate parties to a transaction from exercising all of their rights and obligations under such applicable transaction documents. This report may be reproduced in full only. The Company expressly disclaims any and all liability for the Client's use of or reliance upon the data contained herein. Any alteration, forgery or falsification of the content or appearance of this document which is not expressly authorized by the Company is unlawful and offenders may be prosecuted to the fullest extent of the law.

Results reported relate only to the items tested.



PROJECT INFORMATION SUMMARY (When applicable, see QC Annotations for details)

| Client Project | C47015X |
|--------------------------------|-------------------|
| SGS Project # | A9226 |
| Analytical Protocol(s) | Method 1613B TCDD |
| No. Samples Submitted | 32 |
| Additional QC Sample(s) | 0 |
| No. Laboratory Method Blanks | 2 |
| No. OPRs / Batch CS3 | 2 |
| Date Received | 09-Sep-16 |
| Condition Received | Good |
| Temperature upon Receipt (°C) | 6.0 |
| Extraction within Holding Time | Yes |
| Analysis within Holding Time | Yes |
| | |



QC ANNOTATIONS:

- 1. Please see Appendices attached for data qualifier/attribute and lab identifier descriptions which may be contained in the project.
- 2. The reported concentration of the labeled 13C-2,3,7,8-TCDD for the beginning Continuing Calibration (CS3) analyzed on 09/22/2016 at 20:24:12 is below recommended QC limits. The unlabeled 2,3,7,8-TCDD compound passes QC limits and all samples are Non-Detect (ND) for the compound. The Estimated Detection Limits are also below the reporting limit. Samples A9226_14387_001, _002, _003, _004, _005, _006 and _007 are affected.
- 3. The reported concentration of the labeled 13C-2,3,7,8-TCDD for the beginning Continuing Calibration (CS3) analyzed on 09/26/2016 at 00:53:57 is below recommended QC limits. The unlabeled 2,3,7,8-TCDD compound passes QC limits and all samples are Non-Detect (ND) for the compound. The Estimated Detection Limits are also below the reporting limit. Samples A9226_14388_017, _018, _019, _020, _021, _022, _023 and _024 are affected.



APPENDIX A: GENERAL DATA QUALIFIERS / DATA ATTRIBUTES

| В | The analyte was found in the method blank, at a concentration that was at least 10% of the concentration in the sample. |
|---------|--|
| С | Two or more congeners co-elute. In EDDs, C denotes the lowest IUPAC congener in a co-elution group and additional co-eluters for the group are shown with the number of the lowest IUPAC co-eluter. |
| E | The reported concentration exceeds the calibration range (upper point of the calibration curve) and is an estimated value. |
| EMPC | Represents an Estimated Maximum Possible Concentration. EMPCs arise in cases where the signal/noise ratio is not sufficient for peak identification (the determined ion-abundance ratio is outside the allowed theoretical range), or where there is a co-eluting interference. |
| H/h | If the standard recovery is below the method or SOP specified value "H" is assigned. If the obtained value is less than half the specified value "h" is assigned. |
| J | Indicates that an analyte has a concentration below the reporting limit (lowest point of the calibration curve) and is an estimated value. |
| ND | Indicates a non-detect. |
| NR or R | Indicates a value that is not reportable. |
| PR | Due to interference, the associated congener is poorly resolved. |
| QI | Indicates the presence of a quantitative interference. |
| SI | Denotes "Single Ion Mode" and is utilized for PCBs where the secondary ion trace has a significantly elevated noise level due to background PFK. Responses for such peaks are calculated using an EMPC approach based solely on the primary ion area(s) and may be considered estimates. |
| U | The analyte was not detected. The estimated detection limit (EDL) may be reported for this analyte. |
| V | The labeled standard recovery was found to be outside of the method control limits. |



APPENDIX B: DRBC/TMDL SPECIFIC DATA QUALIFIERS / DATA ATTRIBUTES

| J | The reported result is an estimate. The value is less than the minimum calibration level but greater than the estimated detection limit (EDL). |
|------|---|
| U | The analyte was not detected in the sample at the estimated detection limit (EDL). |
| E | The reported concentration is an estimate. The value exceeds the upper calibration range (upper point of the calibration curve). |
| D | Dilution Data. Result was obtained from the analysis of a dilution. |
| В | Analyte found in the sample and associated method blank. |
| С | Co-eluting congener |
| Cxx | Co-elutes with the indicated congener, data is reported under the lowest IUPAC congener. 'Xx' denotes the IUPAC number with the lowest numerical designated congener. |
| NR | Analyte is not reportable because of problems in sample preparation or analysis. |
| V | Labeled standard recovery is not within method control limits. |
| Х | Results from re-injection/repeat/second-column analysis. |
| EMPC | Estimated maximum possible concentration. Indicates that a peak is identified but did not meet the method specified ion-abundance ratio. |
| | |

APPENDIX C: LAB IDENTIFIERS

| AR | Indicates use of the archived portion of the sample extract. |
|-----|--|
| CU | Indicates a sample that required additional clean-up prior to MS injection/processing. |
| D | Indicates a dilution of the sample extract. The number that follows the "D" indicates the dilution factor. |
| DE | Indicates a dilution performed with the addition of ES (extraction standard) solution. |
| DUP | Designation for a duplicate sample. |
| MS | Designation for a matrix spike. |
| MSD | Designation for a matrix spike duplicate. |
| RJ | Indicates a reinjection of the sample extract. |
| S | Indicates a sample split. The number that follows the "S" indicates the split factor. |



SGS CERTIFICATIONS

| California (ELAP) Interim ELAP Cert #2914 CLIA 34D1013708 Connecticut PH-0258 USDA Soil Permit P330-14-00135 DoD 2726.01 Florida (Primary NELAP) E87634 ISO 17025/IEC 2726.01 Louisiana 4115 Maine #2014020 Massachusetts M-NC919 Minnesota (Primary NELAP For Method 23) Lab #037-999-459 Cert #688823 New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 West Virginia 293 | Arkansas | 88-0682 |
|---|---|-------------------------------|
| Connecticut PH-0258 USDA Soil Permit P330-14-00135 DoD 2726.01 Florida (Primary NELAP) E87634 ISO 17025/IEC 2726.01 Louisiana 4115 Maine #2014020 Massachusetts M-NC919 Minnesota (Primary NELAP For Method 23) Lab #037-999-459 Cert #688823 New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | California (ELAP) | Interim ELAP Cert #2914 |
| USDA Soil Permit P330-14-00135 DoD 2726.01 Florida (Primary NELAP) E87634 ISO 17025/IEC 2726.01 Louisiana 4115 Maine #2014020 Massachusetts M-NC919 Minnesota (Primary NELAP For Method 23) Lab #037-999-459 Cert #688823 New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C726.01 | CLIA | 34D1013708 |
| DoD 2726.01 Florida (Primary NELAP) E87634 ISO 17025/IEC 2726.01 Louisiana 4115 Maine #2014020 Massachusetts M-NC919 Minnesota (Primary NELAP For Method 23) Lab #037-999-459 Cert #688823 New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | Connecticut | PH-0258 |
| Florida (Primary NELAP) E87634 ISO 17025/IEC 2726.01 Louisiana 4115 Maine #2014020 Massachusetts M-NC919 Minnesota (Primary NELAP For Method 23) Lab #037-999-459 Cert #688823 New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | USDA Soil Permit | P330-14-00135 |
| ISO 17025/IEC 2726.01 | DoD | 2726.01 |
| Louisiana 4115 Maine #2014020 Massachusetts M-NC919 Minnesota (Primary NELAP For Method 23) Lab #037-999-459 Cert #688823 New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | Florida (Primary NELAP) | E87634 |
| Maine #2014020 Massachusetts M-NC919 Minnesota (Primary NELAP For Method 23) Lab #037-999-459 Cert #688823 New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | ISO 17025/IEC | 2726.01 |
| Massachusetts M-NC919 Minnesota (Primary NELAP For Method 23) Lab #037-999-459 Cert #688823 New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | Louisiana | 4115 |
| Minnesota (Primary NELAP For Method 23) Lab #037-999-459 Cert #688823 New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | Maine | #2014020 |
| New Jersey NC100 New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | Massachusetts | M-NC919 |
| New York 11685 North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | Minnesota (Primary NELAP For Method 23) | Lab #037-999-459 Cert #688823 |
| North Carolina DWR 481 North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | New Jersey | NC100 |
| North Dakota R-197 Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | New York | 11685 |
| Oregon NC200002 Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | North Carolina DWR | 481 |
| Pennsylvania 68-03675 South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | North Dakota | R-197 |
| South Carolina Lab #99029 Cert #99029002 Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | Oregon | NC200002 |
| Texas T104704260-13-5 US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | Pennsylvania | 68-03675 |
| US Coast Guard 16714/159.317/SGS Virginia Lab #460214 Cert #3006 Washington C913 | South Carolina | Lab #99029 Cert #99029002 |
| Virginia Lab #460214 Cert #3006 Washington C913 | Texas | T104704260-13-5 |
| Washington C913 | US Coast Guard | 16714/159.317/SGS |
| - | Virginia | Lab #460214 Cert #3006 |
| West Virginia 293 | Washington | C913 |
| | West Virginia | 293 |

| Sample ID: | : E1-1 | | | | | Method | Method 1613B |
|------------------------|---------------------------|--------------------|------------------------------|-----------------|-------------------|---|------------------------|
| Client Data | SGS Accutest Laboratories | Sample Data | iō | Laboratory Data | <u>Ita</u> | Date Received: | 00-Sep-2016 |
| Project ID: | C47015X | | 10.61 a | Lab Sample ID | A9226 | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 81.9 % | QC Batch No: | 14387 | Date Analyzed: Time Analyzed: | 23-Sep-2016 0:28:23 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.132 | | | ES 2378-TCDD | 76.9 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 116 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | 55 | 5500 Business Drive |
| | | | | | 0 | | www.us.sgs.com |
| | | | | | Tel: | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 859-738-YFM | Σ | SGS | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 12:28 Analyst: AL | 2:28 Analyst: AL |

| Marrix: Soil Lab Project ID: A9226 Date Received: WeightVolume: 9.55 g Lab Sample ID A9226_14387_DF_002 Date Extracted: Split: - Dilution: - Time Analyzed: ES 23 % QC Batch No: 14387 Time Analyzed: Date Analyzed: DL (pg/g) Gualifiers Standard ES Recoveries O.147 ES 2378-TCDD ES 25.6 G ES 2378-TCDD ES 25.6 G ES 2378-TCDD TO CS 37C+2378-TCDD TO CS 37C+2378-TCDD TO CS 37C+2378-TCDD TO CS 37C+2378-TCDD TO | Sample ID: | E1-2 | | | Laboratory Data | | Method | Method 1613B |
|--|-----------------------------------|------|--------------------|----------------|----------------------------------|-----------------------------|----------------------------------|------------------------------------|
| 1936 Time Analyzed: 1946 Time Analyzed: 1947 Time Analyzed: 1947 Time Analyzed: 1947 Es 2378-TODD Es 2378-TODD Es 2378-TODD Es 2378-TODD Es 2378-TODD Es 2378-TODD 105 | SGS Accutest Laboratories C47015X | | | Soil 9.55 g | Lab Project ID: Lab Sample ID | A9226 A9226_14387_DF_002 | Date Received: Date Extracted: | 09-Sep-2016 16-Sep-2016 |
| EMPC (pg/g) Qualifiers Standard ES Recoveries 85.6 | 06-Sep-2016 | | % solld: Split: | 82.3 % - | ପ୍ଟ Batch No: Dilution: | 1438/ - | Date Analyzed: Time Analyzed: | 23-Sep-2016 1:17:37 |
| Standard Standard SS/AS Recoveries CS/AS Re | Conc. (pg/g) | | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| CS/AS Recoveries 105 Nilmington Tel: +1 910 794-1613; Toll-Fr | ΩN | | 0.147 | | | ES 2378-TCDD | 85.6 | |
| CS/AS Recoveries 105 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| CS/AS Recoveries 105 Wilmington, 550 | | | | | | | | |
| CS/AS Recoveries 105 105 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| CS/AS Recoveries 105 105 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| CS/AS Recoveries 105 Nilmington Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| CS/AS Recoveries 105 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| CS/AS Recoveries 105 Nilmington Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| CS/AS Recoveries 105 105 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| 105 550 Wilmington, | | | | | | Standard | CS/AS Recoverie | 8 |
| 550 Wilmington, | | | | | | CS 37CI-2378-TCDD | 105 | |
| 550 Wilmington Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| 550 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| 550 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| 550 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| 550 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| 550 Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | |
| Wilmington, Wilmington, Tel: +1 910 794-1613; Toll-Fr | | | | | | | | O. Coordinate O. |
| + | | | | | | | | NC 28405, USA |
| | | | | | | | ·1 910 794-1613; Toll-F | www.us.sgs.com ree 866 846-8290 |

| Sample ID: | : E1-3 | | | | | Method | Method 1613B |
|------------------------|---------------------------|------------------------|------------------------------|------------------------------------|---------------------|---|------------------------|
| Client Data Name: | SGS Accutest Laboratories | Sample Data Matrix: | Soil | Laboratory Data Lab Project ID: | <u>ata</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | | Weight/Volume: | 10.65 g | Lab Sample ID | A9226_ | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 87.6 % | QC Batch No: Dilution: | 14387 - | Date Analyzed: Time Analyzed: | 23-Sep-2016 2:06:52 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.127 | | | ES 2378-TCDD | 93.6 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 109 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | 55 | 5500 Business Drive |
| | | | | | | אאווווווווווווווווווווווווווווווווווווו | www.us.sgs.com |
| | | | | | Tel: + | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 081-612-VCK | × | SGS | SGS North America - DF v0.18 | 0.18 | Report C | Report Created: 27-Sep-2016 12:28 Analyst: AL | 2:28 Analyst: AL |

| Sample ID: | : E1-4 | | | | | Method | Method 1613B |
|------------------------|---------------------------|--------------------|------------------------------|---------------------------|---------------------|---|---------------------------|
| Client Data | SGS Accutest Laboratories | Sample Data | Soil | Laboratory Data | <u>ita</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 11.76 g | Lab Sample ID | A9226_ | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 85.3 % | QC Batch No: Dilution: | 14387 | Date Analyzed: Time Analyzed: | 23-Sep-2016 2:56:06 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | ND | 0.142 | | | ES 2378-TCDD | 82.3 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | s |
| | | | | | CS 37CI-2378-TCDD | 2.66 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | Tel: · | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 786-748-CMP | IP di | SGS | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 12:29 Analyst: AL | 2:29 Analyst: AL |

| Sample ID: | : E1-8 | | | | | Method | Method 1613B |
|------------------------|---------------------------|---------------|------------------------------|-----------------|-------------------|---|--|
| Client Data | Sample Sample Matrix | Sample Data | io | Laboratory Data | <u>nta</u> | Data Booiyad | 00.500-2016 |
| Project ID: | SGS Accutest Laboratories | Weight/Volume | 9310 | Lab Floject ID. | A9226 | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: | % 6:62 | QC Batch No: | 14387 | Date Analyzed: | 23-Sep-2016 |
| Analyte | Conc. (pg/q) | DL (pg/g) | EMPC (pa/q) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.248 | | | ES 2378-TCDD | 78.2 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 93.6 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA www.us.sgs.com |
| | | | | | -: | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 067-009-HLN | Z | SGS | SGS North America - DF v0.18 | /0.18 | Report (| Report Created: 27-Sep-2016 12:29 Analyst: AL | 2:29 Analyst: AL |

| Sample ID: | : E2-1 | | | | | Method | Method 1613B |
|------------------------|---------------------------|-----------------------|------------------------------|---------------------------|---------------------|--|------------------------------------|
| Client Data | SGS Accutest Laboratories | Sample Data Matrix | ios | Laboratory Data | <u>ita</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 9.15 g | Lab Sample ID | A9226_ | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 82.4 % | QC Batch No: Dilution: | 14387 | Date Analyzed: Time Analyzed: | 23-Sep-2016 4:34:34 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | ND | 0.161 | | | ES 2378-TCDD | 9.98 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 104 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | クロク | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | Tel: | — www.us.sgs.com Tel: +1 910 794-1613; Toll-Free 866 846-8290 | www.us.sgs.com ree 866 846-8290 |
| Checkcode: 457-864-KRR | ~ | SGS | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 12:29 Analyst: AL | 2:29 Analyst: AL |

| Soil Lab Project ID: A9226 1 | Sample 15. | . L2-2 | | | | | Method | Method 1613B |
|---|--------------------|--------------|-----------|------------------|-------------------------------|-----------------------------|---|-------------------------------------|
| Conc. (pg/g) | | | | Soil | Laboratory Da | | Date Received: | 09-Sep-2016 |
| Split: DL (pg/g) EMPC (pg/g) Qualifiers Standard 0.231 ES 2378-TCDD Standard Standard CS 37CI-2378-TCDD | .; Q | | | 9.17 g 80.2 % | Lab Sample ID QC Batch No: | A9226_14387_DF_007 14387 | Date Extracted: Date Analyzed: | 16-Sep-2016 23-Sep-2016 |
| Dt. (pg/g) EMPC (pg/g) Qualifiers Standard 0.231 E8 2378-TCDD Standard CS 37C1-2378-TCDD | | | Split: | 1 | Dilution: | | Time Analyzed: | 5:23:48 |
| Segretion (Standard CS 37C)-2378-TCDD | | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| | | ON. | 0.231 | | | ES 23/8-10DD | 76.4 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | Standard | CS/AS Recoveries | Ş |
| | | | | | | CS 37CI-2378-TCDD | 98.7 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | 000 | 55 | 5500 Business Drive |
| Tel: +1 910 794-1 | | | | | | 250 | Wilmingto | Wilmington, NC 28405, USA |
| | | | | | | Tel: | — Tel: +1 910 794-1613; Toll-Free 866 846-8290 | www.us.sgs.com -ree 866 846-8290 |
| | | | | | | | | |

| Sample ID: | : E2-3 | | | | | Method | Method 1613B |
|------------------------|---------------------------|------------------------|------------------------------|---------------------------|---------------------|---|--|
| Client Data | SGS Accutest Laboratories | Sample Data Matrix: | Soil | Laboratory Data | <u>ita</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 9.68 g | Lab Sample ID | A9226_ | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 83.8 % | QC Batch No: Dilution: | 14387 | Date Analyzed: Time Analyzed: | 24-Sep-2016 6:14:56 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.256 | | | ES 2378-TCDD | 51.2 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | s |
| | | | | | CS 37CI-2378-TCDD | 62.9 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA www.us.sgs.com |
| | | | | | Tel: + | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 301-941-GCS | δ | SGS | SGS North America - DF v0.18 | 0.18 | Report C | Report Created: 27-Sep-2016 12:20 Analyst: AL | 2:20 Analyst: AL |

| Sample ID: | : E2-5 | | | | | Method | Method 1613B |
|------------------------|---------------------------|-----------------------|------------------------------|---------------------------|---------------------|---|---------------------------|
| Client Data | SGS Accutest Laboratories | Sample Data Matrix | ios | Laboratory Data | <u>ita</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 9.85 g | Lab Sample ID | A9226_ | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 78.5 % | QC Batch No: Dilution: | 14387 | Date Analyzed: Time Analyzed: | 24-Sep-2016 7:04:08 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | ND | 0.11 | | | ES 2378-TCDD | 81.5 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | s |
| | | | | | CS 37CI-2378-TCDD | 94.6 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | Tel: - | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 514-308-CNC | IC | SGS | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 12:21 Analyst: AL | 2:21 Analyst: AL |

| Sample ID: | : E2-7 | | | | | Method | Method 1613B |
|------------------------|---------------------------|------------------------|------------------------------|-----------------|---------------------|---|--|
| Client Data | SGS Accutest Laboratories | Sample Data Matrix: | io. | Laboratory Data | <u>ita</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | Weight/Volume: | 9.41 g | Lab Sample ID | A9226 | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: | 83.4 % | QC Batch No: | 14387 | Date Analyzed: | 24-Sep-2016 |
| Analyte | Conc. (pa/a) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.136 | | | ES 2378-TCDD | 88.3 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 105 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA www.us.sgs.com |
| | | | | | Tel: + | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 081-268-KKP | ۵ | SGS | SGS North America - DF v0.18 | 0.18 | Report C | Report Created: 27-Sep-2016 12:21 Analyst: AL | 2:21 Analyst: AL |

| Sample ID: | : E3-1 | | | | | Method | Method 1613B |
|------------------------|---------------------------|------------------------|------------------------------|---------------------------|-------------------|---|--|
| Client Data Name: | SGS Accutest Laboratories | Sample Data Matrix: | Soil | Laboratory Data | 11a A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 9.52 g | Lab Sample ID | A9226_ | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 85.0 % | QC Batch No: Dilution: | 14387 - | Date Analyzed: Time Analyzed: | 24-Sep-2016 8:50:36 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.145 | | | ES 2378-TCDD | 93.9 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 111 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 52 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA www.us.sqs.com |
| | | | | | Tel: + | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 003-842-JKX | × | SGS | SGS North America - DF v0.18 | 0.18 | Report C | Report Created: 27-Sep-2016 12:21 Analyst: AL | 2:21 Analyst: AL |

| Sample ID: | : E3-2 | | | | | Method | Method 1613B |
|------------------------|--------------------------|---------------------------|------------------------------|-----------------|-------------------|---|---|
| Client Data | Sample Sample Matrix | Sample Data | 0 | Laboratory Data | <u>nta</u> | - 600,1000 | 900 900 |
| Droioct ID: | SGS ACCURES LABORATORIES | Watrix: Weight//olume: | 2001 | Lab Project ID. | 90000 | Date Received: | 09-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: | 72.8 % | QC Batch No: | 14387 | Date Analyzed: | 24-Sep-2016 |
| | | Split: | | Dilution: | | Time Analyzed: | 9:37:52 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | ND | 0.289 | | | ES 2378-TCDD | 83.6 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | 6 |
| | | | | | CS 37CI-2378-TCDD | 6.76 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 250 | Wilmingtor | Wilmington, NC 28405, USA www.us.sgs.com |
| | | | | | Tel: - | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 650-644-KHM | Σ | SGS | SGS North America - DF v0.18 | /0.18 | Report (| Report Created: 27-Sep-2016 12:21 Analyst: AL | 2:21 Analyst: AL |

| Sample ID: | : E3-4 | | | | | Method | Method 1613B |
|------------------------|--------------------------|-----------------------|------------------------------|---------------------------|---------------------|---|-------------------------|
| Client Data | SGS Accurest aboratories | Sample Data Matrix | ii O. | Laboratory Data | <u>ata</u> A9226 | Date Received: | 09-Sen-2016 |
| Project ID: | C47015X | Weight/Volume: | 10.12 g | Lab Sample ID | A9226_ | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 83.1 % | QC Batch No: Dilution: | 14387 - | Date Analyzed: Time Analyzed: | 24-Sep-2016 10:27:04 |
| Analyte | Conc. (pg/g) | (b/6d) TQ | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.119 | | | ES 2378-TCDD | 91.2 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 105 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 550 | 5500 Business Drive |
| | | | | | | | www.us.sgs.com |
| | | | | | Tel: | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 678-272-HVL | 7 | SGS | SGS North America - DF v0.18 | 0.18 | Report | Report Created: 27-Sep-2016 12:21 Analyst: AL | 2:21 Analyst: AL |

| Sample ID: | : E3-6 | | | | | Method | Method 1613B |
|------------------------|---------------------------|-------------|------------------------------|-----------------|-------------------|---|--|
| Client Data | SGS Accutest Laboratories | Sample Data | : . | Laboratory Data | <u>ıta</u> | Data Boogived: | 00_Cop_2016 |
| Project ID: | C47015X | | 11.14 a | Lab Sample ID | A9226 | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: | 93.4 % | QC Batch No: | 14387 | Date Analyzed: | 24-Sep-2016 |
| Analyto | Conc (na(a) | קטמין וח | EMPC (pg/g) | Onalifiore | Standard | FS Becoveries | Onslifiers |
| 2378-TCDD | ON ON | 0.133 | (8/84) O IIII | | ES 2378-TCDD | 83.6 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | s |
| | | | | | CS 37CI-2378-TCDD | 101 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | SOU | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA www.us.sgs.com |
| | | | | | Tel: + | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 997-951-NBJ | 7 | SGS | SGS North America - DF v0.18 | 0.18 | Report C | Report Created: 27-Sep-2016 12:21 Analyst: AL | 2:21 Analyst: AL |

| Sample ID: | : E4-1 | | | | | Method | Method 1613B |
|------------------------|---------------------------|------------------------|------------------------------|---------------------------|---------------------|---|---------------------------|
| Client Data | SGS Accutest Laboratories | Sample Data Matrix: | Soil | Laboratory Data | <u>ıta</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 10.18 g | Lab Sample ID | A9226_ | Date Extracted: | 16-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 84.5 % | QC Batch No: Dilution: | 14387 | Date Analyzed: Time Analyzed: | 24-Sep-2016 12:05:32 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | ND | 0.0878 | | | ES 2378-TCDD | 86.8 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 108 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 200 | 55 | 5500 Business Drive |
| | | | | | 250 | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | Tel: | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 269-063-SYP | Д. | SBS N | SGS North America - DF v0.18 | 0.18 | Report | Report Created: 27-Sep-2016 12:21 Analyst: AL | 2:21 Analyst: AL |

| Method 1613B | 09-Sep-2016 | 16-Sep-2016 | 24-Sep-2016 | L | Qualifiers | | | | | | | | | ies | | | | | | 5500 Business Drive | Wilmington, NC 28405, USA | Pree 866 846-8290 | |
|--------------|------------------------------------|-----------------|-----------------|-------------------|---------------|--------------|--|--|--|--|--|--|--|------------------|-------------------|--|--|--|--|---------------------|---------------------------|--|---|
| Metho | Date Received: | Date Extracted: | Date Analyzed: | ı iine Arlaıyzed. | ES Recoveries | 86 | | | | | | | | CS/AS Recoveries | 107 | | | | | ** | Wilming | www.us.sys.com Tel: +1 910 794-1613; Toll-Free 866 846-8290 | |
| | <u>ita</u> A9226 | A9226_ | 14387 | · . | Standard | ES 2378-TCDD | | | | | | | | Standard | CS 37CI-2378-TCDD | | | | | 000 | 252 | | |
| | Laboratory Data Lab Project ID: | Lab Sample ID | QC Batch No: | Dildilori: | Qualifiers | | | | | | | | | | | | | | | | | | |
| | Soil | 10.68 g | 84.6 % | - 0000 | EMPC (pg/g) | | | | | | | | | | | | | | | | | | - |
| | Sample Data Matrix: | Weight/Volume: | % Solid: | Spill: | DL (pg/g) | 0.146 | | | | | | | | | | | | | | | | | • |
| E4-2 | SGS Accutest Laboratories | | 06-Sep-2016 | | Conc. (pg/g) | QN | | | | | | | | | | | | | | | | | |
| Sample ID: | Client Data Name: | : | Date Collected: | | Analyte | 2378-TCDD | | | | | | | | Totals | | | | | | | | | |

| Sample ID: | : E4-3 | | | | | Method | Method 1613B |
|------------------------|---------------------------|------------------------|------------------------------|---------------------------|---------------------|---|---|
| Client Data | SGS Accutest Laboratories | Sample Data Matrix: | Soil | Laboratory Data | <u>ita</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | Weight/Volume: | 9.90 g | Lab Sample ID | A9226_ | Date Extracted: | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 88.3 % | QC Batch No: Dilution: | 14388 | Date Analyzed: Time Analyzed: | 26-Sep-2016 4:10:51 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.235 | | | ES 2378-TCDD | 87.9 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S. |
| | | | | | CS 37CI-2378-TCDD | 111 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA www.us.sgs.com |
| | | | | | Tel: + | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 048-591-SYC | O | SGS | SGS North America - DF v0.18 | 0.18 | Report C | Report Created: 27-Sep-2016 13:31 Analyst: AL | 3:31 Analyst: AL |

| Sample ID: | : E5-1 | | | | | Method | Method 1613B |
|------------------------|---------------------------|-------------|------------------------------|-----------------------------------|-------------------|---|---|
| Client Data | SGS Accutost Laboratorios | Sample Data | - | Laboratory Data | <u>tta</u> | -to-0 | 9700 000 00 |
| Name. | SGS Accutest Laboratories | | 30II 10 70 d | Lab Project ID. I ah Sample ID | A9226 | Date Extracted: | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: | 86.4% | QC Batch No: | 14388 | Date Analyzed: | 26-Sep-2016 |
| Analyte | Conc. (pa/a) | DL (pa/a) | EMPC (pa/a) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.166 | 6 | | ES 2378-TCDD | 91 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 111 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | CEC | 55i Wilmingtor | 5500 Business Drive Wilmington NC 28405 USA |
| | | | | | | | www.us.sgs.com |
| | | | | | Tel: | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 312-957-KVP | Д. | SGS | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 13:31 Analyst: AL | 3:31 Analyst: AL |

| Sample ID: | : E5-2 | | | | | Method | Method 1613B |
|------------------------|---------------------------|------------------------|------------------------------|---------------------------|-----------------------|---|---------------------------|
| Client Data Name: | SGS Accutest Laboratories | Sample Data Matrix: | lios | Laboratory Data | <u>ata</u> . A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 10.01 g | Lab Sample ID | A9226_ | Date Extracted: | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | % 6:68 | QC Batch No: Dilution: | 14388 - | Date Analyzed: Time Analyzed: | 26-Sep-2016 5:49:17 |
| Analyte | Conc. (pg/g) | DF (b3/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.118 | | | ES 2378-TCDD | 2.79 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 118 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 25 | Wilmingto | Wilmington, NC 28405, USA |
| | | | | | | H | www.us.sgs.com |
| | | | | | + : | Tel: +1 910 /94-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 681-347-CHN | Z | SES | SGS North America - DF v0 18 | 0.18 | Report | Report Created: 27-Sep-2016 13:31 Analyst: Al | 3-31 Analyst Al |

| Sample ID: | : E5-3 | | | | | Method | Method 1613B |
|------------------------|---------------------------|---------------------------|------------------------------|-----------------|--------------------------------------|---|------------------------------------|
| Client Data | | | | Laboratory Data | | 0.40 | 9700 |
| Name: Project ID: | SGS Accutest Laboratories | Matrix: Weight//olume: | 20II | Lab Project ID: | Lab Project ID: A9226 Date Received: | Date Received: | 09-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: | 82.2 % | QC Batch No: | 14388 | Date Analyzed: | 26-Sep-2016 |
| Analyte | Conc. (na/a) | DI (pa/a) | EMPC (pg/g) | Oualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | ON ON | 0.106 | (6,64) | | ES 2378-TCDD | 93.5 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 114 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | Tel: | | www.us.sgs.com ree 866 846-8290 |
| Checkcode: 469-575-MHT | F | SGS N | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 13:31 Analyst: AL | 3:31 Analyst: AL |

| Sample ID: | : E6-1 | | | | | Method | Method 1613B |
|------------------------|---------------------------|-----------------------|------------------------------|---------------------------|-----------------------|---|------------------------|
| Client Data | SGS Accurest Laboratories | Sample Data Matrix | io | Laboratory Data | <u>ata</u> . A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 9.76 g | Lab Sample ID A9226_ | | 14388_DF_021 Date Extracted: | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 84.3 % | QC Batch No: Dilution: | 14388 - | Date Analyzed: Time Analyzed: | 26-Sep-2016 7:27:44 |
| Analyte | Conc. (pg/g) | DF (bg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | ND | 0.111 | | | ES 2378-TCDD | 91.8 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | s |
| | | | | | CS 37CI-2378-TCDD | 110 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | CC Coiceli/V | Sourcess Drive |
| | | | | | 250 | | www.us.sgs.com |
| | | | | | Tel: | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 033-551-QDB | 98 | SGS | SGS North America - DF v0.18 | 0.18 | Report | Report Created: 27-Sep-2016 13:31 Analyst: AL | 3:31 Analyst: AL |
| | | | | | | | |

| E6-2 SS Accutest Labora C47015X 06-Sep-2016 Conc. (pg/g) | Sample Data SGS Accutest Laboratories Matrix: Soil C47015X Weight/Volume: 10.11 g 06-Sep-2016 % Solid: 80.8 % Split: - - Conc. (pg/g) DL (pg/g) EMPC (pg/g) | | Lab Project ID: A9226 Date Received: QC Batch No: 14388 Qualifiers Standard ES Recoveries | Methoc Date Received: Date Extracted: Date Analyzed: Time Analyzed: | Method 1613B Received: 09-Sep-2016 Extracted: 19-Sep-2016 Analyzed: 26-Sep-2016 Analyzed: 8:16:57 Recoveries Qualifiers |
|--|---|-------------------------------|---|---|---|
| | | | ES 2378-TCDD | 86.1 | |
| | | | Standard CS 37Cl-2378-TCDD | CS/AS Recoveries | w |
| | | | | | |
| | | SGS North America - DE v// 18 | SGS Tel:+ | 5500 Business Drive Wilmington, NC 28405, USA www.us.sgs.com Tel: +1 910 794-1613; Toll-Free 866 846-8290 | 5500 Business Drive Wilmington, NC 28405, USA www.us.sgs.com 613; Toll-Free 866 846-8290 |

| Sample ID: |): E 6-4 | | | | | Method | Method 1613B |
|--------------------------------|---------------------------|--------------------------|------------------------------|-----------------|---|--|---------------------------|
| Client Data | | | - | Laboratory Data | | - - - | |
| Name: | SGS Accutest Laboratories | | Soll | Lab Project ID: | A9226 | Date Received: | 09-Sep-2016 |
| Project ID: Date Collected: | 06-Sep-2016 | weigniv volume: % Solid: | 10.76 g 87.6 % | QC Batch No: | Lab Sample ID Aszzo_ 14386_ Dr_Uzs Date Extracted. QC Batch No: 14388 Date Analyzed: | Date Analyzed: | 19-Sep-2016 |
| | | Split: | | Dilution: | • | Time Analyzed: | 9:06:10 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.133 | | | ES 2378-TCDD | 91.1 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | - - | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 107 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 250 | VVIIMINGtor | Wilmington, NC 28405, USA |
| | | | | | -: Lel | www.us.sys.com Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 542-891-XXQ | , g | SGS | SGS North America - DF v0.18 | 0.18 | Report | Report Created: 27-Sep-2016 13:32 Analyst: AL | 3:32 Analyst: AL |

| Sample ID: | : E7-1 | | | | | Method | Method 1613B |
|------------------------|---------------------------|-------------------|------------------------------|-----------------|---------------------|---|------------------------------------|
| Client Data | SGS Accutest Laboratories | Sample Data | i . | Laboratory Data | <u>nta</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 9.37 a | Lab Sample ID | A9226 | Date Extracted: | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split | 83.8 % | QC Batch No: | 14388 | Date Analyzed: Time Analyzed: | 26-Sep-2016 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.183 | | | ES 2378-TCDD | 96.4 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 113 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | Tel: | | www.us.sgs.com ree 866 846-8290 |
| Checkcode: 410-178-SNR | ~ | SGS | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 13:32 Analyst: AL | 3:32 Analyst: AL |

| Sample ID: | : E7-3 | | | | | Method | Method 1613B |
|------------------------|---------------------------|-----------------------|------------------------------|---------------------------|---------------------|--|------------------------------------|
| Client Data | SGS Accutest Laboratories | Sample Data Matrix | io. | Laboratory Data | <u>ita</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | | 9.89 g | Lab Sample ID | A9226 | Date Extracted: | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 84.6 % | QC Batch No: Dilution: | 14388 | Date Analyzed: Time Analyzed: | 26-Sep-2016 15:52:01 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | ND ND | 0.0979 | | | ES 2378-TCDD | 91.2 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| - | | | | | - | | |
| lotals | | | | | Standard | CS/AS Recoveries | vo. |
| | | | | | CS 37CI-2378-TCDD | 119 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | Tel: | www.us.sgs.com Tel: +1 910 794-1613; Toll-Free 866 846-8290 | www.us.sgs.com ree 866 846-8290 |
| Checkcode: 589-649-NCZ | Z | SGS N | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 13:32 Analyst: AL | 3:32 Analyst: AL |

| Sample ID: | : E7-5 | | | | | Method | Method 1613B |
|------------------------|---------------------------|------------------------|------------------------------|---------------------------|---------------------|---|---|
| Client Data Name: | SGS Accutest Laboratories | Sample Data Matrix: | Soil | Laboratory Data | <u>ıta</u> A9226 | Date Received: | 09-Sep-2016 |
| Project ID: | C47015X | Weight/Volume: | 10.79 g | Lab Sample ID | A9226_ | | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | 82.0 % | QC Batch No: Dilution: | 14388 - | Date Analyzed: Time Analyzed: | 26-Sep-2016 16:41:15 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.207 | | | ES 2378-TCDD | 63 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 77.3 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | SCO. | 55 Wilmington | 5500 Business Drive Wilmington NC 28405 USA |
| | | | | | | | www.us.sgs.com |
| | | | | | Tel: + | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 173-338-PJC | 0 | SGS | SGS North America - DF v0.18 | .0.18 | Report C | Report Created: 27-Sep-2016 13:33 Analyst: AL | 3:33 Analyst: AL |

| | Sample ID: E8-1 Client Data See Accuracy Physician | | č | Laboratory Data | | Method | Method 1613B |
|---|--|---------------------------------------|------------------------------|--|--|--|---|
| SGS Accutest Labora C47015X 06-Sep-2016 | ratories S | Matrix: Weight/Volume: % Solid: | Soil 11.24 g 84.8 % | Lab Project ID: Lab Sample ID QC Batch No: | Lab Project ID: A9226 Date Received: Lab Sample ID A9226_14388_DF_028 Date Extracted: QC Batch No: 14388 Date Analyzed: Dilution: | Date Received: Date Extracted: Date Analyzed: Time Analyzed: | 09-Sep-2016 19-Sep-2016 26-Sep-2016 17:30:28 |
| Conc. (pg/g) | | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| QN | | 0.118 | | | ES 2378-TCDD | 89.4 | |
| | | | | | | | |
| | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 111 | |
| | | | | | | П | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | S 9S | 5500 Business Drive Wilmington, NC 28405, USA www.us.sgs.com Tel: +1 910 794-1613; Toll-Free 866 846-8290 | 5500 Business Drive Wilmington, NC 28405, USA www.us.sgs.com 613; Toll-Free 866 846-8290 |
| Checkcode: 629-982-TPD | | N S9S | SGS North America - DF v0.18 | 0.18 | Report C | Report Created: 27-Sep-2016 13:33 Analyst: AL | 3:33 Analyst: AL |

| Sample ID: | : E8-2 | | | | | Method | Method 1613B |
|------------------------|--------------------------|-------------|------------------------------|-----------------------------------|-------------------|--|------------------------------------|
| Client Data | ociacizated Lines | Sample Data | . . . | Laboratory Data | <u>ıta</u> | 0,000 | 9700 203 00 |
| Name: Project ID: | SGS ACCURES LABORATORIES | | SOII 0 07 a | Lab Project ID: I ab Sample ID | 90000 | Date Received: | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: | 82.5 % | QC Batch No: | 14388 | Date Analyzed: | 26-Sep-2016 |
| | | Split: | - 0 | Dilution: | ' - - | I Ime Analyzed: | 18:19:42 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualitiers | Standard | ES Recoveries | Qualifiers |
| 2378-1 CDD | ON. | 0.147 | | | ES 2378-1CDD | 85.2 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totale | | | | | Ctandard | CS/AS Recoveries | u |
| Iotals | | | | | Stalidal u | CO/AS RECOVERE | 0 |
| | | | | | CS 3/CI-23/8-1CDD | 100 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 52 | 5500 Business Drive |
| | | | | | 250 | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | Tel: | www.us.sgs.com Tel: +1 910 794-1613; Toll-Free 866 846-8290 | www.us.sgs.com ree 866 846-8290 |
| Checkcode: 416-213-SXB | м | SGS N | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 13:33 Analyst: AL | 3:33 Analyst: AL |

| Sample ID: | E8-3 | Sample Data | | l aboratory Da | 4 | Method | Method 1613B |
|------------------------|---------------------------|----------------------------|------------------------------|------------------------------------|--|---|----------------------------|
| SGS | SGS Accutest Laboratories | | Soil | Laboratory Data Lab Project ID: | <u>ıta</u> A9226 | Date Received: | 09-Sep-2016 |
| | C47015X 06-Sep-2016 | Weight/Volume: % Solid: | 10.19 g 87.1 % | Lab Sample ID QC Batch No: | Lab Sample ID A9226_14388_DF_030 Date Extracted: QC Batch No: 14388 Date Analyzed: | Date Extracted: Date Analyzed: | 19-Sep-2016 26-Sep-2016 |
| | | Split: | | Dilution: | | Time Analyzed: | 19:08:55 |
| | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| | סא | 0.183 | | | ES 2370-1000 | 93. | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | Standard | CS/AS Recoveries | v |
| L | | | | | CS 37CI-2378-TCDD | 107 | |
| | | | | | 00 01 -0 /57 -10 /5 50 | 701 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 99 | 5500 Business Drive |
| | | | | | 252 | Wilmingto | Wilmington, NC 28405, USA |
| | | | | | | | www.us.sgs.com |
| | | | | | | | |
| Checkcode: 274-355-MKM | N | SGS | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 13:33 Analyst: AL | 3:33 Analyst: AL |

| Sample ID: | : E8-4 | | | | | Method | Method 1613B |
|------------------------|---------------------------------------|---------------------------|------------------------------|-----------------------------------|--------------------------------------|---|---------------------|
| Client Data | , , , , , , , , , , , , , , , , , , , | | - | Laboratory Data | | | 0.00 |
| Name: | SGS Accutest Laboratories | Matrix: Weight//olime: | 20II | Lab Project ID: I ab Sample ID | Lab Project ID: A9ZZ6 Date Received: | Date Received: | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: | 86.7% | QC Batch No: | 14388 | Date Analyzed: | 26-Sep-2016 |
| Analyto | Conc (nata) | Opini. | EMPC (pg/g) | Olldtioll. | Ctandard C | FS Becoveries | Oualifiere |
| 2378-TCDD | ON ON | 0.112 | (8/8d) O IIII | | ES 2378-TCDD | 105 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | s |
| | | | | | CS 37CI-2378-TCDD | 126 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | | | www.us.sgs.com |
| | | | | | Tel: - | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 486-081-HPV | > | SGS | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 13:33 Analyst: AL | 3:33 Analyst: AL |

| Sample ID: | : E8-5 | | | | | Method | Method 1613B |
|------------------------|---------------------------|-----------------------|------------------------------|---------------------------|---------------------|---|--|
| Client Data | SGS Accutest Laboratories | Sample Data Matrix | io. | Laboratory Data | <u>ita</u> A9226 | Date Received: | 09-Sen-2016 |
| Project ID: | C47015X | | 9.50 g | Lab Sample ID | A9226_ | Date Extracted: | 19-Sep-2016 |
| Date Collected: | 06-Sep-2016 | % Solid: Split: | % 6:28 | QC Batch No: Dilution: | 14388 | Date Analyzed: Time Analyzed: | 26-Sep-2016 20:47:21 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | ND | 0.144 | | | ES 2378-TCDD | 74 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 88.8 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 252 | VVIIMINGTO | Wilmington, NC 28405, USA www.us.sgs.com |
| | | | | | Tel: - | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 472-517-GQC | SC | SGS | SGS North America - DF v0.18 | 0.18 | Report (| Report Created: 27-Sep-2016 13:33 Analyst: AL | 3:33 Analyst: AL |

| Sample ID | Sample ID: Method Blar | nk A9226_14387 | 14387 | | | Method | Method 1613B |
|-------------------------|---------------------------|------------------------|------------------------------|---------------------------|---------------------|---|---------------------------|
| Client Data Name: | SGS Accutest Laboratories | Sample Data Matrix: | Soil | Laboratory Data | <u>ita</u> A9226 | Date Received: | n/a |
| Project ID: | C47015X | | 10.00 g | Lab Sample ID MB1 | 7 | | 16-Sep-2016 |
| Date Collected: | n/a | % Solid: Split: | n/a - | QC Batch No: Dilution: | 1438 <i>7</i> - | Date Analyzed: Time Analyzed: | 22-Sep-2016 22:49:56 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | QN | 0.212 | | | ES 2378-TCDD | 89 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | ø |
| | | | | | CS 37CI-2378-TCDD | 101 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55(| 5500 Business Drive |
| | | | | | 250 | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | Tel: | Tel: +1 910 794-1613; Toll-Free 866 846-8290 | ree 866 846-8290 |
| Checkcode: 767-676-DI V | | S | SGS North America - DF v0.18 | 0 18 | Report | Renort Created: 27-Sen-2016 12:28 Analyst: Al | 0.78 Analyst Al |

| Sample ID | Sample ID: Method Blank A9226_14388 | nk A9226 | _14388 | | | Method | Method 1613B |
|------------------------|-------------------------------------|------------------------|------------------------------|------------------------------------|---------------------|---|------------------------------------|
| Client Data Name: | SGS Accutest Laboratories Matrix: | Sample Data Matrix: | Soil | Laboratory Data Lab Project ID: | <u>ita</u> A9226 | Date Received: | n/a |
| Project ID: | C47015X | Weight/Volume: | 10.00 g | Lab Sample ID | MB1_1 | | 19-Sep-2016 |
| Date Collected: | n/a | % Solid: Split: | n/a - | QC Batch No: Dilution: | 14388 | Date Analyzed: Time Analyzed: | 26-Sep-2016 3:21:37 |
| Analyte | Conc. (pg/g) | DL (pg/g) | EMPC (pg/g) | Qualifiers | Standard | ES Recoveries | Qualifiers |
| 2378-TCDD | Q | 0.149 | | | ES 2378-TCDD | 89.4 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals | | | | | Standard | CS/AS Recoveries | S |
| | | | | | CS 37CI-2378-TCDD | 107 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | 000 | 55 | 5500 Business Drive |
| | | | | | 25 | Wilmingtor | Wilmington, NC 28405, USA |
| | | | | | : Tel: | | www.us.sgs.com ree 866 846-8290 |
| Checkcode: 444-056-JMK | Υ | SGS | SGS North America - DF v0.18 | /0.18 | Report (| Report Created: 27-Sep-2016 13:31 Analyst: AL | 3:31 Analyst: AL |
| | | | | | | | |

| METHOD 1613B | PCDD/F ONGOING PRECI | PCDD/F ONGOING PRECISION AND RECOVERY (OPR) | FORM 8A | |
|----------------------|---------------------------------|---|----------------------|---|
| Lab Name: | SGS North America | | | |
| Initial Calibration: | ICAL: MM1_DF_12212015_14JUL2016 | _14JUL2016 | | |
| Instrument ID: | MM1 | GC Column ID: | ZB-5ms | |
| VER Data Filename: | 160923P02 | Analysis Date: | 22-SEP-2016 21:11:29 | |
| Lab ID: | OPR1_14387_DF | | | |
| | | | | |
| | SPIKE | CONC. | RANGE | |
| NATIVE ANALYTES | CONC. | FOUND | (ng/mL) | ŏ |
| 2,3,7,8-TCDD | 10 | 10.1 | 6.7 - 15.8 | > |

Contract-required concentration limits for OPR as specified in Table 6, Method 1613. 10/94

| METHOD 1613B | PCDD/F ONGOING PREC | PCDD/F ONGOING PRECISION AND RECOVERY (OPR) | FORM 8B | |
|--|--|--|--------------------------------|---|
| Lab Name: Initial Calibration: Instrument ID: VER Data Filename: Lab ID: | SGS North America ICAL: MM1_DF_12212015_14JUL2016 MM1 160923P02 Analysis OPR1_14387_DF | 5_14JUL2016 GC Column ID: Analysis Date: | ZB-5ms 22-SEP-2016 21:11:29 | |
| LABELED ANALYTES | SPIKE CONC. | CONC. FOUND | RANGE (ng/mL) | Š |
| 13C-2,3,7,8-TCDD | 100 | 9.06 | 20 - 175 | > |
| | | | | |
| CLEANUP STANDARD | | | | |
| 37CI-2,3,7,8-TCDD | 40 | 43.6 | 12.4 - 76.4 | > |

Contract-required concentration limits for OPR as specified in Table 6, Method 1613. 10/94

Analyst: AL Processed: 27 Sep 2016 12:28

| METHOD 1613B | PCDD/F ONGOING PRECIS | PCDD/F ONGOING PRECISION AND RECOVERY (OPR) | FORM 8A | |
|----------------------|---------------------------------|---|----------------------|---|
| Lab Name: | SGS North America | | | |
| Initial Calibration: | ICAL: MM1_DF_12212015_14JUL2016 | 14JUL2016 | | |
| Instrument ID: | MM1 | GC Column ID: | ZB-5ms | |
| VER Data Filename: | 160926P03 | Analysis Date: | 26-SEP-2016 01:43:09 | |
| Lab ID: | OPR1_14388_DF | | | |
| | | | | |
| | SPIKE | CONC. | RANGE | |
| NATIVE ANALYTES | CONC. | FOUND | (ng/mL) | Š |
| 2,3,7,8-TCDD | 10 | 11.4 | 6.7 - 15.8 | > |

Contract-required concentration limits for OPR as specified in Table 6, Method 1613. 10/94

| METHOD 1613B | PCDD/F ONGOING PRECI | PCDD/F ONGOING PRECISION AND RECOVERY (OPR) | FORM 8B | 8B |
|--|--|--|--------------------------------|--------|
| Lab Name: Initial Calibration: Instrument ID: VER Data Filename: Lab ID: | SGS North America ICAL: MM1_DF_12212015_14JUL2016 MM1 160926P03 Analysis OPR1_14388_DF | i_14JUL2016 GC Column ID: Analysis Date: | ZB-5ms 26-SEP-2016 01:43:09 | o. |
| LABELED ANALYTES | SPIKE CONC. | CONC. FOUND | RANGE (ng/mL) | O X |
| 13C-2,3,7,8-TCDD | 100 | 101 | 20 - 175 | > |
| CLEANUP STANDARD | | | | |
| 37CI-2,3,7,8-TCDD | 40 | 48.3 | 12.4 - 76.4 | >- |

Contract-required concentration limits for OPR as specified in Table 6, Method 1613. 10/94

Analyst: AL Processed: 27 Sep 2016 13:31



Sample Receipt Notification

09-Sep-16 at 09:50 Tamara Morgan 910-794-1613 30-Sep-1621 days A9226 Receipt Date & Time: Projected due date: AP Project name: Project Manager: Requested TAT: Phone#: Matrix: Wilmington, NC 28405 USA Toll Free: 866 846-8290 5500 Business Drive Fax: 910 794-3919 Tel: 910 794-1613

Tamara.Morgan@sgs.com

Email Address:

Method 1613B 2378 TCDD SGS Accutest Laboratories nutan.kabir@sgs.com 408-588-0200 Nutan Kabir C47015X C47015X N/A Project Name & Site: Requested Analysis: Project PO#: QAAP/Contract #: Company Contact: Email Address: Company: Phone#:

| Client Smp ID | AP Smp ID | Sample Condition & Notes | Quantity | Size | Sampling Date | Sampling Time | Received Temp | Container # | Shipping # |
|---|-----------|--------------------------|----------|----------------|------------------|---|--|---|------------------------|
| E1-1 | A9226_001 | SO | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E1-2 | A9226_002 | OS | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E1-3 | A9226_003 | SO | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E1-4 | A9226_004 | SO | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | П | 777186897025 |
| E1-8 | A9226_005 | SO | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E2-1 | A9226_006 | SO | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | П | 777186897025 |
| E2-2 | A9226_007 | OS | 1 | 1 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E2-3 | A9226_008 | SO | 1 | 1 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E2-5 | A9226_009 | SO | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | П | 777186897025 |
| E2-7 | A9226_010 | SO | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E3-1 | A9226_011 | SO | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | П | 777186897025 |
| E3-2 | A9226_012 | OS | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E3-4 | A9226_013 | SO | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E3-6 | A9226_014 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E4-1 | A9226_015 | OS | 1 | 1 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E4-2 | A9226_016 | OS | 1 | 1 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E4-3 | A9226_017 | SO | 1 | 1 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| Preservation Type: | | Sample Seals: | No | | | | | | |
| Notes/Comments: Samples received intact | | | | | | Any un-extracted sample will be stored for 90 days from reporting date. Additional storage fees may apply for any samples stored longer than 90 days. | sample will be dditional stora 1ger than 90 di | e stored for 90 d ige fees may app ays. | ays from ly for any |
| | | | | | | | | | |

Received by: Tamara Morgan

Logged in by: Tamara Morgan

All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via:

http://www.sgs.com/terms and conditions.htm

QC'ed by: AK 12 Sep 16



Sample Receipt Notification

09-Sep-16 at 09:50 Tamara Morgan 910-794-1613 30-Sep-16 21 days A9226 Receipt Date & Time: Projected due date: AP Project name: Project Manager: Requested TAT: Phone#: Matrix: Wilmington, NC 28405 USA Toll Free: 866 846-8290 5500 Business Drive Fax: 910 794-3919 Tel: 910 794-1613

Tamara.Morgan@sgs.com

Email Address:

Company Contact: Nutan Kabir
Company: SGS Accutest Laboratories
Project Name & Site: C47015X
Project PO#: C47015X

QAAP/Contract #: N/A
Requested Analysis: Method 1613B 2378 TCDD
Phone#: 408-588-0200
Email Address: nutan.kabir@sgs.com

| Client Smp ID | AP Smp ID | Sample Condition & Notes | Quantity | Size | Sampling Date | Sampling Time | Received Temp | Container # | Shipping # |
|---|-----------|--------------------------|----------|--------------|------------------|---|--|--|------------------------|
| E5-1 | A9226_018 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E5-2 | A9226_019 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E5-3 | A9226_020 | OS | 1 | 16 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E6-1 | A9226_021 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E6-2 | A9226_022 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E6-4 | A9226_023 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E7-1 | A9226_024 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E7-2 | A9226_025 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E7-3 | A9226_026 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E7-5 | A9226_027 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E8-1 | A9226_028 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E8-2 | A9226_029 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E8-3 | A9226_030 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E8-4 | A9226_031 | OS | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| E8-5 | A9226_032 | SO | 1 | 8 oz. glass | 06-Sep-16 | 00:00 | 9 | 1 | 777186897025 |
| | | | | | | | | | |
| D. Commodition of Pression | | المالي والمساد | Mo | | | | | | |
| Notes/Comments: Samples received intact | | Sample Seans: | QX. | | | Any un-extracted sample will be stored for 90 days from reporting date. Additional storage fees may apply for any samples stored longer than 90 days. | sample will be dditional stora ıger than 90 dz | e stored for 90 d ge fees may apı ays. | ays from ly for any |

Received by: Tamara Morgan

Logged in by: Tamara Morgan

All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via:

QC'ed by: AK 12 Sep 16

http://www.sgs.com/terms and conditions.htm

CHAIN OF CUSTODY

4924/1 Page 1 of 3

DW - Drinking Water
GW- Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Studge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AR - Air
SOL - Other Soil
WP - Wipe FB-Field Blank EB-Equipment Blank RB- Rinse Blank TB-Trip Blank LAB USE ONLY Matrix Codes C47015X Please sub to SGS Wilmington (NC) for 2,3,7,8 TCDD. Comments / Special Instructions Requested Analysis (see TEST CODE sheet Accutest Job # Sample Custody must be documented below each time samples change possession, including courier delivery SGS Accutest Quote # FED-EX Tracking # NJ Reduced = Results + QC Summary + Partial Raw data × QQDT 8,7,8,S × × × × × × × × × × × NYASP Category A NYASP Category B X Other COMMB EDD Format State Forms ENCORE Commercial "B" = Results + QC Summary Zip MEOH DI Water Data Deliverable Information NONE Commercial "A" = Results Only Billing Information (if different from Report to) Company Name **†**OSZH Relinquished By: EONH HOBN 2105 Lundy Avenue, San Jose, CA 95131 TEL. 408-588-0200 FAX: 408-588-0201 Commercial "A" (Level 1) Commercial "B" (Level 2) FULLT1 (Level 3+4)

NJ Reduced

Commercial."C" нсі # of bottles Vallco Mall, Wolfe Rd, Cupertino CA Matrix SO S So Street Address Project Information Sampled by city 12:00:00 AM Time Approved By (SGS Accutest PM): / Date 15 Begived By: 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 Date Client Purchase Order # SGS ACCUTEST Phone Project Manager MEOH/DI Vial # Š Zip | Std. 10 Business Days
| 5 Day RUSH
| 3 Day EMERGENCY
| 2 Day EMERGENCY
| 1 Day EMERGENCY
| 3 Other Due 9/15/2016
| 5 Other Due 9/15/2016
| 5 Emergency & Rush T/A data available V/A Lablink Client / Reporting Information Tumaround Time (Business days) Field ID / Point of Collection 9513 SGS Accutest Laboratories 2105 Lundy Avenue Š nutan.kabir@sgs.com 9 Relinquehed by Samp 408-588-0200 Sampler(s) Name(s) E1-2 E1-3 E1-8 E2-3 E2-5 7 E1-4 E2-1 E2-2 E2-7 E3-1 E3-2 San Jose, Project Contact reet Address SGS Accutest Sample #

¥

χ χĸ X 5X ×9 Received By:

Preserved where applicable

Intact

Relinquished By:

Date Time:

Relinquished by Sampler:

X X 11X 12X

X6

X XX Relinquished by:

Relinquished By:

CHAIN OF CUSTODY

人名つつり/7 Page 2 of 3

LIQ - Other Liquid ARR - Air SOL - Other Solid WP - Wipe FB-Field Blank RB-Rinse Blank RB-Rinse Blank TB-Trip Blank DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL- Sludge SED-Sediment LAB USE ONLY Matrix Codes 10-10 C47015X Please sub to SGS Wilmington (NC) for 2,3,7,8 TCDD. Comments / Special Instructions X Bottle Order Control # Requested Analysis (see TEST CODE sheet) Received By: teceived By: Accutest Job # Preserved where applicable Date Time: Date Time: Sample Custody must be documented below each time samples change possession, including courier delivery. SGS Accutest Quote # FED-EX Tracking # NJ Reduced = Results + QC Summary + Partial Raw data Not intac Notinta × × × × × × × × × × × SASBCARB435, SB1613PCDDDF, × NYASP Category B EDD Format

X Other COMMB NYASP Category A State Forms ENCORE Commercial "B" = Results + QC Summary 양 MEOH DI Water Commercial "A" = Results Only NONE Billing Information (if different from Report to) Company Name Relinquished By: Relinquished By: #OSZH Data Deliverable Inf Custody Seal# EONH State HOBN Commercial "B" (Level 2) Commercial "A" (Level 1) нсі FULLT1 (Level 3+4) 2105 Lundy Avenue, San Jose, CA 95131 TEL. 408-588-0200 FAX: 408-588-0201 is canal a Lingen OHP/16 # of pottles 880 Commercial "C" Vallco Mall, Wolfe Rd, Cupertino CA NJ Reduced
Commercial "C Matrix So So SO So SO 80 So So So So 80 80 Street Address Project Information Sampled City 12:00:00 AM Time Constitution 15 of Strange By: F39 Approved By (SGS Accutest PM): / Date: 9/6/16 9/9/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 Date Client Purchase Order # SGS ACCUTEST Phone Project Manager MEOHIDI Vial # Project Name: Š Date Time: Fax# Zip | Std. 10 Business Days
| 5 Day RUSH
| 3 Day EMERGENCY
| 2 Day EMERGENCY
| 1 Day EMERGENCY
| 3 Other Due 9/15/2016
| Rush T/A daya-yailable V/A Lablink Client / Reporting Information Tumaround Time (Business days) Field ID / Point of Collection Jan Sal 9513 SGS Accutest Laboratories 2105 Lundy Avenue S Relinquished by Sampler: nutan.kabir@sgs.com hed by Samp 408-588-0200 ampler(s) Name(s) E6-2 Relinquished by: E3-6 E4-3 E5-2 E5-3 E6-4 E7-1 E3-4 E4-1 E4-2 E5-1 E6-1 San Jose, Company Name: Project Contact reet Address 20X 17X 21X 23X 14X 15X 18X 19X 24X 13X 16X 22X

CHAIN OF CUSTODY

Please sub to SGS Wilmington (NC) for 2,3,7,8 TCDD. Comments / Special Instructions Requested Analysis (see TEST CODE sheet) × × × × × × × × SASBCARB435, SB1613PCDDDF, NYASP Category A NYASP Category B State Forms ENCORE WEOH Zip DI Water NONE Billing Information (if different from Report to) Company Name H2504 коин State HOSN Commercial "A" (Level 1) Commercial "B" (Level 2) HCI # of bottles Vallco Mall, Wolfe Rd, Cupertino CA Matrix 80 SO 80 SO SO SO SO SO Project Information Street Address Sampled by . Š 12:00:00 AM State Time Approved By (SGS Accutest PM): / Date: 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 9/6/16 Date Client Purchase Order# Phone Project Manager MEOH/DI Via!# Project Name Project # Ċif Zip Client / Reporting Information Tumaround Time (Business days) Field ID / Point of Collection 9513 SGS Accutest Laboratories 2105 Lundy Avenue ς nutan.kabin@sgs.com 408-588-0200 Sampler(s) Name(s) E7-3 E7-5 E8-1 E8-2 E8-3 E84 E8-5 Company Name: San Jose, Project Contact Phone # SGS Accurrent Sample # 25X 26X 27X 28X 29X 31X 30X 32X

A9304/3 Page 3 of 3

Bottle Order Control #

Accutest Job #

SGS Accutest Quote # FED-EX Tracking #

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SW - Sulface SED-Sediment
OI - Oil EB-Equipment Blank RB- Rinse Blank TB-Trip Blank LIQ - Other Liquid AIR - Air SOL - Other Solid LAB USE ONLY WP - Wipe FB-Field Blank Matrix Codes Ger Temp. C47015X **E** 3 Received By: Received By: Preserved where applicable Date Time: Date Time: Sample Custody must be documented below each time samples change possession, including courier delivery. Intact Not intact NJ Reduced = Results + QC Summary + Partial Raw data EDD Format

X Other COMMB Commercial "B" = Results + QC Summary Commercial "A" = Results Only Relinquished By: Relinquished By: Custody Seal # | Commercial "A" (Level 1 | Commercial "B" (Level 2 | FULLT1 (Level 3+4) | NJ Reduced | Commercial "G" 2105 Lundy Avenue, San Jose, CA 95131 TEL, 408-588-0200 FAX: 408-588-0201 Received By:
3 Samara Nellom 04/24/16
Received By: Sering By SGS ACCUTEST Date Time: Emergency & Rush T/A data available VIA Lablink other Due 9/15/2016 | Std. 10 Business Days | 5 Day RUSH | 3 Day EMERGENCY | 2 Day EMERGENCY | 1 Day EMERGENCY | 1 Day EMERGENCY | 3 Other | 2 Due 9/15/201 Relinquished by San Relinquished by Sa Relinquished by:

1 necest

Date / Time: 9/8/2016 3:02:41 PM

CSR: NUTANK

Job #: C47015X

Client Project: Vallco Mall, Wolfe Rd, Cupertino CA

Deliverable: COMMB

TAT: Due 9/15/2016

Sub Lab: SGS Wilmington NC

Address: 5500 Business Dr

City: Wilmington

State: NC

Contact: Trent Temperly Phone: 3173709644

Zip: 28405

| | | | | Compled | Date | Time | |
|--------------|------------------------------|----------------------------|----------|---------|----------|-------------|---------|
| SGS Accutest | Client Sample Description | Analysis | Location | By | Sampled | Sampled | Aliquot |
| C47015-1X | <u>E1-1</u> | SASBCARB435,SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-2X | <u>E1-2</u> | SASBCARB435,SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-3X | <u>E1-3</u> | SASBCARB435,SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-4X | E1-4 | SASBCARB435,SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-5X | <u>E1-8</u> | SASBCARB435,SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-6X | E2-1 | SASBCARB435,SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-7X | E2-2 | SASBCARB435,SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-8X | E2-3 | SASBCARB435,SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-9X | <u>E2-5</u> | SASBCARB435,SB1613PCDDDF, | | | 9/6/2016 | 12:00:00 AM | |
| C47015-10X | E2-7 | SASBCARB435 SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-11X | E3-1 | SASBCARB435,SB1613PCDDDF, | | | 9/6/2016 | 12:00:00 AM | |
| C47015-12X | E3-2 | SASBCARB435, SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-13X | E3-4 | SASBCARB435 SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-14X | <u>E3-6</u> | SASBCARB435 SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-15X | <u>E4-1</u> | SASBCARB435 SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-16X | <u>E4-2</u> | SASBCARB435 SB1613PCDDDF. | | | 9/6/2016 | 12:00:00 AM | |
| C47015-17X | <u>E4-3</u> | SASBCARB435,SB1613PCDDDF, | | | 9/6/2016 | 12:00:00 AM | |
| | | | | | | | |

Lance Morgan 09/09/16 a

12:00:00 AM

9/6/2016

12:00:00 AM 12:00:00 AM 12:00:00 AM 12:00:00 AM

9/6/2016

9/6/2016

12:00:00 AM 12:00:00 AM

9/6/2016

9/6/2016

| SASBCARB435, SB1613PCDDDF. | SASBCARB435, SB1613PCDDDF. | SASBCARB435,SB1613PCDDDF. | SASBCARB435,SB1613PCDDDF, | SASBCARB435,SB1613PCDDDF. | SASBCARB435, SB1613PCDDDF. | SASBCARB435,SB1613PCDDDF. | SASBCARB435,SB1613PCDDDF, | SASBCARB435,SB1613PCDDDF. | SASBCARB435,SB1613PCDDDF, | SASBCARB435,SB1613PCDDDF. | SASBCARB435,SB1613PCDDDF. | SASBCARB435,SB1613PCDDDF. | SASBCARB435,SB1613PCDDDF, | SASBCARB435,SB1613PCDDDF. |
|----------------------------|----------------------------|---------------------------|---------------------------|---------------------------|----------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| <u>E5-1</u> | <u>E5-2</u> | <u>E5-3</u> | <u>E6-1</u> | <u>E6-2</u> | E6-4 | <u>E7-1</u> | E7-2 | <u>E7-3</u> | <u>E7-5</u> | E8-1 | <u>E8-2</u> | E8-3 | E8-4 | <u>E8-5</u> |
| C47015-18X | C47015-19X | C47015-20X | C47015-21X | C47015-22X | C47015-23X | C47015-24X | C47015-25X | C47015-26X | C47015-27X | C47015-28X | C47015-29X | C47015-30X | C47015-31X | C47015-32X |

12:00:00 AM

9/6/2016

12:00:00 AM 12:00:00 AM

9/6/2016

9/6/2016

Comments: Please sub to SGS Wilmington (NC) for 2,3,7,8 TCDD.

12:00:00 AM

9/6/2016

Sample Management Receipt:

Date:

Lawara Margalli 192

APPENDIX

ENTHALPY ANALYTICAL REPORT





Enthalpy Analytical

2323 Fifth Street, Berkeley, CA 9471O, Phone (510) 486-0900

Laboratory Job Number 304731 ANALYTICAL REPORT

WSP Project : VALLCO

2025 Gateway Place Location : Vallco Cupertino, CA

San Jose, CA 95110 Level : II

| Sample ID | <u>Lab ID</u> | Sample ID | <u>Lab ID</u> |
|------------|---------------|-------------|---------------|
| S-1-(1) | 304731-001 | S-8-(1) | 304731-038 |
| S-1-(5) | 304731-002 | S-8-(5) | 304731-039 |
| S-1-(10) | 304731-003 | S-8-(10) | 304731-040 |
| S-1-(15) | 304731-004 | S-8-(15) | 304731-041 |
| S-1-(20) | 304731-005 | S-8-(20) | 304731-042 |
| S-2-(1) | 304731-006 | W-5-(1) | 304731-043 |
| S-2-(5) | 304731-007 | W-5-(5) | 304731-044 |
| S-2-(10) | 304731-008 | W-5-(10) | 304731-045 |
| S-2-(15) | 304731-009 | W-5-(15) | 304731-046 |
| S-2-(20) | 304731-010 | W-5-(20) | 304731-047 |
| S-3-(1) | 304731-011 | EB-1 | 304731-048 |
| S-3-(5) | 304731-012 | W-1-(1) | 304731-049 |
| S-3-(10) | 304731-013 | W-1-(5) | 304731-050 |
| S-3-(15) | 304731-014 | W-1-(10) | 304731-051 |
| S-3-(20) | 304731-015 | W-1-(15) | 304731-052 |
| S-4-(1) | 304731-016 | W-1-(20) | 304731-053 |
| S-4-(5) | 304731-017 | E-2-(1) | 304731-054 |
| S-4-(10) | 304731-018 | E-2-(5) | 304731-055 |
| S-4-(15) | 304731-019 | E-2-(10) | 304731-056 |
| S-4-(20) | 304731-020 | E-2-(15) | 304731-057 |
| S-5-(1) | 304731-021 | E-2-(20) | 304731-058 |
| S-5-(5) | 304731-022 | W-2-(2) | 304731-059 |
| S-5-(10) | 304731-023 | W-2-(5) | 304731-060 |
| S-5-(15) | 304731-024 | W-2-(10) | 304731-061 |
| S-5-(20) | 304731-025 | W-2-(15) | 304731-062 |
| S-6-(1) | 304731-026 | W-2-(20) | 304731-063 |
| S-6-(5) | 304731-027 | W - 3 - (1) | 304731-064 |
| S-6-(10) | 304731-028 | W - 3 - (5) | 304731-065 |
| S-6-(15) | 304731-029 | W-3-(10) | 304731-066 |
| S-6-(20) | 304731-030 | W-3-(15) | 304731-067 |
| S-6-(1)-R' | 304731-031 | W-3-(20) | 304731-068 |
| S-6-(5)-R' | 304731-032 | W-4-(1) | 304731-069 |
| S-7-(2) | 304731-033 | W-4-(5) | 304731-070 |
| S-7-(5) | 304731-034 | W-4-(10) | 304731-071 |
| S-7-(10) | 304731-035 | ₩-4-(15) | 304731-072 |
| S-7-(15) | 304731-036 | W-4-(20) | 304731-073 |
| S-7-(20) | 304731-037 | | |

CA ELAP# 2896, NELAP# 4044-001



Enthalpy Analytical

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

Laboratory Job Number 304731
ANALYTICAL REPORT

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature:

Patrick McCarthy
Project Manager
patrick.mccarthy@enthalpy.com
(510) 204-2236 ext 13115

CA ELAP# 2896, NELAP# 4044-001

Date: <u>11/20/2018</u>



CASE NARRATIVE

Laboratory number: 304731 Client: WSP Project: VALLCO

Location: Vallco Cupertino, CA

Request Date: 11/03/18
Samples Received: 11/01/18

This data package contains sample and QC results for seventy soil samples and one water sample, requested for the above referenced project on 11/03/18. The samples were received cold and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B) Water:

No analytical problems were encountered.

TPH-Purgeables and/or BTXE by GC (EPA 8015B) Soil:

High response was observed for gasoline C7-C12 in the CCV analyzed 11/08/18 02:10; affected data was qualified with "b". High response was observed for gasoline C7-C12 in the CCV analyzed 11/08/18 09:41; affected data was qualified with "b". Gasoline C7-C12 was detected between the MDL and the RL in the method blank for batch 265183; this analyte was either not detected in samples at or above the RL, or detected at a level at least 10 times that of the blank. Gasoline C7-C12 was detected between the MDL and the RL in the method blank for batch 265225; this analyte was not detected in the sample at or above the RL. No other analytical problems were encountered.

TPH-Extractables by GC (EPA 8015B) Water:

No analytical problems were encountered.

TPH-Extractables by GC (EPA 8015B) Soil:

Low response was observed for motor oil C24-C36 in the CCV analyzed 11/10/18 02:38; affected data was qualified with "b". High response was observed for diesel C10-C24 in the CCV analyzed 11/13/18 12:21; affected data was qualified with "b". Matrix spikes QC954776,QC954777 (batch 265273) were not analyzed because the parent sample required a dilution that would have diluted out the spikes. High recoveries were observed for diesel C10-C24 in the MS/MSD of S-7-(2) (lab # 304731-033); the LCS was within limits, and the associated RPD was within limits. Many samples were diluted due to the dark and viscous nature of the sample extracts. No other analytical problems were encountered.

Semivolatile Organics by GC/MS (EPA 8270C) Water:

No analytical problems were encountered.

Semivolatile Organics by GC/MS (EPA 8270C) Soil:

Matrix spikes QC954797,QC954798 (batch 265278) were not reported because the parent sample required a dilution that would have diluted out the spikes. Matrix spikes QC954859,QC954860 (batch 265293) were not reported because the parent sample required a dilution that would have diluted out the spikes. Low

Page 1 of 3

212.0



CASE NARRATIVE

Laboratory number: 304731 Client: WSP Project: VALLCO

Location: Vallco Cupertino, CA

Request Date: 11/03/18 Samples Received: 11/01/18

Semivolatile Organics by GC/MS (EPA 8270C) Soil:

recoveries were observed for a number of analytes in the MS/MSD of S-1-(5) (lab # 304731-002); the LCS was within limits, and the associated RPDs were within limits. Low surrogate recovery was observed for 2-fluorobiphenyl in S-7-(5) (lab # 304731-034). Many samples were diluted due to the dark and viscous nature of the sample extracts. S-7-(2) (lab # 304731-033) was diluted due to high non-target analytes. No other analytical problems were encountered.

Pesticides (EPA 8081A):

All samples underwent sulfur cleanup using the copper option in EPA Method 3660B. All samples underwent florisil cleanup using EPA Method 3620C. Matrix spikes QC954618,QC954619 (batch 265233) were not analyzed because the parent sample required a dilution that would have diluted out the spikes. Low surrogate recoveries were observed for decachlorobiphenyl in a number of samples. Low surrogate recovery was observed for TCMX in E-2-(1) (lab # 304731-054). Gamma-chlordane was detected between the MDL and the RL in the method blank for batch 265233; this analyte was not detected in samples at or above the RL. Gamma-chlordane was detected between the MDL and the RL in the method blank for batch 265246; this analyte was not detected in samples at or above the RL. Gamma-chlordane was detected between the MDL and the RL in the method blank for batch 265307; this analyte was either not detected in samples at or above the RL, or detected at a level at least 10 times that of the blank. Gamma-chlordane was detected between the MDL and the RL in the method blank for batch 265331; this analyte was not detected in samples at or above the RL. Many samples were diluted due to the color of the sample extracts. S-3-(1) (lab # 304731-011) was diluted due to the dark and viscous nature of the sample extract. No other analytical problems were encountered.

Metals (EPA 6010B and EPA 7471A):

Low recoveries were observed for many analytes in the MS/MSD of S-3-(10) (lab # 304731-013); the BS/BSD were within limits, and the associated RPDs were within limits. Low recoveries were observed for antimony in the MS/MSD of S-7-(20) (lab # 304731-037); the BS/BSD were within limits, and the associated RPD was within limits. Low recoveries were observed for a number of analytes in the MS/MSD of S-8-(1) (lab # 304731-038); the BS/BSD were within limits. High RPD was observed for barium; the RPD was acceptable in the BS/BSD. Low recoveries were observed for antimony in the MS/MSD for batch 265238; the parent sample was not a project sample, the BS/BSD were within limits, and the associated RPD was within limits. Low recoveries were observed for barium and antimony in the MS/MSD of W-1-(20) (lab #

Page 2 of 3



CASE NARRATIVE

Laboratory number: 304731 Client: WSP Project: VALLCO

Location: Vallco Cupertino, CA

Request Date: 11/03/18
Samples Received: 11/01/18

Metals (EPA 6010B and EPA 7471A):

304731-053); the BS/BSD were within limits. High recoveries were observed for chromium and vanadium; the BS/BSD were within limits, and the associated RPDs were within limits. High RPD was observed for barium; the RPD was acceptable in the BS/BSD. High recovery was observed for mercury in the MS of S-4-(20) (lab # 304731-020); the BS/BSD were within limits, and the associated RPD was within limits. High recovery was observed for mercury in the MSD of W-5-(20) (lab # 304731-047); the BS/BSD were within limits, and the associated RPD was within limits. Arsenic and molybdenum were detected between the MDL and the RL in the method blank for batch 265201. Arsenic and zinc were detected between the MDL and the RL in the method blank for batch 265237; these analytes were detected in samples at a level at least 10 times that of the blank. Antimony, thallium, and zinc were detected between the MDL and the RL in the method blank for batch 265253; these analytes were either not detected in samples at or above the RL, or detected at a level at least 10 times that of the blank. No other analytical problems were encountered.

Chlorophenoxy Herbicides (EPA 8151):

Eurofins (CalScience) in Garden Grove, CA performed the analysis (NELAP certified). Please see the Eurofins (CalScience) case narrative.

CHAIN-OF-CUSTODY RECORD 20473

| <u> </u> | WSP USA Office Address | CHAIN-OF-CUSTODY RECORD | TODY RECORD 20473 | Page 1 of 5 |
|----------------|--|--|--|---|
| | nateway | PI. # 348 San Dx, 1445118 | Hequested Analyses & Preservatives | No.008001 |
| | 00 | 2 | (151 (151) (151) | Laboratory Name & Location |
| | Project Location CA Co perting CA | WSP USA Contact Email Clera, robertson Viet, Aroden bem o @wsp.com | SIC (S 28) (8), | Laboratory Project Manager |
| | Project Number & Task | WSP USA Contact Phone 105 - 453 - 6100 | 108) *** ** 2701 | Vatricus |
| | Sampler(s) Name(s) Elene Fabertson | Sampler(s) Signature(s) | 11 511. | Nequested I um-Around-Time All All |
| | Sample Identification | Matrix Collection Start Collection Stop* | -Hd] Hd] 10/5 4 00 1900 1900 1900 1900 1900 1900 1900 1 | £ |
| | (1)-1-S | 2(0) | | Sample Comments Tample nomenclaring |
| ' | 1 8-1-(5) | 5 1019118 1025 2 X | X X X X | FS locution - chapth) |
| , , | 15-1-(10) | S 10/00/15 1035 2 | XXXXXX | piease hold all |
| 7 | (2-1-(15) | 5 10/30/10 105U 2 X | <i>F Y Y Y</i> | Samples for herbicide, |
| <u>γ</u> , | (20)-1-5 | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | pesticide, and SVDC |
| ・ | 45-2-(1) | S 10,50/18/1040 2 > | ナメメ | desths 10,15,4nd |
| | | S injury 2 K | * | |
| ، صر | 3-2-(10) | 5 1420/18/1055 2 X | \ \ \ \ \ \ \ \ \ \ | |
| • · | 5-2-(55) | X 2 - OIL METER S | XXXX | - include iffords |
| 2 | 5-2-(20) | X 2 (2) (10) | * * * * * * * * * * * * * * * * * * * | |
| _ | 0-3-(1) | S 10,5941'S 65-45 2 | 7 | Frictionic EDD |
| <u>'</u> ' | | 5 10/34/308/5C 5 X | | |
| <u>ٽ</u> . | ~ | S 10004/18 0705 2 X | 7- | |
| <u>.</u> | (2-3-(12) | 5 nopalis 0915 2 X | \ \ \ \ \ \ \ \ | |
| 衣 | 5-3-(20) | | 3 X X X | |
| 6 | | 1410 | Ate Time Shipment Method | fracking Number(s) |
| of 4 | neinfulgrad By (Signature) Date | Time 28 Recified by Signature) 22 | Ite Time Number of Packages C | Custody Seal Number(s) |
| 40 | "Uppettop time/date for composite and/or air samples; use only stari time/date for all other samples | only stari time/date for all other samples. | Matrix: AQ = Aqueous, S = Soil, SE = Sediment, A | A = Air, W = Wipe, B = Bulk, O = Other (detail in comments) |

Barmples for herbicide postficiale, and SVOC ** Sange Nomenter oleake include atrix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (detail in comments Page $\gamma_{ ext{of}}$ @depths -Dlase include Patrick xcel FDD piecese hold all 72 HR tequested Turn-Around-Time -Plaus In that aboratory Project Manager aboratory Name & Location analysis 02/51/01 No. **008000** Custody Seal Number(s) imple Comments 48 HR Requested Analyses & Preser X CHAIN-OF-CUSTODY RECORD 1410 K × 4 7 N N @wsp.com Time Collection Stop* Rick Freudenberger NCK. Frauden berger WSP USA Contact Phone 408-453-6100 , #348 San Joz, CA 95118 Date WSP USA Contact E-mail KIENUS ROBERTSON Use stop inne/date for composite and/or air samples; use only start time/date for all other sample. 195918 575 1930118 6940 10/24/18 0736 16,000/12 0955 1230 KIlashi 10/20/18 124C 5 VORWIE 1400 19601/8 1550 10,00 grap 1005 10/30118 1310 1405 1405 M2/18 1300 OCCUS BUS 554121/02/01 10/30/19/1415 Collection Start*
Date Time Sampler(s) Signature(s) Matrix <u>ر</u> Ś Elana Robertson 2025 Grateway M. 5-5-(15) 5-5-620 5-5-410 Upertion 5-4-120 5-4-(10) 5-4-015 7-6-(15 5-6-61 101-9-5-6-65 5-5-01 5-4-65 5-4-6 VSP USA Office Address 5-5-(5 Valleo oject Nember & Task Sample Identification ampler(s) Name(s) ect Location

304731 CHAIN-OF-CUSTODY RECORD

** Sample nomenclate Sumples for herbicide (V) SUMDIES 5-6-(1). PE WY anaysis @ depths -include J-Flags pasticide, and svac is location - (deput 1.) Do notanalyze -include exce Page please hold all Hequested Turn-Around-Time のかれる」アン 72 HR Patrick 5-10-(5)-R aboratory Name & Location aboratory Project Manager **|666200**:0N Custody Seal Number(s) 48 HR racking Number(s) @wsp.com 2 N'CKI Prevden borg ex WSP USA Contact Phone 2025 Gave way Pl. # 348 San Tose, (495110 Rich Fredenberger WSP USA Contact Email Clerker to Dos TSON 408-453-6100 Date Elena Ruberton 10/3418 (735) S 1979 1240 SIE 8/08/01 S S2£1 8/102/01 10/30/18 F720 1305 Black S 10/20/16 1415 OHM SUECIO DS#1 81/82/0 10/26/15/35 16/36/18 1750 1255 1725 10/36/13 1-705 S loggins (33% (934/8 153) Collection Start* Sampler(s) Signature(s) Date Matrix Elena Robertson 5-6-(1)-R 5-10-(5)-R 5-7-110) Copertino, (4 5-7-620 5-8-(15) 5-7-63 5-8-65 101)-2-5 2-2-61 5-8-120 5-7-65 5-7-15 W-5-010 43 W-5-CI SP USA Office Address Relinquished By (Signature) roject Number & Task W-5-4 ample Identification ampler(s) Name(s) 1/4/1/co roject Location Use stop tily

15 as to line nomenclatere -Piease include J-Flags nerolicias, pasticida and SVOCS analys Page _____ of -Nease Include exce. location - larpth 320 力をまで子 Laboratory Project Manager Please hold al 72 HR Requested Turn-Around-Time 5 No. 007998 Custody Seal Number(s) ☐48 HR **EOU** 91773 CHAIN-OF-CUSTODY RECORD Rich Freudenberger 2 WSP USA Contact Email

Clence robox TSON

Cle freuden bergersom
WSP USA Contact Phone 2025 (nateway M. #348 Sunjose 95410 Collection Stop* 408-453-6100 Date 10/3/118 0930 PZ01811ELDI 10/30/18 1750 5080 811/5/01 0130 21/12/01 S 10/31/18 082C DE80 SINE/01 0,60 g.hela 19/11/8/11/95 S lopping 1745 17 SILS 10/51/8 0935 5462 81/18/01 10/21/12/100C 51902 -51/16/01 Collection Start*
Date Time Matrix S $\bar{\mathcal{O}}$ Elena Pakertsan アナナーこう $\omega - (-\alpha \Sigma)$ W - I - (2D)W-5- (20 W-2-(2) W-2-(5) ンアイガムの $E_{-}z_{-}a$ E-2-(10) E-2-(15) E-Z-(20)(01)-1-mE-2-(5) W-t-(5)N-I-CIVSP USA Office Address /a/(co Sample Identification FB-1 ampler(s) Name(s) ect Location

| | | CHAIN-OF-CUST | AIN-OF-CUSTODY RECORD 2473 | Page 7 of 7 |
|----------|--|--|---|--|
| | ddress | 7 | Requested Analyses & Preservatives | |
| | 1025 Grateway 1 | San dose, (A | (2) | No.007984 |
| | 0 0 | | | Laboratory Name & Location |
| | | WSP USA Contact E-mgil | 19 | したのとみび |
| | #10,CA | Mich, Aguadon pero exp.com | 127 127 127 127 127 | Laboratory Project Manager |
| | Project Number & Task | WSP USA Contact Phone | (71 (95) (3) (3) | していて |
| | Sampler(s) Name(s) | Sampler(s) Signature(s) | | Requested Turn-Around-Time |
| | Elona Boertoon | Marino John Contraction of the second of the | 215 5.6.1de 5.00 5.00 10 11 10 11 | |
| | Sample Identification | umber | | 뚶 |
| Ē | (2)-1-1 | Z IIII Z | S > | Sample Comments FA South Top Published Top Control Co |
| | | 100 H 0 H 20 | XXXX | is location - (dept) |
| 2. | | S 108412 1140 - 27 | $X \times X \times X \times Y$ | Please hold all |
| É, | W-2-(20) | S 10131/18 1145 2 X | XXXX | Samples for |
| 3 | W-3-(1) | 5 10 pulta 1255 - 2 X | x x x | of stroet of strong |
| \S | W-3-(5) | 5 WAIIX GOD 2) | XXXXXX | 4 |
| E. | W-3-(10) | X 2 Sos *1/6/01 5 | × × × × | adoptis 10 15,20 |
| S | W-3-(15) | 5 ways 135 2 K | ¥ | |
| <u>E</u> | W-3-(20) | 5 14341× 1326) 12 X | \times | - Please include 1-flags |
| Z | (+)-h-g | 5 WP11345 2 X | XXXX | Transa include |
| 2 | W-4-(5) | X 2 2581 81/16/01 5 | | OKIOI EDD |
| 7 | W-4-(10) | 8 5 1971 8 1405 S | XXXXX | |
| 77 | W-4-(15) 5 | X 2 - O/h/8/16/01 S | X | |
| 8/ | W-4-(20) | 5 19 19 19 19 18 18 18 18 18 18 18 18 18 18 18 18 18 | ××××××××××××××××××××××××××××××××××××××× | |
| 交 | -£- | | | |
| | | | | |
| 10 | Date | Time Received Signature) Da | Date Time Shipment Method | Tracking Number(s) |
| | Relinquished By (Signature) Oate | Time Received by Skynature) De | Number of Packages | Custody Seal Number(s) |
| | Use stop imedate for composite and/or air samples; use only start time/date for all other same | nly start time/date for all other samples | Matrix: AQ = Aqueous, S = Soil, SE = Sediment, | Matrix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (detail in comments) |

| SAMPLE RECEIPT CHECKLIST | | | 7 |
|---|------------|-----------|-----------|
| Section 1: Login # 30473 Client: W | | | |
| Date Received: 11 11 11 Project: | | ENT | HALPY |
| Section 2: Samples received in a cooler? Yes, how many? No (skip Section 3 below) | | | |
| If no cooler Sample Temp (°C): using IR Gun # □ A, or □ B | | | |
| ☐ Samples received on ice directly from the field. Cooling process had begun | | | |
| If in cooler: Date Opened 11 / 18 By (print) (sign) | | | |
| | | _ | |
| Shipping info (if applicable) | <u></u> | | |
| Are custody seals present? ☑ No, or ☐ Yes. If yes, where? ☐ on cooler, ☐ on samples, | ⊔ on pa | скаде | |
| ☐ Date: How many ☐ Signature, ☐ Initials, ☐ None | | | |
| Were custody seals intact upon arrival? ☐ Yes ☐ No ☐ N/A | | | |
| Section 3: Important : Notify PM if temperature exc | eeds 6°C | or arrive | e frozen. |
| Packing in cooler: (if other, describe) | | | |
| ☑ Bubble Wrap, ☐ Foam blocks, ☑ Bags, ☐ None, ☐ Cloth material, ☐ Cardboard, ☐ Styrofoam, 〔 | ☐ Paper to | owels | |
| ☐ Samples received on ice directly from the field. Cooling process had begun | | | |
| Type of ice used : Wet, Blue/Gel, None Temperature blank(s) included? | ☐ Yes, [| No | |
| Temperature measured using Thermometer ID: or IR Gun # A B B Cooler Temp (*C): #1: 2 | | | |
| cooler rempt cj. wz | | | , |
| Section 4: | YES | NO | N/A |
| Were custody papers dry, filled out properly, and the project identifiable | | | |
| Were Method 5035 sampling containers present? | | | |
| If YES, what time were they transferred to freezer? | | | |
| Did all bottles arrive unbroken/unopened? | | | |
| Are there any missing / extra samples? | | | |
| Are samples in the appropriate containers for indicated tests? | | | |
| Are sample labels present, in good condition and complete? | | | |
| Does the container count match the COC? | | | |
| Do the sample labels agree with custody papers? | | | |
| Was sufficient amount of sample sent for tests requested? | | | |
| Did you change the hold time in LIMS for unpreserved VOAs? | | | |
| Did you change the hold time in LIMS for preserved terracores? | | | |
| Are bubbles > 6mm absent in VOA samples? | | | _ |
| Was the client contacted concerning this sample delivery? | | | |
| If YES, who was called?ByDate: | | | |
| Section 5: | YES | NO | N/A |
| Are the samples appropriately preserved? (if N/A, skip the rest of section 5) | | | |
| Did you check preservatives for all bottles for each sample? | | | |
| Did you document your preservative check? | | | |
| pH strip lot#, pH strip lot#, pH strip lot# | | | |
| Preservative added: | _ | | |
| ☐ H2SO4 lot# added to samples on/at | | | |
| ☐ HCL lot#added to sampleson/at | | | |
| ☐ HNO3 lot# added to samples on/at | | | |
| □ Na OH lot# added to samples on/at | | | |
| Section 6: | | | |
| Explanations/Comments: | | | |
| | | | |
| | | | |
| Date Logged in 1 By (print) (sign) | _ | | |
| Date Labeled 11 3 11 By (print) (sign) 1 (sign) | | | |



304731-001

Detections Summary for 304731

Results for any subcontracted analyses are not included in this summary.

Client : WSP Project : VALLCO

Location : Vallco Cupertino, CA

Client Sample ID : S-1-(1)

Laboratory Sample ID:

Method Analyte Result Flags RL MDL Units Basis IDF Prep Method Diesel C10-C24 12 γ 3.0 0.91 mg/Kg As Recd 3.000 EPA 8015B EPA 3550C Motor Oil C24-C36 270 4.5 As Recd 3.000 EPA 8015B EPA 3550C mg/Kg 0.80 As Recd 10.00 EPA 8081A EPA 3546 Dieldrin 22 3.8 ıΤ ug/Kg 4,4'-DDE 19 0.80 10.00 EPA 8081A EPA 3546 J 22 ug/Kg As Recd 4,4'-DDT EPA 8081A 11 J 22 3.3 ug/Kg As Recd 10.00 EPA 3546 gamma-Chlordane C,J 11 1.1 ug/Kg As Recd 10.00 EPA 8081A EPA 3546 1.000 Antimony 0.54 J 2.0 0.073 mg/Kg As Recd EPA 6010B EPA 3050B 3.7 1.5 0.070 1.000 EPA 6010B EPA 3050B Arsenic mg/Kg As Recd Barium 160 0.27 0.032 mg/Kg As Recd 1.000 EPA 6010B EPA 3050B Beryllium 0.011 1.000 EPA 6010B EPA 3050B 0.45 0.11 mg/Kg As Recd Cadmium 0.19 0.27 0.018 mg/Kg As Recd 1.000 EPA 6010B EPA 3050B 65 0.27 0.052 1.000 EPA 6010B EPA 3050B Chromium As Recd mg/Kg Cobalt 0.27 0.015 1.000 EPA 6010B EPA 3050B mg/Kg As Recd 0.27 As Recd 1.000 EPA 6010B 31 0.061 EPA 3050B Copper mg/Kg 1.000 EPA 6010B EPA 3050B Lead 7.1 1.0 0.060 mg/Kg As Recd Mercury 0.052 0.017 0.0030 mg/Kg As Recd 1.000 EPA 7471A METHOD Molybdenum 0.39 0.27 0.028 As Recd 1.000 EPA 6010B EPA 3050B mg/Kg Nickel 87 0.27 0.053 mg/Kg As Recd 1.000 EPA 6010B EPA 3050B Vanadium 51 0.27 0.056 As Recd 1.000 EPA 6010B EPA 3050B mg/Kg Zinc 49 1.1 0.23 mg/Kg As Recd 1.000 EPA 6010B EPA 3050B

Page 1 of 36 214.0



Client Sample ID : S-1-(5) Laboratory Sample ID :

304731-002

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.3 | Y | 1.0 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 3.3 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Dieldrin | 0.79 | J | 2.2 | 0.079 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 9.1 | # | 2.2 | 0.079 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDT | 3.4 | | 2.2 | 0.33 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| gamma-Chlordane | 0.33 | J | 1.1 | 0.14 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.49 | J | 2.0 | 0.072 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.1 | | 1.5 | 0.070 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 140 | | 0.26 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.52 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.18 | J | 0.26 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 87 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 16 | | 0.26 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 29 | | 0.26 | 0.060 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.4 | | 1.0 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.050 | | 0.018 | 0.0031 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.26 | J | 0.26 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 74 | | 0.26 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 69 | | 0.26 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 47 | | 1.1 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-1-(10)

Laboratory Sample ID :

304731-003

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.48 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.33 | J | 2.0 | 0.075 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.1 | | 1.5 | 0.072 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 200 | | 0.27 | 0.033 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.64 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.20 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 94 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 21 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 46 | | 0.27 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.1 | | 1.0 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.049 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.25 | J | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 110 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 64 | | 0.27 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 65 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 2 of 36 214.0



Client Sample ID : S-1-(15) Laboratory Sample ID : 304731-004

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep | Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------|--------|
| Diesel C10-C24 | 0.99 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA : | 3550C |
| Antimony | 0.23 | J | 2.0 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Arsenic | 3.0 | | 1.5 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Barium | 130 | | 0.25 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Beryllium | 0.57 | | 0.098 | 0.0098 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Cadmium | 0.20 | J | 0.25 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Chromium | 93 | | 0.25 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Cobalt | 18 | | 0.25 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Copper | 37 | | 0.25 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Lead | 5.7 | | 0.98 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Mercury | 0.088 | | 0.016 | 0.0028 | mg/Kg | As Recd | 1.000 | EPA 7471A | METH | OD |
| Molybdenum | 0.24 | J | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Nickel | 85 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Vanadium | 81 | | 0.25 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |
| Zinc | 52 | | 0.98 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA : | 3050B |

Client Sample ID : S-1-(20) Laboratory Sample ID : 304731-005

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.55 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 1.8 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.45 | J | 1.9 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.0 | | 1.4 | 0.064 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 100 | | 0.24 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.47 | | 0.096 | 0.0096 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.20 | J | 0.24 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 45 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 11 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 28 | | 0.24 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.4 | | 0.96 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.099 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.58 | | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 57 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 43 | | 0.24 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 46 | | 0.96 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 3 of 36 214.0



Client Sample ID : S-2-(1) Laboratory Sample ID :

304731-006

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.82 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 5.3 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Dieldrin | 0.99 | J | 2.2 | 0.079 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 3.5 | # | 2.2 | 0.079 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDD | 0.57 | J | 2.2 | 0.079 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDT | 1.3 | J | 2.2 | 0.33 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| gamma-Chlordane | 0.24 | C,J | 1.1 | 0.11 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.46 | J | 1.9 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.6 | | 1.5 | 0.064 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 190 | | 0.24 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.54 | | 0.097 | 0.0097 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.18 | J | 0.24 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 76 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 18 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 41 | | 0.24 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.6 | | 0.97 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.062 | | 0.016 | 0.0028 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.19 | J | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 86 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 52 | | 0.24 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 58 | | 0.97 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-2-(5) Laboratory Sample ID :

304731-007

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 11 | Y | 3.0 | 0.92 | mg/Kg | As Recd | 3.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 260 | | 15 | 4.5 | mg/Kg | As Recd | 3.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.45 | J | 2.0 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.1 | | 1.5 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 180 | | 0.25 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.42 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.19 | J | 0.25 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 74 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 13 | | 0.25 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 28 | | 0.25 | 0.058 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 5.1 | | 1.0 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.032 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.76 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 67 | | 0.25 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 60 | | 0.25 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 43 | | 1.0 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 4 of 36 214.0



Client Sample ID : S-2-(10) Laboratory Sample ID : 304731-008

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 22 | Y | 5.0 | 1.5 | mg/Kg | As Recd | 5.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 500 | | 25 | 7.5 | mg/Kg | As Recd | 5.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.38 | J | 2.0 | 0.075 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.0 | | 1.5 | 0.072 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 250 | | 0.27 | 0.033 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.47 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.18 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 80 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 14 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 27 | | 0.27 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 5.1 | | 1.0 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.045 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 1.5 | | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 68 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 66 | | 0.27 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 42 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-2-(15) Laboratory Sample ID : 304731-009

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep | Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|------|--------|
| Diesel C10-C24 | 0.40 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA | 3550C |
| Antimony | 0.29 | J | 1.9 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Arsenic | 3.9 | | 1.4 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Barium | 110 | | 0.24 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Beryllium | 0.46 | | 0.094 | 0.0095 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cadmium | 0.13 | J | 0.24 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Chromium | 52 | | 0.24 | 0.046 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cobalt | 10 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Copper | 30 | | 0.24 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Lead | 6.0 | | 0.94 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Mercury | 0.12 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METH | IOD |
| Molybdenum | 0.41 | | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Nickel | 61 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Vanadium | 43 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Zinc | 44 | | 0.94 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |

Page 5 of 36 214.0



Client Sample ID : S-2-(20) Laboratory Sample ID : 304731-010

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep | Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------|--------|
| Diesel C10-C24 | 0.42 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3 | 3550C |
| Antimony | 0.55 | J | 2.0 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Arsenic | 4.1 | | 1.5 | 0.068 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Barium | 110 | | 0.26 | 0.031 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Beryllium | 0.50 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Cadmium | 0.20 | J | 0.26 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Chromium | 44 | | 0.26 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Cobalt | 11 | | 0.26 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Copper | 27 | | 0.26 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Lead | 6.4 | | 1.0 | 0.058 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Mercury | 0.13 | | 0.016 | 0.0028 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHO |)D |
| Molybdenum | 0.53 | | 0.26 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Nickel | 58 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Vanadium | 41 | | 0.26 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |
| Zinc | 46 | | 1.0 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3 | 3050B |

Client Sample ID : S-3-(1) Laboratory Sample ID : 304731-011

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 68 | Y | 10 | 3.1 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 1,600 | | 50 | 15 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| Antimony | 0.53 | J | 2.0 | 0.072 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.0 | | 1.5 | 0.070 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 230 | | 0.26 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.43 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.24 | J | 0.26 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 45 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 12 | | 0.26 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 29 | | 0.26 | 0.060 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 5.9 | | 1.0 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.060 | | 0.018 | 0.0031 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.58 | | 0.26 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 55 | | 0.26 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 46 | | 0.26 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 47 | | 1.1 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 6 of 36 214.0



Client Sample ID : S-3-(5) Laboratory Sample ID :

304731-012

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.87 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 2.1 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Dieldrin | 0.17 | J | 2.2 | 0.080 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 3.3 | # | 2.2 | 0.080 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDD | 0.59 | C,J | 2.2 | 0.15 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| gamma-Chlordane | 0.34 | J | 1.1 | 0.14 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.44 | J | 2.0 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.9 | | 1.5 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 150 | | 0.25 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.55 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.20 | J | 0.25 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 83 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 18 | | 0.25 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 41 | | 0.25 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.6 | | 1.0 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.055 | | 0.018 | 0.0031 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.30 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 96 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 60 | | 0.25 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 60 | | 1.0 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-3-(10) Laboratory Sample ID : 304731-013

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 2.2 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 8.2 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.81 | J | 2.0 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 2.5 | | 1.5 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 150 | | 0.25 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.53 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.20 | J | 0.25 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 93 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 16 | | 0.25 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 28 | | 0.25 | 0.058 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 5.5 | | 1.0 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.042 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.32 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 80 | | 0.25 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 75 | | 0.25 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 47 | | 1.0 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

214.0 Page 7 of 36



Client Sample ID : S-3-(15) Laboratory Sample ID : 304731-014

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.93 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 15 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.28 | J | 1.9 | 0.064 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.9 | | 1.4 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 98 | | 0.23 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.56 | | 0.093 | 0.0093 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.15 | J | 0.23 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 48 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 10 | | 0.23 | 0.013 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 29 | | 0.23 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.5 | | 0.93 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.081 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.70 | | 0.23 | 0.024 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 64 | | 0.23 | 0.046 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 45 | | 0.23 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 52 | | 0.93 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-3-(20) Laboratory Sample ID : 304731-015

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.2 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 11 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.64 | J | 1.9 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.9 | | 1.4 | 0.063 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 120 | | 0.24 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.47 | | 0.095 | 0.0095 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.17 | J | 0.24 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 39 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 10 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 26 | | 0.24 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.2 | | 0.95 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.095 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.55 | | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 50 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 39 | | 0.24 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 42 | | 0.95 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 8 of 36 214.0



Client Sample ID : S-4-(1) Laboratory Sample ID : 304731-016

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 14 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 34 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| alpha-BHC | 0.23 | J | 1.1 | 0.088 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| beta-BHC | 0.087 | C,J | 1.1 | 0.064 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| delta-BHC | 0.094 | C,J | 1.1 | 0.079 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Aldrin | 0.14 | C,J | 1.1 | 0.092 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Dieldrin | 15 | # | 2.2 | 0.079 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 65 | # | 2.2 | 0.079 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDD | 6.3 | # | 2.2 | 0.079 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDT | 1.2 | C,J | 2.2 | 0.33 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.45 | J | 1.9 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.5 | | 1.5 | 0.064 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 160 | | 0.24 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.51 | | 0.097 | 0.0097 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.26 | | 0.24 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 78 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 17 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 39 | | 0.24 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 15 | | 0.97 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.053 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.36 | | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 84 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 60 | | 0.24 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 64 | | 0.97 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-4-(5) Laboratory Sample ID : 304731-017

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 6.4 | Y | 2.0 | 0.62 | mg/Kg | As Recd | 2.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 100 | | 10 | 3.0 | mg/Kg | As Recd | 2.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.37 | J | 2.0 | 0.075 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.1 | | 1.5 | 0.072 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 190 | | 0.27 | 0.033 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.50 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.18 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 79 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 19 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 34 | | 0.27 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.9 | | 1.0 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.087 | | 0.017 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.29 | | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 90 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 59 | | 0.27 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 51 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 9 of 36 214.0



Client Sample ID : S-4-(10) Laboratory Sample ID : 304731-018

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.0 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 9.1 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.40 | J | 2.0 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.3 | | 1.5 | 0.068 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 140 | | 0.26 | 0.031 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.53 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.18 | J | 0.26 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 80 | | 0.26 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 18 | | 0.26 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 37 | | 0.26 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.2 | | 1.0 | 0.058 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.039 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.33 | | 0.26 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 82 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 54 | | 0.26 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 54 | | 1.0 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-4-(15) Laboratory Sample ID : 304731-019

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 3.8 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 68 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.51 | J | 1.8 | 0.063 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 6.2 | | 1.4 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 150 | | 0.23 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.69 | | 0.092 | 0.0092 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.25 | | 0.23 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 54 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 14 | | 0.23 | 0.013 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 42 | | 0.23 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 10 | | 0.92 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.093 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.91 | | 0.23 | 0.024 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 67 | | 0.23 | 0.046 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 53 | | 0.23 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 73 | | 0.92 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 10 of 36 214.0



Client Sample ID : S-4-(20) Laboratory Sample ID : 304731-020

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.1 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 13 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.61 | J | 2.0 | 0.075 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 5.0 | | 1.5 | 0.072 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 110 | | 0.27 | 0.033 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.55 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.23 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 48 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 13 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 32 | | 0.27 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.6 | | 1.0 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.12 | | 0.018 | 0.0032 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.67 | | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 63 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 46 | | 0.27 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 56 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-5-(1) Laboratory Sample ID : 304731-021

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|----------------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 13 | Y | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 34 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| bis(2-Ethylhexyl)phthalate | 9.0 | J | 330 | 8.5 | ug/Kg | As Recd | 1.000 | EPA 8270C | EPA 3550C |
| 4,4'-DDE | 0.18 | C,J | 4.3 | 0.16 | ug/Kg | As Recd | 2.000 | EPA 8081A | EPA 3546 |
| Endrin | 0.60 | C,J | 4.3 | 0.13 | ug/Kg | As Recd | 2.000 | EPA 8081A | EPA 3546 |
| Endosulfan II | 0.18 | C,J | 4.3 | 0.16 | ug/Kg | As Recd | 2.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.46 | J | 2.0 | 0.073 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.4 | | 1.5 | 0.070 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 180 | | 0.27 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.57 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.15 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 78 | | 0.27 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 16 | | 0.27 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 37 | | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.4 | | 1.0 | 0.060 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.054 | | 0.016 | 0.0028 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.21 | J | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 92 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 50 | | 0.27 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 55 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 11 of 36 214.0



Client Sample ID : S-5-(5) Laboratory Sample ID :

304731-022

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.3 | Y | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 2.1 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Dieldrin | 0.80 | J | 2.2 | 0.078 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 1.5 | J | 2.2 | 0.078 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDD | 0.48 | J | 2.2 | 0.078 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| gamma-Chlordane | 0.23 | C,J | 1.1 | 0.11 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.53 | J | 2.0 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.1 | | 1.5 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 180 | | 0.26 | 0.031 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.57 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.19 | J | 0.26 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 88 | | 0.26 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 19 | | 0.26 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 43 | | 0.26 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.3 | | 1.0 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.052 | | 0.016 | 0.0028 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.24 | J | 0.26 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 100 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 62 | | 0.26 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 63 | | 1.0 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-5-(10) Laboratory Sample ID : 304731-023

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 4.6 | Y | 2.0 | 0.61 | mg/Kg | As Recd | 2.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 97 | | 10 | 3.0 | mg/Kg | As Recd | 2.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.44 | J | 1.8 | 0.063 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.2 | | 1.4 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 150 | | 0.23 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.62 | | 0.092 | 0.0092 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.24 | | 0.23 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 94 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 17 | | 0.23 | 0.013 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 39 | | 0.23 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.7 | | 0.92 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.061 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.30 | | 0.23 | 0.024 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 73 | | 0.23 | 0.046 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 76 | | 0.23 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 56 | | 0.92 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

214.0 Page 12 of 36



Client Sample ID : S-5-(15) Laboratory Sample ID : 304731-024

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep | Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|------|--------|
| Diesel C10-C24 | 0.33 | J | 1.0 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA | 3550C |
| Antimony | 0.70 | J | 2.0 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Arsenic | 2.7 | | 1.5 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Barium | 99 | | 0.26 | 0.031 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Beryllium | 0.45 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cadmium | 0.095 | J | 0.26 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Chromium | 61 | | 0.26 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cobalt | 13 | | 0.26 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Copper | 26 | | 0.26 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Lead | 4.4 | | 1.0 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Mercury | 0.044 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METH | OD |
| Molybdenum | 0.67 | | 0.26 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Nickel | 59 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Vanadium | 56 | | 0.26 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Zinc | 42 | | 1.0 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |

Client Sample ID : S-5-(20) Laboratory Sample ID : 304731-025

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.2 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 18 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.30 | J | 1.9 | 0.064 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 2.8 | | 1.4 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 82 | | 0.23 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.33 | | 0.093 | 0.0093 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.10 | J | 0.23 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 36 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 8.4 | | 0.23 | 0.013 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 23 | | 0.23 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 4.6 | | 0.93 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.082 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.53 | | 0.23 | 0.024 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 31 | | 0.23 | 0.046 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 45 | | 0.23 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 41 | | 0.93 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 13 of 36 214.0



Client Sample ID : S-6-(1) Laboratory Sample ID : 304731-026

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 68 | Y | 10 | 3.1 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 790 | | 50 | 15 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| 4,4'-DDE | 1.2 | J | 2.2 | 0.078 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| gamma-Chlordane | 0.23 | J | 1.1 | 0.11 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.45 | J | 2.0 | 0.075 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 2.7 | | 1.5 | 0.073 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 150 | | 0.27 | 0.033 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.32 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.17 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 45 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 10 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 25 | | 0.27 | 0.063 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 12 | | 1.0 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.065 | | 0.018 | 0.0031 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 1.1 | | 0.27 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 53 | | 0.27 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 39 | | 0.27 | 0.058 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 70 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-6-(5) Laboratory Sample ID :

304731-027

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 4.0 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 37 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Dieldrin | 2.2 | J | 43 | 1.7 | ug/Kg | As Recd | 20.00 | EPA 8081A | EPA 3546 |
| Antimony | 0.46 | J | 2.0 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.1 | | 1.5 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 100 | | 0.25 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.42 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.17 | J | 0.25 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 64 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 14 | | 0.25 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 27 | | 0.25 | 0.058 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.3 | | 1.0 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.052 | | 0.018 | 0.0031 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.31 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 71 | | 0.25 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 46 | | 0.25 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 45 | | 1.0 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 14 of 36 214.0



Client Sample ID : S-6-(10) Laboratory Sample ID : 304731-028

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep | Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|------|--------|
| Diesel C10-C24 | 0.59 | J | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA | 3550C |
| Antimony | 0.40 | J | 2.0 | 0.074 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Arsenic | 4.8 | | 1.5 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Barium | 120 | | 0.27 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Beryllium | 0.48 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cadmium | 0.15 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Chromium | 45 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cobalt | 11 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Copper | 26 | | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Lead | 6.8 | | 1.0 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Mercury | 0.071 | | 0.016 | 0.0027 | mg/Kg | As Recd | 1.000 | EPA 7471A | METH | OD |
| Molybdenum | 0.75 | | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Nickel | 56 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Vanadium | 46 | | 0.27 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Zinc | 50 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |

Client Sample ID : S-6-(15) Laboratory Sample ID : 304731-029

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep | Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|------|--------|
| Diesel C10-C24 | 0.55 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA | 3550C |
| Antimony | 0.34 | J | 2.0 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Arsenic | 4.9 | | 1.5 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Barium | 110 | | 0.25 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Beryllium | 0.57 | | 0.098 | 0.0098 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cadmium | 0.19 | J | 0.25 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Chromium | 47 | | 0.25 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cobalt | 11 | | 0.25 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Copper | 30 | | 0.25 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Lead | 7.2 | | 0.98 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Mercury | 0.18 | | 0.017 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METH | OD |
| Molybdenum | 0.69 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Nickel | 63 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Vanadium | 43 | | 0.25 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Zinc | 52 | | 0.98 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |

Page 15 of 36 214.0



Client Sample ID : S-6-(20) Laboratory Sample ID : 304731-030

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep | Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|------|--------|
| Diesel C10-C24 | 0.57 | J | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA | 3550C |
| Antimony | 0.15 | J | 2.0 | 0.074 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Arsenic | 3.7 | | 1.5 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Barium | 120 | | 0.27 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Beryllium | 0.46 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cadmium | 0.19 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Chromium | 80 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cobalt | 17 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Copper | 33 | | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Lead | 5.8 | | 1.0 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Mercury | 0.12 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METH | OD |
| Molybdenum | 0.37 | | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Nickel | 85 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Vanadium | 66 | | 0.27 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Zinc | 46 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |

Client Sample ID : S-7-(2) Laboratory Sample ID : 304731-033

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|---------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Gasoline C7-C12 | 3.2 | Y | 1.1 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 5030B |
| Diesel C10-C24 | 61 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 21 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Naphthalene | 150 | J | 340 | 50 | ug/Kg | As Recd | 5.000 | EPA 8270C | EPA 3550C |
| 2-Methylnaphthalene | 590 | | 340 | 50 | ug/Kg | As Recd | 5.000 | EPA 8270C | EPA 3550C |
| Aldrin | 0.97 | C,J | 1.1 | 0.094 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Heptachlor epoxide | 10 | С | 1.1 | 0.078 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Dieldrin | 36 | #,C | 2.2 | 0.080 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 63 | # | 2.2 | 0.080 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Endrin | 15 | # | 2.2 | 0.21 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDD | 3.2 | С | 2.2 | 0.15 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Endrin aldehyde | 3.1 | #,C | 2.2 | 0.59 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDT | 7.4 | #,C | 2.2 | 0.091 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| alpha-Chlordane | 4.2 | #,C | 1.1 | 0.18 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| gamma-Chlordane | 22 | С | 1.1 | 0.11 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.34 | J | 2.0 | 0.073 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 2.7 | | 1.5 | 0.070 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 120 | | 0.27 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.48 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.19 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 62 | | 0.27 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 15 | | 0.27 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 35 | | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.2 | | 1.0 | 0.060 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.67 | | 0.018 | 0.0031 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.30 | | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 68 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 56 | | 0.27 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 60 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 16 of 36 214.0



Client Sample ID : S-7-(5) Laboratory Sample ID :

304731-034

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|---------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.96 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 1.7 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Di-n-butylphthalate | 12 | J | 330 | 9.5 | ug/Kg | As Recd | 1.000 | EPA 8270C | EPA 3550C |
| Heptachlor epoxide | 0.17 | J | 1.1 | 0.078 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Dieldrin | 0.54 | J | 2.2 | 0.080 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 0.88 | J | 2.2 | 0.080 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDD | 0.19 | C,J | 2.2 | 0.15 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDT | 0.85 | J | 2.2 | 0.34 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| gamma-Chlordane | 0.14 | C,J | 1.1 | 0.11 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.45 | J | 2.0 | 0.072 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.0 | | 1.5 | 0.070 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 160 | | 0.26 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.54 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.19 | J | 0.26 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 70 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 16 | | 0.26 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 34 | | 0.26 | 0.060 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.1 | | 1.0 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.056 | | 0.018 | 0.0031 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.35 | | 0.26 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 80 | | 0.26 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 53 | | 0.26 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 58 | | 1.1 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-7-(10) Laboratory Sample ID : 304731-035

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.74 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.51 | J | 1.9 | 0.064 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.1 | | 1.4 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 130 | | 0.23 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.57 | | 0.093 | 0.0094 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.19 | J | 0.23 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 61 | | 0.23 | 0.046 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 16 | | 0.23 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 38 | | 0.23 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.2 | | 0.93 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.071 | | 0.016 | 0.0028 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.44 | | 0.23 | 0.024 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 59 | | 0.23 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 68 | | 0.23 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 58 | | 0.93 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 17 of 36 214.0



Client Sample ID : S-7-(15) Laboratory Sample ID : 304731-036

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep | Method |
|-----------------|--------|-------|-------|--------|-------|---------|-------|-----------|------|--------|
| Gasoline C7-C12 | 0.14 | J | 0.98 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA | 5030B |
| Diesel C10-C24 | 0.57 | J | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA | 3550C |
| Antimony | 0.30 | J | 2.0 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Arsenic | 4.1 | | 1.5 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Barium | 78 | | 0.25 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Beryllium | 0.51 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cadmium | 0.17 | J | 0.25 | 0.017 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Chromium | 49 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Cobalt | 11 | | 0.25 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Copper | 26 | | 0.25 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Lead | 6.5 | | 1.0 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Mercury | 0.12 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METH | IOD |
| Molybdenum | 0.68 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Nickel | 56 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Vanadium | 39 | | 0.25 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |
| Zinc | 45 | | 1.0 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA | 3050B |

Client Sample ID : S-7-(20) Laboratory Sample ID : 304731-037

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.83 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 1.6 | J,b | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.90 | J | 2.0 | 0.074 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 2.6 | | 1.5 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 69 | | 0.27 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.37 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.12 | J | 0.27 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 40 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 10 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 31 | | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 4.8 | | 1.0 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.11 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.63 | | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 40 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 49 | | 0.27 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 44 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 18 of 36 214.0



Client Sample ID : S-8-(1) Laboratory Sample ID :

304731-038

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 36 | Y | 20 | 6.2 | mg/Kg | As Recd | 20.00 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 1,100 | | 100 | 31 | mg/Kg | As Recd | 20.00 | EPA 8015B | EPA 3550C |
| 4,4'-DDE | 1.5 | C,J | 23 | 1.0 | ug/Kg | As Recd | 10.00 | EPA 8081A | EPA 3546 |
| Antimony | 0.85 | J | 1.8 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 1.8 | | 1.4 | 0.060 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 110 | | 0.23 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.23 | | 0.091 | 0.0091 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.29 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 33 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 8.3 | | 0.23 | 0.013 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 15 | | 0.23 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 2.9 | | 0.91 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.036 | | 0.017 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.37 | | 0.23 | 0.024 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 50 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 23 | | 0.23 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 26 | | 0.91 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : S-8-(5) Laboratory Sample ID :

304731-039

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.76 | J | 1.0 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 1.5 | J,b | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.50 | J | 1.9 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.8 | | 1.4 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 190 | | 0.24 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.60 | | 0.094 | 0.0095 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.37 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 88 | | 0.24 | 0.046 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 20 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 41 | | 0.24 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.8 | | 0.94 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.052 | | 0.018 | 0.0032 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.19 | J | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 99 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 60 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 57 | | 0.94 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

214.0 Page 19 of 36



Client Sample ID : S-8-(10) Laboratory Sample ID : 304731-040

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Meth | ıod |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|-----------|-----|
| Diesel C10-C24 | 0.70 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C | 7) |
| Antimony | 0.41 | J | 1.9 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Arsenic | 3.6 | | 1.4 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Barium | 120 | | 0.24 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Beryllium | 0.51 | | 0.094 | 0.0095 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Cadmium | 0.35 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Chromium | 71 | | 0.24 | 0.046 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Cobalt | 13 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Copper | 30 | | 0.24 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Lead | 6.5 | | 0.94 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Mercury | 0.054 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD | |
| Molybdenum | 0.22 | J | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Nickel | 64 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Vanadium | 54 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |
| Zinc | 48 | | 0.94 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B | 3 |

Client Sample ID : S-8-(15) Laboratory Sample ID : 304731-041

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.85 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 1.7 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.57 | J | 2.0 | 0.075 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.9 | | 1.5 | 0.072 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 120 | | 0.27 | 0.033 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.53 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.27 | J | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 52 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 12 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 30 | | 0.27 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.0 | | 1.0 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.13 | | 0.018 | 0.0031 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.63 | | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 63 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 46 | | 0.27 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 49 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 20 of 36 214.0



Client Sample ID : S-8-(20) Laboratory Sample ID : 304731-042

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.70 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 2.2 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.55 | J | 2.0 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.5 | | 1.5 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 110 | | 0.26 | 0.031 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.51 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.36 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 49 | | 0.26 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 12 | | 0.26 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 33 | | 0.26 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.1 | | 1.0 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.043 | | 0.016 | 0.0027 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.74 | | 0.26 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 59 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 48 | | 0.26 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 49 | | 1.0 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-5-(1) Laboratory Sample ID: 304731-043

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.7 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 4.5 | J,b | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Dieldrin | 0.15 | J | 2.2 | 0.088 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 1.7 | J | 2.2 | 0.080 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDT | 0.77 | J | 2.2 | 0.090 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| gamma-Chlordane | 0.22 | J | 1.1 | 0.14 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Antimony | 0.33 | J | 2.0 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.5 | | 1.5 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 210 | | 0.25 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.55 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.40 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 70 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 17 | | 0.25 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 37 | | 0.25 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.4 | | 1.0 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.058 | | 0.017 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.23 | J | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 91 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 46 | | 0.25 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 59 | | 1.0 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 21 of 36 214.0



Client Sample ID: W-5-(5) Laboratory Sample ID: 304731-044

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.70 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 5.8 | b | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.40 | J | 2.0 | 0.075 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 2.5 | | 1.5 | 0.072 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 79 | | 0.27 | 0.033 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.30 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.25 | J | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 33 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 8.2 | | 0.27 | 0.016 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 15 | | 0.27 | 0.062 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 5.4 | | 1.0 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.089 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.23 | J | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 43 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 27 | | 0.27 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 35 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-5-(10) Laboratory Sample ID: 304731-045

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.71 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 3.3 | J,b | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.54 | J | 2.0 | 0.073 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.9 | | 1.5 | 0.070 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 130 | | 0.27 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.52 | | 0.11 | 0.011 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.40 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 75 | | 0.27 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 17 | | 0.27 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 37 | | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.4 | | 1.0 | 0.060 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.076 | | 0.015 | 0.0027 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.30 | | 0.27 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 97 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 52 | | 0.27 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 59 | | 1.1 | 0.23 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 22 of 36 214.0

33 of 440



Client Sample ID: W-5-(15) Laboratory Sample ID: 304731-046

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.66 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 7.5 | b | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.40 | J | 2.0 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.5 | | 1.5 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 130 | | 0.25 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.53 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.39 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 55 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 12 | | 0.25 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 26 | | 0.25 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.2 | | 1.0 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.090 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.61 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 58 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 45 | | 0.25 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 55 | | 1.0 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-5-(20) Laboratory Sample ID: 304731-047

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.83 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 3.3 | J,b | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.47 | J | 1.9 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.4 | | 1.4 | 0.063 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 100 | | 0.24 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.51 | | 0.095 | 0.0095 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.43 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 63 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 16 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 38 | | 0.24 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.3 | | 0.95 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.11 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.41 | | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 72 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 54 | | 0.24 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 56 | | 0.95 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : EB-1 Laboratory Sample ID : 304731-048

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-----------------|--------|-------|----|-----|-------|---------|-------|-----------|-------------|
| Gasoline C7-C12 | 21 | J | 50 | 11 | ug/L | As Recd | 1.000 | EPA 8015B | EPA 5030B |
| Diesel C10-C24 | 22 | J | 48 | 16 | ug/L | As Recd | 1.000 | EPA 8015B | EPA 3520C |

Page 23 of 36 214.0



Client Sample ID : W-1-(1) Laboratory Sample ID : 304731-049

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 12 | Y | 10 | 3.1 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 220 | | 50 | 15 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| Antimony | 0.71 | J | 2.0 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 3.8 | | 1.5 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 140 | | 0.26 | 0.031 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.41 | | 0.10 | 0.010 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.33 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 60 | | 0.26 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 14 | | 0.26 | 0.015 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 35 | | 0.26 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.2 | | 1.0 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.083 | | 0.018 | 0.0031 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.84 | | 0.26 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 79 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 51 | | 0.26 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 55 | | 1.0 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-1-(5) Laboratory Sample ID: 304731-050

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.1 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 12 | b | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.43 | J | 2.0 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 5.1 | | 1.5 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 150 | | 0.25 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.53 | | 0.098 | 0.0098 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.33 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 61 | | 0.25 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 15 | | 0.25 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 37 | | 0.25 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.0 | | 0.98 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.14 | | 0.015 | 0.0027 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.46 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 93 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 48 | | 0.25 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 56 | | 0.98 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 24 of 36 214.0



Client Sample ID : W-1-(10) Laboratory Sample ID : 304731-051

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 2.3 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 14 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.39 | J | 2.0 | 0.068 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 4.9 | | 1.5 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 140 | | 0.25 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.55 | | 0.099 | 0.0099 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.44 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 51 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 13 | | 0.25 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 30 | | 0.25 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.3 | | 0.99 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.083 | | 0.015 | 0.0027 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.64 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 54 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 45 | | 0.25 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 64 | | 0.99 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-1-(15) Laboratory Sample ID: 304731-052

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.4 | Y | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 20 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.33 | J | 1.9 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 5.3 | | 1.4 | 0.064 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 130 | | 0.24 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.56 | | 0.096 | 0.0096 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.37 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 47 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 13 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 34 | | 0.24 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.3 | | 0.96 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.14 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.68 | | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 69 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 43 | | 0.24 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 57 | | 0.96 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 25 of 36 214.0



Client Sample ID : W-1-(20) Laboratory Sample ID : 304731-053

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.61 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 4.5 | | 1.5 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 160 | | 0.25 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.59 | | 0.098 | 0.020 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.33 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 79 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 18 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 39 | | 0.25 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.2 | | 0.98 | 0.13 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.11 | | 0.016 | 0.0027 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.13 | J | 0.25 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 100 | | 0.25 | 0.068 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 61 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 57 | | 0.98 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : E-2-(1) Laboratory Sample ID :

304731-054

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|----------------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.79 | J | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 2.8 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| bis(2-Ethylhexyl)phthalate | 18 | J | 330 | 8.4 | ug/Kg | As Recd | 1.000 | EPA 8270C | EPA 3550C |
| Dieldrin | 0.24 | J | 2.2 | 0.080 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 0.33 | J | 2.2 | 0.080 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Arsenic | 2.5 | | 1.4 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 180 | | 0.24 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.70 | | 0.094 | 0.019 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.44 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 82 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 20 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 37 | | 0.24 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.7 | | 0.94 | 0.12 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.038 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.11 | J | 0.24 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 92 | | 0.24 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 67 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 54 | | 0.94 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 26 of 36 214.0



Client Sample ID : E-2-(5) Laboratory Sample ID :

304731-055

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 11 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 44 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Aldrin | 4.2 | J | 5.5 | 0.30 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| Endosulfan I | 0.60 | C,J | 5.5 | 0.54 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| Dieldrin | 81 | # | 11 | 0.40 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 81 | # | 11 | 0.40 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDD | 47 | # | 11 | 0.40 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| alpha-Chlordane | 1.2 | C,J | 5.5 | 0.71 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| Arsenic | 3.3 | | 1.4 | 0.18 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 150 | | 0.23 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.67 | | 0.091 | 0.018 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.42 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 81 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 18 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 35 | | 0.23 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 9.0 | | 0.91 | 0.12 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.061 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Nickel | 85 | | 0.23 | 0.063 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 68 | | 0.23 | 0.045 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 54 | | 0.91 | 0.18 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : E-2-(10) Laboratory Sample ID : 304731-056

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.5 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 13 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 4.0 | | 1.5 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 200 | | 0.25 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.68 | | 0.10 | 0.020 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.37 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 86 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 17 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 38 | | 0.25 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 7.6 | | 1.0 | 0.13 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.072 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Nickel | 100 | | 0.25 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 68 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 57 | | 1.0 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

214.0 Page 27 of 36

38 of 440



Client Sample ID : E-2-(15) Laboratory Sample ID : 304731-057

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 2.7 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 28 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 3.6 | | 1.4 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 220 | | 0.23 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.68 | | 0.093 | 0.019 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.39 | | 0.23 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 83 | | 0.23 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 20 | | 0.23 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 30 | | 0.23 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.4 | | 0.93 | 0.12 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.072 | | 0.017 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Nickel | 85 | | 0.23 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 72 | | 0.23 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 49 | | 0.93 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : E-2-(20) Laboratory Sample ID : 304731-058

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.5 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 3.1 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 4.6 | | 1.5 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 170 | | 0.26 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.73 | | 0.10 | 0.021 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.36 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 81 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 16 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 37 | | 0.26 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.5 | | 1.0 | 0.13 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.033 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.19 | J | 0.26 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 89 | | 0.26 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 66 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 58 | | 1.0 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 28 of 36 214.0



Client Sample ID : W-2-(2) Laboratory Sample ID : 304731-059

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 5.5 | J | 10 | 3.1 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 98 | | 50 | 15 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| Dieldrin | 2.5 | J | 11 | 0.43 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 87 | | 11 | 0.49 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDD | 1.5 | C,J | 11 | 0.73 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDT | 38 | # | 11 | 1.6 | ug/Kg | As Recd | 5.000 | EPA 8081A | EPA 3546 |
| Arsenic | 2.8 | | 1.5 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 130 | | 0.27 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.57 | | 0.11 | 0.022 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.30 | | 0.27 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 60 | | 0.27 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 13 | | 0.27 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 27 | | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 5.3 | | 1.0 | 0.14 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.059 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.23 | J | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 55 | | 0.27 | 0.076 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 59 | | 0.27 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 48 | | 1.1 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-2-(5) Laboratory Sample ID: 304731-060

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|---------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.61 | J | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 1.9 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Di-n-butylphthalate | 11 | J | 330 | 9.5 | ug/Kg | As Recd | 1.000 | EPA 8270C | EPA 3550C |
| Endosulfan I | 0.21 | J | 1.1 | 0.078 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Dieldrin | 0.11 | C,J | 2.2 | 0.086 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Arsenic | 5.2 | | 1.4 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 97 | | 0.24 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.67 | | 0.096 | 0.019 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.31 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 56 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 15 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 39 | | 0.24 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 5.4 | | 0.96 | 0.12 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.11 | | 0.016 | 0.0027 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.13 | J | 0.24 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 62 | | 0.24 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 68 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 55 | | 0.96 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 29 of 36 214.0



Client Sample ID : W-2-(10) Laboratory Sample ID : 304731-061

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.74 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 3.8 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 3.7 | | 1.5 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 81 | | 0.27 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.60 | | 0.11 | 0.022 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.35 | | 0.27 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 58 | | 0.27 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 11 | | 0.27 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 35 | | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 5.0 | | 1.0 | 0.14 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.12 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.21 | J | 0.27 | 0.061 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 69 | | 0.27 | 0.076 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 66 | | 0.27 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 53 | | 1.1 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-2-(15) Laboratory Sample ID: 304731-062

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 2.4 | Y,b | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 2.4 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 4.1 | | 1.5 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 100 | | 0.26 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.64 | | 0.10 | 0.021 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.29 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 47 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 11 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 37 | | 0.26 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.3 | | 1.0 | 0.13 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.13 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.20 | J | 0.26 | 0.057 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 50 | | 0.26 | 0.071 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 68 | | 0.26 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 56 | | 1.0 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 30 of 36 214.0



Client Sample ID : W-2-(20) Laboratory Sample ID : 304731-063

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 41 | Y,b | 9.9 | 3.0 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 440 | | 50 | 15 | mg/Kg | As Recd | 10.00 | EPA 8015B | EPA 3550C |
| Arsenic | 3.5 | | 1.4 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 110 | | 0.24 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.55 | | 0.096 | 0.019 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.71 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 60 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 9.7 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 26 | | 0.24 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 4.9 | | 0.96 | 0.12 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.081 | | 0.016 | 0.0027 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 2.0 | | 0.24 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 57 | | 0.24 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Silver | 1.1 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 56 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 44 | | 0.96 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-3-(1) Laboratory Sample ID: 304731-064

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 4.7 | Y,b | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 25 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| 4,4'-DDE | 0.35 | J | 2.2 | 0.078 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Arsenic | 3.4 | | 1.5 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 460 | | 0.27 | 0.032 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.24 | | 0.11 | 0.022 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.45 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 27 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 8.6 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 19 | | 0.27 | 0.060 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 1.1 | | 1.0 | 0.14 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.24 | | 0.016 | 0.0028 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.31 | | 0.27 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 47 | | 0.27 | 0.074 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 29 | | 0.27 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 31 | | 1.1 | 0.22 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

214.0 Page 31 of 36



Client Sample ID : W-3-(5) Laboratory Sample ID :

304731-065

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 2.4 | Y,b | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 2.4 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 5.0 | | 1.5 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 99 | | 0.27 | 0.031 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.69 | | 0.11 | 0.021 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.35 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 57 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 16 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 43 | | 0.27 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.7 | | 1.0 | 0.14 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.15 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.23 | J | 0.27 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 79 | | 0.27 | 0.074 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 70 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 54 | | 1.1 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID : W-3-(10) Laboratory Sample ID :

304731-066

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.9 | Y,b | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 2.2 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 3.9 | | 1.5 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 84 | | 0.26 | 0.031 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.59 | | 0.11 | 0.021 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.31 | | 0.26 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 54 | | 0.26 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 12 | | 0.26 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 29 | | 0.26 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 5.1 | | 1.0 | 0.14 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.076 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.21 | J | 0.26 | 0.058 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 65 | | 0.26 | 0.073 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 63 | | 0.26 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 49 | | 1.1 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

214.0 Page 32 of 36



Client Sample ID : W-3-(15) Laboratory Sample ID : 304731-067

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Meth | hod |
|----------------|--------|-------|-------|--------|-------|---------|-------|-----------|-----------|-----|
| Diesel C10-C24 | 1.1 | Y,b | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 35500 | С |
| Arsenic | 5.9 | | 1.5 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Barium | 130 | | 0.24 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Beryllium | 0.68 | | 0.097 | 0.019 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Cadmium | 0.36 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Chromium | 53 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Cobalt | 13 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Copper | 39 | | 0.24 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Lead | 8.1 | | 0.97 | 0.12 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Mercury | 0.073 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD | |
| Molybdenum | 0.26 | | 0.24 | 0.054 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Nickel | 74 | | 0.24 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Vanadium | 55 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |
| Zinc | 55 | | 0.97 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 30501 | В |

Client Sample ID: W-3-(20) Laboratory Sample ID: 304731-068

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.6 | Y,b | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 2.1 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 5.9 | | 1.4 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 130 | | 0.24 | 0.028 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.76 | | 0.094 | 0.019 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.44 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 44 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 13 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 33 | | 0.24 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 9.1 | | 0.94 | 0.12 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.16 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.61 | | 0.24 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 65 | | 0.24 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 55 | | 0.24 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 66 | | 0.94 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 33 of 36 214.0



Client Sample ID: W-4-(1) Laboratory Sample ID: 304731-069

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 4.5 | Y,b | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 11 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Dieldrin | 2.9 | | 2.2 | 0.088 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDE | 35 | | 2.2 | 0.099 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDD | 2.4 | | 2.2 | 0.15 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| 4,4'-DDT | 13 | # | 2.2 | 0.34 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| alpha-Chlordane | 0.15 | C,J | 1.1 | 0.14 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| gamma-Chlordane | 0.41 | C,J | 1.1 | 0.11 | ug/Kg | As Recd | 1.000 | EPA 8081A | EPA 3546 |
| Arsenic | 5.0 | | 1.5 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 200 | | 0.25 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.72 | | 0.10 | 0.020 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.43 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 88 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 18 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 40 | | 0.25 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.0 | | 1.0 | 0.13 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.13 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.20 | J | 0.25 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 96 | | 0.25 | 0.069 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 71 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 64 | | 1.0 | 0.20 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-4-(5) Laboratory Sample ID: 304731-070

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 3.0 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 14 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 4.0 | | 1.4 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 150 | | 0.23 | 0.027 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.61 | | 0.093 | 0.019 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.37 | | 0.23 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 58 | | 0.23 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 14 | | 0.23 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 26 | | 0.23 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 6.3 | | 0.93 | 0.12 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.063 | | 0.016 | 0.0029 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.17 | J | 0.23 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 66 | | 0.23 | 0.065 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 60 | | 0.23 | 0.047 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 57 | | 0.93 | 0.19 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 34 of 36 214.0



Client Sample ID : W-4-(10) Laboratory Sample ID : 304731-071

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.5 | Y | 0.99 | 0.30 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 6.0 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Arsenic | 8.1 | | 1.5 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 180 | | 0.27 | 0.031 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.95 | | 0.11 | 0.021 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.57 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 71 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 23 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 58 | | 0.27 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 12 | | 1.0 | 0.14 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.11 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.54 | | 0.27 | 0.059 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 120 | | 0.27 | 0.074 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 79 | | 0.27 | 0.053 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 89 | | 1.1 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Client Sample ID: W-4-(15) Laboratory Sample ID: 304731-072

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 0.60 | J | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 2.1 | J | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.65 | J | 2.0 | 0.068 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 5.8 | | 1.5 | 0.066 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 130 | | 0.25 | 0.030 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.61 | | 0.099 | 0.0099 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.38 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 51 | | 0.25 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 14 | | 0.25 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 36 | | 0.25 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.6 | | 0.99 | 0.056 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.13 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.72 | | 0.25 | 0.026 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 70 | | 0.25 | 0.050 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 49 | | 0.25 | 0.052 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 60 | | 0.99 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 35 of 36 214.0



Client Sample ID : W-4-(20)

Laboratory Sample ID :

304731-073

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|-------|--------|-------|---------|-------|-----------|-------------|
| Diesel C10-C24 | 1.1 | Y | 1.0 | 0.31 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Motor Oil C24-C36 | 15 | | 5.0 | 1.5 | mg/Kg | As Recd | 1.000 | EPA 8015B | EPA 3550C |
| Antimony | 0.26 | J | 1.9 | 0.067 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Arsenic | 5.0 | | 1.5 | 0.064 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Barium | 130 | | 0.24 | 0.029 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Beryllium | 0.60 | | 0.097 | 0.0097 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cadmium | 0.48 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Chromium | 51 | | 0.24 | 0.048 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Cobalt | 13 | | 0.24 | 0.014 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Copper | 34 | | 0.24 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Lead | 8.3 | | 0.97 | 0.055 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Mercury | 0.088 | | 0.017 | 0.0030 | mg/Kg | As Recd | 1.000 | EPA 7471A | METHOD |
| Molybdenum | 0.65 | | 0.24 | 0.025 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Nickel | 59 | | 0.24 | 0.049 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Vanadium | 49 | | 0.24 | 0.051 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |
| Zinc | 69 | | 0.97 | 0.21 | mg/Kg | As Recd | 1.000 | EPA 6010B | EPA 3050B |

Page 36 of 36 214.0

[#] = CCV drift outside limits; average CCV drift within limits per method requirements

C = Presence confirmed, but RPD between columns exceeds 40%

J = Estimated value

 $^{{\}tt Y}$ = Sample exhibits chromatographic pattern which does not resemble standard

b = See narrative



| | <u>-</u> | Total Volatile Hydrocarbon | ns |
|-----------|----------|----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 5030B |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Field ID: | EB-1 | Batch#: | 265182 |
| Matrix: | Water | Sampled: | 10/31/18 |
| Units: | ug/L | Received: | 11/01/18 |
| Diln Fac: | 1.000 | Analyzed: | 11/05/18 |

Type: SAMPLE Lab ID: 304731-048

| Analyte | Result | RL | MDL |
|-----------------|--------|----|-----|
| Gasoline C7-C12 | 21 J | 50 | 11 |

| Limits |
|--------|
| 79-120 |

Type: BLANK Lab ID: QC954416

| Analyte | Result | RL | MDL |
|-----------------|--------|----|-----|
| Gasoline C7-C12 | ND | 50 | 11 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Bromofluorobenzene (FID) | 94 | 79-120 |

J= Estimated value

ND= Not Detected

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



Batch QC Report

| | | Total Volatile Hydrocarbons | |
|-------------|------------|-----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 5030B |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Field ID: | EB-1 | Batch#: | 265182 |
| MSS Lab ID: | 304731-048 | Sampled: | 10/31/18 |
| Matrix: | Water | Received: | 11/01/18 |
| Units: | ug/L | Analyzed: | 11/05/18 |
| Diln Fac: | 1.000 | | |

Type: MS Lab ID: QC954414

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-----------------|------------|--------|--------|------|--------|
| Gasoline C7-C12 | 20.88 | 2,000 | 2,188 | 108 | 80-120 |

| Surrogate %REC | Limits |
|-----------------------------|--------|
| romofluorobenzene (FID) 113 | 79-1: |

Type: MSD Lab ID: QC954415

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|--------|------|--------|-----|-----|
| Gasoline C7-C12 | 2,000 | 2,084 | 103 | 80-120 | 5 | 20 |

| Surrogate |
|-----------------------|
| omofluorobenzene (FID |




Batch QC Report

| | Tota | l Volatile Hydrocarbo | ons |
|-----------|----------|-----------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 5030B |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC954495 | Batch#: | 265182 |
| Matrix: | Water | Analyzed: | 11/05/18 |
| Units: | ug/L | | |


| Analyte | Spiked | Result | %REC | Limits |
|-----------------|--------|--------|------|--------|
| Gasoline C7-C12 | 1,000 | 1,011 | 101 | 80-120 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Bromofluorobenzene (FID) | 94 | 79-120 |

Page 1 of 1 4.0



\Lims\gdrive\ezchrom\Projects\GC07\Data\309-009, A



\Lims\gdrive\ezchrom\Projects\GC07\Data\309-004, A



Total Volatile Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA EPA 5030B Client: Prep: WSP Project#: VALLCO Analysis: EPA 8015B Diln Fac: Matrix: Soil 1.000 11/01/18 Units: mg/Kg Received: Basis: as received

Field ID: S-1-(1)
Type: SAMPLE
Lab ID: 304731-001

Batch#: 265179 Sampled: 10/30/18 Analyzed: 11/05/18

AnalyteResultRLMDLGasoline C7-C12ND1.00.065

Surrogate %REC Limits
Bromofluorobenzene (FID) 120 64-134

Field ID: S-1-(5)
Type: SAMPLE
Lab ID: 304731-002

Batch#: 265179 Sampled: 10/30/18 Analyzed: 11/05/18

AnalyteResultRLMDLGasoline C7-C12ND1.10.067

Surrogate %REC Limits
Bromofluorobenzene (FID) 120 64-134

Field ID: S-1-(10)
Type: SAMPLE
Lab ID: 304731-003

Batch#: 265179 Sampled: 10/30/18 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 115 64-134

Field ID: S-1-(15)
Type: SAMPLE
Lab ID: 304731-004

Batch#: 265179 Sampled: 10/30/18 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.064

Surrogate%RECLimitsBromofluorobenzene (FID)10664-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 19

5 4



Field ID: S-1-(20)
Type: SAMPLE
Lab ID: 304731-005

Batch#: 265179 Sampled: 10/30/18 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 109 64-134

 Field ID:
 S-2-(1)
 Batch#:
 265179

 Type:
 SAMPLE
 Sampled:
 10/30/18

 Lab ID:
 304731-006
 Analyzed:
 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 109 64-134

Field ID: S-2-(5) Batch#: 265179
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-007 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 107 64-134

Field ID: S-2-(10) Batch#: 265179
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-008 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.067

Surrogate %REC Limits
Bromofluorobenzene (FID) 106 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 2 of 19



Field ID: S-2-(15)
Type: SAMPLE
Lab ID: 304731-009

Batch#: 265179 Sampled: 10/30/18 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.071

Surrogate%RECLimitsBromofluorobenzene (FID)10664-134

Field ID: S-2-(20) Batch#: 265179
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-010 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 110 64-134

Field ID: S-3-(1) Batch#: 265179
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-011 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.93
 0.060

Surrogate %REC Limits
Bromofluorobenzene (FID) 104 64-134

Field ID: S-3-(5) Batch#: 265183
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-012 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.053

Surrogate %REC Limits
Bromofluorobenzene (FID) 111 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 3 of 19



Field ID: S-3-(10)
Type: SAMPLE
Lab ID: 304731-013

Batch#: 265179 Sampled: 10/30/18 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.071

Surrogate %REC Limits
Bromofluorobenzene (FID) 114 64-134

Field ID: S-3-(15)
Type: SAMPLE
Lab ID: 304731-014

Batch#: 265179 Sampled: 10/30/18 Analyzed: 11/06/18

265179

10/30/18

11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.069

Surrogate %REC Limits
Bromofluorobenzene (FID) 109 64-134

Field ID: S-3-(20) Batch#:
Type: SAMPLE Sampled:
Lab ID: 304731-015 Analyzed:

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.94
 0.060

Surrogate %REC Limits
Bromofluorobenzene (FID) 105 64-134

Field ID: S-4-(1) Batch#: 265179
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-016 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.069

Surrogate %REC Limits
Bromofluorobenzene (FID) 115 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 4 of 19



Field ID: S-4-(5)
Type: SAMPLE
Lab ID: 304731-017

Batch#: 265179 Sampled: 10/30/18 Analyzed: 11/06/18

265179

10/30/18

11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 113 64-134

Field ID: S-4-(10) Batch#:
Type: SAMPLE Sampled:
Lab ID: 304731-018 Analyzed:

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 110 64-134

Field ID: S-4-(15) Batch#: 265183 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-019 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.054

Surrogate %REC Limits
Bromofluorobenzene (FID) 110 64-134

Field ID: S-4-(20) Batch#: 265183
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-020 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.056

Surrogate%RECLimitsBromofluorobenzene (FID)11364-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 5 of 19



Field ID: S-5-(1)
Type: SAMPLE
Lab ID: 304731-021

Batch#: 265183 Sampled: 10/30/18 Analyzed: 11/06/18

> 265183 10/30/18

> 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.95
 0.050

Surrogate%RECLimitsBromofluorobenzene (FID)10864-134

Field ID: S-5-(5)
Type: SAMPLE
Lab ID: 304731-022

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.056

Batch#:

Sampled:

Analyzed:

Surrogate %REC Limits
Bromofluorobenzene (FID) 108 64-134

Field ID: S-5-(10) Batch#: 265183 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-023 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.99
 0.052

Surrogate %REC Limits
Bromofluorobenzene (FID) 109 64-134

Field ID: S-5-(15) Batch#: 265183
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-024 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.055

Surrogate %REC Limits
Bromofluorobenzene (FID) 112 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 6 of 19



Field ID: S-5-(20)
Type: SAMPLE
Lab ID: 304731-025

Batch#: 265183 Sampled: 10/30/18 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.94
 0.050

Surrogate %REC Limits
Bromofluorobenzene (FID) 111 64-134

Field ID: S-6-(1) Batch#: 265183
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-026 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.91
 0.048

Surrogate %REC Limits
Bromofluorobenzene (FID) 110 64-134

Field ID: S-6-(5) Batch#: 265183 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-027 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.94
 0.050

Surrogate %REC Limits
Bromofluorobenzene (FID) 112 64-134

Field ID: S-6-(10) Batch#: 265183

Type: SAMPLE Sampled: 10/30/18

Lab ID: 304731-028 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.94
 0.050

Surrogate %REC Limits
Bromofluorobenzene (FID) 112 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 7 of 19



Field ID: S-6-(15)
Type: SAMPLE
Lab ID: 304731-029

Batch#: 265183 Sampled: 10/30/18 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.055

Surrogate %REC Limits
Bromofluorobenzene (FID) 109 64-134

Field ID: S-6-(20) Batch#: 265183
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-030 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.056

Surrogate %REC Limits
Bromofluorobenzene (FID) 108 64-134

Field ID: S-7-(2) Batch#: 265183
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-033 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 3.2 Y
 1.1
 0.057

Surrogate %REC Limits
Bromofluorobenzene (FID) 116 64-134

Field ID: S-7-(5) Batch#: 265221 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-034 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.97
 0.062

Surrogate %REC Limits
Bromofluorobenzene (FID) 105 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 8 of 19



Field ID: S-7-(10)
Type: SAMPLE
Lab ID: 304731-035

Batch#: 265221 Sampled: 10/30/18 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.067

Surrogate %REC Limits
Bromofluorobenzene (FID) 113 64-134

Field ID: S-7-(15) Batch#: 265225 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-036 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 0.14 J
 0.98
 0.052

Surrogate %REC Limits
Bromofluorobenzene (FID) 117 64-134

Field ID: S-7-(20) Batch#: 265221 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-037 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.067

Surrogate %REC Limits
Bromofluorobenzene (FID) 110 64-134

Field ID: S-8-(1) Batch#: 265221
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-038 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.065

Surrogate%RECLimitsBromofluorobenzene (FID)10964-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 9 of 19



Field ID: S-8-(5)
Type: SAMPLE
Lab ID: 304731-039

Batch#: 265221 Sampled: 10/30/18 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.065

Surrogate %REC Limits
Bromofluorobenzene (FID) 113 64-134

Field ID: S-8-(10)
Type: SAMPLE
Lab ID: 304731-040

Batch#: 265221 Sampled: 10/30/18 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.067

Surrogate %REC Limits
Bromofluorobenzene (FID) 117 64-134

Field ID: S-8-(15)
Type: SAMPLE
Lab ID: 304731-041

Batch#: 265221 Sampled: 10/30/18 Analyzed: 11/06/18

AnalyteResultRLMDLGasoline C7-C12ND0.940.060

Surrogate %REC Limits
Bromofluorobenzene (FID) 112 64-134

Field ID: S-8-(20) Batch#: 265221 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-042 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.067

Surrogate%RECLimitsBromofluorobenzene (FID)11264-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 10 of 19



Field ID: W-5-(1)
Type: SAMPLE
Lab ID: 304731-043

Batch#: 265221 Sampled: 10/30/18 Analyzed: 11/06/18

> 265221 10/30/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.97
 0.062

Batch#:

Sampled:

Surrogate %REC Limits
Bromofluorobenzene (FID) 115 64-134

Field ID: W-5-(5)
Type: SAMPLE
Lab ID: 304731-044

 Lab ID:
 304731-044
 Analyzed:
 11/06/18

 Analyte
 Result
 RL
 MDL

Gasoline C7-C12 ND 0.92 0.059

Surrogate %REC Limits
Bromofluorobenzene (FID) 105 64-134

Field ID: W-5-(10) Batch#: 265221
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-045 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.93
 0.059

Surrogate %REC Limits
Bromofluorobenzene (FID) 118 64-134

Field ID: W-5-(15) Batch#: 265221 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-046 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.066

Surrogate %REC Limits

Bromofluorobenzene (FID) 114 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 11 of 19



Field ID: W-5-(20)
Type: SAMPLE
Lab ID: 304731-047

Batch#: 265221 Sampled: 10/30/18 Analyzed: 11/06/18

265221

10/31/18

11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 106 64-134

Field ID: W-1-(1) Batch#:
Type: SAMPLE Sampled:
Lab ID: 304731-049 Analyzed:

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.067

Surrogate%RECLimitsBromofluorobenzene (FID)10464-134

Field ID: W-1-(5) Batch#: 265221 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-050 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.94
 0.060

Surrogate %REC Limits
Bromofluorobenzene (FID) 102 64-134

Field ID: W-1-(10) Batch#: 265221 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-051 Analyzed: 11/07/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.93
 0.060

Surrogate %REC Limits
Bromofluorobenzene (FID) 110 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 12 of 19



Field ID: W-1-(15)
Type: SAMPLE
Lab ID: 304731-052

Batch#: 265221 Sampled: 10/31/18 Analyzed: 11/07/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.065

Surrogate%RECLimitsBromofluorobenzene (FID)10864-134

 Field ID:
 W-1-(20)
 Batch#:
 265221

 Type:
 SAMPLE
 Sampled:
 10/31/18

 Lab ID:
 304731-053
 Analyzed:
 11/07/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.91
 0.058

Surrogate %REC Limits
Bromofluorobenzene (FID) 109 64-134

Field ID: E-2-(1) Batch#: 265221
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-054 Analyzed: 11/07/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.91
 0.058

Surrogate %REC Limits
Bromofluorobenzene (FID) 106 64-134

Field ID: E-2-(5) Batch#: 265221 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-055 Analyzed: 11/07/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.071

Surrogate %REC Limits
Bromofluorobenzene (FID) 103 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 13 of 19



Field ID: E-2-(10)
Type: SAMPLE
Lab ID: 304731-056

Batch#: 265279 Sampled: 10/31/18 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.93
 0.059

Surrogate %REC Limits
Bromofluorobenzene (FID) 113 64-134

Field ID: E-2-(15) Batch#: 265279
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-057 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.068

Surrogate%RECLimitsBromofluorobenzene (FID)11264-134

Field ID: E-2-(20) Batch#: 265279

Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-058 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.91
 0.058

Surrogate %REC Limits
Bromofluorobenzene (FID) 98 64-134

Field ID: W-2-(2) Batch#: 265279
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-059 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.93
 0.060

Surrogate %REC Limits
Bromofluorobenzene (FID) 110 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 14 of 19



Field ID: W-2-(5)
Type: SAMPLE
Lab ID: 304731-060

Batch#: 265279 Sampled: 10/31/18 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.94
 0.060

Surrogate%RECLimitsBromofluorobenzene (FID)10264-134

Field ID: W-2-(10) Batch#: 265279
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-061 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.93
 0.059

Surrogate %REC Limits
Bromofluorobenzene (FID) 110 64-134

Field ID: W-2-(15) Batch#: 265279

Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-062 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.99
 0.063

Surrogate %REC Limits
Bromofluorobenzene (FID) 104 64-134

Field ID: W-2-(20) Batch#: 265279
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-063 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.069

Surrogate %REC Limits
Bromofluorobenzene (FID) 115 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 15 of 19



Total Volatile Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA Client: WSP EPA 5030B Prep: Analysis: Diln Fac: Project#: VALLCO EPA 8015B 1.000 Matrix: Soil Units: mg/Kg Received: 11/01/18 Basis: as received

Field ID: W-3-(1)
Type: SAMPLE
Lab ID: 304731-064

Batch#: 265279 Sampled: 10/31/18 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.93
 0.060

Surrogate %REC Limits
Bromofluorobenzene (FID) 108 64-134

Field ID: W-3-(5) Batch#: 265279
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-065 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 110 64-134

Field ID: W-3-(10) Batch#: 265279

Type: SAMPLE Sampled: 10/31/18

Lab ID: 304731-066 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.97
 0.062

Surrogate %REC Limits
Bromofluorobenzene (FID) 106 64-134

Field ID: W-3-(15) Batch#: 265316 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-067 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.93
 0.059

Surrogate %REC Limits
Bromofluorobenzene (FID) 103 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 16 of 19



Total Volatile Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA Client: WSP EPA 5030B Prep: Analysis: Diln Fac: Project#: VALLCO EPA 8015B 1.000 Matrix: Soil Units: mg/Kg Received: 11/01/18 Basis: as received

Field ID: W-3-(20)
Type: SAMPLE
Lab ID: 304731-068

Batch#: 265316 Sampled: 10/31/18 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.071

Surrogate %REC Limits
Bromofluorobenzene (FID) 116 64-134

 Field ID:
 W-4-(1)
 Batch#:
 265316

 Type:
 SAMPLE
 Sampled:
 10/31/18

 Lab ID:
 304731-069
 Analyzed:
 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 124 64-134

Field ID: W-4-(5) Batch#: 265316 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-070 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.070

Surrogate %REC Limits
Bromofluorobenzene (FID) 116 64-134

Field ID: W-4-(10) Batch#: 265316
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-071 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.068

Surrogate %REC Limits
Bromofluorobenzene (FID) 119 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 17 of 19



Total Volatile Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA Client: WSP EPA 5030B Prep: Analysis: Diln Fac: Project#: VALLCO EPA 8015B 1.000 Matrix: Soil 11/01/18 Units: mg/Kg Received: Basis: as received

Field ID: W-4-(15)
Type: SAMPLE
Lab ID: 304731-072

Batch#: 265316 Sampled: 10/31/18 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 0.94
 0.060

Surrogate %REC Limits
Bromofluorobenzene (FID) 111 64-134

Field ID: W-4-(20)
Type: SAMPLE
Lab ID: 304731-073

Batch#: 265316 Sampled: 10/31/18 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.1
 0.069

Surrogate%RECLimitsBromofluorobenzene (FID)10264-134

Type: BLANK Batch#: 265179 Lab ID: QC954407 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.064

Surrogate%RECLimitsBromofluorobenzene (FID)8264-134

Type: BLANK Batch#: 265183 Lab ID: QC954419 Analyzed: 11/05/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 0.058 J
 1.0
 0.053

Surrogate %REC Limits
Bromofluorobenzene (FID) 93 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 18 of 19



Total Volatile Hydrocarbons Vallco Cupertino, CA EPA 5030B 304731 Lab #: Location: Client: WSP Prep: Analysis: Diln Fac: Project#: VALLCO EPA 8015B Matrix: Soil 1.000 11/01/18 Units: mg/Kg Received: Basis: as received

Type: BLANK Batch#: 265221 Lab ID: QC954570 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.064

Surrogate %REC Limits
Bromofluorobenzene (FID) 83 64-134

Type: BLANK Batch#: 265225 Lab ID: QC954579 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 0.068 J
 1.0
 0.053

Surrogate %REC Limits
Bromofluorobenzene (FID) 98 64-134

Type: BLANK Batch#: 265279 Lab ID: QC954801 Analyzed: 11/07/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.064

Surrogate %REC Limits
Bromofluorobenzene (FID) 80 64-134

Type: BLANK Batch#: 265316 Lab ID: QC954956 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Gasoline C7-C12
 ND
 1.0
 0.064

Surrogate %REC Limits
Bromofluorobenzene (FID) 83 64-134

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 19 of 19



| | Tota | l Volatile Hydrocarbo | ons |
|-----------|--------|-----------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 5030B |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Matrix: | Soil | Batch#: | 265179 |
| Units: | mg/Kg | Analyzed: | 11/05/18 |
| Diln Fac: | 1.000 | | |

Type: BS

Lab ID: QC954403

| Analyte | Spiked | Result | %REC | Limits |
|-----------------|--------|--------|------|--------|
| Gasoline C7-C12 | 1.000 | 1.085 | 109 | 80-120 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Bromofluorobenzene (FID) | 95 | 64-134 |

Type: BSD Lab ID: QC954404

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|--------|------|--------|-----|-----|
| Gasoline C7-C12 | 1.000 | 1.001 | 100 | 80-120 | 8 | 20 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Bromofluorobenzene (FID) | 93 | 64-134 |



| | Total Volatil | e Hydrocarbons | |
|-------------|---------------|----------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 5030B |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Field ID: | S-1-(1) | Diln Fac: | 1.000 |
| MSS Lab ID: | 304731-001 | Batch#: | 265179 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |
| Basis: | as received | Analyzed: | 11/05/18 |

Type: MS Lab ID: QC954405

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-----------------|------------|--------|--------|------|--------|
| Gasoline C7-C12 | <0.06477 | 9.804 | 10.85 | 111 | 46-120 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Bromofluorobenzene (FID) | 131 | 64-134 |

Type: MSD Lab ID: QC954406

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|--------|------|--------|-----|-----|
| Gasoline C7-C12 | 11.11 | 11.78 | 106 | 46-120 | 4 | 33 |

| Surrogate %REC | Limits |
|-----------------------------|--------|
| romofluorobenzene (FID) 127 | 64-134 |



| | Total Volatile Hydrocarbons | | | | | | |
|-------------|-----------------------------|-----------|----------------------|--|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | | |
| Client: | WSP | Prep: | EPA 5030B | | | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | | | |
| Field ID: | S-3-(5) | Diln Fac: | 1.000 | | | | |
| MSS Lab ID: | 304731-012 | Batch#: | 265183 | | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | | |
| Basis: | as received | Analyzed: | 11/05/18 | | | | |

Type: MS Lab ID: QC954417

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-----------------|------------|--------|--------|------|--------|
| Gasoline C7-C12 | <0.05280 | 10.20 | 9.499 | 93 | 46-120 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Bromofluorobenzene (FID) | 115 | 64-134 |

Type: MSD Lab ID: QC954418

| Analyte | Spiked | Result | %REC | Limits | RPD I | Lim |
|-----------------|--------|--------|------|--------|-------|-----|
| Gasoline C7-C12 | 9.091 | 8.312 | 91 | 46-120 | 2 3 | 33 |

| Limits | gate %REC | Surrogate |
|--------|---------------|--------------------|
| 64-134 | ene (FID) 114 | omofluorobenzene (|



| | Total | l Volatile Hydrocarbo | ons |
|-----------|----------|-----------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 5030B |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC954494 | Batch#: | 265183 |
| Matrix: | Soil | Analyzed: | 11/05/18 |
| Units: | mg/Kg | | |

| Analyte | Spiked | Result | %REC | Limits |
|-----------------|--------|--------|------|--------|
| Gasoline C7-C12 | 1.000 | 1.037 | 104 | 80-120 |

| rrogate %REC Lim | imits |
|---------------------|-------|
| enzene (FID) 95 64- | 4-134 |

Page 1 of 1



QC954566

Batch QC Report

| | To | otal Volatile Hydrocarbo | ons |
|-----------|--------|--------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 5030B |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Matrix: | Soil | Batch#: | 265221 |
| Units: | mg/Kg | Analyzed: | 11/06/18 |
| Diln Fac: | 1.000 | | |

Type: BS

 Analyte
 Spiked
 Result
 %REC
 Limits

 Gasoline C7-C12
 1.000
 1.001
 100
 80-120

Lab ID:

Type: BSD Lab ID: QC954567

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|--------|------|--------|-----|-----|
| Gasoline C7-C12 | 1.000 | 0.9340 | 93 | 80-120 | 7 | 20 |

| Surrogate | %REC | Limits | |
|--------------------------|------|--------|--|
| Bromofluorobenzene (FID) | 90 | 64-134 | |



| | Total Volatile Hydrocarbons | | | | | |
|-------------|-----------------------------|-----------|----------------------|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | |
| Client: | WSP | Prep: | EPA 5030B | | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | | |
| Field ID: | S-7-(5) | Diln Fac: | 1.000 | | | |
| MSS Lab ID: | 304731-034 | Batch#: | 265221 | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | |
| Basis: | as received | Analyzed: | 11/06/18 | | | |

Type: MS Lab ID: QC954568

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-----------------|------------|--------|--------|------|--------|
| Gasoline C7-C12 | <0.06225 | 10.42 | 11.56 | 111 | 46-120 |

| Surrogate %REC Lin | imits |
|----------------------------------|-------|
| Bromofluorobenzene (FID) 128 64- | 4-134 |

Type: MSD Lab ID: QC954569

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|--------|------|--------|-----|-----|
| Gasoline C7-C12 | 9.615 | 10.13 | 105 | 46-120 | 5 | 33 |

| C Limits | Surrogate %REG | Limits |
|----------|----------------------|--------|
| 64-134 | orobenzene (FID) 131 | |



| Total Volatile Hydrocarbons | | | | | |
|-----------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 5030B | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | |
| Field ID: | S-7-(15) | Diln Fac: | 1.000 | | |
| MSS Lab ID: | 304731-036 | Batch#: | 265225 | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | |
| Units: | mg/Kg | Received: | 11/01/18 | | |
| Basis: | as received | Analyzed: | 11/06/18 | | |

Type: MS Lab ID: QC954577

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-----------------|------------|--------|--------|------|--------|
| Gasoline C7-C12 | 0.1376 | 9.709 | 9.855 | 100 | 46-120 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Bromofluorobenzene (FID) | 117 | 64-134 |

Type: MSD Lab ID: QC954578

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|--------|------|--------|-----|-----|
| Gasoline C7-C12 | 9.615 | 9.686 | 99 | 46-120 | 1 | 33 |



| Total Volatile Hydrocarbons | | | | | |
|-----------------------------|----------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 5030B | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | |
| Type: | LCS | Diln Fac: | 1.000 | | |
| Lab ID: | QC954638 | Batch#: | 265225 | | |
| Matrix: | Soil | Analyzed: | 11/06/18 | | |
| Units: | mg/Kg | | | | |

| Analyte | Spiked | Result | %REC | Limits |
|-----------------|--------|--------|------|--------|
| Gasoline C7-C12 | 2.000 | 2.130 | 107 | 80-120 |

| Limits |
|--------|
| 64-134 |

Page 1 of 1



| Total Volatile Hydrocarbons | | | | | |
|-----------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 5030B | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | |
| Field ID: | W-2-(10) | Diln Fac: | 1.000 | | |
| MSS Lab ID: | 304731-061 | Batch#: | 265279 | | |
| Matrix: | Soil | Sampled: | 10/31/18 | | |
| Units: | mg/Kg | Received: | 11/01/18 | | |
| Basis: | as received | Analyzed: | 11/08/18 | | |

Type: MS Lab ID: QC954799

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-----------------|------------|--------|---------|------|--------|
| Gasoline C7-C12 | <0.05937 | 9.174 | 9.853 b | 107 | 46-120 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Bromofluorobenzene (FID) | 126 | 64-134 |

Type: MSD Lab ID: QC954800

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|---------|------|--------|-----|-----|
| Gasoline C7-C12 | 10.75 | 11.63 b | 108 | 46-120 | 1 | 33 |

b= See narrative
RPD= Relative Percent Difference
Page 1 of 1



| | To | otal Volatile Hydrocarbo | ons |
|-----------|--------|--------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 5030B |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Matrix: | Soil | Batch#: | 265279 |
| Units: | mg/Kg | Analyzed: | 11/07/18 |
| Diln Fac: | 1.000 | | |

Type: BS Lab ID: QC954836

| Analyte | Spiked | Result | %REC | Limits |
|-----------------|--------|--------|------|--------|
| Gasoline C7-C12 | 1.000 | 0.9979 | 100 | 80-120 |

| Surrogate | %REC | Limits | |
|--------------------------|------|--------|--|
| Bromofluorobenzene (FID) | 100 | 64-134 | |

Type: BSD Lab ID: QC954837

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|--------|------|--------|-----|-----|
| Gasoline C7-C12 | 1.000 | 1.150 | 115 | 80-120 | 14 | 20 |

| Surrogate | %REC | Limits | |
|--------------------------|------|--------|--|
| Bromofluorobenzene (FID) | 92 | 64-134 | |



QC954952

Batch QC Report

| | Tota | al Volatile Hydrocarbo | ons |
|-----------|--------|------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 5030B |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Matrix: | Soil | Batch#: | 265316 |
| Units: | mg/Kg | Analyzed: | 11/08/18 |
| Diln Fac: | 1.000 | | |

Type: BS

 Analyte
 Spiked
 Result
 %REC
 Limits

 Gasoline C7-C12
 1.000
 1.096
 110
 80-120

Lab ID:

| Surrogate | %REC | Limits | |
|--------------------------|------|--------|--|
| Bromofluorobenzene (FID) | 9.0 | 64-134 | |

Type: BSD Lab ID: QC954953

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|--------|------|--------|-----|-----|
| Gasoline C7-C12 | 1.000 | 1.076 | 108 | 80-120 | 2 | 20 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Bromofluorobenzene (FID) | 93 | 64-134 |



| Total Volatile Hydrocarbons | | | | | |
|-----------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 5030B | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | |
| Field ID: | W-4-(10) | Diln Fac: | 1.000 | | |
| MSS Lab ID: | 304731-071 | Batch#: | 265316 | | |
| Matrix: | Soil | Sampled: | 10/31/18 | | |
| Units: | mg/Kg | Received: | 11/01/18 | | |
| Basis: | as received | Analyzed: | 11/08/18 | | |


Type: MS Lab ID: QC954954

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-----------------|------------|--------|--------|------|--------|
| Gasoline C7-C12 | <0.06821 | 10.87 | 11.28 | 104 | 46-120 |


| Surrogate %REC | Limits |
|------------------------------|--------|
| Bromofluorobenzene (FID) 131 | 64-134 |

Type: MSD Lab ID: QC954955


| Analyte | Spiked | Result | %REC | Limits | RPD Lim | 1 |
|-----------------|--------|--------|------|--------|---------|---|
| Gasoline C7-C12 | 10.87 | 10.88 | 100 | 46-120 | 4 33 | |




\Lims\gdrive\ezchrom\Projects\GC07\Data\309-031, A




\Lims\gdrive\ezchrom\Projects\GC07\Data\310-014, A



\Lims\gdrive\ezchrom\Projects\GC07\Data\309-007, A



\Lims\gdrive\ezchrom\Projects\GC07\Data\310-006, A



\Lims\gdrive\ezchrom\Projects\GC05\Data\2018\309-002, A



| Total Extractable Hydrocarbons | | | | |
|--------------------------------|--------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3520C | |
| Project#: | VALLCO | Analysis: | EPA 8015B | |
| Field ID: | EB-1 | Batch#: | 265347 | |
| Matrix: | Water | Sampled: | 10/31/18 | |
| Units: | ug/L | Received: | 11/01/18 | |
| Diln Fac: | 1.000 | Prepared: | 11/09/18 | |

Type: SAMPLE

Lab ID: 304731-048

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|-----|
| Diesel C10-C24 | 22 Ј | 48 | 16 |
| Motor Oil C24-C36 | ND | 290 | 91 |

Analyzed: 11/13/18

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 101 | 58-123 | |

Type: BLANK Analyzed: 11/12/18

Lab ID: QC955091

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|-----|
| Diesel C10-C24 | ND | 50 | 16 |
| Motor Oil C24-C36 | ND | 300 | 96 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 96 | 58-123 |

J= Estimated value

ND= Not Detected

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| Total Extractable Hydrocarbons | | | | | |
|--------------------------------|--------|------------------------|----------|--|--|
| Lab #: | 304731 | Location: Vallco Cuper | tino, CA | | |
| Client: | WSP | Prep: EPA 3520C | | | |
| Project#: | VALLCO | Analysis: EPA 8015B | | | |
| Matrix: | Water | Batch#: 265347 | | | |
| Units: | ug/L | Prepared: 11/09/18 | | | |
| Diln Fac: | 1.000 | Analyzed: 11/12/18 | | | |

Type: BS Lab ID: QC955092


| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 2,500 | 2,479 | 99 | 56-120 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 102 | 58-123 |


Type: BSD Lab ID: QC955093

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------|--------|--------|------|--------|-----|-----|
| Diesel C10-C24 | 2,500 | 2,488 | 100 | 56-120 | 0 | 28 |


| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 102 | 58-123 | |



\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a055.dat, Front Signal



\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a018.dat, Front Signal



\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a019.dat, Front Signal



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA EPA 3550C Client: Prep: WSP Project#: VALLCO Analysis: EPA 8015B as received 11/01/18 Basis: Matrix: Soil Units: mq/Kq Received:

Field ID: S-1-(1)Batch#: 265220 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-001 11/06/18 Prepared: 11/07/18 Diln Fac: 3.000 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 12 Y | 3.0 | 0.91 |
| Motor Oil C24-C36 | 270 | 15 | 4.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 99 | 59-130 |

Field ID: S-1-(5)Batch#: 265220 SAMPLE Sampled: Type: 10/30/18 Lab ID: 304731-002 Prepared: 11/06/18 11/07/18 Diln Fac: 1.000 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 1.3 Y | 1.0 | 0.30 |
| Motor Oil C24-C36 | 3.3 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 105 | 59-130 |

Field ID: S-1-(10)Batch#: 265220 SAMPLE 10/30/18 Type: Sampled: Lab ID: 11/06/18 304731-003 Prepared: Diln Fac: 1.000 Analyzed: 11/06/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.48 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 98 | 59-130 |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA Client: WSP EPA 3550C Prep: Project#: VALLCO Analysis: EPA 8015B Basis: Matrix: Soil as received 11/01/18 Units: mg/Kg Received:

Field ID: S-1-(15)Batch#: 265220 Type: SAMPLE Sampled: 10/30/18 Lāb ID: 304731-004 11/06/18 Prepared: Diln Fac: 1.000 Analyzed: 11/06/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.99 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 101 | 59-130 | |

Field ID: S-1-(20)Batch#: 265220 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-005 Prepared: 11/06/18 1.000 11/07/18 Diln Fac: Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.55 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 1.8 J | 5.0 | 1.5 |

| · | | | |
|-----------------|------------|---------|--|
| Surrogate | %REC | Limits | |
| Surrogate | OTCEC | 77HT CD | |
| o-Ternhenyl | 106 | 59-130 | |
| O ICI piicily i | 100 | J | |

Field ID: S-2-(1) Batch#: 265220

Type: SAMPLE Sampled: 10/30/18

Lab ID: 304731-006 Prepared: 11/06/18

Diln Fac: 1.000 Analyzed: 11/07/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.82 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 5.3 | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 113 | 59-130 |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 2 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA EPA 3550C Client: WSP Prep: Project#: VALLCO Analysis: EPA 8015B Basis: Matrix: Soil as received 11/01/18 Units: mg/Kg Received:

Field ID: S-2-(5)Batch#: 265220 Type: SAMPLE Sampled: 10/30/18 Lāb ID: 304731-007 11/06/18 Prepared: Diln Fac: 3.000 Analyzed: 11/07/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 11 Y | 3.0 | 0.92 |
| Motor Oil C24-C36 | 260 | 15 | 4.5 |

| Surrogate | %REC | ! Limits |
|-------------|------|----------|
| o-Terphenyl | 109 | 59-130 |

S-2-(10)Field ID: Batch#: 265220 SAMPLE Sampled: 10/30/18 Type: Lab ID: 304731-008 Prepared: 11/06/18 Diln Fac: 5.000 Analyzed: 11/07/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|-----|
| Diesel C10-C24 | 22 Y | 5.0 | 1.5 |
| Motor Oil C24-C36 | 500 | 25 | 7.5 |

| Surrogate | %REC | imits | |
|-------------|--------|---------|--|
| Bulloguee | 01(11) | IIII CD | |
| o-Terphenyl | DO | 9-130 | |

Field ID: S-2-(15)Batch#: 265220 Type: Sampled: SAMPLE 10/30/18 Lab ID: 304731-009 Prepared: 11/06/18 11/07/18 Diln Fac: 1.000 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.40 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 95 | 59-130 |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 3 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA Client: WSP EPA 3550C Prep: Project#: VALLCO Analysis: EPA 8015B Basis: Matrix: Soil as received 11/01/18 Units: mg/Kg Received:

Field ID: S-2-(20)Batch#: 265220 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-010 11/06/18 Prepared: Diln Fac: 1.000 Analyzed: 11/07/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.42 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 102 | 59-130 |

Field ID: S-3-(1)Batch#: 265220 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-011 Prepared: 11/06/18 10.00 11/07/18 Diln Fac: Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|----|-----|
| Diesel C10-C24 | 68 Y | 10 | 3.1 |
| Motor Oil C24-C36 | 1,600 | 50 | 15 |

| Surrogate | %REC | Limits | |
|-------------|------|----------|--|
| _ 1 1 | | <u> </u> | |
| o-Terphenyl | DO | 59-130 | |

Field ID: S-3-(5)Batch#: 265220 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-012 Prepared: 11/06/18 Diln Fac: 1.000 Analyzed: 11/06/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.87 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 2.1 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 87 | 59-130 |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 4 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA WSP Client: EPA 3550C Prep: Project#: VALLCO Analysis: EPA 8015B Basis: Matrix: Soil as received 11/01/18 Units: mg/Kg Received:

Field ID: S-3-(10)Batch#: 265220 Type: SAMPLE Sampled: 10/30/18 Lāb ID: 304731-013 11/06/18 Prepared: Diln Fac: 1.000 Analyzed: 11/06/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 2.2 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 8.2 | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 103 | 59-130 |

Field ID: S-3-(15)Batch#: 265220 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-014 Prepared: 11/06/18 1.000 11/07/18 Diln Fac: Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.93 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 15 | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|----------|--|
| - mll | ~ ~ | <u> </u> | |
| o-Terphenyl | 98 | 59-130 | |

Field ID: S-3-(20) Batch#: 265220
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-015 Prepared: 11/06/18
Diln Fac: 1.000 Analyzed: 11/06/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 1.2 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 11 | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 101 | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 5 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA EPA 3550C Client: WSP Prep: Project#: VALLCO Analysis: EPA 8015B Basis: Matrix: Soil as received Units: mg/Kg Received: 11/01/18

Field ID: S-4-(1)Batch#: 265256 Type: SAMPLE Sampled: 10/30/18 304731-016 11/07/18 Lab ID: Prepared: Diln Fac: 1.000 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 14 Y
 1.0
 0.31

 Motor Oil C24-C36
 34
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 108 59-130

Field ID: S-4-(5)Batch#: 265256 SAMPLE Sampled: 10/30/18 Type: Lab ID: 304731-017 Prepared: 11/07/18 Diln Fac: 2.000 11/08/18 Analyzed:

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 6.4 Y
 2.0
 0.62

 Motor Oil C24-C36
 100
 10
 3.0

Surrogate %REC Limits
o-Terphenyl 94 59-130

Field ID: S-4-(10)Batch#: 265256 Sampled: Type: SAMPLE 10/30/18 Lab ID: 304731-018 Prepared: 11/07/18 11/09/18 Diln Fac: 1.000 Analyzed:

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 1.0 Y
 1.0
 0.31

 Motor Oil C24-C36
 9.1
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 107 59-130

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 6 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA EPA 3550C Client: WSP Prep: Project#: VALLCO Analysis: EPA 8015B Basis: Matrix: Soil as received Units: mg/Kg Received: 11/01/18

S-4-(15)Field ID: Batch#: 265256 Type: SAMPLE Sampled: 10/30/18 304731-019 11/07/18 Lab ID: Prepared: Diln Fac: 1.000 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 3.8 Y
 1.0
 0.31

 Motor Oil C24-C36
 68
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 108 59-130

Field ID: S-4-(20)Batch#: 265256 SAMPLE Sampled: 10/30/18 Type: Lab ID: 304731-020 Prepared: 11/07/18 Diln Fac: 1.000 11/08/18 Analyzed:

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 1.1 Y
 1.0
 0.31

 Motor Oil C24-C36
 13
 5.0
 1.5

Surrogate %REC Limits
O-Terphenyl 104 59-130

Field ID: S-5-(1)Batch#: 265256 Sampled: Type: SAMPLE 10/30/18 Lab ID: 304731-021 Prepared: 11/07/18 11/09/18 Diln Fac: 1.000 Analyzed:

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 13 Y
 0.99
 0.30

 Motor Oil C24-C36
 34
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 111 59-130

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 7 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA Client: WSP EPA 3550C Prep: Analysis: Project#: VALLCO EPA 8015B Basis: Matrix: Soil as received 11/01/18 Units: mg/Kg Received:

Field ID: S-5-(5)Batch#: 265256 Type: SAMPLE Sampled: 10/30/18 Lāb ID: 304731-022 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/09/18

| Analyte | Result | RL | MDL |
|-------------------|--------|------|------|
| Diesel C10-C24 | 1.3 Y | 0.99 | 0.30 |
| Motor Oil C24-C36 | 2.1 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 100 | 59-130 | |

Field ID: S-5-(10)Batch#: 265256 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-023 Prepared: 11/07/18 Diln Fac: 2.000 11/08/18 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 4.6 Y | 2.0 | 0.61 |
| Motor Oil C24-C36 | 97 | 10 | 3.0 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| | 100 | F0 100 | |
| o-Terphenyl | 102 | 59-130 | |

Field ID: S-5-(15) Batch#: 265256
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-024 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/08/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.33 J | 1.0 | 0.30 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| _ | | | | |
|-------------|------|--------|--|--|
| Surrogate | %REC | Limits | | |
| o-Terphenyl | 112 | 59-130 | | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 8 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA WSP Client: EPA 3550C Prep: Project#: VALLCO Analysis: EPA 8015B Basis: Matrix: Soil as received 11/01/18 Units: mg/Kg Received:

Field ID: S-5-(20)Batch#: 265256 Type: SAMPLE Sampled: 10/30/18 Lāb ID: 304731-025 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/09/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 1.2 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 18 | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 109 | 59-130 |

S-6-(1)Field ID: Batch#: 265256 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-026 Prepared: 11/07/18 10.00 Diln Fac: 11/09/18 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|----|-----|
| Diesel C10-C24 | 68 Y | 10 | 3.1 |
| Motor Oil C24-C36 | 790 | 50 | 15 |

| Surrogate | %REC | Limits | |
|--------------|------|--------|--|
| a Marria and | | FA 12A | |
| o-Terphenyl | DO | 59-I30 | |

Field ID: S-6-(5) Batch#: 265256
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-027 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/08/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 4.0 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 37 | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 106 | 59-130 |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 9 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA EPA 3550C Client: WSP Prep: Project#: VALLCO Analysis: EPA 8015B Basis: Matrix: Soil as received Units: mg/Kg Received: 11/01/18

S-6-(10) Batch#: Field ID: 265252 Type: SAMPLE Sampled: 10/30/18 304731-028 11/07/18 Lab ID: Prepared: Diln Fac: 1.000 Analyzed: 11/10/18

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 0.59 J
 0.99
 0.30

 Motor Oil C24-C36
 ND b
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 97 59-130

Field ID: S-6-(15)Batch#: 265252 SAMPLE Sampled: 10/30/18 Type: Lab ID: 304731-029 Prepared: 11/07/18 Diln Fac: 1.000 11/10/18 Analyzed:

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 0.55 J
 1.0
 0.31

 Motor Oil C24-C36
 ND b
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 81 59-130

Field ID: S-6-(20)Batch#: 265252 Sampled: Type: SAMPLE 10/30/18 Lab ID: 304731-030 Prepared: 11/07/18 11/10/18 Diln Fac: 1.000 Analyzed:

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 0.57 J
 0.99
 0.30

 Motor Oil C24-C36
 ND
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 86 59-130

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 10 of 25



S-7-(2)Batch#: Field ID: 265252 Type: SAMPLE Sampled: 10/30/18 304731-033 11/07/18 Lab ID: Prepared: Diln Fac: 1.000 Analyzed: 11/09/18

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 61 Y
 1.0
 0.31

 Motor Oil C24-C36
 21
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 94 59-130

Field ID: S-7-(5)Batch#: 265252 SAMPLE Sampled: 10/30/18 Type: Lab ID: 304731-034 Prepared: 11/07/18 Diln Fac: 1.000 11/10/18 Analyzed:

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 0.96 J
 1.0
 0.31

 Motor Oil C24-C36
 1.7 J
 5.0
 1.5

Surrogate %REC Limits
O-Terphenyl 106 59-130

Field ID: S-7-(10)Batch#: 265252 Sampled: Type: SAMPLE 10/30/18 Lab ID: 304731-035 Prepared: 11/07/18 11/10/18 Diln Fac: 1.000 Analyzed:

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 0.74 J
 1.0
 0.31

 Motor Oil C24-C36
 ND
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 99 59-130

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 11 of 25



Field ID: S-7-(15)Batch#: 265252 Type: SAMPLE Sampled: 10/30/18 Lāb ID: 304731-036 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/10/18

| Analyte | Result | RL | MDL |
|-------------------|--------|------|------|
| Diesel C10-C24 | 0.57 J | 0.99 | 0.30 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 82 | 59-130 |

Field ID: S-7-(20)Batch#: 265252 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-037 Prepared: 11/07/18 1.000 11/10/18 Diln Fac: Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 0.83 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 1.6 J b | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 87 | 59-130 |

Field ID: S-8-(1)Batch#: 265252 Type: SAMPLE Sampled: 10/30/18 Lāb ID: 304731-038 Prepared: 11/07/18 Diln Fac: 20.00 Analyzed: 11/10/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|-----|
| Diesel C10-C24 | 36 Y | 20 | 6.2 |
| Motor Oil C24-C36 | 1,100 | 100 | 31 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenvl | DO | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 12 of 25



Field ID: S-8-(5)Batch#: 265252 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-039 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/10/18

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 0.76 J | 1.0 | 0.30 |
| Motor Oil C24-C36 | 1.5 J b | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 90 | 59-130 |

S-8-(10)Field ID: Batch#: 265252 SAMPLE Sampled: 10/30/18 Type: Lab ID: 304731-040 Prepared: 11/07/18 1.000 11/10/18 Diln Fac: Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.70 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | ND b | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|---------------|-------|--------|--|
| 242103400 | 01120 | | |
| o-Terphenyl | 96 | 59-130 | |
| O ICIPICITY I | 90 | J | |

Field ID: S-8-(15) Batch#: 265252
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-041 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/10/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.85 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 1.7 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 97 | 59-130 |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 13 of 25



Field ID: S-8-(20)Batch#: 265252 Type: SAMPLE Sampled: 10/30/18 Lāb ID: 304731-042 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/10/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.70 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 2.2 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 97 | 59-130 |

Field ID: W-5-(1)Batch#: 265252 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-043 Prepared: 11/07/18 1.000 11/10/18 Diln Fac: Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 1.7 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 4.5 J b | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 102 | 59-130 | |

Field ID: W-5-(5) Batch#: 265252
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-044 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/10/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.70 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 5.8 b | 5.0 | 1.5 |

| _ | | | |
|-------------|------|--------|--|
| Surrogate | %REC | Limits | |
| o-Terphenyl | 94 | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 14 of 25



Field ID: W-5-(10)Batch#: 265252 Type: SAMPLE Sampled: 10/30/18 Lāb ID: 304731-045 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/10/18

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 0.71 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 3.3 J b | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 78 | 59-130 |

Field ID: W-5-(15)Batch#: 265252 Type: SAMPLE Sampled: 10/30/18 Lab ID: 304731-046 Prepared: 11/07/18 1.000 11/10/18 Diln Fac: Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.66 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 7.5 b | 5.0 | 1.5 |

| - | | | |
|-----------------|------------|--------|--|
| Surrogate | %REC | Limits | |
| 242203400 | 01120 | | |
| o-Terphenyl | 91 | 59-130 | |
| O ICI PIICITY I | <i>7</i> ± | J | |

Field ID: W-5-(20) Batch#: 265252
Type: SAMPLE Sampled: 10/30/18
Lab ID: 304731-047 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/10/18

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 0.83 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 3.3 J b | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 93 | 59-130 |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 15 of 25



Field ID: W-1-(1)Batch#: 265252 Type: SAMPLE Sampled: 10/31/18 Lāb ID: 304731-049 11/07/18 Prepared: Diln Fac: 10.00 Analyzed: 11/10/18

| Analyte | Result | RL | MDL |
|-------------------|--------|----|-----|
| Diesel C10-C24 | 12 Y | 10 | 3.1 |
| Motor Oil C24-C36 | 220 | 50 | 15 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | DO | 59-130 |

Field ID: W-1-(5)Batch#: 265252 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-050 Prepared: 11/07/18 1.000 11/10/18 Diln Fac: Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 1.1 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 12 b | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|---------------|--------|---------|--|
| Bulloguee | 01(11) | TIME CD | |
| o-Terphenyl | 75 | 59-130 | |
| O ICIPICITY I | 1 5 | JJ 130 | |

Field ID: W-1-(10) Batch#: 265273

Type: SAMPLE Sampled: 10/31/18

Lab ID: 304731-051 Prepared: 11/07/18

Diln Fac: 1.000 Analyzed: 11/14/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 2.3 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 14 | 5.0 | 1.5 |

| _ | | | |
|-------------|------|--------|--|
| Surrogate | %REC | Limits | |
| o-Terphenyl | 94 | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 16 of 25



Field ID: W-1-(15)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lāb ID: 304731-052 11/07/18 Prepared: 11/13/18 Diln Fac: 1.000 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|------|------|
| Diesel C10-C24 | 1.4 Y | 0.99 | 0.30 |
| Motor Oil C24-C36 | 20 | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 99 | 59-130 |

Field ID: W-1-(20)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-053 Prepared: 11/07/18 1.000 Diln Fac: 11/13/18 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.61 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|-------|---------|--|
| Surrogate | OICEC | HIMI CO | |
| o-Ternhenyl | 0.5 | 59_130 | |
| 0-rerphenyr | 93 | 39-130 | |

Field ID: E-2-(1) Batch#: 265273
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-054 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|--------|------|------|
| Diesel C10-C24 | 0.79 J | 0.99 | 0.30 |
| Motor Oil C24-C36 | 2.8 Ј | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 91 | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 17 of 25



Field ID: E-2-(5)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-055 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 11 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 44 | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 97 | 59-130 |

E-2-(10)Field ID: Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-056 Prepared: 11/07/18 1.000 Diln Fac: 11/13/18 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 1.5 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 13 | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-----------------|--------|----------|--|
| Surrogate | OILIIC | TITEL CB | |
| o-Terphenyl | 9.8 | 59-130 | |
| O ICI PIICITY I | 70 | J | |

Field ID: E-2-(15)Batch#: 265273 Type: Sampled: SAMPLE 10/31/18 Lab ID: 304731-057 Prepared: 11/07/18 Diln Fac: 1.000 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 2.7 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 28 | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 94 | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 18 of 25



Field ID: E-2-(20)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-058 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 1.5 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 3.1 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 86 | 59-130 |

Field ID: W-2-(2)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-059 Prepared: 11/07/18 Diln Fac: 10.00 11/13/18 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|----|-----|
| Diesel C10-C24 | 5.5 J | 10 | 3.1 |
| Motor Oil C24-C36 | 98 | 50 | 15 |

| Surrogate | %REC | Limits | |
|-------------|------|----------|--|
| _ 1 1 | | <u> </u> | |
| o-Terphenyl | DO | 59-130 | |

Field ID: W-2-(5) Batch#: 265273
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-060 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|--------|------|------|
| Diesel C10-C24 | 0.61 J | 0.99 | 0.30 |
| Motor Oil C24-C36 | 1.9 Ј | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenvl | 95 | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 19 of 25



Field ID: W-2-(10)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-061 11/07/18 Prepared: 11/13/18 Diln Fac: 1.000 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.74 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 3.8 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 93 | 59-130 |

Field ID: W-2-(15)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-062 Prepared: 11/07/18 1.000 Diln Fac: 11/13/18 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 2.4 Y b | 1.0 | 0.31 |
| Motor Oil C24-C36 | 2.4 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|--------------|--------|--|
| 241103466 | | | |
| o-Terphenyl | 124 | 59_130 | |
| O Telbuenia | _ | JJ 130 | |

Field ID: W-2-(20) Batch#: 265273
Type: SAMPLE Sampled: 10/31/18
Lab ID: 304731-063 Prepared: 11/07/18
Diln Fac: 10.00 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|-----|
| Diesel C10-C24 | 41 Y b | 9.9 | 3.0 |
| Motor Oil C24-C36 | 440 | 50 | 15 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | DO | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 20 of 25



Field ID: W-3-(1)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-064 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|---------|------|------|
| Diesel C10-C24 | 4.7 Y b | 0.99 | 0.30 |
| Motor Oil C24-C36 | 25 | 5.0 | 1.5 |

| Surrogate | %REC | T.imite |
|-------------|------|---------|
| Surrogate | OREC | LIMITS |
| o-Terphenyl | 127 | 59-130 |

W - 3 - (5)Field ID: Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-065 Prepared: 11/07/18 1.000 Diln Fac: 11/13/18 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 2.4 Y b | 1.0 | 0.31 |
| Motor Oil C24-C36 | 2.4 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| 241103400 | | | |
| o-Terphenyl | 110 | 50_130 | |
| O rerphenyr | エエノ | JJ 130 | |

Field ID: W-3-(10) Batch#: 265273

Type: SAMPLE Sampled: 10/31/18

Lab ID: 304731-066 Prepared: 11/07/18

Diln Fac: 1.000 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 1.9 Y b | 1.0 | 0.31 |
| Motor Oil C24-C36 | 2.2 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 102 | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 21 of 25



Field ID: W-3-(15)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-067 11/07/18 Prepared: Diln Fac: 11/13/18 1.000 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 1.1 Y b | 1.0 | 0.31 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 108 | 59-130 |

Field ID: W-3-(20)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-068 Prepared: 11/07/18 1.000 Diln Fac: 11/13/18 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|---------|------|------|
| Diesel C10-C24 | 1.6 Y b | 0.99 | 0.30 |
| Motor Oil C24-C36 | 2.1 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|-------------|-------------|--|
| 241109400 | OTCE | TIME CD | |
| o-Terphenyl | 1 2 1 | 59_130 | |
| 0-rerphenyr | ⊥∠ ⊥ | J J - I J U | |

Field ID: W-4-(1) Batch#: 265273

Type: SAMPLE Sampled: 10/31/18

Lab ID: 304731-069 Prepared: 11/07/18

Diln Fac: 1.000 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|---------|-----|------|
| Diesel C10-C24 | 4.5 Y b | 1.0 | 0.31 |
| Motor Oil C24-C36 | 11 | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 111 | 59-130 |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 22 of 25



Field ID: W-4-(5)Batch#: 265273 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-070 11/07/18 Prepared: Diln Fac: 1.000 Analyzed: 11/13/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 3.0 Y | 1.0 | 0.31 |
| Motor Oil C24-C36 | 14 | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 88 | 59-130 |

Field ID: W-4-(10)Batch#: 265287 Type: SAMPLE Sampled: 10/31/18 Lab ID: 304731-071 Prepared: 11/07/18 1.000 Diln Fac: 11/08/18 Analyzed:

| Analyte | Result | RL | MDL |
|-------------------|--------|------|------|
| Diesel C10-C24 | 1.5 Y | 0.99 | 0.30 |
| Motor Oil C24-C36 | 6.0 | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|--------------|---------|-------------|--|
| Surrogate | -011110 | HILL CO | |
| o-Ternhenyl | 0.3 | 59_130 | |
| l o-rerbuent | 93 | J J - I J U | |

Field ID: W-4-(15)Batch#: 265304 Type: SAMPLE Sampled: 10/31/18 Lāb ID: 304731-072 Prepared: 11/08/18 Diln Fac: 1.000 Analyzed: 11/12/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | 0.60 J | 1.0 | 0.31 |
| Motor Oil C24-C36 | 2.1 J | 5.0 | 1.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 98 | 59-130 | |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 23 of 25



Total Extractable Hydrocarbons Lab #: 304731 Location: Vallco Cupertino, CA EPA 3550C Client: WSP Prep: Project#: VALLCO Analysis: EPA 8015B Matrix: Soil Basis: as received Units: mg/Kg Received: 11/01/18

W-4-(20)Batch#: Field ID: 265304 Type: SAMPLE Sampled: 10/31/18 11/08/18 Lab ID: 304731-073 Prepared: Diln Fac: 1.000 Analyzed: 11/12/18

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 1.1 Y
 1.0
 0.31

 Motor Oil C24-C36
 15
 5.0
 1.5

Surrogate %REC Limits
0-Terphenyl 89 59-130

Type: BLANK Batch#: 265220 Lab ID: QC954562 Prepared: 11/06/18 Diln Fac: 1.000 Analyzed: 11/06/18

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 ND
 1.0
 0.31

 Motor Oil C24-C36
 ND
 5.0
 1.5

Surrogate %REC Limits
O-Terphenyl 95 59-130

Type: BLANK Batch#: 265252 Lab ID: QC954717 Prepared: 11/07/18 Diln Fac: 1.000 Analyzed: 11/09/18

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 ND
 1.0
 0.31

 Motor Oil C24-C36
 ND
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 91 59-130

Type: BLANK Batch#: 265256
Lab ID: QC954694 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/08/18

 Analyte
 Result
 RL
 MDL

 Diesel C10-C24
 ND
 1.0
 0.31

 Motor Oil C24-C36
 ND
 5.0
 1.5

Surrogate %REC Limits
o-Terphenyl 123 59-130

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 24 of 25



Total Extractable Hydrocarbons Vallco Cupertino, CA EPA 3550C 304731 Lab #: Location: Client: WSP Prep: Project#: VALLCO Analysis: EPA 8015B Basis: Matrix: Soil as received 11/01/18 Units: mg/Kg Received:

Type: BLANK Batch#: 265273
Lab ID: QC954774 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/12/18

| Analyte | Result | RL | MDL |
|-------------------|--------|------|------|
| Diesel C10-C24 | ND | 0.99 | 0.30 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 94 | 59-130 |

Type: BLANK Batch#: 265287
Lab ID: QC954838 Prepared: 11/07/18
Diln Fac: 1.000 Analyzed: 11/08/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | ND | 1.0 | 0.31 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 100 | 59-130 |

Type: BLANK Batch#: 265304 Lab ID: QC954904 Prepared: 11/08/18 Diln Fac: 1.000 Analyzed: 11/08/18

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|------|
| Diesel C10-C24 | ND | 1.0 | 0.31 |
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| | Surrogate | %REC | Limits |
|----------|-----------|------|--------|
| o-Terpne | henyl | 109 | 59-130 |

J= Estimated value

Y= Sample exhibits chromatographic pattern which does not resemble standard

b= See narrative

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 25 of 25



| | То | tal Extractable Hydrocar | rbons |
|-----------|----------|--------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC954563 | Batch#: | 265220 |
| Matrix: | Soil | Prepared: | 11/06/18 |
| Units: | mg/Kg | Analyzed: | 11/06/18 |

| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 50.00 | 53.68 | 107 | 56-137 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 107 | 59-130 |

Page 1 of 1



| | Total | Extractable Hydrocar | bons |
|-------------|-------------|----------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Field ID: | S-1-(15) | Batch#: | 265220 |
| MSS Lab ID: | 304731-004 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | mg/Kg | Prepared: | 11/06/18 |
| Basis: | as received | Analyzed: | 11/06/18 |
| Diln Fac: | 1.000 | | |

Type: MS Lab ID: QC954564

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|----------------|------------|--------|--------|------|--------|
| Diesel C10-C24 | 0.9919 | 50.16 | 56.42 | 110 | 52-128 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 110 | 59-130 | |

Type: MSD Lab ID: QC954565

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------|--------|--------|------|--------|-----|-----|
| Diesel C10-C24 | 50.17 | 59.92 | 117 | 52-128 | 6 | 42 |



| | T | tal Extractable Hydrocar | rbons |
|-----------|----------|--------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC954695 | Batch#: | 265256 |
| Matrix: | Soil | Prepared: | 11/07/18 |
| Units: | mg/Kg | Analyzed: | 11/08/18 |

| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 50.00 | 60.12 | 120 | 56-137 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 126 | 59-130 |

Page 1 of 1 120.0



| | Total Extractable Hydrocarbons | | | | | | |
|-------------|--------------------------------|-----------|----------------------|--|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | | |
| Client: | WSP | Prep: | EPA 3550C | | | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | | | |
| Field ID: | S-6-(5) | Batch#: | 265256 | | | | |
| MSS Lab ID: | 304731-027 | Sampled: | 10/30/18 | | | | |
| Matrix: | Soil | Received: | 11/01/18 | | | | |
| Units: | mg/Kg | Prepared: | 11/07/18 | | | | |
| Basis: | as received | Analyzed: | 11/08/18 | | | | |
| Diln Fac: | 1.000 | | | | | | |

Type: MS Lab ID: QC954696

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|----------------|------------|--------|--------|------|--------|
| Diesel C10-C24 | 3.973 | 50.18 | 57.23 | 106 | 52-128 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 116 | 59-130 |

Type: MSD Lab ID: QC954697

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------|--------|--------|------|--------|-----|-----|
| Diesel C10-C24 | 50.01 | 58.58 | 109 | 52-128 | 3 | 42 |

| St | Surrogate | %REC | Limits |
|-------------|-----------|------|--------|
| o-Terphenvl | | 118 | 59-130 |



| | To | tal Extractable Hydrocar | rbons |
|-----------|----------|--------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC954718 | Batch#: | 265252 |
| Matrix: | Soil | Prepared: | 11/07/18 |
| Units: | mg/Kg | Analyzed: | 11/09/18 |

| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 50.00 | 44.01 | 88 | 56-137 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 94 | 59-130 |

Page 1 of 1 122.0



| | Total I | Extractable Hydrocar | rbons |
|-------------|-------------|----------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Field ID: | S-7-(2) | Batch#: | 265252 |
| MSS Lab ID: | 304731-033 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | mg/Kg | Prepared: | 11/07/18 |
| Basis: | as received | Analyzed: | 11/09/18 |
| Diln Fac: | 1.000 | | |

Type: MS Lab ID: QC954719

| Analyte | MSS Result | Spiked | Result | %REC Limits |
|----------------|------------|--------|--------|--------------|
| Diesel C10-C24 | 60.80 | 50.32 | 136.0 | 150 * 52-128 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 89 | 59-130 |

Type: MSD Lab ID: QC954720

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------|--------|--------|-------|--------|-----|-----|
| Diesel C10-C24 | 49.88 | 207.3 | 294 * | 52-128 | 42 | 42 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 104 | 59-130 |

^{*=} Value outside of QC limits; see narrative RPD= Relative Percent Difference Page 1 of 1



| | Total Extractable Hydrocarbons | | | | | |
|-----------|--------------------------------|-----------|----------------------|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | |
| Client: | WSP | Prep: | EPA 3550C | | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | | |
| Type: | LCS | Diln Fac: | 1.000 | | | |
| Lab ID: | QC954775 | Batch#: | 265273 | | | |
| Matrix: | Soil | Prepared: | 11/07/18 | | | |
| Units: | mg/Kg | Analyzed: | 11/12/18 | | | |

| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 49.93 | 55.55 | 111 | 56-137 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 110 | 59-130 |

Page 1 of 1 128.0



| | То | tal Extractable Hydrocar | bons |
|-----------|----------|--------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8015B |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC954839 | Batch#: | 265287 |
| Matrix: | Soil | Prepared: | 11/07/18 |
| Units: | mg/Kg | Analyzed: | 11/08/18 |

| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 50.00 | 49.16 | 98 | 56-137 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 98 | 59-130 |

Page 1 of 1



| Total Extractable Hydrocarbons | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | |
| Field ID: | W-4-(10) | Batch#: | 265287 | | |
| MSS Lab ID: | 304731-071 | Sampled: | 10/31/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | mg/Kg | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/08/18 | | |
| Diln Fac: | 1.000 | | | | |

Type: MS Lab ID: QC954840

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|----------------|------------|--------|--------|------|--------|
| Diesel C10-C24 | 1.465 | 50.02 | 53.05 | 103 | 52-128 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 99 | 59-130 |

Type: MSD Lab ID: QC954841

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------|--------|--------|------|--------|-----|-----|
| Diesel C10-C24 | 50.13 | 49.57 | 96 | 52-128 | 7 | 42 |



| Total Extractable Hydrocarbons | | | | | | |
|--------------------------------|----------|-----------|----------------------|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | |
| Client: | WSP | Prep: | EPA 3550C | | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | | |
| Type: | LCS | Diln Fac: | 1.000 | | | |
| Lab ID: | QC954905 | Batch#: | 265304 | | | |
| Matrix: | Soil | Prepared: | 11/08/18 | | | |
| Units: | mg/Kg | Analyzed: | 11/08/18 | | | |

| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 50.00 | 52.03 | 104 | 56-137 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 106 | 59-130 |

Page 1 of 1



| Total Extractable Hydrocarbons | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8015B | | |
| Field ID: | ZZZZZZZZZ | Batch#: | 265304 | | |
| MSS Lab ID: | 304793-003 | Sampled: | 11/06/18 | | |
| Matrix: | Soil | Received: | 11/06/18 | | |
| Units: | mg/Kg | Prepared: | 11/08/18 | | |
| Basis: | as received | Analyzed: | 11/09/18 | | |
| Diln Fac: | 1.000 | | | | |

Type: MS Lab ID: QC954906


| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|----------------|------------|--------|--------|------|--------|
| Diesel C10-C24 | 8.449 | 50.33 | 69.19 | 121 | 52-128 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | 105 | 59-130 | |


Type: MSD Lab ID: QC954907

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------|--------|--------|------|--------|-----|-----|
| Diesel C10-C24 | 50.31 | 57.16 | 97 | 52-128 | 19 | 42 |


| | Surrogate | %REC | Limits |
|-----------|-----------|------|--------|
| o-Terphen | | 103 | 59-130 |




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a039.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a043.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a032.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a027.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a044.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a042.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a040.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a038.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a045.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a046.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a037.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a030.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a031.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a041.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\310a033.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a037.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a038.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a044.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a040.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a041.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a045.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a046.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a039.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC14B\Data\2018\311b037, B




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a043.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\312a042.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC14B\Data\2018\311b059, B




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a033, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a034, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a054, A




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\313a009.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a056, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a057, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a055, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a044, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a050, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a045, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a046, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a052, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a053, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a041, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a038, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a042, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a039, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a043, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a051, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a040, A




\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\317a038, A




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a039.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a045.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a046.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a042.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a040.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a041.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC14B\Data\2018\316b044, B




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a037.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a043.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a044.dat, Front Signal




\kraken\gdrive\ezchrom\Projects\GC26\data\2018\317a011, A




\kraken\gdrive\ezchrom\Projects\GC26\data\2018\317a007, A




\kraken\gdrive\ezchrom\Projects\GC26\data\2018\317a008, A




\kraken\gdrive\ezchrom\Projects\GC26\data\2018\317a012, A




\kraken\gdrive\ezchrom\Projects\GC26\data\2018\317a013, A




\kraken\gdrive\ezchrom\Projects\GC26\data\2018\317a014, A




\kraken\gdrive\ezchrom\Projects\GC26\data\2018\317a010, A




\kraken\gdrive\ezchrom\Projects\GC26\data\2018\317a009, A




\kraken\gdrive\ezchrom\Projects\GC14B\Data\2018\316b043, B




\kraken\gdrive\ezchrom\Projects\GC14B\Data\2018\311b073, B




\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a027.dat, Front Signal



\kraken\gdrive\ezchrom\Projects\GC27\Data\2018\316a026.dat, Front Signal



\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a022, A



\kraken\gdrive\ezchrom\Projects\GC17a\Data\2018\313a023, A



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3520C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | EB-1 | Batch#: | 265191 | | |
| Lab ID: | 304731-048 | Sampled: | 10/31/18 | | |
| Matrix: | Water | Received: | 11/01/18 | | |
| Units: | uq/L | Prepared: | 11/06/18 | | |
| Diln Fac: | 1.000 | Analyzed: | 11/14/18 | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|------------|------|
| N-Nitrosodimethylamine | ND | 9.7 | 2.2 |
| Phenol | ND | 9.7 | 1.6 |
| bis(2-Chloroethyl)ether | ND | 9.7 | 1.6 |
| 2-Chlorophenol | ND | 9.7 | 1.6 |
| 1,3-Dichlorobenzene | ND ND | 9.7 | 1.6 |
| 1,4-Dichlorobenzene | ND ND | 9.7 | 1.6 |
| | ND ND | 9.7 | 1.5 |
| Benzyl alcohol | | 9.7 | |
| 1,2-Dichlorobenzene | ND | 9.7 9.7 | 1.6 |
| 2-Methylphenol | ND | 9.7 9.7 | 1.4 |
| bis(2-Chloroisopropyl) ether | ND | | 2.7 |
| 4-Methylphenol | ND | 9.7 | 1.5 |
| N-Nitroso-di-n-propylamine | ND | 9.7 | 1.9 |
| Hexachloroethane | ND | 9.7 | 1.7 |
| Nitrobenzene | ND | 9.7 | 1.6 |
| Isophorone | ND | 9.7 | 1.8 |
| 2-Nitrophenol | ND | 19 | 2.5 |
| 2,4-Dimethylphenol | ND | 9.7 | 1.2 |
| Benzoic acid | ND | 49 | 9.9 |
| bis(2-Chloroethoxy)methane | ND | 9.7 | 1.2 |
| 2,4-Dichlorophenol | ND | 9.7 | 1.3 |
| 1,2,4-Trichlorobenzene | ND | 9.7 | 1.4 |
| Naphthalene | ND | 9.7 | 1.4 |
| 4-Chloroaniline | ND | 9.7 | 1.2 |
| Hexachlorobutadiene | ND | 9.7 | 1.3 |
| 4-Chloro-3-methylphenol | ND | 9.7 | 1.3 |
| 2-Methylnaphthalene | ND | 9.7 | 1.4 |
| Hexachlorocyclopentadiene | ND | 19 | 4.9 |
| 2,4,6-Trichlorophenol | ND | 9.7 | 0.96 |
| 2,4,5-Trichlorophenol | ND | 9.7 | 0.92 |
| 2-Chloronaphthalene | ND | 9.7 | 1.5 |
| 2-Nitroaniline | ND | 19 | 1.7 |
| Dimethylphthalate | ND | 9.7 | 1.5 |
| Acenaphthylene | ND | 9.7 | 1.5 |
| 2,6-Dinitrotoluene | ND | 9.7 | 1.3 |
| 3-Nitroaniline | ND | 19 | 1.0 |
| Acenaphthene | ND | 9.7 | 1.3 |
| 2,4-Dinitrophenol | ND | 19 | 4.9 |
| | ND ND | 19 | 1.1 |
| 4-Nitrophenol Dibenzofuran | ND ND | 9.7 | 1.4 |
| | | 9.7 9.7 | - |
| 2,4-Dinitrotoluene | ND | 9.7 9.7 | 1.4 |
| Diethylphthalate | ND | | 1.6 |
| Fluorene | ND | 9.7 | 1.5 |
| 4-Chlorophenyl-phenylether | ND | 9.7 | 1.3 |
| 4-Nitroaniline | ND | 19 | 1.1 |
| 4,6-Dinitro-2-methylphenol | ND | 19 | 1.9 |
| N-Nitrosodiphenylamine | ND | 9.7 | 1.2 |
| Azobenzene | ND | 9.7 | 1.5 |
| 4-Bromophenyl-phenylether | ND | 9.7 | 1.2 |
| Hexachlorobenzene | ND | 9.7 | 1.2 |
| Pentachlorophenol | ND | 19 | 1.9 |
| Phenanthrene | ND | 9.7 | 1.3 |
| Anthracene | ND | 9.7 | 1.3 |
| Di-n-butylphthalate | ND | 9.7 | 1.1 |

ND= Not Detected RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3520C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | EB-1 | Batch#: | 265191 | | |
| Lab ID: | 304731-048 | Sampled: | 10/31/18 | | |
| Matrix: | Water | Received: | 11/01/18 | | |
| Units: | uq/L | Prepared: | 11/06/18 | | |
| Diln Fac: | 1.000 | Analyzed: | 11/14/18 | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|------|
| Fluoranthene | ND | 9.7 | 1.5 |
| Pyrene | ND | 9.7 | 1.2 |
| Butylbenzylphthalate | ND | 9.7 | 1.3 |
| 3,3'-Dichlorobenzidine | ND | 19 | 0.61 |
| Benzo(a)anthracene | ND | 9.7 | 1.3 |
| Chrysene | ND | 9.7 | 1.4 |
| bis(2-Ethylhexyl)phthalate | ND | 9.7 | 1.9 |
| Di-n-octylphthalate | ND | 9.7 | 1.3 |
| Benzo(b)fluoranthene | ND | 9.7 | 1.3 |
| Benzo(k)fluoranthene | ND | 9.7 | 1.5 |
| Benzo(a)pyrene | ND | 9.7 | 1.1 |
| Indeno(1,2,3-cd)pyrene | ND | 9.7 | 1.4 |
| Dibenz(a,h)anthracene | ND | 9.7 | 1.3 |
| Benzo(g,h,i)perylene | ND | 9.7 | 1.5 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 76 | 39-120 |
| Phenol-d5 | 71 | 38-120 |
| 2,4,6-Tribromophenol | 75 | 41-120 |
| Nitrobenzene-d5 | 71 | 56-120 |
| 2-Fluorobiphenyl | 85 | 55-120 |
| Terphenyl-d14 | 72 | 15-120 |

ND= Not Detected RL= Reporting Limit MDL= Method Detection Limit

Page 2 of 2



Batch QC Report

| Date of the | | | | | |
|--------------------------------|----------|-----------|----------------------|--|--|
| Semivolatile Organics by GC/MS | | | | | |
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3520C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Type: | BLANK | Diln Fac: | 1.000 | | |
| Lab ID: | QC954447 | Batch#: | 265191 | | |
| Matrix: | Water | Prepared: | 11/05/18 | | |
| Units: | ug/L | Analyzed: | 11/07/18 | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|----|---|
| N-Nitrosodimethylamine | ND | 10 | 1.5 |
| Phenol | ND | 10 | 1.0 |
| bis(2-Chloroethyl)ether | ND | 10 | 1.2 |
| 2-Chlorophenol | ND ND | 10 | 0.82 |
| 1,3-Dichlorobenzene | ND ND | 10 | 1.0 |
| | | | |
| 1,4-Dichlorobenzene | ND | 10 | 1.1 |
| Benzyl alcohol | ND | 10 | 1.1 |
| 1,2-Dichlorobenzene | ND | 10 | 2.1 |
| 2-Methylphenol | ND | 10 | 2.2 |
| bis(2-Chloroisopropyl) ether | ND | 10 | 1.4 |
| 4-Methylphenol | ND | 10 | 1.7 |
| N-Nitroso-di-n-propylamine | ND | 10 | 1.2 |
| Hexachloroethane | ND | 10 | 1.1 |
| Nitrobenzene | ND | 10 | 1.2 |
| Isophorone | ND | 10 | 1.3 |
| 2-Nitrophenol | ND | 20 | 2.6 |
| 2,4-Dimethylphenol | ND | 10 | 2.5 |
| Benzoic acid | ND | 50 | 16 |
| bis(2-Chloroethoxy)methane | ND | 10 | 1.1 |
| 2,4-Dichlorophenol | ND | 10 | $\frac{\overline{2}}{2}$. $\overline{1}$ |
| 1,2,4-Trichlorobenzene | ND | 10 | 2.2 |
| Naphthalene | ND | 10 | 1.9 |
| 4-Chloroaniline | ND | 10 | 2.1 |
| Hexachlorobutadiene | ND ND | 10 | 2.4 |
| 4-Chloro-3-methylphenol | ND ND | 10 | 1.0 |
| | ND ND | 10 | 1.8 |
| 2-Methylnaphthalene | | 20 | _ · · |
| Hexachlorocyclopentadiene | ND | | 5.0 |
| 2,4,6-Trichlorophenol | ND | 10 | 0.92 |
| 2,4,5-Trichlorophenol | ND | 10 | 0.85 |
| 2-Chloronaphthalene | ND | 10 | 1.8 |
| 2-Nitroaniline | ND | 20 | 1.2 |
| Dimethylphthalate | ND | 10 | 2.0 |
| Acenaphthylene | ND | 10 | 1.7 |
| 2,6-Dinitrotoluene | ND | 10 | 1.8 |
| 3-Nitroaniline | ND | 20 | 1.9 |
| Acenaphthene | ND | 10 | 1.8 |
| 2,4-Dinitrophenol | ND | 20 | 5.0 |
| 4-Nitrophenol | ND | 20 | 5.0 |
| Dibenzofuran | ND | 10 | 1.9 |
| 2,4-Dinitrotoluene | ND | 10 | 2.1 |
| Diethylphthalate | ND | 10 | 1.0 |
| Fluorene | ND | 10 | 1.8 |
| 4-Chlorophenyl-phenylether | ND | 10 | 1.6 |
| 4-Nitroaniline | ND | 20 | 2.4 |
| 4,6-Dinitro-2-methylphenol | ND | 20 | 5.0 |
| N-Nitrosodiphenylamine | ND | 10 | 1.7 |
| Azobenzene | ND | 10 | 1.2 |
| 4-Bromophenyl-phenylether | ND | 10 | 2.0 |
| Hexachlorobenzene | ND | 10 | 2.0 |
| Pentachlorophenol | ND ND | 20 | 1.9 |
| Phenanthrene | ND ND | 10 | 1.9 |
| Anthracene | ND ND | 10 | 1.8 |
| | ND ND | 10 | 1.2 |
| Di-n-butylphthalate | ND | ΤU | ⊥.∠ |

ND= Not Detected RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



Batch QC Report

| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|----------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3520C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Type: Lab ID: | BLANK | Diln Fac: | 1.000 | | |
| Lab ID: | QC954447 | Batch#: | 265191 | | |
| Matrix: | Water | Prepared: | 11/05/18 | | |
| Units: | ug/L | Analyzed: | 11/07/18 | | |

| Analyte | Result | RL | MDL |
|-------------------------------------|--------|----|-----|
| Fluoranthene | ND | 10 | 1.9 |
| Pyrene | ND | 10 | 1.7 |
| Butylbenzylphthalate | ND | 10 | 1.0 |
| 3,3 [†] -Dichlorobenzidine | ND | 20 | 1.0 |
| Benzo(a)anthracene | ND | 10 | 1.6 |
| Chrysene | ND | 10 | 1.7 |
| bis(2-Ethylhexyl)phthalate | ND | 10 | 1.8 |
| Di-n-octylphthalate | ND | 10 | 1.8 |
| Benzo(b)fluoranthene | ND | 10 | 1.7 |
| Benzo(k)fluoranthene | ND | 10 | 2.0 |
| Benzo(a)pyrene | ND | 10 | 1.6 |
| Indeno(1,2,3-cd)pyrene | ND | 10 | 1.8 |
| Dibenz(a,h)anthracene | ND | 10 | 1.8 |
| Benzo(g,h,i)perylene | ND | 10 | 1.9 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 76 | 39-120 |
| Phenol-d5 | 80 | 38-120 |
| 2,4,6-Tribromophenol | 70 | 41-120 |
| Nitrobenzene-d5 | 83 | 56-120 |
| 2-Fluorobiphenyl | 71 | 55-120 |
| Terphenyl-d14 | 81 | 15-120 |

ND= Not Detected RL= Reporting Limit MDL= Method Detection Limit

Page 2 of 2



Batch QC Report

| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-------------------------|---------------------------------|--|--|--|
| Lab #: Client: | 304731 WSP VALLCO | Location: Prep: Analysis: | Vallco Cupertino, CA EPA 3520C EPA 8270C | | |
| Project#: Matrix: Units: | Water ug/L | Batch#: Prepared: | 265191 11/05/18 | | |
| Diln Fac: | 1.000 | Analyzed: | 11/07/18 | | |

Type: BS Lab ID: QC954448

| Analyte | Spiked | Result | %REC | Limits |
|----------------------------|--------|--------|------|--------|
| Phenol | 80.00 | 66.46 | 83 | 62-120 |
| 2-Chlorophenol | 80.00 | 64.60 | 81 | 65-120 |
| 1,4-Dichlorobenzene | 80.00 | 49.57 | 62 | 54-120 |
| N-Nitroso-di-n-propylamine | 80.00 | 61.87 | 77 | 58-120 |
| 1,2,4-Trichlorobenzene | 80.00 | 50.32 | 63 | 54-120 |
| 4-Chloro-3-methylphenol | 80.00 | 67.29 | 84 | 65-120 |
| Acenaphthene | 30.00 | 26.77 | 89 | 65-120 |
| 4-Nitrophenol | 80.00 | 79.02 | 99 | 69-121 |
| 2,4-Dinitrotoluene | 80.00 | 70.43 | 88 | 70-120 |
| Pentachlorophenol | 80.00 | 72.86 | 91 | 59-120 |
| Pyrene | 30.00 | 23.68 | 79 | 62-120 |

| Surrogate | %REC | Limits | | |
|----------------------|------|--------|--|--|
| 2-Fluorophenol | 75 | 39-120 | | |
| Phenol-d5 | 78 | 38-120 | | |
| 2,4,6-Tribromophenol | 89 | 41-120 | | |
| Nitrobenzene-d5 | 82 | 56-120 | | |
| 2-Fluorobiphenyl | 73 | 55-120 | | |
| Terphenyl-d14 | 76 | 15-120 | | |

Type: BSD Lab ID: QC954449

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------------------|--------|--------|------|--------|-----|-----|
| Phenol | 80.00 | 73.78 | 92 | 62-120 | 10 | 24 |
| 2-Chlorophenol | 80.00 | 69.95 | 87 | 65-120 | 8 | 24 |
| 1,4-Dichlorobenzene | 80.00 | 53.17 | 66 | 54-120 | 7 | 26 |
| N-Nitroso-di-n-propylamine | 80.00 | 70.30 | 88 | 58-120 | 13 | 24 |
| 1,2,4-Trichlorobenzene | 80.00 | 53.76 | 67 | 54-120 | 7 | 25 |
| 4-Chloro-3-methylphenol | 80.00 | 74.20 | 93 | 65-120 | 10 | 23 |
| Acenaphthene | 30.00 | 29.48 | 98 | 65-120 | 10 | 24 |
| 4-Nitrophenol | 80.00 | 85.83 | 107 | 69-121 | 8 | 24 |
| 2,4-Dinitrotoluene | 80.00 | 75.95 | 95 | 70-120 | 8 | 22 |
| Pentachlorophenol | 80.00 | 80.26 | 100 | 59-120 | 10 | 31 |
| Pyrene | 30.00 | 25.32 | 84 | 62-120 | 7 | 26 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 79 | 39-120 |
| Phenol-d5 | 87 | 38-120 |
| 2,4,6-Tribromophenol | 95 | 41-120 |
| Nitrobenzene-d5 | 92 | 56-120 |
| 2-Fluorobiphenyl | 79 | 55-120 |
| Terphenvl-d14 | 89 | 15-120 |



| Semivolatile Organics by GC/MS | | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | |
| Client: | WSP | Prep: | EPA 3550C | | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | | |
| Field ID: | S-1-(1) | Batch#: | 265189 | | | |
| Lab ID: | 304731-001 | Sampled: | 10/30/18 | | | |
| Matrix: | Soil | Received: | 11/01/18 | | | |
| Units: | ug/Kg | Prepared: | 11/05/18 | | | |
| Basis: | as received | Analyzed: | 11/13/18 | | | |
| Diln Fac: | 25.00 | | | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|--------|-------|
| N-Nitrosodimethylamine | ND | 8,300 | 1,000 |
| Pyridine | ND ND | 8,300 | 550 |
| | | 8,300 | 370 |
| Phenol | ND | | |
| bis(2-Chloroethyl)ether | ND | 8,300 | 550 |
| 2-Chlorophenol | ND | 8,300 | 350 |
| 1,3-Dichlorobenzene | ND | 8,300 | 1,000 |
| 1,4-Dichlorobenzene | ND | 8,300 | 1,000 |
| Benzyl alcohol | ND | 8,300 | 410 |
| 1,2-Dichlorobenzene | ND | 8,300 | 550 |
| 2-Methylphenol | ND | 8,300 | 360 |
| bis(2-Chloroisopropyl) ether | ND | 8,300 | 400 |
| 4-Methylphenol | ND | 8,300 | 400 |
| N-Nitroso-di-n-propylamine | ND | 8,300 | 380 |
| Hexachloroethane | ND | 8,300 | 1,900 |
| Nitrobenzene | ND | 8,300 | 550 |
| Isophorone | ND | 8,300 | 250 |
| 2-Nitrophenol | ND | 17,000 | 970 |
| 2,4-Dimethylphenol | ND | 8,300 | 460 |
| Benzoic acid | ND | 41,000 | 9,400 |
| bis(2-Chloroethoxy)methane | ND | 8,300 | 260 |
| 2,4-Dichlorophenol | ND ND | 8,300 | 230 |
| | ND ND | 8,300 | 550 |
| 1,2,4-Trichlorobenzene | ND ND | 1,700 | 320 |
| Naphthalene | | | |
| 4-Chloroaniline | ND | 8,300 | 550 |
| Hexachlorobutadiene | ND | 8,300 | 550 |
| 4-Chloro-3-methylphenol | ND | 8,300 | 220 |
| 2-Methylnaphthalene | ND | 1,700 | 250 |
| Hexachlorocyclopentadiene | ND | 17,000 | 1,900 |
| 2,4,6-Trichlorophenol | ND | 8,300 | 270 |
| 2,4,5-Trichlorophenol | ND | 8,300 | 230 |
| 2-Chloronaphthalene | ND | 8,300 | 210 |
| 2-Nitroaniline | ND | 17,000 | 840 |
| Dimethylphthalate | ND | 8,300 | 210 |
| Acenaphthylene | ND | 1,700 | 210 |
| 2,6-Dinitrotoluene | ND | 8,300 | 840 |
| 3-Nitroaniline | ND | 17,000 | 1,000 |
| Acenaphthene | ND | 1,700 | 210 |
| 2,4-Dinitrophenol | ND | 17,000 | 3,700 |
| 4-Nitrophenol | ND | 17,000 | 1,900 |
| Dibenzofuran | ND | 8,300 | 210 |
| 2,4-Dinitrotoluene | ND | 8,300 | 210 |
| Diethylphthalate | ND | 8,300 | 210 |
| Fluorene | ND | 1,700 | 210 |
| 4-Chlorophenyl-phenylether | ND | 8,300 | 210 |
| | | | 1,000 |
| 4-Nitroaniline | ND | 17,000 | |
| 4,6-Dinitro-2-methylphenol | ND | 17,000 | 1,000 |
| N-Nitrosodiphenylamine | ND | 8,300 | 210 |
| Azobenzene | ND | 8,300 | 210 |
| 4-Bromophenyl-phenylether | ND | 8,300 | 210 |
| Hexachlorobenzene | ND | 8,300 | 210 |
| Pentachlorophenol | ND | 17,000 | 2,600 |

Page 1 of 2

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | | | |
|--------------------------------|-----------------------|------------------------|-----------------------------------|--|--|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | | |
| Field ID: Lab ID: | S-1-(1) 304731-001 | Batch#: Sampled: | 265189 10/30/18 | | | |
| Matrix: | Soil | Received: | 11/01/18 | | | |
| Units: Basis: | ug/Kg as received | Prepared: Analyzed: | 11/05/18 11/13/18 | | | |
| Diln Fac: | 25.00 | | | | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|--------|-------|
| Phenanthrene | ND | 1,700 | 210 |
| Anthracene | ND | 1,700 | 220 |
| Di-n-butylphthalate | ND | 8,300 | 240 |
| Fluoranthene | ND | 1,700 | 230 |
| Pyrene | ND | 1,700 | 210 |
| Butylbenzylphthalate | ND | 8,300 | 240 |
| 3,3'-Dichlorobenzidine | ND | 17,000 | 2,000 |
| Benzo(a)anthracene | ND | 1,700 | 210 |
| Chrysene | ND | 1,700 | 210 |
| bis(2-Ethylhexyl)phthalate | ND | 8,300 | 210 |
| Di-n-octylphthalate | ND | 8,300 | 850 |
| Benzo(b)fluoranthene | ND | 1,700 | 210 |
| Benzo(k)fluoranthene | ND | 1,700 | 210 |
| Benzo(a)pyrene | ND | 1,700 | 210 |
| Indeno(1,2,3-cd)pyrene | ND | 1,700 | 210 |
| Dibenz(a,h)anthracene | ND | 1,700 | 210 |
| Benzo(g,h,i)perylene | ND | 1,700 | 210 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | DO | 40-127 |
| Phenol-d5 | DO | 43-128 |
| 2,4,6-Tribromophenol | DO | 31-120 |
| Nitrobenzene-d5 | DO | 46-120 |
| 2-Fluorobiphenyl | DO | 40-120 |
| Terphenyl-d14 | DO | 56-120 |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | |
| Client: | WSP | Prep: | EPA 3550C | | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | | |
| Field ID: | S-1-(5) | Batch#: | 265189 | | | |
| Lab ID: | 304731-002 | Sampled: | 10/30/18 | | | |
| Matrix: | Soil | Received: | 11/01/18 | | | |
| Units: | ug/Kg | Prepared: | 11/05/18 | | | |
| Basis: | as received | Analyzed: | 11/14/18 | | | |
| Diln Fac: | 1.000 | | | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|-----|
| N-Nitrosodimethylamine | ND | 330 | 47 |
| Pyridine | ND | 330 | 22 |
| Phenol | ND | 330 | 9.9 |
| bis(2-Chloroethyl)ether | ND | 330 | 59 |
| 2-Chlorophenol | ND | 330 | 9.9 |
| 1,3-Dichlorobenzene | ND | 330 | 56 |
| 1,4-Dichlorobenzene | ND | 330 | 9.9 |
| Benzyl alcohol | ND | 330 | 11 |
| 1,2-Dichlorobenzene | ND | 330 | 9.9 |
| 2-Methylphenol | ND | 330 | 14 |
| bis(2-Chloroisopropyl) ether | ND | 330 | 9.9 |
| 4-Methylphenol | ND | 330 | 9.9 |
| N-Nitroso-di-n-propylamine | ND | 330 | 9.9 |
| Hexachloroethane | ND | 330 | 9.9 |
| Nitrobenzene | ND ND | 330 | 11 |
| Isophorone | ND | 330 | 9.9 |
| 2-Nitrophenol | ND ND | 660 | 9.9 |
| 2.4-Dimethylphenol | ND ND | 330 | 14 |
| Benzoic acid | ND ND | 1,700 | 430 |
| bis(2-Chloroethoxy)methane | | 330 | 9.9 |
| | ND | | |
| 2,4-Dichlorophenol | ND | 330 | 9.9 |
| 1,2,4-Trichlorobenzene | ND | 330 | 9.9 |
| Naphthalene | ND | 66 | 9.9 |
| 4-Chloroaniline | ND | 330 | 9.3 |
| Hexachlorobutadiene | ND | 330 | 8.8 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.3 |
| 2-Methylnaphthalene | ND | 66 | 9.9 |
| Hexachlorocyclopentadiene | ND | 660 | 74 |
| 2,4,6-Trichlorophenol | ND | 330 | 12 |
| 2,4,5-Trichlorophenol | ND | 330 | 8.3 |
| 2-Chloronaphthalene | ND | 330 | 8.9 |
| 2-Nitroaniline | ND | 660 | 11 |
| Dimethylphthalate | ND | 330 | 9.9 |
| Acenaphthylene | ND | 66 | 8.9 |
| 2,6-Dinitrotoluene | ND | 330 | 8.9 |
| 3-Nitroaniline | ND | 660 | 42 |
| Acenaphthene | ND | 66 | 9.9 |
| 2,4-Dinitrophenol | ND | 660 | 150 |
| 4-Nitrophenol | ND | 660 | 71 |
| Dibenzofuran | ND | 330 | 10 |
| 2,4-Dinitrotoluene | ND | 330 | 9.5 |
| Diethylphthalate | ND | 330 | 11 |
| Fluorene | ND | 66 | 9.8 |
| 4-Chlorophenyl-phenylether | ND | 330 | 9.6 |
| 4-Nitroaniline | ND | 660 | 42 |
| 4,6-Dinitro-2-methylphenol | ND | 660 | 76 |
| N-Nitrosodiphenylamine | ND | 330 | 10 |
| Azobenzene | ND | 330 | 8.5 |
| 4-Bromophenyl-phenylether | ND | 330 | 10 |
| Hexachlorobenzene | ND | 330 | 11 |
| Pentachlorophenol | ND | 660 | 130 |
| Phenanthrene | ND | 66 | 10 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | | | |
|--------------------------------|-----------------------|-----------------------|-----------------------------------|--|--|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | | |
| Field ID: Lab ID: | S-1-(5) 304731-002 | Batch#: | 265189 10/30/18 | | | |
| Matrix: | Soil | Sampled: Received: | 11/01/18 | | | |
| Units: | ug/Kg | Prepared: | 11/05/18 | | | |
| Basis: Diln Fac: | as received 1.000 | Analyzed: | 11/14/18 | | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Anthracene | ND | 66 | 11 |
| Di-n-butylphthalate | ND | 330 | 12 |
| Fluoranthene | ND | 66 | 10 |
| Pyrene | ND | 66 | 11 |
| Butylbenzylphthalate | ND | 330 | 10 |
| 3,3'-Dichlorobenzidine | ND | 660 | 22 |
| Benzo(a)anthracene | ND | 66 | 10 |
| Chrysene | ND | 66 | 11 |
| bis(2-Ethylhexyl)phthalate | ND | 330 | 13 |
| Di-n-octylphthalate | ND | 330 | 9.9 |
| Benzo(b)fluoranthene | ND | 66 | 8.9 |
| Benzo(k)fluoranthene | ND | 66 | 9.4 |
| Benzo(a)pyrene | ND | 66 | 8.7 |
| Indeno(1,2,3-cd)pyrene | ND | 66 | 8.7 |
| Dibenz(a,h)anthracene | ND | 66 | 9.2 |
| Benzo(g,h,i)perylene | ND | 66 | 10 |

| Surrogate %REC | Limits |
|-------------------------|--------|
| 2-Fluorophenol 58 | 40-127 |
| Phenol-d5 58 | 43-128 |
| 2,4,6-Tribromophenol 51 | 31-120 |
| Nitrobenzene-d5 50 | 46-120 |
| 2-Fluorobiphenyl 62 | 40-120 |
| Terphenyl-d14 66 | 56-120 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | S-2-(1) | Batch#: | 265189 | | |
| Lab ID: | 304731-006 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/05/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 1.000 | _ | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|----------|
| N-Nitrosodimethylamine | ND | 340 | 47 |
| Pyridine | ND | 340 | 22 |
| Phenol | ND | 340 | 10 |
| bis(2-Chloroethyl)ether | ND | 340 | 60 |
| 2-Chlorophenol | ND | 340 | 10 |
| 1,3-Dichlorobenzene | ND | 340 | 57 |
| 1,4-Dichlorobenzene | ND | 340 | 10 |
| Benzyl alcohol | ND | 340 | 11 |
| 1,2-Dichlorobenzene | ND | 340 | 10 |
| 2-Methylphenol | ND | 340 | 14 |
| bis(2-Chloroisopropyl) ether | ND | 340 | 10 |
| 4-Methylphenol | ND | 340 | 10 |
| N-Nitroso-di-n-propylamine | ND ND | 340 | 10 |
| Hexachloroethane | ND ND | 340 | 10 |
| Nitrobenzene | ND ND | 340 | 11 |
| Isophorone | ND ND | 340 | 10 |
| 2-Nitrophenol | ND ND | 670 | 10 |
| 2,4-Dimethylphenol | ND ND | 340 | 14 |
| Benzoic acid | ND ND | 1,700 | 440 |
| bis(2-Chloroethoxy)methane | ND ND | 340 | 10 |
| | | | 10 |
| 2,4-Dichlorophenol | ND | 340 | |
| 1,2,4-Trichlorobenzene | ND | 340 | 10 |
| Naphthalene | ND | 67 | 10 |
| 4-Chloroaniline | ND | 340 | 9.4 |
| Hexachlorobutadiene | ND | 340 | 8.9 |
| 4-Chloro-3-methylphenol | ND | 340 | 8.4 |
| 2-Methylnaphthalene | ND | 67 | 10 |
| Hexachlorocyclopentadiene | ND | 670 | 75 13 |
| 2,4,6-Trichlorophenol | ND | 340 | 13 |
| 2,4,5-Trichlorophenol | ND | 340 | 8.4 |
| 2-Chloronaphthalene | ND | 340 | 9.0 |
| 2-Nitroaniline | ND | 670 | 11 |
| Dimethylphthalate | ND | 340 | 10 |
| Acenaphthylene | ND | 67 | 9.0 |
| 2,6-Dinitrotoluene | ND | 340 | 9.0 |
| 3-Nitroaniline | ND | 670 | 42 |
| Acenaphthene | ND | 67 | 10 |
| 2,4-Dinitrophenol | ND | 670 | 150 |
| 4-Nitrophenol | ND | 670 | 72 |
| Dibenzofuran | ND | 340 | 10 |
| 2,4-Dinitrotoluene | ND | 340 | 9.7 |
| Diethylphthalate | ND | 340 | 11 |
| Fluorene | ND | 67 | 9.9 |
| 4-Chlorophenyl-phenylether | ND | 340 | 9.7 |
| 4-Nitroaniline | ND | 670 | 42 |
| 4,6-Dinitro-2-methylphenol | ND | 670 | 77 |
| N-Nitrosodiphenylamine | ND | 340 | 11 |
| Azobenzene | ND | 340 | 8.6 |
| 4-Bromophenyl-phenylether | ND | 340 | 11 |
| Hexachlorobenzene | ND | 340 | 11 |
| Pentachlorophenol | ND | 670 | 130 |
| Phenanthrene | ND | 67 | 11 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-------------------------------|------------------------|-----------------------------------|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: Lab ID: | S-2-(1) 304731-006 | Batch#: Sampled: | 265189 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: Basis: Diln Fac: | ug/Kg as received 1.000 | Prepared: Analyzed: | 11/05/18 11/14/18 |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Anthracene | ND | 67 | 11 |
| Di-n-butylphthalate | ND | 340 | 12 |
| Fluoranthene | ND | 67 | 10 |
| Pyrene | ND | 67 | 11 |
| Butylbenzylphthalate | ND | 340 | 10 |
| 3,3'-Dichlorobenzidine | ND | 670 | 22 |
| Benzo(a)anthracene | ND | 67 | 10 |
| Chrysene | ND | 67 | 11 |
| bis(2-Ethylhexyl)phthalate | ND | 340 | 13 |
| Di-n-octylphthalate | ND | 340 | 10 |
| Benzo(b)fluoranthene | ND | 67 | 9.0 |
| Benzo(k)fluoranthene | ND | 67 | 9.5 |
| Benzo(a)pyrene | ND | 67 | 8.8 |
| Indeno(1,2,3-cd)pyrene | ND | 67 | 8.9 |
| Dibenz(a,h)anthracene | ND | 67 | 9.4 |
| Benzo(g,h,i)perylene | ND | 67 | 10 |

| Surrogate %REG | Limits |
|-------------------------|--------|
| 2-Fluorophenol 59 | 40-127 |
| Phenol-d5 60 | 43-128 |
| 2,4,6-Tribromophenol 55 | 31-120 |
| Nitrobenzene-d5 48 | 46-120 |
| 2-Fluorobiphenyl 55 | 40-120 |
| Terphenyl-d14 70 | 56-120 |



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-------------|-----------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | S-2-(5) | Batch#: | 265189 |
| Lab ID: | 304731-007 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/05/18 |
| Basis: | as received | Analyzed: | 11/13/18 |
| Diln Fac: | 100.0 | _ | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|---------|--------|
| | ND | 33,000 | |
| N-Nitrosodimethylamine | | | 4,700 |
| Pyridine | ND | 33,000 | 2,200 |
| Phenol | ND | 33,000 | 1,000 |
| bis(2-Chloroethyl)ether | ND | 33,000 | 6,000 |
| 2-Chlorophenol | ND | 33,000 | 1,000 |
| 1,3-Dichlorobenzene | ND | 33,000 | 5,700 |
| 1,4-Dichlorobenzene | ND | 33,000 | 1,000 |
| Benzyl alcohol | ND | 33,000 | 1,100 |
| 1,2-Dichlorobenzene | ND | 33,000 | 1,000 |
| 2-Methylphenol | ND | 33,000 | 1,400 |
| bis(2-Chloroisopropyl) ether | ND | 33,000 | 1,000 |
| 4-Methylphenol | ND | 33,000 | 1,000 |
| N-Nitroso-di-n-propylamine | ND | 33,000 | 1,000 |
| Hexachloroethane | ND | 33,000 | 1,000 |
| Nitrobenzene | ND | 33,000 | 1,100 |
| Isophorone | ND | 33,000 | 1,000 |
| 2-Nitrophenol | ND | 67,000 | 1,000 |
| 2,4-Dimethylphenol | ND | 33,000 | 1,400 |
| Benzoic acid | ND | 170,000 | 44,000 |
| bis(2-Chloroethoxy)methane | ND | 33,000 | 1,000 |
| 2,4-Dichlorophenol | ND | 33,000 | 1,000 |
| 1,2,4-Trichlorobenzene | ND | 33,000 | 1,000 |
| Naphthalene | ND | 6,700 | 1,000 |
| 4-Chloroaniline | ND | 33,000 | 940 |
| Hexachlorobutadiene | ND ND | 33,000 | 890 |
| 4-Chloro-3-methylphenol | ND ND | 33,000 | 840 |
| 2-Methylnaphthalene | ND ND | 6,700 | 1,000 |
| | ND ND | 67,000 | 7,500 |
| Hexachlorocyclopentadiene | | | 1,300 |
| 2,4,6-Trichlorophenol | ND | 33,000 | 1,300 |
| 2,4,5-Trichlorophenol | ND | 33,000 | 840 |
| 2-Chloronaphthalene | ND | 33,000 | 900 |
| 2-Nitroaniline | ND | 67,000 | 1,100 |
| Dimethylphthalate | ND | 33,000 | 1,000 |
| Acenaphthylene | ND | 6,700 | 900 |
| 2,6-Dinitrotoluene | ND | 33,000 | 900 |
| 3-Nitroaniline | ND | 67,000 | 4,200 |
| Acenaphthene | ND | 6,700 | 1,000 |
| 2,4-Dinitrophenol | ND | 67,000 | 15,000 |
| 4-Nitrophenol | ND | 67,000 | 7,200 |
| Dibenzofuran | ND | 33,000 | 1,000 |
| 2,4-Dinitrotoluene | ND | 33,000 | 970 |
| Diethylphthalate | ND | 33,000 | 1,100 |
| Fluorene | ND | 6,700 | 990 |
| 4-Chlorophenyl-phenylether | ND | 33,000 | 970 |
| 4-Nitroaniline | ND | 67,000 | 4,200 |
| 4,6-Dinitro-2-methylphenol | ND | 67,000 | 7,700 |
| N-Nitrosodiphenylamine | ND | 33,000 | 1,100 |
| Azobenzene | ND | 33,000 | 860 |
| 4-Bromophenyl-phenylether | ND | 33,000 | 1,100 |
| Hexachlorobenzene | ND | 33,000 | 1,100 |
| Pentachlorophenol | ND | 67,000 | 13,000 |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-------------|-----------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | S-2-(5) | Batch#: | 265189 |
| Lab ID: | 304731-007 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/05/18 |
| Basis: | as received | Analyzed: | 11/13/18 |
| Diln Fac: | 100.0 | _ | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|--------|-------|
| Phenanthrene | ND | 6,700 | 1,100 |
| Anthracene | ND | 6,700 | 1,100 |
| Di-n-butylphthalate | ND | 33,000 | 1,200 |
| Fluoranthene | ND | 6,700 | 1,000 |
| Pyrene | ND | 6,700 | 1,100 |
| Butylbenzylphthalate | ND | 33,000 | 1,000 |
| 3,3'-Dichlorobenzidine | ND | 67,000 | 2,200 |
| Benzo(a)anthracene | ND | 6,700 | 1,000 |
| Chrysene | ND | 6,700 | 1,100 |
| bis(2-Ethylhexyl)phthalate | ND | 33,000 | 1,300 |
| Di-n-octylphthalate | ND | 33,000 | 1,000 |
| Benzo(b)fluoranthene | ND | 6,700 | 900 |
| Benzo(k)fluoranthene | ND | 6,700 | 950 |
| Benzo(a)pyrene | ND | 6,700 | 880 |
| Indeno(1,2,3-cd)pyrene | ND | 6,700 | 890 |
| Dibenz(a,h)anthracene | ND | 6,700 | 940 |
| Benzo(g,h,i)perylene | ND | 6,700 | 1,000 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | DO | 40-127 |
| Phenol-d5 | DO | 43-128 |
| 2,4,6-Tribromophenol | DO | 31-120 |
| Nitrobenzene-d5 | DO | 46-120 |
| 2-Fluorobiphenyl | DO | 40-120 |
| Terphenvl-d14 | DO | 56-120 |



| | Semivolatile Organics by GC/MS | | | |
|-----------|--------------------------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | S-3-(1) | Batch#: | 265189 | |
| Lab ID: | 304731-011 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/05/18 | |
| Basis: | as received | Analyzed: | 11/13/18 | |
| Diln Fac: | 100.0 | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|---------|--------------|
| N-Nitrosodimethylamine | ND | 33,000 | 4,700 |
| Pyridine | ND | 33,000 | 2,200 |
| Phenol | ND ND | 33,000 | 990 |
| bis(2-Chloroethyl)ether | ND ND | 33,000 | 5,900 |
| | | | |
| 2-Chlorophenol | ND ND | 33,000 | 990 5,600 |
| 1,3-Dichlorobenzene | | 33,000 | - , |
| 1,4-Dichlorobenzene | ND | 33,000 | 990 |
| Benzyl alcohol | ND | 33,000 | 1,100 |
| 1,2-Dichlorobenzene | ND | 33,000 | 990 |
| 2-Methylphenol | ND | 33,000 | 1,400 |
| bis(2-Chloroisopropyl) ether | ND | 33,000 | 990 |
| 4-Methylphenol | ND | 33,000 | 990 |
| N-Nitroso-di-n-propylamine | ND | 33,000 | 990 |
| Hexachloroethane | ND | 33,000 | 990 |
| Nitrobenzene | ND | 33,000 | 1,100 |
| Isophorone | ND | 33,000 | 990 |
| 2-Nitrophenol | ND | 66,000 | 990 |
| 2,4-Dimethylphenol | ND | 33,000 | 1,400 |
| Benzoic acid | ND | 170,000 | 43,000 |
| bis(2-Chloroethoxy)methane | ND | 33,000 | 990 |
| 2,4-Dichlorophenol | ND | 33,000 | 990 |
| 1,2,4-Trichlorobenzene | ND | 33,000 | 990 |
| Naphthalene | ND | 6,600 | 990 |
| 4-Chloroaniline | ND | 33,000 | 930 |
| Hexachlorobutadiene | ND | 33,000 | 880 |
| 4-Chloro-3-methylphenol | ND | 33,000 | 830 |
| 2-Methylnaphthalene | ND | 6,600 | 990 |
| Hexachlorocyclopentadiene | ND | 66,000 | 7,500 |
| 2,4,6-Trichlorophenol | ND | 33,000 | 1,300 |
| 2,4,5-Trichlorophenol | ND | 33,000 | 830 |
| 2-Chloronaphthalene | ND | 33,000 | 890 |
| 2-Nitroaniline | ND | 66,000 | 1,100 |
| Dimethylphthalate | ND | 33,000 | 1,000 |
| Acenaphthylene | ND | 6,600 | 890 |
| 2,6-Dinitrotoluene | ND | 33,000 | 890 |
| 3-Nitroaniline | ND ND | 66,000 | 4,200 |
| Acenaphthene | ND ND | 6,600 | 990 |
| 2,4-Dinitrophenol | ND ND | 66,000 | 15,000 |
| | | | |
| 4-Nitrophenol | ND | 66,000 | 7,100 |
| Dibenzofuran | ND | 33,000 | 1,000 |
| 2,4-Dinitrotoluene | ND | 33,000 | 960 |
| Diethylphthalate | ND | 33,000 | 1,100 |
| Fluorene | ND | 6,600 | 980 |
| 4-Chlorophenyl-phenylether | ND | 33,000 | 960 |
| 4-Nitroaniline | ND | 66,000 | 4,200 |
| 4,6-Dinitro-2-methylphenol | ND | 66,000 | 7,600 |
| N-Nitrosodiphenylamine | ND | 33,000 | 1,100 |
| Azobenzene | ND | 33,000 | 850 |
| 4-Bromophenyl-phenylether | ND | 33,000 | 1,000 |
| Hexachlorobenzene | ND | 33,000 | 1,100 |
| Pentachlorophenol | ND | 66,000 | 13,000 |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-----------------------|-----------------------|-----------------------------------|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | S-3-(1) 304731-011 | Batch#: | 265189 10/30/18 |
| Lab ID: Matrix: | Soil | Sampled: Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/05/18 |
| Basis: Diln Fac: | as received 100.0 | Analyzed: | 11/13/18 |

| Analyte | Result | RL | MDL |
|----------------------------|--------|--------|-------|
| Phenanthrene | ND | 6,600 | 1,000 |
| Anthracene | ND | 6,600 | 1,100 |
| Di-n-butylphthalate | ND | 33,000 | 1,200 |
| Fluoranthene | ND | 6,600 | 1,000 |
| Pyrene | ND | 6,600 | 1,100 |
| Butylbenzylphthalate | ND | 33,000 | 1,000 |
| 3,3'-Dichlorobenzidine | ND | 66,000 | 2,200 |
| Benzo(a)anthracene | ND | 6,600 | 1,000 |
| Chrysene | ND | 6,600 | 1,100 |
| bis(2-Ethylhexyl)phthalate | ND | 33,000 | 1,300 |
| Di-n-octylphthalate | ND | 33,000 | 990 |
| Benzo(b)fluoranthene | ND | 6,600 | 890 |
| Benzo(k)fluoranthene | ND | 6,600 | 940 |
| Benzo(a)pyrene | ND | 6,600 | 870 |
| Indeno(1,2,3-cd)pyrene | ND | 6,600 | 880 |
| Dibenz(a,h)anthracene | ND | 6,600 | 930 |
| Benzo(g,h,i)perylene | ND | 6,600 | 1,000 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | DO | 40-127 |
| Phenol-d5 | DO | 43-128 |
| 2,4,6-Tribromophenol | DO | 31-120 |
| Nitrobenzene-d5 | DO | 46-120 |
| 2-Fluorobiphenyl | DO | 40-120 |
| Terphenvl-d14 | DO | 56-120 |

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | S-3-(5) | Batch#: | 265189 | |
| Lab ID: | 304731-012 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/05/18 | |
| Basis: | as received | Analyzed: | 11/13/18 | |
| Diln Fac: | 1.000 | - | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|-----|
| N-Nitrosodimethylamine | ND | 330 | 47 |
| Pyridine | ND | 330 | 22 |
| Phenol | ND | 330 | 10 |
| bis(2-Chloroethyl)ether | ND | 330 | 60 |
| 2-Chlorophenol | ND | 330 | 10 |
| 1,3-Dichlorobenzene | ND | 330 | 57 |
| 1,4-Dichlorobenzene | ND | 330 | 10 |
| Benzyl alcohol | ND | 330 | 11 |
| 1,2-Dichlorobenzene | ND | 330 | 10 |
| 2-Methylphenol | ND ND | 330 | 14 |
| bis(2-Chloroisopropyl) ether | ND | 330 | 10 |
| | | 330 | 10 |
| 4-Methylphenol | ND | | — · |
| N-Nitroso-di-n-propylamine | ND | 330 | 10 |
| Hexachloroethane | ND | 330 | 10 |
| Nitrobenzene | ND | 330 | 11 |
| Isophorone | ND | 330 | 10 |
| 2-Nitrophenol | ND | 670 | 10 |
| 2,4-Dimethylphenol | ND | 330 | 14 |
| Benzoic acid | ND | 1,700 | 440 |
| bis(2-Chloroethoxy)methane | ND | 330 | 10 |
| 2,4-Dichlorophenol | ND | 330 | 10 |
| 1,2,4-Trichlorobenzene | ND | 330 | 10 |
| Naphthalene | ND | 67 | 10 |
| 4-Chloroaniline | ND | 330 | 9.4 |
| Hexachlorobutadiene | ND | 330 | 8.9 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.4 |
| 2-Methylnaphthalene | ND | 67 | 10 |
| Hexachlorocyclopentadiene | ND | 670 | 75 |
| 2,4,6-Trichlorophenol | ND | 330 | 13 |
| 2,4,5-Trichlorophenol | ND | 330 | 8.4 |
| 2-Chloronaphthalene | ND | 330 | 9.0 |
| 2-Nitroaniline | ND | 670 | 11 |
| Dimethylphthalate | ND | 330 | 10 |
| Acenaphthylene | ND | 67 | 9.0 |
| 2,6-Dinitrotoluene | ND | 330 | 9.0 |
| 3-Nitroaniline | ND ND | 670 | 42 |
| | ND | 67 | 10 |
| Acenaphthene | | 670 | 150 |
| 2,4-Dinitrophenol | ND | | |
| 4-Nitrophenol | ND | 670 | 72 |
| Dibenzofuran | ND | 330 | 10 |
| 2,4-Dinitrotoluene | ND | 330 | 9.7 |
| Diethylphthalate | ND | 330 | 11 |
| Fluorene | ND | 67 | 9.9 |
| 4-Chlorophenyl-phenylether | ND | 330 | 9.7 |
| 4-Nitroaniline | ND | 670 | 42 |
| 4,6-Dinitro-2-methylphenol | ND | 670 | 77 |
| N-Nitrosodiphenylamine | ND | 330 | 11 |
| Azobenzene | ND | 330 | 8.6 |
| 4-Bromophenyl-phenylether | ND | 330 | 11 |
| Hexachlorobenzene | ND | 330 | 11 |
| Pentachlorophenol | ND | 670 | 130 |
| Phenanthrene | ND | 67 | 11 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------------------------|------------------------|-----------------------------------|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: Lab ID: | S-3-(5) 304731-012 | Batch#: Sampled: | 265189 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: Basis: Diln Fac: | ug/Kg as received 1.000 | Prepared: Analyzed: | 11/05/18 11/13/18 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Anthracene | ND | 67 | 11 |
| Di-n-butylphthalate | ND | 330 | 12 |
| Fluoranthene | ND | 67 | 10 |
| Pyrene | ND | 67 | 11 |
| Butylbenzylphthalate | ND | 330 | 10 |
| 3,3'-Dichlorobenzidine | ND | 670 | 22 |
| Benzo(a)anthracene | ND | 67 | 10 |
| Chrysene | ND | 67 | 11 |
| bis(2-Ethylhexyl)phthalate | ND | 330 | 13 |
| Di-n-octylphthalate | ND | 330 | 10 |
| Benzo(b)fluoranthene | ND | 67 | 9.0 |
| Benzo(k)fluoranthene | ND | 67 | 9.5 |
| Benzo(a)pyrene | ND | 67 | 8.8 |
| Indeno(1,2,3-cd)pyrene | ND | 67 | 8.9 |
| Dibenz(a,h)anthracene | ND | 67 | 9.4 |
| Benzo(g,h,i)perylene | ND | 67 | 10 |

| Surrogate | %REC | Limits |
|------------------------|------|--------|
| 2-Fluorophenol 5 | 54 | 40-127 |
| Phenol-d5 5 | 56 | 43-128 |
| 2,4,6-Tribromophenol 4 | 14 | 31-120 |
| Nitrobenzene-d5 5 | 50 | 46-120 |
| 2-Fluorobiphenyl 6 | 52 | 40-120 |
| Terphenyl-d14 6 | 56 | 56-120 |



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | S-4-(1) | Batch#: | 265189 | |
| Lab ID: | 304731-016 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/05/18 | |
| Basis: | as received | Analyzed: | 11/13/18 | |
| Diln Fac: | 10.00 | - | | |

| Analyte Result RL MDL N-Nitrosodimethylamine ND 3,300 470 Pyridine ND 3,300 220 Phenol ND 3,300 100 bis(2-Chloroethyl)ether ND 3,300 600 2-Chlorophenol ND 3,300 100 1,3-Dichlorobenzene ND 3,300 570 | |
|---|--|
| Pyridine ND 3,300 220 Phenol ND 3,300 100 bis(2-Chloroethyl)ether ND 3,300 600 2-Chlorophenol ND 3,300 100 | |
| Phenol ND 3,300 100 bis(2-Chloroethyl)ether ND 3,300 600 2-Chlorophenol ND 3,300 100 | |
| bis(2-Chloroethyl)ether ND 3,300 600 2-Chlorophenol ND 3,300 100 | |
| 2-Chlorophenol ND 3,300 100 | |
| | |
| 11,3-Dichioropenzene ND 3,300 570 | |
| | |
| 1,4-Dichlorobenzene ND 3,300 100 | |
| Benzyl alcohol ND 3,300 110 | |
| 1,2-Dichlorobenzene ND 3,300 100 | |
| 2-Methylphenol ND 3,300 140 | |
| bis(2-Chloroisopropyl) ether ND 3,300 100 | |
| 4-Methylphenol ND 3,300 100 | |
| N-Nitroso-di-n-propylamine ND 3,300 100 | |
| Hexachloroethane ND 3,300 100 | |
| Nitrobenzene ND 3,300 110 | |
| Isophorone ND 3,300 100 | |
| 2-Nitrophenol ND 6,700 100 | |
| 2,4-Dimethylphenol ND 3,300 140 | |
| Benzoic acid | |
| bis(2-Chloroethoxy)methane ND 3,300 100 | |
| 2,4-Dichlorophenol ND 3,300 100 | |
| 1,2,4-Trichlorobenzene ND 3,300 100 | |
| Naphthalene ND 670 100 | |
| 4-Chloroaniline ND 3,300 94 | |
| Hexachlorobutadiene ND 3,300 89 | |
| 4-Chloro-3-methylphenol ND 3,300 84 | |
| 2-Methylnaphthalene ND 670 100 | |
| Hexachlorocyclopentadiene ND 6,700 750 | |
| 2,4,6-Trichlorophenol ND 3,300 130 | |
| | |
| 2,4,5-Trichlorophenol ND 3,300 84 2-Chloronaphthalene ND 3,300 90 | |
| | |
| 2-Nitroaniline ND 6,700 110 | |
| Dimethylphthalate ND 3,300 100 | |
| Acenaphthylene ND 670 90 | |
| 2,6-Dinitrotoluene ND 3,300 90 | |
| 3-Nitroaniline ND 6,700 420 | |
| Acenaphthene ND 670 100 | |
| 2,4-Dinitrophenol ND 6,700 1,500 | |
| 4-Nitrophenol ND 6,700 720 | |
| Dibenzofuran ND 3,300 100 | |
| 2,4-Dinitrotoluene ND 3,300 97 | |
| Diethylphthalate ND 3,300 110 | |
| Fluorene ND 670 99 | |
| 4-Chlorophenyl-phenylether ND 3,300 97 | |
| 4-Nitroaniline ND 6,700 420 | |
| 4,6-Dinitro-2-methylphenol ND 6,700 770 | |
| N-Nitrosodiphenylamine ND 3,300 110 | |
| Azobenzene ND 3,300 86 | |
| 4-Bromophenyl-phenylether ND 3,300 110 | |
| Hexachlorobenzene ND 3,300 110 | |
| Pentachlorophenol ND 6,700 1,300 | |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-----------------------|------------------------|-----------------------------------|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: Lab ID: | S-4-(1) 304731-016 | Batch#: Sampled: | 265189 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: Basis: | ug/Kg as received | Prepared: Analyzed: | 11/05/18 11/13/18 | |
| Diln Fac: | 10.00 | Anaryzeu. | 11/13/10 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Phenanthrene | ND | 670 | 110 |
| Anthracene | ND | 670 | 110 |
| Di-n-butylphthalate | ND | 3,300 | 120 |
| Fluoranthene | ND | 670 | 100 |
| Pyrene | ND | 670 | 110 |
| Butylbenzylphthalate | ND | 3,300 | 100 |
| 3,3'-Dichlorobenzidine | ND | 6,700 | 220 |
| Benzo(a)anthracene | ND | 670 | 100 |
| Chrysene | ND | 670 | 110 |
| bis(2-Ethylhexyl)phthalate | ND | 3,300 | 130 |
| Di-n-octylphthalate | ND | 3,300 | 100 |
| Benzo(b)fluoranthene | ND | 670 | 90 |
| Benzo(k)fluoranthene | ND | 670 | 95 |
| Benzo(a)pyrene | ND | 670 | 88 |
| Indeno(1,2,3-cd)pyrene | ND | 670 | 89 |
| Dibenz(a,h)anthracene | ND | 670 | 94 |
| Benzo(g,h,i)perylene | ND | 670 | 100 |

| Surrogate | %REC | Limits | |
|----------------------|------|--------|--|
| 2-Fluorophenol | DO | 40-127 | |
| Phenol-d5 | DO | 43-128 | |
| 2,4,6-Tribromophenol | DO | 31-120 | |
| Nitrobenzene-d5 | DO | 46-120 | |
| 2-Fluorobiphenyl | DO | 40-120 | |
| Terphenyl-d14 | DO | 56-120 | |

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | S-4-(5) | Batch#: | 265189 | |
| Lab ID: | 304731-017 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/05/18 | |
| Basis: | as received | Analyzed: | 11/13/18 | |
| Diln Fac: | 10.00 | - | | |

| AnalyteResultRLN-NitrosodimethylamineND3,300PyridineND3,300 | MDL 470 220 |
|--|-------------------|
| Pyridine ND 3,300 | 220 |
| FYITATHE ND 5,500 | |
| Phenol ND 3,300 | 99 |
| bis(2-Chloroethyl)ether ND 3,300 | 590 |
| | 99 |
| 2-Chlorophenol ND 3,300 | |
| 1,3-Dichlorobenzene ND 3,300 | 560 |
| 1,4-Dichlorobenzene ND 3,300 | 99 |
| Benzyl alcohol ND 3,300 | 110 |
| 1,2-Dichlorobenzene ND 3,300 | 99 |
| 2-Methylphenol ND 3,300 | 140 |
| bis(2-Chloroisopropyl) ether ND 3,300 | 99 |
| 4-Methylphenol ND 3,300 | 99 |
| N-Nitroso-di-n-propylamine ND 3,300 | 99 |
| Hexachloroethane ND 3,300 | 99 |
| Nitrobenzene ND 3,300 | 110 |
| Isophorone ND 3,300 | 99 |
| 2-Nitrophenol ND 6,600 | 99 |
| 2,4-Dimethylphenol ND 3,300 | 140 |
| Benzoic acid ND 17,000 | 4,300 |
| bis(2-Chloroethoxy)methane ND 3,300 | 99 |
| 2,4-Dichlorophenol ND 3,300 | 99 |
| 1,2,4-Trichlorobenzene ND 3,300 | 99 |
| Naphthalene ND 660 | 99 |
| 4-Chloroaniline ND 3,300 | 93 |
| Hexachlorobutadiene ND 3,300 | 88 |
| 4-Chloro-3-methylphenol ND 3,300 | 83 |
| 2-Methylnaphthalene ND 660 | 99 |
| | 740 |
| Hexachlorocyclopentadiene ND 6,600 2,4,6-Trichlorophenol ND 3,300 | 120 |
| | 83 |
| 2,4,5-Trichlorophenol ND 3,300 | 89 |
| 2-Chloronaphthalene ND 3,300 | |
| 2-Nitroaniline ND 6,600 | 110 |
| Dimethylphthalate ND 3,300 | 99 |
| Acenaphthylene ND 660 | 89 |
| 2,6-Dinitrotoluene ND 3,300 | 89 |
| 3-Nitroaniline ND 6,600 | 420 |
| Acenaphthene ND 660 | 99 |
| 2,4-Dinitrophenol ND 6,600 | 1,500 |
| 4-Nitrophenol ND 6,600 | 710 |
| Dibenzofuran ND 3,300 | 100 |
| 2,4-Dinitrotoluene ND 3,300 | 95 |
| Diethylphthalate ND 3,300 | 110 |
| Fluorene ND 660 | 98 |
| 4-Chlorophenyl-phenylether ND 3,300 | 96 |
| 4-Nitroaniline ND 6,600 | 420 |
| 4,6-Dinitro-2-methylphenol ND 6,600 | 760 |
| N-Nitrosodiphenylamine ND 3,300 | 100 |
| Azobenzene ND 3,300 | 85 |
| 4-Bromophenyl-phenylether ND 3,300 | 100 |
| Hexachlorobenzene ND 3,300 | 110 |
| Pentachlorophenol ND 6,600 | 1,300 |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------------------------|------------------------|-----------------------------------|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: Lab ID: | S-4-(5) 304731-017 | Batch#: Sampled: | 265189 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: Basis: Diln Fac: | ug/Kg as received 10.00 | Prepared: Analyzed: | 11/05/18 11/13/18 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Phenanthrene | ND | 660 | 100 |
| Anthracene | ND | 660 | 110 |
| Di-n-butylphthalate | ND | 3,300 | 120 |
| Fluoranthene | ND | 660 | 100 |
| Pyrene | ND | 660 | 110 |
| Butylbenzylphthalate | ND | 3,300 | 99 |
| 3,3'-Dichlorobenzidine | ND | 6,600 | 220 |
| Benzo(a)anthracene | ND | 660 | 100 |
| Chrysene | ND | 660 | 110 |
| bis(2-Ethylhexyl)phthalate | ND | 3,300 | 130 |
| Di-n-octylphthalate | ND | 3,300 | 99 |
| Benzo(b)fluoranthene | ND | 660 | 89 |
| Benzo(k)fluoranthene | ND | 660 | 94 |
| Benzo(a)pyrene | ND | 660 | 87 |
| Indeno(1,2,3-cd)pyrene | ND | 660 | 87 |
| Dibenz(a,h)anthracene | ND | 660 | 92 |
| Benzo(g,h,i)perylene | ND | 660 | 100 |

| Surrogate | %REC | Limits | |
|----------------------|------|--------|--|
| 2-Fluorophenol | DO | 40-127 | |
| Phenol-d5 | DO | 43-128 | |
| 2,4,6-Tribromophenol | DO | 31-120 | |
| Nitrobenzene-d5 | DO | 46-120 | |
| 2-Fluorobiphenyl | DO | 40-120 | |
| Terphenyl-d14 | DO | 56-120 | |

Page 2 of 2



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-------------|-----------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | S-5-(1) | Batch#: | 265189 |
| Lab ID: | 304731-021 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/05/18 |
| Basis: | as received | Analyzed: | 11/16/18 |
| Diln Fac: | 1.000 | - | |

| Analyte | Result | RL | MDL |
|--|----------|-------|-----|
| N-Nitrosodimethylamine | ND | 330 | 42 |
| Pyridine | ND ND | 330 | 22 |
| Phenol | ND ND | 330 | 15 |
| | ND ND | 330 | 22 |
| bis(2-Chloroethyl)ether | | 330 | 14 |
| 2-Chlorophenol | ND | | |
| 1,3-Dichlorobenzene | ND | 330 | 42 |
| 1,4-Dichlorobenzene | ND | 330 | 42 |
| Benzyl alcohol | ND | 330 | 16 |
| 1,2-Dichlorobenzene | ND | 330 | 22 |
| 2-Methylphenol | ND | 330 | 14 |
| bis(2-Chloroisopropyl) ether | ND | 330 | 16 |
| 4-Methylphenol | ND | 330 | 16 |
| N-Nitroso-di-n-propylamine | ND | 330 | 15 |
| Hexachloroethane | ND | 330 | 75 |
| Nitrobenzene | ND | 330 | 22 |
| Isophorone | ND | 330 | 10 |
| 2-Nitrophenol | ND | 660 | 39 |
| 2,4-Dimethylphenol | ND | 330 | 19 |
| Benzoic acid | ND | 1,700 | 380 |
| bis(2-Chloroethoxy)methane | ND | 330 | 10 |
| 2,4-Dichlorophenol | ND | 330 | 9.3 |
| 1,2,4-Trichlorobenzene | ND | 330 | 22 |
| Naphthalene | ND | 66 | 13 |
| 4-Chloroaniline | ND | 330 | 22 |
| Hexachlorobutadiene | ND | 330 | 22 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.6 |
| 2-Methylnaphthalene | ND ND | 66 | 9.9 |
| Hexachlorocyclopentadiene | ND ND | 660 | 76 |
| 2,4,6-Trichlorophenol | ND ND | 330 | 11 |
| | ND ND | 330 | 9.1 |
| 2,4,5-Trichlorophenol 2-Chloronaphthalene | ND ND | 330 | 8.4 |
| | | 660 | 34 |
| 2-Nitroaniline | ND | | |
| Dimethylphthalate | ND | 330 | 8.4 |
| Acenaphthylene | ND | 66 | 8.4 |
| 2,6-Dinitrotoluene | ND | 330 | 34 |
| 3-Nitroaniline | ND | 660 | 42 |
| Acenaphthene | ND | 66 | 8.4 |
| 2,4-Dinitrophenol | ND | 660 | 150 |
| 4-Nitrophenol | ND | 660 | 75 |
| Dibenzofuran | ND | 330 | 8.4 |
| 2,4-Dinitrotoluene | ND | 330 | 8.3 |
| Diethylphthalate | ND | 330 | 8.4 |
| Fluorene | ND | 66 | 8.4 |
| 4-Chlorophenyl-phenylether | ND | 330 | 8.4 |
| 4-Nitroaniline | ND | 660 | 42 |
| 4,6-Dinitro-2-methylphenol | ND | 660 | 42 |
| N-Nitrosodiphenylamine | ND | 330 | 8.4 |
| Azobenzene | ND | 330 | 8.4 |
| 4-Bromophenyl-phenylether | ND | 330 | 8.4 |
| Hexachlorobenzene | ND | 330 | 8.4 |
| Pentachlorophenol | ND | 660 | 100 |

J= Estimated value
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------------------------|------------------------|-----------------------------------|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: Lab ID: | S-5-(1) 304731-021 | Batch#: Sampled: | 265189 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: Basis: Diln Fac: | ug/Kg as received 1.000 | Prepared: Analyzed: | 11/05/18 11/16/18 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Phenanthrene | ND | 66 | 8.4 |
| Anthracene | ND | 66 | 9.0 |
| Di-n-butylphthalate | ND | 330 | 9.5 |
| Fluoranthene | ND | 66 | 9.3 |
| Pyrene | ND | 66 | 8.4 |
| Butylbenzylphthalate | ND | 330 | 9.6 |
| 3,3'-Dichlorobenzidine | ND | 660 | 79 |
| Benzo(a)anthracene | ND | 66 | 8.4 |
| Chrysene | ND | 66 | 8.4 |
| bis(2-Ethylhexyl)phthalate | 9.0 Ј | 330 | 8.5 |
| Di-n-octylphthalate | ND | 330 | 34 |
| Benzo(b)fluoranthene | ND | 66 | 8.4 |
| Benzo(k)fluoranthene | ND | 66 | 8.4 |
| Benzo(a)pyrene | ND | 66 | 8.4 |
| Indeno(1,2,3-cd)pyrene | ND | 66 | 8.4 |
| Dibenz(a,h)anthracene | ND | 66 | 8.4 |
| Benzo(g,h,i)perylene | ND | 66 | 8.4 |

| Surrogate | %REC | Limits | |
|----------------------|------|--------|--|
| 2-Fluorophenol | 43 | 40-127 | |
| Phenol-d5 | 62 | 43-128 | |
| 2,4,6-Tribromophenol | 32 | 31-120 | |
| Nitrobenzene-d5 | 52 | 46-120 | |
| 2-Fluorobiphenyl | 49 | 40-120 | |
| Terphenyl-d14 | 96 | 56-120 | |

Page 2 of 2

J= Estimated value ND= Not Detected at or above MDL

RL= Reporting Limit MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-------------|-----------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | S-5-(5) | Batch#: | 265189 |
| Lab ID: | 304731-022 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/05/18 |
| Basis: | as received | Analyzed: | 11/13/18 |
| Diln Fac: | 1.000 | - | |

| N-Nitrosodimethylamine | Analyte | Result | RL | MDL |
|--|----------------------------|--------|-----|---------------------------------------|
| Pyridine | | | 340 | 47 |
| Phenol | | ND | 340 | 22 |
| bis (2-Chloroethyl)ether | | | 340 | |
| 2-Chlorophenol | | | | |
| 1,3-Dichlorobenzene | | | | |
| 1.4-pichlorobenzene | | | | |
| Benzyl alcohol | | | | |
| 1,2-Dichlorobenzene | | | | |
| 2-Methylphenol ND 340 14 10 | | | | |
| bis(2-Chloroisopropy) ether | | | | |
| 4-Methylphenol | | | | |
| N-Mitroso-di-n-propylamine ND 340 10 Nitrobenzene ND 340 11 Isophorone ND 340 10 2-Nitrophenol ND 670 10 2,4-Dimethylphenol ND 340 14 Benzoic acid ND 340 10 2,4-Dinethylphenol ND 340 10 1,2,4-Trichloroethoxy)methane ND 340 10 1,2,4-Trichlorobenzene ND 340 10 1,2,4-Trichlorobenzene ND 340 340 10 1,2,4-Trichlorobenzene ND 340 340 3.9 4-Chloroaniline ND 340 8.9 4-Chloro-3-methylphenol ND 340 8.9 4-Chloro-3-methylphenol ND 340 8.4 2-Methylnaphthalene ND 67 10 Hexachlorocyclopentadiene ND 67 10 Hexachlorophenol ND 340 8.4 2-Chloronaphthalene ND 340 8.4 2-Chloronaphthalene ND 340 9.0 2,4,6-Trichlorophenol ND 340 9.0 2-Nitroaniline ND 340 9.0 2-Nitroaniline ND 340 9.0 2,6-Dinitrotoluene ND 340 9.0 2,6-Dinitrotoluene ND 340 9.0 3-Nitroaniline ND 670 11 Dimethylphthalate ND 670 42 Acenaphthene ND 670 72 Dibenzofuran ND 340 9.7 A-Nitrosodiphenyl-phenylether ND 340 9.7 4-Chloroaphenyl-phenylether ND 340 9.7 4-Chlorophenyl-phenylether ND 340 10 A-Chaphylphenol ND 340 11 Rexachlorobenzene ND 340 11 Rexachlorobenzene ND 340 11 Hexachlorobenzene ND 340 11 1 | | | | |
| Hexachloroethane | | | | — - |
| Nitrobenzene | | | | |
| Isophorone | | | | |
| 2-Mitrophenol | | | | |
| 2.4-Dimethylphenol ND 340 14 | | | | |
| Benzoic acid | | | | — - |
| bis(2-Chloroethoxy)methane | | | | |
| 2,4-Dichlorophenol ND 340 10 1,2,4-Trichlorobenzene ND 340 10 Naphthalene ND 67 10 4-Chloroaniline ND 340 9.5 Hexachlorobutadiene ND 340 8.9 4-Chloro-3-methylphenol ND 340 8.4 2-Methylnaphthalene ND 670 75 2,4,6-Trichlorophenol ND 340 13 2,4,5-Trichlorophenol ND 340 340 8.4 2-Chloronaphthalene ND 340 340 33 2,4,5-Trichlorophenol ND 340 340 340 2,4,5-Trichlorophenol ND 340 9.0 2,4-Trichlorophenol ND 340 9.0 2-Nitroaniline ND 670 11 Dimethylphthalate ND 670 11 Dimethylphthalate ND 67 9.0 3,6-Dinitrotoluene ND 340 9.0 3-Nitroaniline ND 670 42 Acenaphthene ND 670 42 Acenaphthene ND 670 150 4-Nitrophenol ND 670 72 Dibenzofuran ND 670 72 Dibenzofuran ND 340 9.7 Diethylphthalate ND 340 9.7 A-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenyl-phenylether ND 340 340 4,8-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenyl-phenylether ND 340 340 4-Bromophenyl-phenylether ND 340 340 4-Bromo | | | | |
| 1/2/4-Trichlorobenzene | bis(2-Chloroethoxy)methane | ND | | |
| Naphthalene | 2,4-Dichlorophenol | ND | 340 | |
| 4-Chloroaniline | 1,2,4-Trichlorobenzene | ND | 340 | 10 |
| Hexachlorobutadiene | Naphthalene | ND | 67 | 10 |
| Hexachlorobutadiene | 4-Chloroaniline | ND | 340 | 9.5 |
| 4-Chloro-3-methylphenol ND 340 8.4 2-Methylnaphthalene ND 67 10 Hexachlorocyclopentadiene ND 670 75 2,4,6-Trichlorophenol ND 340 13 2,4,5-Trichlorophenol ND 340 8.4 2-Chloronaphthalene ND 340 9.0 2-Nitroaniline ND 670 11 Dimethylphthalate ND 67 9.0 Acenaphthylene ND 340 9.0 3-Nitroaniline ND 67 9.0 3-Nitroaniline ND 670 42 Acenaphthene ND 670 42 Acenaphthene ND 670 150 4-Nitrophenol ND 670 150 4-Nitrophenol ND 340 10 2,4-Dinitrophenol ND 340 9.7 Diethylphthalate ND 340 9.7 Fluorene ND 340 9.7 4-Chlorophenyl-phenylether ND 67 9.9 <td></td> <td>ND</td> <td>340</td> <td>8.9</td> | | ND | 340 | 8.9 |
| 2-Methylnaphthalene | 4-Chloro-3-methylphenol | | | |
| HexachÎorocyclopentadiene | | | | |
| 2,4,6-Trichlorophenol | | | | |
| 2,4,5-Trichlorophenol ND 340 8.4 2-Chloronaphthalene ND 340 9.0 2-Nitroaniline ND 670 11 Dimethylphthalate ND 340 10 Acenaphthylene ND 67 9.0 2,6-Dinitrotoluene ND 340 9.0 3-Nitroaniline ND 670 42 Acenaphthene ND 67 10 2,4-Dinitrophenol ND 670 150 4-Nitrophenol ND 670 72 Dibenzofuran ND 340 9.7 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 9.7 Diethylphthalate ND 340 9.7 4-Chlorophenyl-phenylether ND 340 9.7 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 77 N-Nitrosodiphenylamine ND 670 77 N-Nitrosodiphenylamine ND 340 8. | 2 4 6-Trichlorophenol | | | |
| 2-Chloronaphthalene ND 340 9.0 2-Nitroaniline ND 670 11 Dimethylphthalate ND 340 10 Acenaphthylene ND 67 9.0 2,6-Dinitrotoluene ND 340 9.0 3-Nitroaniline ND 670 42 Acenaphthene ND 67 10 2,4-Dinitrophenol ND 670 150 4-Nitrophenol ND 670 72 Dibenzofuran ND 340 10 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 9.7 Fluorene ND 340 9.7 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8. | 2 4 5-Trichlorophenol | | | |
| 2-Nitroaniline ND 670 11 Dimethylphthalate ND 340 10 Acenaphthylene ND 67 9.0 2,6-Dinitrotoluene ND 340 9.0 3-Nitroaniline ND 670 42 Acenaphthene ND 670 42 Acenaphthene ND 670 150 4-Nitrophenol ND 670 72 Dibenzofuran ND 340 10 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 9.7 Diethylphthalate ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 | | | | |
| Dimethylphthalate ND 340 10 Acenaphthylene ND 67 9.0 2,6-Dinitrotoluene ND 340 9.0 3-Nitroaniline ND 670 42 Acenaphthene ND 67 10 2,4-Dinitrophenol ND 670 150 4-Nitrophenol ND 670 72 Dibenzofuran ND 340 10 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 9.7 Diethylphthalate ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 42 4,6-Dinitro-2-methylphenol ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Pentachlorobenzene ND 34 | | | | |
| Acenaphthylene ND 67 9.0 2,6-Dinitrotoluene ND 340 9.0 3-Nitroaniline ND 670 42 Acenaphthene ND 67 10 2,4-Dinitrophenol ND 670 150 4-Nitrophenol ND 670 72 Dibenzofuran ND 340 10 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 9.7 Diethylphthalate ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 42 4,6-Dinitro-2-methylphenol ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| 2,6-Dinitrotoluene ND 340 9.0 3-Nitroaniline ND 670 42 Acenaphthene ND 67 10 2,4-Dinitrophenol ND 670 150 4-Nitrophenol ND 670 72 Dibenzofuran ND 340 10 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 9.7 Pluorene ND 67 9.9 4-Chlorophenyl-phenylether ND 670 42 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| 3-Nitroaniline | | | | |
| Acenaphthene ND 67 10 2,4-Dinitrophenol ND 670 150 4-Nitrophenol ND 670 72 Dibenzofuran ND 340 10 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 9.7 Diethylphthalate ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| 2,4-Dinitrophenol ND 670 150 4-Nitrophenol ND 670 72 Dibenzofuran ND 340 10 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 9.7 Diethylphthalate ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| 4-Nitrophenol ND 670 72 Dibenzofuran ND 340 10 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 9.7 Diethylphthalate ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| Dibenzofuran ND 340 10 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 11 Fluorene ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| 2,4-Dinitrotoluene ND 340 9.7 Diethylphthalate ND 340 11 Fluorene ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | · · · · · · · · · · · · · · · · · · · |
| Diethylphthalate ND 340 11 Fluorene ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| Fluorene ND 67 9.9 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| 4-Chlorophenyl-phenylether ND 340 9.7 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| 4-Nitroaniline ND 670 42 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| 4,6-Dinitro-2-methylphenol ND 670 77 N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| N-Nitrosodiphenylamine ND 340 11 Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| Azobenzene ND 340 8.6 4-Bromophenyl-phenylether ND 340 11 Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | 4,6-Dinitro-2-methylphenol | ND | | |
| 4-Bromophenyl-phenyletherND34011HexachlorobenzeneND34011PentachlorophenolND670130 | N-Nitrosodiphenylamine | ND | 340 | 11 |
| 4-Bromophenyl-phenyletherND34011HexachlorobenzeneND34011PentachlorophenolND670130 | | ND | 340 | 8.6 |
| Hexachlorobenzene ND 340 11 Pentachlorophenol ND 670 130 | | | | |
| Pentachlorophenol ND 670 130 | | | | |
| | | | | |
| Phenanthrene ND 67 11 | | | | |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-----------------------|---------------------|-----------------------------------|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: Lab ID: | S-5-(5) 304731-022 | Batch#: Sampled: | 265189 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/05/18 |
| Basis: Diln Fac: | as received 1.000 | Analyzed: | 11/13/18 |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Anthracene | ND | 67 | 11 |
| Di-n-butylphthalate | ND | 340 | 12 |
| Fluoranthene | ND | 67 | 10 |
| Pyrene | ND | 67 | 11 |
| Butylbenzylphthalate | ND | 340 | 10 |
| 3,3'-Dichlorobenzidine | ND | 670 | 22 |
| Benzo(a)anthracene | ND | 67 | 10 |
| Chrysene | ND | 67 | 11 |
| bis(2-Ethylhexyl)phthalate | ND | 340 | 13 |
| Di-n-octylphthalate | ND | 340 | 10 |
| Benzo(b)fluoranthene | ND | 67 | 9.0 |
| Benzo(k)fluoranthene | ND | 67 | 9.6 |
| Benzo(a)pyrene | ND | 67 | 8.8 |
| Indeno(1,2,3-cd)pyrene | ND | 67 | 8.9 |
| Dibenz(a,h)anthracene | ND | 67 | 9.4 |
| Benzo(g,h,i)perylene | ND | 67 | 10 |

| Surrogate %REC | Limits |
|-------------------------|--------|
| 2-Fluorophenol 64 | 40-127 |
| Phenol-d5 66 | 43-128 |
| 2,4,6-Tribromophenol 60 | 31-120 |
| Nitrobenzene-d5 57 | 46-120 |
| 2-Fluorobiphenyl 66 | 40-120 |
| Terphenyl-d14 75 | 56-120 |



| | Semivo | platile Organics by GO | C/MS |
|-----------|-------------|------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | S-6-(1) | Batch#: | 265278 |
| Lab ID: | 304731-026 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/07/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 25.00 | - | |

| Analyte | Result | RL | MDL |
|------------------------------|-----------|--------|--------|
| | ND Result | 8,300 | |
| N-Nitrosodimethylamine | | | 1,200 |
| Pyridine | ND | 8,300 | 550 |
| Phenol | ND | 8,300 | 250 |
| bis(2-Chloroethyl)ether | ND | 8,300 | 1,500 |
| 2-Chlorophenol | ND | 8,300 | 250 |
| 1,3-Dichlorobenzene | ND | 8,300 | 1,400 |
| 1,4-Dichlorobenzene | ND | 8,300 | 250 |
| Benzyl alcohol | ND | 8,300 | 270 |
| 1,2-Dichlorobenzene | ND | 8,300 | 250 |
| 2-Methylphenol | ND | 8,300 | 340 |
| bis(2-Chloroisopropyl) ether | ND | 8,300 | 250 |
| 4-Methylphenol | ND | 8,300 | 250 |
| N-Nitroso-di-n-propylamine | ND | 8,300 | 250 |
| Hexachloroethane | ND | 8,300 | 250 |
| Nitrobenzene | ND | 8,300 | 270 |
| Isophorone | ND | 8,300 | 250 |
| 2-Nitrophenol | ND | 17,000 | 250 |
| 2,4-Dimethylphenol | ND | 8,300 | 350 |
| Benzoic acid | ND | 41,000 | 11,000 |
| bis(2-Chloroethoxy)methane | ND | 8,300 | 250 |
| 2,4-Dichlorophenol | ND | 8,300 | 250 |
| 1,2,4-Trichlorobenzene | ND | 8,300 | 250 |
| Naphthalene | ND ND | 1,700 | 250 |
| ■ • | | | |
| 4-Chloroaniline | ND | 8,300 | 230 |
| Hexachlorobutadiene | ND | 8,300 | 220 |
| 4-Chloro-3-methylphenol | ND | 8,300 | 210 |
| 2-Methylnaphthalene | ND | 1,700 | 250 |
| Hexachlorocyclopentadiene | ND | 17,000 | 1,900 |
| 2,4,6-Trichlorophenol | ND | 8,300 | 310 |
| 2,4,5-Trichlorophenol | ND | 8,300 | 210 |
| 2-Chloronaphthalene | ND | 8,300 | 220 |
| 2-Nitroaniline | ND | 17,000 | 270 |
| Dimethylphthalate | ND | 8,300 | 250 |
| Acenaphthylene | ND | 1,700 | 220 |
| 2,6-Dinitrotoluene | ND | 8,300 | 220 |
| 3-Nitroaniline | ND | 17,000 | 1,000 |
| Acenaphthene | ND | 1,700 | 250 |
| 2,4-Dinitrophenol | ND | 17,000 | 3,700 |
| 4-Nitrophenol | ND | 17,000 | 1,800 |
| Dibenzofuran | ND | 8,300 | 260 |
| 2,4-Dinitrotoluene | ND | 8,300 | 240 |
| Diethylphthalate | ND | 8,300 | 280 |
| Fluorene | ND | 1,700 | 250 |
| 4-Chlorophenyl-phenylether | ND | 8,300 | 240 |
| 4-Nitroaniline | ND | 17,000 | 1,000 |
| 4,6-Dinitro-2-methylphenol | ND | 17,000 | 1,900 |
| N-Nitrosodiphenylamine | ND ND | 8,300 | 260 |
| Azobenzene | ND ND | 8,300 | 210 |
| 4-Bromophenyl-phenylether | ND ND | | 260 |
| Hexachlorobenzene | ND ND | 8,300 | 270 |
| | | 8,300 | |
| Pentachlorophenol | ND | 17,000 | 3,200 |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| | Semivolatile O | rganics by GC/ | MS |
|----------------------|-----------------------|---------------------|-----------------------------------|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: Lab ID: | S-6-(1) 304731-026 | Batch#: Sampled: | 265278 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/07/18 |
| Basis: Diln Fac: | as received 25.00 | Analyzed: | 11/14/18 |

| Analyte | Result | RL | MDL |
|----------------------------|--------|--------|-----|
| Phenanthrene | ND | 1,700 | 260 |
| Anthracene | ND | 1,700 | 280 |
| Di-n-butylphthalate | ND | 8,300 | 300 |
| Fluoranthene | ND | 1,700 | 260 |
| Pyrene | ND | 1,700 | 270 |
| Butylbenzylphthalate | ND | 8,300 | 250 |
| 3,3'-Dichlorobenzidine | ND | 17,000 | 550 |
| Benzo(a)anthracene | ND | 1,700 | 250 |
| Chrysene | ND | 1,700 | 280 |
| bis(2-Ethylhexyl)phthalate | ND | 8,300 | 330 |
| Di-n-octylphthalate | ND | 8,300 | 250 |
| Benzo(b)fluoranthene | ND | 1,700 | 220 |
| Benzo(k)fluoranthene | ND | 1,700 | 240 |
| Benzo(a)pyrene | ND | 1,700 | 220 |
| Indeno(1,2,3-cd)pyrene | ND | 1,700 | 220 |
| Dibenz(a,h)anthracene | ND | 1,700 | 230 |
| Benzo(g,h,i)perylene | ND | 1,700 | 250 |

| Surrogate | %REC | Limits | |
|----------------------|------|--------|--|
| 2-Fluorophenol | DO | 40-127 | |
| Phenol-d5 | DO | 43-128 | |
| 2,4,6-Tribromophenol | DO | 31-120 | |
| Nitrobenzene-d5 | DO | 46-120 | |
| 2-Fluorobiphenyl | DO | 40-120 | |
| Terphenyl-d14 | DO | 56-120 | |

Page 2 of 2



| | Semivo | platile Organics by GO | C/MS |
|-----------|-------------|------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | S-6-(5) | Batch#: | 265278 |
| Lab ID: | 304731-027 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/07/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 2.000 | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|-----|
| N-Nitrosodimethylamine | ND | 670 | 94 |
| Pyridine | ND | 670 | 44 |
| Phenol | ND | 670 | 20 |
| bis(2-Chloroethyl)ether | ND | 670 | 120 |
| 2-Chlorophenol | ND | 670 | 20 |
| 1,3-Dichlorobenzene | ND | 670 | 110 |
| 1,4-Dichlorobenzene | ND | 670 | 20 |
| Benzyl alcohol | ND | 670 | 22 |
| 1,2-Dichlorobenzene | ND ND | 670 | 20 |
| 2-Methylphenol | ND ND | 670 | 27 |
| | ND ND | 670 | 20 |
| bis(2-Chloroisopropyl) ether | | 670 | 20 |
| 4-Methylphenol | ND | | |
| N-Nitroso-di-n-propylamine | ND | 670 | 20 |
| Hexachloroethane | ND | 670 | 20 |
| Nitrobenzene | ND | 670 | 22 |
| Isophorone | ND | 670 | 20 |
| 2-Nitrophenol | ND | 1,300 | 20 |
| 2,4-Dimethylphenol | ND | 670 | 28 |
| Benzoic acid | ND | 3,300 | 870 |
| bis(2-Chloroethoxy)methane | ND | 670 | 20 |
| 2,4-Dichlorophenol | ND | 670 | 20 |
| 1,2,4-Trichlorobenzene | ND | 670 | 20 |
| Naphthalene | ND | 130 | 20 |
| 4-Chloroaniline | ND | 670 | 19 |
| Hexachlorobutadiene | ND | 670 | 18 |
| 4-Chloro-3-methylphenol | ND | 670 | 17 |
| 2-Methylnaphthalene | ND | 130 | 20 |
| Hexachlorocyclopentadiene | ND | 1,300 | 150 |
| 2,4,6-Trichlorophenol | ND | 670 | 25 |
| 2,4,5-Trichlorophenol | ND | 670 | 17 |
| 2-Chloronaphthalene | ND | 670 | 18 |
| 2-Nitroaniline | ND | 1,300 | 22 |
| Dimethylphthalate | ND | 670 | 20 |
| Acenaphthylene | ND | 130 | 18 |
| 2,6-Dinitrotoluene | ND ND | 670 | 18 |
| 3-Nitroaniline | ND ND | 1,300 | 84 |
| Acenaphthene | ND ND | 130 | 20 |
| 2,4-Dinitrophenol | ND ND | 1,300 | 300 |
| | ND ND | 1,300 | 140 |
| 4-Nitrophenol | | 670 | 21 |
| Dibenzofuran | ND | | |
| 2,4-Dinitrotoluene | ND | 670 | 19 |
| Diethylphthalate | ND | 670 | 23 |
| Fluorene | ND | 130 | 20 |
| 4-Chlorophenyl-phenylether | ND | 670 | 19 |
| 4-Nitroaniline | ND | 1,300 | 84 |
| 4,6-Dinitro-2-methylphenol | ND | 1,300 | 150 |
| N-Nitrosodiphenylamine | ND | 670 | 21 |
| Azobenzene | ND | 670 | 17 |
| 4-Bromophenyl-phenylether | ND | 670 | 21 |
| Hexachlorobenzene | ND | 670 | 21 |
| Pentachlorophenol | ND | 1,300 | 260 |
| Phenanthrene | ND | 130 | 21 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| | Semivo | latile Organics by G | C/MS |
|-----------|-------------|----------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | S-6-(5) | Batch#: | 265278 |
| Lab ID: | 304731-027 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/07/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 2.000 | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Anthracene | ND | 130 | 23 |
| Di-n-butylphthalate | ND | 670 | 24 |
| Fluoranthene | ND | 130 | 21 |
| Pyrene | ND | 130 | 22 |
| Butylbenzylphthalate | ND | 670 | 20 |
| 3,3'-Dichlorobenzidine | ND | 1,300 | 44 |
| Benzo(a)anthracene | ND | 130 | 20 |
| Chrysene | ND | 130 | 23 |
| bis(2-Ethylhexyl)phthalate | ND | 670 | 26 |
| Di-n-octylphthalate | ND | 670 | 20 |
| Benzo(b)fluoranthene | ND | 130 | 18 |
| Benzo(k)fluoranthene | ND | 130 | 19 |
| Benzo(a)pyrene | ND | 130 | 18 |
| Indeno(1,2,3-cd)pyrene | ND | 130 | 18 |
| Dibenz(a,h)anthracene | ND | 130 | 19 |
| Benzo(g,h,i)perylene | ND | 130 | 20 |

| Surrogate | %REC | Limits |
|------------------------|------|--------|
| 2-Fluorophenol 5 | 54 | 40-127 |
| Phenol-d5 6 | 60 | 43-128 |
| 2,4,6-Tribromophenol 5 | 53 | 31-120 |
| Nitrobenzene-d5 4 | 48 | 46-120 |
| 2-Fluorobiphenyl 5 | 59 | 40-120 |
| Terphenyl-d14 8 | 83 | 56-120 |



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | S-7-(2) | Batch#: | 265278 | | |
| Lab ID: | 304731-033 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/15/18 | | |
| Diln Fac: | 5.000 | | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|-------|
| N-Nitrosodimethylamine | ND | 1,700 | 240 |
| Pyridine | ND | 1,700 | 110 |
| Phenol | ND | 1,700 | 50 |
| bis(2-Chloroethyl)ether | ND ND | 1,700 | 300 |
| 2-Chlorophenol | ND | 1,700 | 50 |
| 1,3-Dichlorobenzene | ND ND | 1,700 | 290 |
| 1,4-Dichlorobenzene | ND ND | 1,700 | 50 |
| Benzyl alcohol | ND ND | 1,700 | 55 |
| 1,2-Dichlorobenzene | ND ND | | 50 |
| · · | | 1,700 | 69 |
| 2-Methylphenol | ND | 1,700 | 50 |
| bis(2-Chloroisopropyl) ether | ND | 1,700 | |
| 4-Methylphenol | ND | 1,700 | 50 |
| N-Nitroso-di-n-propylamine | ND | 1,700 | 50 |
| Hexachloroethane | ND | 1,700 | 50 |
| Nitrobenzene | ND | 1,700 | 55 |
| Isophorone | ND | 1,700 | 50 |
| 2-Nitrophenol | ND | 3,400 | 50 |
| 2,4-Dimethylphenol | ND | 1,700 | 70 |
| Benzoic acid | ND | 8,400 | 2,200 |
| bis(2-Chloroethoxy)methane | ND | 1,700 | 50 |
| 2,4-Dichlorophenol | ND | 1,700 | 50 |
| 1,2,4-Trichlorobenzene | ND | 1,700 | 50 |
| Naphthalene | 150 J | 340 | 50 |
| 4-Chloroaniline | ND | 1,700 | 47 |
| Hexachlorobutadiene | ND | 1,700 | 45 |
| 4-Chloro-3-methylphenol | ND | 1,700 | 42 |
| 2-Methylnaphthalene | 590 | 340 | 50 |
| Hexachlorocyclopentadiene | ND | 3,400 | 380 |
| 2,4,6-Trichlorophenol | ND | 1,700 | 63 |
| 2,4,5-Trichlorophenol | ND | 1,700 | 42 |
| 2-Chloronaphthalene | ND | 1,700 | 45 |
| 2-Nitroaniline | ND | 3,400 | 54 |
| Dimethylphthalate | ND | 1,700 | 50 |
| Acenaphthylene | ND | 340 | 45 |
| 2,6-Dinitrotoluene | ND | 1,700 | 45 |
| 3-Nitroaniline | ND | 3,400 | 210 |
| Acenaphthene | ND | 340 | 50 |
| 2,4-Dinitrophenol | ND | 3,400 | 760 |
| 4-Nitrophenol | ND | 3,400 | 360 |
| Dibenzofuran | ND | 1,700 | 52 |
| 2,4-Dinitrotoluene | ND | 1,700 | 48 |
| Diethylphthalate | ND | 1,700 | 57 |
| Fluorene | ND | 340 | 50 |
| 4-Chlorophenyl-phenylether | ND | 1,700 | 49 |
| 4-Nitroaniline | ND | 3,400 | 210 |
| 4,6-Dinitro-2-methylphenol | ND ND | 3,400 | 390 |
| N-Nitrosodiphenylamine | ND | 1,700 | 53 |
| Azobenzene | ND ND | 1,700 | 43 |
| 4-Bromophenyl-phenylether | ND ND | 1,700 | 53 |
| Hexachlorobenzene | ND ND | 1,700 | 54 |
| Pentachlorophenol | ND ND | 3,400 | 640 |
| remeachiorophenor | מא | 3,400 | 040 |

J= Estimated value
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | S-7-(2) | Batch#: | 265278 | | |
| Lab ID: | 304731-033 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | uq/Kq | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/15/18 | | |
| Diln Fac: | 5.000 | | | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Phenanthrene | ND | 340 | 53 |
| Anthracene | ND | 340 | 57 |
| Di-n-butylphthalate | ND | 1,700 | 61 |
| Fluoranthene | ND | 340 | 52 |
| Pyrene | ND | 340 | 55 |
| Butylbenzylphthalate | ND | 1,700 | 51 |
| 3,3'-Dichlorobenzidine | ND | 3,400 | 110 |
| Benzo(a)anthracene | ND | 340 | 52 |
| Chrysene | ND | 340 | 57 |
| bis(2-Ethylhexyl)phthalate | ND | 1,700 | 66 |
| Di-n-octylphthalate | ND | 1,700 | 50 |
| Benzo(b)fluoranthene | ND | 340 | 45 |
| Benzo(k)fluoranthene | ND | 340 | 48 |
| Benzo(a)pyrene | ND | 340 | 44 |
| Indeno(1,2,3-cd)pyrene | ND | 340 | 44 |
| Dibenz(a,h)anthracene | ND | 340 | 47 |
| Benzo(g,h,i)perylene | ND | 340 | 51 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 58 | 40-127 |
| Phenol-d5 | 59 | 43-128 |
| 2,4,6-Tribromophenol | 37 | 31-120 |
| Nitrobenzene-d5 | 63 | 46-120 |
| 2-Fluorobiphenyl | 69 | 40-120 |
| Terphenyl-d14 | 75 | 56-120 |

Page 2 of 2

J= Estimated value ND= Not Detected at or above MDL

RL= Reporting Limit MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | S-7-(5) | Batch#: | 265278 | |
| Lab ID: | 304731-034 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/16/18 | |
| Diln Fac: | 1.000 | - | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|----------|
| N-Nitrosodimethylamine | ND | 330 | 42 |
| Pyridine | ND | 330 | 22 |
| Phenol | ND | 330 | 15 |
| bis(2-Chloroethyl)ether | ND | 330 | 22 |
| 2-Chlorophenol | ND ND | 330 | 14 |
| 1,3-Dichlorobenzene | ND | 330 | 42 |
| 1,4-Dichlorobenzene | ND ND | 330 | 42 |
| Benzyl alcohol | ND ND | 330 | 16 |
| 1,2-Dichlorobenzene | ND | 330 | 22 |
| 2-Methylphenol | ND | 330 | 14 |
| bis(2-Chloroisopropyl) ether | ND ND | 330 | 16 |
| 1 Mother Inhone | | 330 | 16 |
| 4-Methylphenol | ND | | 15 |
| N-Nitroso-di-n-propylamine | ND | 330 | 15 74 |
| Hexachloroethane | ND | 330 | |
| Nitrobenzene | ND | 330 | 22 |
| Isophorone | ND | 330 | 10 |
| 2-Nitrophenol | ND | 660 | 39 |
| 2,4-Dimethylphenol | ND | 330 | 18 |
| Benzoic acid | ND | 1,700 | 380 |
| bis(2-Chloroethoxy)methane | ND | 330 | 10 |
| 2,4-Dichlorophenol | ND | 330 | 9.3 |
| 1,2,4-Trichlorobenzene | ND | 330 | 22 |
| Naphthalene | ND | 66 | 13 |
| 4-Chloroaniline | ND | 330 | 22 |
| Hexachlorobutadiene | ND | 330 | 22 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.6 |
| 2-Methylnaphthalene | ND | 66 | 9.9 |
| Hexachlorocyclopentadiene | ND | 660 | 75 |
| 2,4,6-Trichlorophenol | ND | 330 | 11 |
| 2,4,5-Trichlorophenol | ND | 330 | 9.1 |
| 2-Chloronaphthalene | ND | 330 | 8.3 |
| 2-Nitroaniline | ND | 660 | 34 |
| Dimethylphthalate | ND | 330 | 8.3 |
| Acenaphthylene | ND | 66 | 8.3 |
| 2,6-Dinitrotoluene | ND | 330 | 33 |
| 3-Nitroaniline | ND | 660 | 42 |
| Acenaphthene | ND | 66 | 8.3 |
| 2,4-Dinitrophenol | ND | 660 | 150 |
| 4-Nitrophenol | ND | 660 | 74 |
| Dibenzofuran | ND | 330 | 8.3 |
| 2,4-Dinitrotoluene | ND | 330 | 8.3 |
| Diethylphthalate | ND | 330 | 8.3 |
| Fluorene | ND | 66 | 8.3 |
| 4-Chlorophenyl-phenylether | ND | 330 | 8.4 |
| 4-Nitroaniline | ND | 660 | 42 |
| 4,6-Dinitro-2-methylphenol | ND | 660 | 42 |
| N-Nitrosodiphenylamine | ND | 330 | 8.3 |
| Azobenzene | ND ND | 330 | 8.3 |
| 4-Bromophenyl-phenylether | ND ND | 330 | 8.3 |
| Hexachlorobenzene | ND ND | 330 | 8.3 |
| HEYOCHTOT ODGUZGUG | מא | 330 | 0.3 |

^{*=} Value outside of QC limits; see narrative

J= Estimated value

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-----------------------|---------------------|-----------------------------------|--|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: Lab ID: | S-7-(5) 304731-034 | Batch#: Sampled: | 265278 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/07/18 | | |
| Basis: Diln Fac: | as received 1.000 | Analyzed: | 11/16/18 | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Pentachlorophenol | ND | 660 | 100 |
| Phenanthrene | ND | 66 | 8.3 |
| Anthracene | ND | 66 | 8.9 |
| Di-n-butylphthalate | 12 J | 330 | 9.5 |
| Fluoranthene | ND | 66 | 9.3 |
| Pyrene | ND | 66 | 8.3 |
| Butylbenzylphthalate | ND | 330 | 9.5 |
| 3,3'-Dichlorobenzidine | ND | 660 | 79 |
| Benzo(a)anthracene | ND | 66 | 8.3 |
| Chrysene | ND | 66 | 8.3 |
| bis(2-Ethylhexyl)phthalate | ND | 330 | 8.5 |
| Di-n-octylphthalate | ND | 330 | 34 |
| Benzo(b)fluoranthene | ND | 66 | 8.3 |
| Benzo(k)fluoranthene | ND | 66 | 8.3 |
| Benzo(a)pyrene | ND | 66 | 8.3 |
| Indeno(1,2,3-cd)pyrene | ND | 66 | 8.3 |
| Dibenz(a,h)anthracene | ND | 66 | 8.3 |
| Benzo(g,h,i)perylene | ND | 66 | 8.3 |

| Surrogate %F | REC | Limits |
|-------------------------|-----|--------|
| 2-Fluorophenol 41 | | 40-127 |
| Phenol-d5 61 | | 43-128 |
| 2,4,6-Tribromophenol 36 | | 31-120 |
| Nitrobenzene-d5 49 | | 46-120 |
| 2-Fluorobiphenyl 38 | * | 40-120 |
| Terphenyl-d14 90 | | 56-120 |

Page 2 of 2

^{*=} Value outside of QC limits; see narrative

J= Estimated value
ND= Not Detected at or above MDL

RL= Reporting Limit MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | S-8-(1) | Batch#: | 265278 | | |
| Lab ID: | 304731-038 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/09/18 | | |
| Diln Fac: | 100.0 | <u>-</u> | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|---------|--------|
| N-Nitrosodimethylamine | ND | 33,000 | 4,700 |
| Pyridine | ND ND | 33,000 | 2,200 |
| | | | |
| Phenol | ND | 33,000 | 990 |
| bis(2-Chloroethyl)ether | ND | 33,000 | 5,900 |
| 2-Chlorophenol | ND | 33,000 | 990 |
| 1,3-Dichlorobenzene | ND | 33,000 | 5,600 |
| 1,4-Dichlorobenzene | ND | 33,000 | 990 |
| Benzyl alcohol | ND | 33,000 | 1,100 |
| 1,2-Dichlorobenzene | ND | 33,000 | 990 |
| 2-Methylphenol | ND | 33,000 | 1,400 |
| bis(2-Chloroisopropyl) ether | ND | 33,000 | 990 |
| 4-Methylphenol | ND | 33,000 | 990 |
| N-Nitroso-di-n-propylamine | ND | 33,000 | 990 |
| Hexachloroethane | ND | 33,000 | 990 |
| Nitrobenzene | ND | 33,000 | 1,100 |
| Isophorone | ND | 33,000 | 990 |
| 2-Nitrophenol | ND | 66,000 | 990 |
| 2,4-Dimethylphenol | ND | 33,000 | 1,400 |
| Benzoic acid | ND | 170,000 | 43,000 |
| bis(2-Chloroethoxy)methane | ND | 33,000 | 990 |
| 2,4-Dichlorophenol | ND | 33,000 | 990 |
| 1,2,4-Trichlorobenzene | ND | 33,000 | 990 |
| Naphthalene | ND | 6,600 | 990 |
| 4-Chloroaniline | ND | 33,000 | 930 |
| Hexachlorobutadiene | ND | 33,000 | 880 |
| 4-Chloro-3-methylphenol | ND | 33,000 | 830 |
| 2-Methylnaphthalene | ND ND | 6,600 | 990 |
| | | • | |
| Hexachlorocyclopentadiene | ND | 66,000 | 7,400 |
| 2,4,6-Trichlorophenol | ND | 33,000 | 1,200 |
| 2,4,5-Trichlorophenol | ND | 33,000 | 830 |
| 2-Chloronaphthalene | ND | 33,000 | 890 |
| 2-Nitroaniline | ND | 66,000 | 1,100 |
| Dimethylphthalate | ND | 33,000 | 990 |
| Acenaphthylene | ND | 6,600 | 890 |
| 2,6-Dinitrotoluene | ND | 33,000 | 890 |
| 3-Nitroaniline | ND | 66,000 | 4,200 |
| Acenaphthene | ND | 6,600 | 990 |
| 2,4-Dinitrophenol | ND | 66,000 | 15,000 |
| 4-Nitrophenol | ND | 66,000 | 7,100 |
| Dibenzofuran | ND | 33,000 | 1,000 |
| 2,4-Dinitrotoluene | ND | 33,000 | 950 |
| Diethylphthalate | ND | 33,000 | 1,100 |
| Fluorene | ND | 6,600 | 980 |
| 4-Chlorophenyl-phenylether | ND | 33,000 | 960 |
| 4-Nitroaniline | ND | 66,000 | 4,200 |
| 4,6-Dinitro-2-methylphenol | ND | 66,000 | 7,600 |
| N-Nitrosodiphenylamine | ND | 33,000 | 1,000 |
| Azobenzene | ND | 33,000 | 850 |
| 4-Bromophenyl-phenylether | ND | 33,000 | 1,000 |
| Hexachlorobenzene | ND | 33,000 | 1,100 |
| Pentachlorophenol | ND | 66,000 | 13,000 |
| I CIICACIII OI OPIICIIOI | עווו | 00,000 | ±3,000 |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | S-8-(1) | Batch#: | 265278 | |
| Lab ID: | 304731-038 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/09/18 | |
| Diln Fac: | 100.0 | <u>-</u> | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|--------|-------|
| Phenanthrene | ND | 6,600 | 1,000 |
| Anthracene | ND | 6,600 | 1,100 |
| Di-n-butylphthalate | ND | 33,000 | 1,200 |
| Fluoranthene | ND | 6,600 | 1,000 |
| Pyrene | ND | 6,600 | 1,100 |
| Butylbenzylphthalate | ND | 33,000 | 1,000 |
| 3,3'-Dichlorobenzidine | ND | 66,000 | 2,200 |
| Benzo(a)anthracene | ND | 6,600 | 1,000 |
| Chrysene | ND | 6,600 | 1,100 |
| bis(2-Ethylhexyl)phthalate | ND | 33,000 | 1,300 |
| Di-n-octylphthalate | ND | 33,000 | 990 |
| Benzo(b)fluoranthene | ND | 6,600 | 890 |
| Benzo(k)fluoranthene | ND | 6,600 | 940 |
| Benzo(a)pyrene | ND | 6,600 | 870 |
| Indeno(1,2,3-cd)pyrene | ND | 6,600 | 870 |
| Dibenz(a,h)anthracene | ND | 6,600 | 930 |
| Benzo(g,h,i)perylene | ND | 6,600 | 1,000 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | DO | 40-127 |
| Phenol-d5 | DO | 43-128 |
| 2,4,6-Tribromophenol | DO | 31-120 |
| Nitrobenzene-d5 | DO | 46-120 |
| 2-Fluorobiphenyl | DO | 40-120 |
| Terphenvl-d14 | DO | 56-120 |

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | S-8-(5) | Batch#: | 265278 | |
| Lab ID: | 304731-039 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/16/18 | |
| Diln Fac: | 1.000 | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|-----------|
| N-Nitrosodimethylamine | ND | 340 | 42 |
| Pyridine | ND | 340 | 22 |
| Phenol | ND | 340 | 15 |
| bis(2-Chloroethyl)ether | ND | 340 | 22 |
| 2-Chlorophenol | ND | 340 | 14 |
| 1,3-Dichlorobenzene | ND | 340 | 42 |
| 1,4-Dichlorobenzene | ND | 340 | 42 |
| Benzyl alcohol | ND | 340 | 16 |
| 1,2-Dichlorobenzene | ND | 340 | 22 |
| 2-Methylphenol | ND ND | 340 | 15 |
| bis(2-Chloroisopropyl) ether | ND ND | 340 | 16 |
| | | 340 | 16 |
| 4-Methylphenol | ND | | 15 |
| N-Nitroso-di-n-propylamine | ND | 340 | |
| Hexachloroethane | ND | 340 | 75 |
| Nitrobenzene | ND | 340 | 22 |
| Isophorone | ND | 340 | 10 |
| 2-Nitrophenol | ND | 670 | 39 |
| 2,4-Dimethylphenol | ND | 340 | 19 |
| Benzoic acid | ND | 1,700 | 380 |
| bis(2-Chloroethoxy)methane | ND | 340 | 10 |
| 2,4-Dichlorophenol | ND | 340 | 9.4 |
| 1,2,4-Trichlorobenzene | ND | 340 | 22 |
| Naphthalene | ND | 67 | 13 |
| 4-Chloroaniline | ND | 340 | 22 |
| Hexachlorobutadiene | ND | 340 | 22 |
| 4-Chloro-3-methylphenol | ND | 340 | 8.7 |
| 2-Methylnaphthalene | ND | 67 | 10 |
| Hexachlorocyclopentadiene | ND | 670 | 77 |
| 2,4,6-Trichlorophenol | ND | 340 | 11 |
| 2,4,5-Trichlorophenol | ND | 340 | 9.2 |
| 2-Chloronaphthalene | ND | 340 | 8.5 |
| 2-Nitroaniline | ND | 670 | 34 |
| Dimethylphthalate | ND | 340 | 8.5 |
| Acenaphthylene | ND | 67 | 8.5 |
| 2,6-Dinitrotoluene | ND | 340 | 34 |
| 3-Nitroaniline | ND ND | 670 | 42 |
| Acenaphthene | ND | 67 | 8.5 |
| 2,4-Dinitrophenol | ND ND | 670 | 150 |
| | | 670 | 75 |
| 4-Nitrophenol | ND ND | 340 | 75 8.5 |
| Dibenzofuran | ND | | |
| 2,4-Dinitrotoluene | ND | 340 | 8.4 |
| Diethylphthalate | ND | 340 | 8.4 |
| Fluorene | ND | 67 | 8.5 |
| 4-Chlorophenyl-phenylether | ND | 340 | 8.5 |
| 4-Nitroaniline | ND | 670 | 42 |
| 4,6-Dinitro-2-methylphenol | ND | 670 | 42 |
| N-Nitrosodiphenylamine | ND | 340 | 8.5 |
| Azobenzene | ND | 340 | 8.5 |
| 4-Bromophenyl-phenylether | ND | 340 | 8.5 |
| Hexachlorobenzene | ND | 340 | 8.5 |
| Pentachlorophenol | ND | 670 | 100 |
| Phenanthrene | ND | 67 | 8.5 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|----------------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | S-8-(5) | Batch#: | 265278 | |
| Lab ID: | 304731-039 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: Diln Fac: | as received 1.000 | Analyzed: | 11/16/18 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Anthracene | ND | 67 | 9.1 |
| Di-n-butylphthalate | ND | 340 | 9.6 |
| Fluoranthene | ND | 67 | 9.4 |
| Pyrene | ND | 67 | 8.5 |
| Butylbenzylphthalate | ND | 340 | 9.7 |
| 3,3'-Dichlorobenzidine | ND | 670 | 80 |
| Benzo(a)anthracene | ND | 67 | 8.5 |
| Chrysene | ND | 67 | 8.5 |
| bis(2-Ethylhexyl)phthalate | ND | 340 | 8.6 |
| Di-n-octylphthalate | ND | 340 | 34 |
| Benzo(b)fluoranthene | ND | 67 | 8.5 |
| Benzo(k)fluoranthene | ND | 67 | 8.5 |
| Benzo(a)pyrene | ND | 67 | 8.5 |
| Indeno(1,2,3-cd)pyrene | ND | 67 | 8.5 |
| Dibenz(a,h)anthracene | ND | 67 | 8.5 |
| Benzo(g,h,i)perylene | ND | 67 | 8.5 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 51 | 40-127 |
| Phenol-d5 | 64 | 43-128 |
| 2,4,6-Tribromophenol | 54 | 31-120 |
| Nitrobenzene-d5 | 56 | 46-120 |
| 2-Fluorobiphenyl | 55 | 40-120 |
| Terphenyl-d14 | 90 | 56-120 |



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | W-5-(1) | Batch#: | 265278 | |
| Lab ID: | 304731-043 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 1.000 | - | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|------------|----------|
| N-Nitrosodimethylamine | ND | 330 | 42 |
| Pyridine | ND | 330 | 22 |
| Phenol | ND | 330 | 15 |
| bis(2-Chloroethyl)ether | ND | 330 | 22 |
| 2-Chlorophenol | ND | 330 | 14 |
| 1,3-Dichlorobenzene | ND | 330 | 42 |
| 1,4-Dichlorobenzene | ND | 330 | 42 |
| Benzyl alcohol | ND | 330 | 16 |
| 1,2-Dichlorobenzene | ND | 330 | 22 |
| 2-Methylphenol | ND | 330 | 14 |
| bis(2-Chloroisopropyl) ether | ND | 330 | 16 |
| 4-Methylphenol | ND | 330 | 16 |
| | ND ND | 330 | 15 |
| N-Nitroso-di-n-propylamine | | | 75 |
| Hexachloroethane | ND | 330 330 | 75 22 |
| Nitrobenzene | ND | | |
| Isophorone | ND | 330 | 10 |
| 2-Nitrophenol | ND | 660 | 39 |
| 2,4-Dimethylphenol | ND | 330 | 19 |
| Benzoic acid | ND | 1,700 | 380 |
| bis(2-Chloroethoxy)methane | ND | 330 | 10 |
| 2,4-Dichlorophenol | ND | 330 | 9.3 |
| 1,2,4-Trichlorobenzene | ND | 330 | 22 |
| Naphthalene | ND | 66 | 13 |
| 4-Chloroaniline | ND | 330 | 22 |
| Hexachlorobutadiene | ND | 330 | 22 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.6 |
| 2-Methylnaphthalene | ND | 66 | 9.9 |
| Hexachlorocyclopentadiene | ND | 660 | 76 |
| 2,4,6-Trichlorophenol | ND | 330 | 11 |
| 2,4,5-Trichlorophenol | ND | 330 | 9.1 |
| 2-Chloronaphthalene | ND | 330 | 8.4 |
| 2-Nitroaniline | ND | 660 | 34 |
| Dimethylphthalate | ND | 330 | 8.4 |
| Acenaphthylene | ND | 66 | 8.4 |
| 2,6-Dinitrotoluene | ND | 330 | 34 |
| 3-Nitroaniline | ND | 660 | 42 |
| Acenaphthene | ND | 66 | 8.4 |
| 2,4-Dinitrophenol | ND | 660 | 150 |
| 4-Nitrophenol | ND | 660 | 75 |
| Dibenzofuran | ND | 330 | 8.4 |
| 2,4-Dinitrotoluene | ND | 330 | 8.3 |
| Diethylphthalate | ND | 330 | 8.4 |
| Fluorene | ND | 66 | 8.4 |
| 4-Chlorophenyl-phenylether | ND | 330 | 8.4 |
| 4-Nitroaniline | ND | 660 | 42 |
| 4,6-Dinitro-2-methylphenol | ND ND | 660 | 42 |
| N-Nitrosodiphenylamine | ND | 330 | 8.4 |
| Azobenzene | ND | 330 | 8.4 |
| 4-Bromophenyl-phenylether | ND ND | 330 | 8.4 |
| Hexachlorobenzene | ND ND | 330 | 8.4 |
| | | | |
| Pentachlorophenol | ND | 660 | 100 |
| Phenanthrene | ND | 66 | 8.4 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | W-5-(1) | Batch#: | 265278 | |
| Lab ID: | 304731-043 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 1.000 | | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Anthracene | ND | 66 | 9.0 |
| Di-n-butylphthalate | ND | 330 | 9.5 |
| Fluoranthene | ND | 66 | 9.3 |
| Pyrene | ND | 66 | 8.4 |
| Butylbenzylphthalate | ND | 330 | 9.6 |
| 3,3'-Dichlorobenzidine | ND | 660 | 79 |
| Benzo(a)anthracene | ND | 66 | 8.4 |
| Chrysene | ND | 66 | 8.4 |
| bis(2-Ethylhexyl)phthalate | ND | 330 | 8.5 |
| Di-n-octylphthalate | ND | 330 | 34 |
| Benzo(b)fluoranthene | ND | 66 | 8.4 |
| Benzo(k)fluoranthene | ND | 66 | 8.4 |
| Benzo(a)pyrene | ND | 66 | 8.4 |
| Indeno(1,2,3-cd)pyrene | ND | 66 | 8.4 |
| Dibenz(a,h)anthracene | ND | 66 | 8.4 |
| Benzo(g,h,i)perylene | ND | 66 | 8.4 |

| Surrogate %I | REC | Limits |
|-------------------------|-----|--------|
| 2-Fluorophenol 52 | | 40-127 |
| Phenol-d5 63 | } | 43-128 |
| 2,4,6-Tribromophenol 61 | | 31-120 |
| Nitrobenzene-d5 53 | , | 46-120 |
| 2-Fluorobiphenyl 50 |) | 40-120 |
| Terphenyl-d14 73 | } | 56-120 |



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | ₩-5-(5) | Batch#: | 265278 | |
| Lab ID: | 304731-044 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 2.000 | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|-----|
| N-Nitrosodimethylamine | ND | 670 | 85 |
| Pyridine | ND ND | 670 | 44 |
| Phenol | ND ND | 670 | 30 |
| | | 670 | 44 |
| bis(2-Chloroethyl)ether | ND | | |
| 2-Chlorophenol | ND | 670 | 28 |
| 1,3-Dichlorobenzene | ND | 670 | 85 |
| 1,4-Dichlorobenzene | ND | 670 | 85 |
| Benzyl alcohol | ND | 670 | 33 |
| 1,2-Dichlorobenzene | ND | 670 | 44 |
| 2-Methylphenol | ND | 670 | 29 |
| bis(2-Chloroisopropyl) ether | ND | 670 | 32 |
| 4-Methylphenol | ND | 670 | 32 |
| N-Nitroso-di-n-propylamine | ND | 670 | 31 |
| Hexachloroethane | ND | 670 | 150 |
| Nitrobenzene | ND | 670 | 44 |
| Isophorone | ND | 670 | 21 |
| 2-Nitrophenol | ND | 1,300 | 78 |
| 2,4-Dimethylphenol | ND | 670 | 38 |
| Benzoic acid | ND | 3,400 | 760 |
| bis(2-Chloroethoxy)methane | ND | 670 | 21 |
| 2,4-Dichlorophenol | ND | 670 | 19 |
| 1,2,4-Trichlorobenzene | ND | 670 | 44 |
| Naphthalene | ND | 130 | 26 |
| 4-Chloroaniline | ND | 670 | 44 |
| Hexachlorobutadiene | ND | 670 | 44 |
| 4-Chloro-3-methylphenol | ND | 670 | 18 |
| | | 130 | 20 |
| 2-Methylnaphthalene | ND | | |
| Hexachlorocyclopentadiene | ND | 1,300 | 150 |
| 2,4,6-Trichlorophenol | ND | 670 | 22 |
| 2,4,5-Trichlorophenol | ND | 670 | 19 |
| 2-Chloronaphthalene | ND | 670 | 17 |
| 2-Nitroaniline | ND | 1,300 | 68 |
| Dimethylphthalate | ND | 670 | 17 |
| Acenaphthylene | ND | 130 | 17 |
| 2,6-Dinitrotoluene | ND | 670 | 68 |
| 3-Nitroaniline | ND | 1,300 | 85 |
| Acenaphthene | ND | 130 | 17 |
| 2,4-Dinitrophenol | ND | 1,300 | 300 |
| 4-Nitrophenol | ND | 1,300 | 150 |
| Dibenzofuran | ND | 670 | 17 |
| 2,4-Dinitrotoluene | ND | 670 | 17 |
| Diethylphthalate | ND | 670 | 17 |
| Fluorene | ND | 130 | 17 |
| 4-Chlorophenyl-phenylether | ND | 670 | 17 |
| 4-Nitroaniline | ND | 1,300 | 85 |
| 4,6-Dinitro-2-methylphenol | ND | 1,300 | 85 |
| N-Nitrosodiphenylamine | ND | 670 | 17 |
| Azobenzene | ND ND | 670 | 17 |
| 4-Bromophenyl-phenylether | ND ND | 670 | 17 |
| | | | 17 |
| Hexachlorobenzene | ND | 670 | |
| Pentachlorophenol | ND | 1,300 | 210 |
| Phenanthrene | ND | 130 | 17 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------------------------|------------------------|-----------------------------------|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: Lab ID: | W-5-(5) 304731-044 | Batch#: Sampled: | 265278 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: Basis: Diln Fac: | ug/Kg as received 2.000 | Prepared: Analyzed: | 11/07/18 11/14/18 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Anthracene | ND | 130 | 18 |
| Di-n-butylphthalate | ND | 670 | 19 |
| Fluoranthene | ND | 130 | 19 |
| Pyrene | ND | 130 | 17 |
| Butylbenzylphthalate | ND | 670 | 19 |
| 3,3'-Dichlorobenzidine | ND | 1,300 | 160 |
| Benzo(a)anthracene | ND | 130 | 17 |
| Chrysene | ND | 130 | 17 |
| bis(2-Ethylhexyl)phthalate | ND | 670 | 17 |
| Di-n-octylphthalate | ND | 670 | 69 |
| Benzo(b)fluoranthene | ND | 130 | 17 |
| Benzo(k)fluoranthene | ND | 130 | 17 |
| Benzo(a)pyrene | ND | 130 | 17 |
| Indeno(1,2,3-cd)pyrene | ND | 130 | 17 |
| Dibenz(a,h)anthracene | ND | 130 | 17 |
| Benzo(g,h,i)perylene | ND | 130 | 17 |

| Surrogate %RE | C Limits |
|-------------------------|----------|
| 2-Fluorophenol 64 | 40-127 |
| Phenol-d5 72 | 43-128 |
| 2,4,6-Tribromophenol 69 | 31-120 |
| Nitrobenzene-d5 65 | 46-120 |
| 2-Fluorobiphenyl 70 | 40-120 |
| Terphenyl-d14 80 | 56-120 |



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | W-1-(1) | Batch#: | 265278 | |
| Lab ID: | 304731-049 | Sampled: | 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 100.0 | - | | |

| Analyte | Result | RL | MDL |
|--------------------------------------|----------|---------|--------|
| N-Nitrosodimethylamine | ND | 33,000 | 4,200 |
| Pyridine | ND ND | 33,000 | 2,200 |
| | | | |
| Phenol | ND | 33,000 | 1,500 |
| bis(2-Chloroethyl)ether | ND | 33,000 | 2,200 |
| 2-Chlorophenol | ND | 33,000 | 1,400 |
| 1,3-Dichlorobenzene | ND | 33,000 | 4,200 |
| 1,4-Dichlorobenzene | ND | 33,000 | 4,200 |
| Benzyl alcohol | ND | 33,000 | 1,600 |
| 1,2-Dichlorobenzene | ND | 33,000 | 2,200 |
| 2-Methylphenol | ND | 33,000 | 1,400 |
| bis(2-Chloroisopropyl) ether | ND | 33,000 | 1,600 |
| 4-Methylphenol | ND | 33,000 | 1,600 |
| N-Nitroso-di-n-propylamine | ND | 33,000 | 1,500 |
| Hexachloroethane | ND | 33,000 | 7,500 |
| Nitrobenzene | ND | 33,000 | 2,200 |
| Isophorone | ND | 33,000 | 1,000 |
| 2-Nitrophenol | ND | 66,000 | 3,900 |
| 2,4-Dimethylphenol | ND | 33,000 | 1,900 |
| Benzoic acid | ND | 170,000 | 38,000 |
| bis(2-Chloroethoxy)methane | ND | 33,000 | 1,000 |
| 2,4-Dichlorophenol | ND | 33,000 | 930 |
| 1,2,4-Trichlorobenzene | ND | 33,000 | 2,200 |
| Naphthalene | ND ND | | 1,300 |
| ■ • | | 6,600 | |
| 4-Chloroaniline | ND | 33,000 | 2,200 |
| Hexachlorobutadiene | ND | 33,000 | 2,200 |
| 4-Chloro-3-methylphenol | ND | 33,000 | 870 |
| 2-Methylnaphthalene | ND | 6,600 | 990 |
| Hexachlorocyclopentadiene | ND | 66,000 | 7,600 |
| 2,4,6-Trichlorophenol | ND | 33,000 | 1,100 |
| 2,4,5-Trichlorophenol | ND | 33,000 | 920 |
| 2-Chloronaphthalene | ND | 33,000 | 840 |
| 2-Nitroaniline | ND | 66,000 | 3,400 |
| Dimethylphthalate | ND | 33,000 | 840 |
| Acenaphthylene | ND | 6,600 | 840 |
| 2,6-Dinitrotoluene | ND | 33,000 | 3,400 |
| 3-Nitroaniline | ND | 66,000 | 4,200 |
| Acenaphthene | ND | 6,600 | 840 |
| 2,4-Dinitrophenol | ND | 66,000 | 15,000 |
| 4-Nitrophenol | ND | 66,000 | 7,500 |
| Dibenzofuran | ND | 33,000 | 840 |
| 2,4-Dinitrotoluene | ND | 33,000 | 830 |
| Diethylphthalate | ND | 33,000 | 840 |
| Fluorene | ND | 6,600 | 840 |
| 4-Chlorophenyl-phenylether | ND | 33,000 | 840 |
| 4-Nitroaniline | ND | 66,000 | 4,200 |
| 4,6-Dinitro-2-methylphenol | ND | 66,000 | 4,200 |
| | ND ND | 33,000 | 840 |
| N-Nitrosodiphenylamine Azobenzene | ND ND | 33,000 | 840 |
| | | 33,000 | |
| 4-Bromophenyl-phenylether | ND | 33,000 | 840 |
| Hexachlorobenzene | ND | 33,000 | 840 |
| Pentachlorophenol | ND | 66,000 | 10,000 |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|--------------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | W-1-(1) | Batch#: | 265278 | |
| Lab ID: | 304731-049 | Sampled: | 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 100.0 | - | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|--------|-------|
| Phenanthrene | ND | 6,600 | 840 |
| Anthracene | ND | 6,600 | 900 |
| Di-n-butylphthalate | ND | 33,000 | 950 |
| Fluoranthene | ND | 6,600 | 940 |
| Pyrene | ND | 6,600 | 840 |
| Butylbenzylphthalate | ND | 33,000 | 960 |
| 3,3'-Dichlorobenzidine | ND | 66,000 | 7,900 |
| Benzo(a)anthracene | ND | 6,600 | 840 |
| Chrysene | ND | 6,600 | 840 |
| bis(2-Ethylhexyl)phthalate | ND | 33,000 | 850 |
| Di-n-octylphthalate | ND | 33,000 | 3,400 |
| Benzo(b)fluoranthene | ND | 6,600 | 840 |
| Benzo(k)fluoranthene | ND | 6,600 | 840 |
| Benzo(a)pyrene | ND | 6,600 | 840 |
| Indeno(1,2,3-cd)pyrene | ND | 6,600 | 840 |
| Dibenz(a,h)anthracene | ND | 6,600 | 840 |
| Benzo(g,h,i)perylene | ND | 6,600 | 840 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | DO | 40-127 |
| Phenol-d5 | DO | 43-128 |
| 2,4,6-Tribromophenol | DO | 31-120 |
| Nitrobenzene-d5 | DO | 46-120 |
| 2-Fluorobiphenyl | DO | 40-120 |
| Terphenvl-d14 | DO | 56-120 |

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | W-1-(5) | Batch#: | 265278 | |
| Lab ID: | 304731-050 | Sampled: | 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 2.000 | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|----------|
| N-Nitrosodimethylamine | ND | 660 | 83 |
| Pyridine | ND | 660 | 43 |
| Phenol | ND | 660 | 30 |
| bis(2-Chloroethyl)ether | ND | 660 | 43 |
| 2-Chlorophenol | ND | 660 | 28 |
| 1,3-Dichlorobenzene | ND | 660 | 83 |
| 1,4-Dichlorobenzene | ND | 660 | 83 |
| Benzyl alcohol | ND | 660 | 32 |
| 1,2-Dichlorobenzene | ND | 660 | 43 |
| 2-Methylphenol | ND | 660 | 29 |
| bis(2-Chloroisopropyl) ether | ND | 660 | 32 |
| 4-Methylphenol | ND | 660 | 31 |
| N-Nitroso-di-n-propylamine | ND ND | 660 | 30 |
| Hexachloroethane | ND ND | 660 | 150 |
| Nitrobenzene | ND ND | 660 | 43 |
| | | | 20 |
| Isophorone | ND ND | 660 | 20 77 |
| 2-Nitrophenol | ND | 1,300 | 37 |
| 2,4-Dimethylphenol | ND | 660 | |
| Benzoic acid | ND | 3,300 | 750 |
| bis(2-Chloroethoxy)methane | ND | 660 | 20 |
| 2,4-Dichlorophenol | ND | 660 | 18 |
| 1,2,4-Trichlorobenzene | ND | 660 | 43 |
| Naphthalene | ND | 130 | 26 |
| 4-Chloroaniline | ND | 660 | 43 |
| Hexachlorobutadiene | ND | 660 | 43 |
| 4-Chloro-3-methylphenol | ND | 660 | 17 |
| 2-Methylnaphthalene | ND | 130 | 20 |
| Hexachlorocyclopentadiene | ND | 1,300 | 150 |
| 2,4,6-Trichlorophenol | ND | 660 | 22 |
| 2,4,5-Trichlorophenol | ND | 660 | 18 |
| 2-Chloronaphthalene | ND | 660 | 17 |
| 2-Nitroaniline | ND | 1,300 | 67 |
| Dimethylphthalate | ND | 660 | 17 |
| Acenaphthylene | ND | 130 | 17 |
| 2,6-Dinitrotoluene | ND | 660 | 66 |
| 3-Nitroaniline | ND | 1,300 | 83 |
| Acenaphthene | ND | 130 | 17 |
| 2,4-Dinitrophenol | ND | 1,300 | 300 |
| 4-Nitrophenol | ND | 1,300 | 150 |
| Dibenzofuran | ND | 660 | 17 |
| 2,4-Dinitrotoluene | ND | 660 | 16 |
| Diethylphthalate | ND | 660 | 17 |
| Fluorene | ND | 130 | 17 |
| 4-Chlorophenyl-phenylether | ND | 660 | 17 |
| 4-Nitroaniline | ND | 1,300 | 83 |
| 4,6-Dinitro-2-methylphenol | ND | 1,300 | 83 |
| N-Nitrosodiphenylamine | ND ND | 660 | 17 |
| Azobenzene | ND ND | 660 | 17 |
| 4-Bromophenyl-phenylether | ND ND | 660 | 17 |
| Hexachlorobenzene | ND ND | 660 | 17 |
| Pentachlorophenol | ND ND | 1,300 | 200 |
| <u>+</u> | | | |
| Phenanthrene | ND | 130 | 17 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | W-1-(5) | Batch#: | 265278 | | |
| Lab ID: | 304731-050 | Sampled: | 10/31/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | uq/Kq | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 2.000 | - | | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Anthracene | ND | 130 | 18 |
| Di-n-butylphthalate | ND | 660 | 19 |
| Fluoranthene | ND | 130 | 19 |
| Pyrene | ND | 130 | 17 |
| Butylbenzylphthalate | ND | 660 | 19 |
| 3,3'-Dichlorobenzidine | ND | 1,300 | 160 |
| Benzo(a)anthracene | ND | 130 | 17 |
| Chrysene | ND | 130 | 17 |
| bis(2-Ethylhexyl)phthalate | ND | 660 | 17 |
| Di-n-octylphthalate | ND | 660 | 67 |
| Benzo(b)fluoranthene | ND | 130 | 17 |
| Benzo(k)fluoranthene | ND | 130 | 17 |
| Benzo(a)pyrene | ND | 130 | 17 |
| Indeno(1,2,3-cd)pyrene | ND | 130 | 17 |
| Dibenz(a,h)anthracene | ND | 130 | 17 |
| Benzo(g,h,i)perylene | ND | 130 | 17 |

| Surrogate | %REC | Limits |
|------------------------|------|--------|
| 2-Fluorophenol 6 | 51 | 40-127 |
| Phenol-d5 7 | 72 | 43-128 |
| 2,4,6-Tribromophenol 7 | 70 | 31-120 |
| Nitrobenzene-d5 5 | 8 | 46-120 |
| 2-Fluorobiphenyl 5 | 57 | 40-120 |
| Terphenyl-d14 8 | 30 | 56-120 |



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | E-2-(1) | Batch#: | 265278 | | |
| Lab ID: | 304731-054 | Sampled: | 10/31/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|------------|----------|
| N-Nitrosodimethylamine | ND | 330 | 41 |
| Pyridine | ND | 330 | 22 |
| Phenol | ND | 330 | |
| bis(2-Chloroethyl)ether | ND | 330 | 22 |
| 2-Chlorophenol | ND | 330 | 14 |
| 1,3-Dichlorobenzene | ND | 330 | 41 |
| 1,4-Dichlorobenzene | ND | 330 | 41 |
| Benzyl alcohol | ND | 330 | 16 |
| 1,2-Dichlorobenzene | ND | 330 | 22 |
| 2-Methylphenol | ND | 330 | 14 |
| bis(2-Chloroisopropyl) ether | ND | 330 | 16 |
| 4-Methylphenol | ND | 330 | 16 |
| N-Nitroso-di-n-propylamine | ND ND | 330 | 15 |
| Hexachloroethane | ND ND | 330 | 74 |
| Nitrobenzene | ND ND | 330 | 22 |
| | ND ND | 330 | 10 |
| Isophorone | | | |
| 2-Nitrophenol | ND ND | 660 330 | 38 18 |
| 2,4-Dimethylphenol | | | |
| Benzoic acid | ND | 1,600 | 370 |
| bis(2-Chloroethoxy)methane | ND | 330 | 10 |
| 2,4-Dichlorophenol | ND | 330 | 9.2 |
| 1,2,4-Trichlorobenzene | ND | 330 | 22 |
| Naphthalene | ND | 66 | 13 |
| 4-Chloroaniline | ND | 330 | 22 |
| Hexachlorobutadiene | ND | 330 | 22 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.6 |
| 2-Methylnaphthalene | ND | 66 | 9.8 |
| Hexachlorocyclopentadiene | ND | 660 | 75 |
| 2,4,6-Trichlorophenol | ND | 330 | 11 |
| 2,4,5-Trichlorophenol | ND | 330 | 9.1 |
| 2-Chloronaphthalene | ND | 330 | 8.3 |
| 2-Nitroaniline | ND | 660 | 33 |
| Dimethylphthalate | ND | 330 | 8.3 |
| Acenaphthylene | ND | 66 | 8.3 |
| 2,6-Dinitrotoluene | ND | 330 | 33 |
| 3-Nitroaniline | ND | 660 | 41 |
| Acenaphthene | ND | 66 | 8.3 |
| 2,4-Dinitrophenol | ND | 660 | 150 |
| 4-Nitrophenol | ND | 660 | 74 |
| Dibenzofuran | ND | 330 | 8.3 |
| 2,4-Dinitrotoluene | ND | 330 | 8.2 |
| Diethylphthalate | ND | 330 | 8.3 |
| Fluorene | ND | 66 | 8.3 |
| 4-Chlorophenyl-phenylether | ND | 330 | 8.3 |
| 4-Nitroaniline | ND | 660 | 41 |
| 4,6-Dinitro-2-methylphenol | ND | 660 | 41 |
| N-Nitrosodiphenylamine | ND | 330 | 8.3 |
| Azobenzene | ND | 330 | 8.3 |
| 4-Bromophenyl-phenylether | ND | 330 | 8.3 |
| Hexachlorobenzene | ND | 330 | 8.3 |
| Pentachlorophenol | ND | 660 | 100 |

J= Estimated value
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-----------------------|---------------------|-----------------------------------|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: Lab ID: | E-2-(1) 304731-054 | Batch#: Sampled: | 265278 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: Diln Fac: | as received 1.000 | Analyzed: | 11/14/18 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Phenanthrene | ND | 66 | 8.3 |
| Anthracene | ND | 66 | 8.9 |
| Di-n-butylphthalate | ND | 330 | 9.4 |
| Fluoranthene | ND | 66 | 9.3 |
| Pyrene | ND | 66 | 8.3 |
| Butylbenzylphthalate | ND | 330 | 9.5 |
| 3,3'-Dichlorobenzidine | ND | 660 | 78 |
| Benzo(a)anthracene | ND | 66 | 8.3 |
| Chrysene | ND | 66 | 8.3 |
| bis(2-Ethylhexyl)phthalate | 18 J | 330 | 8.4 |
| Di-n-octylphthalate | ND | 330 | 34 |
| Benzo(b)fluoranthene | ND | 66 | 8.3 |
| Benzo(k)fluoranthene | ND | 66 | 8.3 |
| Benzo(a)pyrene | ND | 66 | 8.3 |
| Indeno(1,2,3-cd)pyrene | ND | 66 | 8.3 |
| Dibenz(a,h)anthracene | ND | 66 | 8.3 |
| Benzo(g,h,i)perylene | ND | 66 | 8.3 |

| Surrogate % | %REC | Limits |
|-------------------------|------|--------|
| 2-Fluorophenol 47 | 7 | 40-127 |
| Phenol-d5 57 | 7 | 43-128 |
| 2,4,6-Tribromophenol 53 | 3 | 31-120 |
| Nitrobenzene-d5 51 | 1 | 46-120 |
| 2-Fluorobiphenyl 49 | 9 | 40-120 |
| Terphenyl-d14 68 | 8 | 56-120 |

Page 2 of 2

J= Estimated value ND= Not Detected at or above MDL

RL= Reporting Limit MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | E-2-(5) | Batch#: | 265278 | | |
| Lab ID: | 304731-055 | Sampled: | 10/31/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 10.00 | _ | | | |

| Analyte | Result | RL | MDL |
|--------------------------------------|----------|--------|-------|
| N-Nitrosodimethylamine | ND | 3,300 | 420 |
| Pyridine | ND ND | 3,300 | 220 |
| Phenol | ND ND | 3,300 | 150 |
| | | | 220 |
| bis(2-Chloroethyl)ether | ND | 3,300 | |
| 2-Chlorophenol | ND | 3,300 | 140 |
| 1,3-Dichlorobenzene | ND | 3,300 | 420 |
| 1,4-Dichlorobenzene | ND | 3,300 | 420 |
| Benzyl alcohol | ND | 3,300 | 160 |
| 1,2-Dichlorobenzene | ND | 3,300 | 220 |
| 2-Methylphenol | ND | 3,300 | 140 |
| bis(2-Chloroisopropyl) ether | ND | 3,300 | 160 |
| 4-Methylphenol | ND | 3,300 | 160 |
| N-Nitroso-di-n-propylamine | ND | 3,300 | 150 |
| Hexachloroethane | ND | 3,300 | 740 |
| Nitrobenzene | ND | 3,300 | 220 |
| Isophorone | ND | 3,300 | 100 |
| 2-Nitrophenol | ND | 6,600 | 380 |
| 2,4-Dimethylphenol | ND | 3,300 | 180 |
| Benzoic acid | ND | 17,000 | 3,700 |
| bis(2-Chloroethoxy)methane | ND | 3,300 | 100 |
| 2,4-Dichlorophenol | ND ND | 3,300 | 93 |
| 1,2,4-Dichiolophenoi | ND ND | 3,300 | 220 |
| Naphthalene | ND | 660 | 130 |
| <u> </u> | | | |
| 4-Chloroaniline | ND | 3,300 | 220 |
| Hexachlorobutadiene | ND | 3,300 | 220 |
| 4-Chloro-3-methylphenol | ND | 3,300 | 86 |
| 2-Methylnaphthalene | ND | 660 | 99 |
| Hexachlorocyclopentadiene | ND | 6,600 | 750 |
| 2,4,6-Trichlorophenol | ND | 3,300 | 110 |
| 2,4,5-Trichlorophenol | ND | 3,300 | 91 |
| 2-Chloronaphthalene | ND | 3,300 | 83 |
| 2-Nitroaniline | ND | 6,600 | 340 |
| Dimethylphthalate | ND | 3,300 | 83 |
| Acenaphthylene | ND | 660 | 83 |
| 2,6-Dinitrotoluene | ND | 3,300 | 330 |
| 3-Nitroaniline | ND | 6,600 | 420 |
| Acenaphthene | ND | 660 | 83 |
| 2,4-Dinitrophenol | ND | 6,600 | 1,500 |
| 4-Nitrophenol | ND | 6,600 | 740 |
| Dibenzofuran | ND | 3,300 | 83 |
| 2,4-Dinitrotoluene | ND | 3,300 | 83 |
| Diethylphthalate | ND | 3,300 | 83 |
| Fluorene | ND | 660 | 83 |
| 4-Chlorophenyl-phenylether | ND | 3,300 | 84 |
| 4-Nitroaniline | ND ND | 6,600 | 420 |
| 4,6-Dinitro-2-methylphenol | ND ND | 6,600 | 420 |
| | ND ND | 3,300 | 83 |
| N-Nitrosodiphenylamine Azobenzene | ND ND | 3,300 | 83 |
| | | • | |
| 4-Bromophenyl-phenylether | ND | 3,300 | 83 |
| Hexachlorobenzene | ND | 3,300 | 83 |
| Pentachlorophenol | ND | 6,600 | 1,000 |

Page 1 of 2

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|--------------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | E-2-(5) | Batch#: | 265278 | |
| Lab ID: | 304731-055 | Sampled: | 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 10.00 | - | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Phenanthrene | ND | 660 | 83 |
| Anthracene | ND | 660 | 89 |
| Di-n-butylphthalate | ND | 3,300 | 95 |
| Fluoranthene | ND | 660 | 93 |
| Pyrene | ND | 660 | 83 |
| Butylbenzylphthalate | ND | 3,300 | 95 |
| 3,3'-Dichlorobenzidine | ND | 6,600 | 790 |
| Benzo(a)anthracene | ND | 660 | 83 |
| Chrysene | ND | 660 | 83 |
| bis(2-Ethylhexyl)phthalate | ND | 3,300 | 85 |
| Di-n-octylphthalate | ND | 3,300 | 340 |
| Benzo(b)fluoranthene | ND | 660 | 83 |
| Benzo(k)fluoranthene | ND | 660 | 83 |
| Benzo(a)pyrene | ND | 660 | 83 |
| Indeno(1,2,3-cd)pyrene | ND | 660 | 83 |
| Dibenz(a,h)anthracene | ND | 660 | 83 |
| Benzo(g,h,i)perylene | ND | 660 | 83 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | DO | 40-127 |
| Phenol-d5 | DO | 43-128 |
| 2,4,6-Tribromophenol | DO | 31-120 |
| Nitrobenzene-d5 | DO | 46-120 |
| 2-Fluorobiphenyl | DO | 40-120 |
| Terphenvl-d14 | DO | 56-120 |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | W-2-(2) | Batch#: | 265278 | |
| Lab ID: | 304731-059 | Sampled: | 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 20.00 | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|--------|-------|
| N-Nitrosodimethylamine | ND | 6,700 | 840 |
| Pyridine | ND | 6,700 | 440 |
| Phenol | ND ND | 6,700 | 300 |
| | ND ND | | 440 |
| bis(2-Chloroethyl)ether | | 6,700 | |
| 2-Chlorophenol | ND | 6,700 | 280 |
| 1,3-Dichlorobenzene | ND | 6,700 | 840 |
| 1,4-Dichlorobenzene | ND | 6,700 | 840 |
| Benzyl alcohol | ND | 6,700 | 330 |
| 1,2-Dichlorobenzene | ND | 6,700 | 440 |
| 2-Methylphenol | ND | 6,700 | 290 |
| bis(2-Chloroisopropyl) ether | ND | 6,700 | 320 |
| 4-Methylphenol | ND | 6,700 | 320 |
| N-Nitroso-di-n-propylamine | ND | 6,700 | 300 |
| Hexachloroethane | ND | 6,700 | 1,500 |
| Nitrobenzene | ND | 6,700 | 440 |
| Isophorone | ND | 6,700 | 200 |
| 2-Nitrophenol | ND | 13,000 | 780 |
| 2,4-Dimethylphenol | ND | 6,700 | 370 |
| Benzoic acid | ND | 33,000 | 7,600 |
| bis(2-Chloroethoxy)methane | ND | 6,700 | 210 |
| 2,4-Dichlorophenol | ND | 6,700 | 190 |
| 1,2,4-Trichlorobenzene | ND | 6,700 | 440 |
| Naphthalene | ND | 1,300 | 260 |
| 4-Chloroaniline | ND | 6,700 | 440 |
| Hexachlorobutadiene | ND | 6,700 | 440 |
| 4-Chloro-3-methylphenol | ND | 6,700 | 170 |
| 2-Methylnaphthalene | ND | 1,300 | 200 |
| Hexachlorocyclopentadiene | ND | 13,000 | 1,500 |
| 2,4,6-Trichlorophenol | ND ND | 6,700 | 220 |
| | ND ND | | 180 |
| 2,4,5-Trichlorophenol | ND ND | 6,700 | 170 |
| 2-Chloronaphthalene | | 6,700 | |
| 2-Nitroaniline | ND | 13,000 | 680 |
| Dimethylphthalate | ND | 6,700 | 170 |
| Acenaphthylene | ND | 1,300 | 170 |
| 2,6-Dinitrotoluene | ND | 6,700 | 670 |
| 3-Nitroaniline | ND | 13,000 | 840 |
| Acenaphthene | ND | 1,300 | 170 |
| 2,4-Dinitrophenol | ND | 13,000 | 3,000 |
| 4-Nitrophenol | ND | 13,000 | 1,500 |
| Dibenzofuran | ND | 6,700 | 170 |
| 2,4-Dinitrotoluene | ND | 6,700 | 170 |
| Diethylphthalate | ND | 6,700 | 170 |
| Fluorene | ND | 1,300 | 170 |
| 4-Chlorophenyl-phenylether | ND | 6,700 | 170 |
| 4-Nitroaniline | ND | 13,000 | 840 |
| 4,6-Dinitro-2-methylphenol | ND | 13,000 | 840 |
| N-Nitrosodiphenylamine | ND | 6,700 | 170 |
| Azobenzene | ND | 6,700 | 170 |
| 4-Bromophenyl-phenylether | ND | 6,700 | 170 |
| Hexachlorobenzene | ND | 6,700 | 170 |
| Pentachlorophenol | ND | 13,000 | 2,100 |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-----------------------|---------------------|-----------------------------------|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: Lab ID: | W-2-(2) 304731-059 | Batch#: Sampled: | 265278 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/07/18 | |
| Basis: Diln Fac: | as received 20.00 | Analyzed: | 11/14/18 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|--------|-------|
| Phenanthrene | ND | 1,300 | 170 |
| Anthracene | ND | 1,300 | 180 |
| Di-n-butylphthalate | ND | 6,700 | 190 |
| Fluoranthene | ND | 1,300 | 190 |
| Pyrene | ND | 1,300 | 170 |
| Butylbenzylphthalate | ND | 6,700 | 190 |
| 3,3'-Dichlorobenzidine | ND | 13,000 | 1,600 |
| Benzo(a)anthracene | ND | 1,300 | 170 |
| Chrysene | ND | 1,300 | 170 |
| bis(2-Ethylhexyl)phthalate | ND | 6,700 | 170 |
| Di-n-octylphthalate | ND | 6,700 | 680 |
| Benzo(b)fluoranthene | ND | 1,300 | 170 |
| Benzo(k)fluoranthene | ND | 1,300 | 170 |
| Benzo(a)pyrene | ND | 1,300 | 170 |
| Indeno(1,2,3-cd)pyrene | ND | 1,300 | 170 |
| Dibenz(a,h)anthracene | ND | 1,300 | 170 |
| Benzo(g,h,i)perylene | ND | 1,300 | 170 |

| Surrogate | %REC | Limits | |
|----------------------|------|--------|--|
| 2-Fluorophenol | DO | 40-127 | |
| Phenol-d5 | DO | 43-128 | |
| 2,4,6-Tribromophenol | DO | 31-120 | |
| Nitrobenzene-d5 | DO | 46-120 | |
| 2-Fluorobiphenyl | DO | 40-120 | |
| Terphenyl-d14 | DO | 56-120 | |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit

Page 2 of 2



| | Semivolatile Organics by GC/MS | | | | |
|-----------|--------------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | W-2-(5) | Batch#: | 265293 | | |
| Lab ID: | 304731-060 | Sampled: | 10/31/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/08/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|-----|
| N-Nitrosodimethylamine | ND | 330 | 42 |
| Pyridine | ND ND | 330 | 22 |
| Phenol | ND ND | 330 | 15 |
| | | 330 | 22 |
| bis(2-Chloroethyl)ether | ND | | |
| 2-Chlorophenol | ND | 330 | 14 |
| 1,3-Dichlorobenzene | ND | 330 | 42 |
| 1,4-Dichlorobenzene | ND | 330 | 42 |
| Benzyl alcohol | ND | 330 | 16 |
| 1,2-Dichlorobenzene | ND | 330 | 22 |
| 2-Methylphenol | ND | 330 | 14 |
| bis(2-Chloroisopropyl) ether | ND | 330 | 16 |
| 4-Methylphenol | ND | 330 | 16 |
| N-Nitroso-di-n-propylamine | ND | 330 | 15 |
| Hexachloroethane | ND | 330 | 75 |
| Nitrobenzene | ND | 330 | 22 |
| Isophorone | ND | 330 | 10 |
| 2-Nitrophenol | ND | 660 | 39 |
| 2,4-Dimethylphenol | ND | 330 | 19 |
| Benzoic acid | ND | 1,700 | 380 |
| bis(2-Chloroethoxy)methane | ND | 330 | 10 |
| 2,4-Dichlorophenol | ND ND | 330 | 9.3 |
| 1,2,4-Dichiolophenol | ND ND | 330 | 22 |
| Naphthalene | ND ND | 66 | 13 |
| | | | |
| 4-Chloroaniline | ND | 330 | 22 |
| Hexachlorobutadiene | ND | 330 | 22 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.6 |
| 2-Methylnaphthalene | ND | 66 | 9.9 |
| Hexachlorocyclopentadiene | ND | 660 | 76 |
| 2,4,6-Trichlorophenol | ND | 330 | 11 |
| 2,4,5-Trichlorophenol | ND | 330 | 9.1 |
| 2-Chloronaphthalene | ND | 330 | 8.4 |
| 2-Nitroaniline | ND | 660 | 34 |
| Dimethylphthalate | ND | 330 | 8.4 |
| Acenaphthylene | ND | 66 | 8.4 |
| 2,6-Dinitrotoluene | ND | 330 | 34 |
| 3-Nitroaniline | ND | 660 | 42 |
| Acenaphthene | ND | 66 | 8.4 |
| 2,4-Dinitrophenol | ND | 660 | 150 |
| 4-Nitrophenol | ND | 660 | 75 |
| Dibenzofuran | ND | 330 | 8.4 |
| 2,4-Dinitrotoluene | ND | 330 | 8.3 |
| Diethylphthalate | ND | 330 | 8.4 |
| Fluorene | ND | 66 | 8.4 |
| 4-Chlorophenyl-phenylether | ND | 330 | 8.4 |
| 4-Nitroaniline | ND ND | 660 | 42 |
| 4,6-Dinitro-2-methylphenol | ND ND | 660 | 42 |
| N-Nitrosodiphenylamine | ND ND | 330 | 8.4 |
| Azobenzene | ND | 330 | 8.4 |
| | | | |
| 4-Bromophenyl-phenylether | ND ND | 330 | 8.4 |
| Hexachlorobenzene | ND | 330 | 8.4 |
| Pentachlorophenol | ND | 660 | 100 |

J= Estimated value
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-----------------------|------------------------|-----------------------------------|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: Lab ID: | W-2-(5) 304731-060 | Batch#: Sampled: | 265293 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: Basis: | ug/Kg as received | Prepared: Analyzed: | 11/08/18 11/14/18 | |
| Diln Fac: | 1.000 | Anaryzeu. | 11/14/10 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Phenanthrene | ND | 66 | 8.4 |
| Anthracene | ND | 66 | 9.0 |
| Di-n-butylphthalate | 11 J | 330 | 9.5 |
| Fluoranthene | ND | 66 | 9.3 |
| Pyrene | ND | 66 | 8.4 |
| Butylbenzylphthalate | ND | 330 | 9.6 |
| 3,3'-Dichlorobenzidine | ND | 660 | 79 |
| Benzo(a)anthracene | ND | 66 | 8.4 |
| Chrysene | ND | 66 | 8.4 |
| bis(2-Ethylhexyl)phthalate | ND | 330 | 8.5 |
| Di-n-octylphthalate | ND | 330 | 34 |
| Benzo(b)fluoranthene | ND | 66 | 8.4 |
| Benzo(k)fluoranthene | ND | 66 | 8.4 |
| Benzo(a)pyrene | ND | 66 | 8.4 |
| Indeno(1,2,3-cd)pyrene | ND | 66 | 8.4 |
| Dibenz(a,h)anthracene | ND | 66 | 8.4 |
| Benzo(g,h,i)perylene | ND | 66 | 8.4 |

| Surrogate | %REC | Limits | |
|----------------------|------|--------|--|
| 2-Fluorophenol | 65 | 40-127 | |
| Phenol-d5 | 70 | 43-128 | |
| 2,4,6-Tribromophenol | 79 | 31-120 | |
| Nitrobenzene-d5 | 72 | 46-120 | |
| 2-Fluorobiphenyl | 72 | 40-120 | |
| Terphenyl-d14 | 76 | 56-120 | |

Page 2 of 2

J= Estimated value ND= Not Detected at or above MDL

RL= Reporting Limit MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | W-3-(1) | Batch#: | 265293 | |
| Lab ID: | 304731-064 | Sampled: | 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/08/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 10.00 | - | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|----------------|-------|
| N-Nitrosodimethylamine | ND | 3,300 | 470 |
| Pyridine | ND ND | 3,300 | 220 |
| Phenol | ND ND | 3,300 | 100 |
| | | | 600 |
| bis(2-Chloroethyl)ether | ND | 3,300 | |
| 2-Chlorophenol | ND | 3,300 | 100 |
| 1,3-Dichlorobenzene | ND | 3,300 | 570 |
| 1,4-Dichlorobenzene | ND | 3,300 | 100 |
| Benzyl alcohol | ND | 3,300 | 110 |
| 1,2-Dichlorobenzene | ND | 3,300 | 100 |
| 2-Methylphenol | ND | 3,300 | 140 |
| bis(2-Chloroisopropyl) ether | ND | 3,300 | 100 |
| 4-Methylphenol | ND | 3,300 | 100 |
| N-Nitroso-di-n-propylamine | ND | 3,300 | 100 |
| Hexachloroethane | ND | 3,300 | 100 |
| Nitrobenzene | ND | 3,300 | 110 |
| Isophorone | ND | 3,300 | 100 |
| 2-Nitrophenol | ND | 6,700 | 100 |
| 2,4-Dimethylphenol | ND | 3,300 | 140 |
| Benzoic acid | ND | 17,000 | 4,400 |
| bis(2-Chloroethoxy)methane | ND | 3,300 | 100 |
| 2,4-Dichlorophenol | ND | 3,300 | 100 |
| 1,2,4-Trichlorobenzene | ND | 3,300 | 100 |
| Naphthalene | ND ND | 670 | 100 |
| 4-Chloroaniline | ND ND | 3,300 | 94 |
| | | | 89 |
| Hexachlorobutadiene | ND | 3,300 | |
| 4-Chloro-3-methylphenol | ND | 3,300 | 83 |
| 2-Methylnaphthalene | ND | 670 | 100 |
| Hexachlorocyclopentadiene | ND | 6,700 | 750 |
| 2,4,6-Trichlorophenol | ND | 3,300 | 130 |
| 2,4,5-Trichlorophenol | ND | 3,300 | 84 |
| 2-Chloronaphthalene | ND | 3,300 | 90 |
| 2-Nitroaniline | ND | 6,700 | 110 |
| Dimethylphthalate | ND | 3,300 | 100 |
| Acenaphthylene | ND | 670 | 89 |
| 2,6-Dinitrotoluene | ND | 3,300 | 90 |
| 3-Nitroaniline | ND | 6,700 | 420 |
| Acenaphthene | ND | 670 | 100 |
| 2,4-Dinitrophenol | ND | 6,700 | 1,500 |
| 4-Nitrophenol | ND | 6,700 | 710 |
| Dibenzofuran | ND | 3,300 | 100 |
| 2,4-Dinitrotoluene | ND | 3,300 | 96 |
| Diethylphthalate | ND | 3,300 | 110 |
| Fluorene | ND | 670 | 99 |
| 4-Chlorophenyl-phenylether | ND | 3,300 | 97 |
| 4-Nitroaniline | ND | 6,700 | 420 |
| 4,6-Dinitro-2-methylphenol | ND ND | 6,700 | 770 |
| N-Nitrosodiphenylamine | ND ND | 3,300 | 110 |
| Azobenzene | ND ND | 3,300 | 86 |
| 4-Bromophenyl-phenylether | ND | • | 110 |
| Hexachlorobenzene | ND | 3,300 3,300 | 110 |
| | | | |
| Pentachlorophenol | ND | 6,700 | 1,300 |

Page 1 of 2

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-----------------------|------------------------|-----------------------------------|--|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: Lab ID: | W-3-(1) 304731-064 | Batch#: Sampled: | 265293 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: Basis: | ug/Kg as received | Prepared: Analyzed: | 11/08/18 11/14/18 | |
| Diln Fac: | 10.00 | Anaryzeu. | 11/14/10 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Phenanthrene | ND | 670 | 110 |
| Anthracene | ND | 670 | 110 |
| Di-n-butylphthalate | ND | 3,300 | 120 |
| Fluoranthene | ND | 670 | 100 |
| Pyrene | ND | 670 | 110 |
| Butylbenzylphthalate | ND | 3,300 | 100 |
| 3,3'-Dichlorobenzidine | ND | 6,700 | 220 |
| Benzo(a)anthracene | ND | 670 | 100 |
| Chrysene | ND | 670 | 110 |
| bis(2-Ethylhexyl)phthalate | ND | 3,300 | 130 |
| Di-n-octylphthalate | ND | 3,300 | 100 |
| Benzo(b)fluoranthene | ND | 670 | 90 |
| Benzo(k)fluoranthene | ND | 670 | 95 |
| Benzo(a)pyrene | ND | 670 | 88 |
| Indeno(1,2,3-cd)pyrene | ND | 670 | 88 |
| Dibenz(a,h)anthracene | ND | 670 | 93 |
| Benzo(g,h,i)perylene | ND | 670 | 100 |

| Surrogate | %REC | Limits | |
|----------------------|------|--------|--|
| 2-Fluorophenol | DO | 40-127 | |
| Phenol-d5 | DO | 43-128 | |
| 2,4,6-Tribromophenol | DO | 31-120 | |
| Nitrobenzene-d5 | DO | 46-120 | |
| 2-Fluorobiphenyl | DO | 40-120 | |
| Terphenyl-d14 | DO | 56-120 | |

DO= Diluted Out
ND= Not Detected at or above MDL
RL= Reporting Limit
MDL= Method Detection Limit

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | W-3-(5) | Batch#: | 265293 | |
| Lab ID: | 304731-065 | Sampled: | 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/08/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 1.000 | - | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|-----------------|
| N-Nitrosodimethylamine | ND | 340 | 48 |
| Pyridine | ND | 340 | 22 |
| Phenol | ND | 340 | 10 |
| bis(2-Chloroethyl)ether | ND | 340 | 60 |
| 2-Chlorophenol | ND | 340 | 10 |
| 1,3-Dichlorobenzene | ND | 340 | 57 |
| 1,4-Dichlorobenzene | ND | 340 | 10 |
| Benzyl alcohol | ND | 340 | 11 |
| 1,2-Dichlorobenzene | ND | 340 | 10 |
| 2-Methylphenol | ND | 340 | 14 |
| bis(2-Chloroisopropyl) ether | ND | 340 | 10 |
| 4-Methylphenol | ND | 340 | 10 |
| N-Nitroso-di-n-propylamine | ND ND | 340 | 10 |
| Hexachloroethane | ND ND | 340 | 10 |
| | | 340 | 11 |
| Nitrobenzene | ND | | |
| Isophorone | ND | 340 | 10 |
| 2-Nitrophenol | ND | 680 | 10 |
| 2,4-Dimethylphenol | ND | 340 | 14 |
| Benzoic acid | ND | 1,700 | 440 |
| bis(2-Chloroethoxy)methane | ND | 340 | 10 |
| 2,4-Dichlorophenol | ND | 340 | 10 |
| 1,2,4-Trichlorobenzene | ND | 340 | 10 |
| Naphthalene | ND | 68 | 10 |
| 4-Chloroaniline | ND | 340 | 9.5 |
| Hexachlorobutadiene | ND | 340 | 9.0 |
| 4-Chloro-3-methylphenol | ND | 340 | 8.5 |
| 2-Methylnaphthalene | ND | 68 | 10 |
| Hexachlorocyclopentadiene | ND | 680 | 76 |
| 2,4,6-Trichlorophenol | ND | 340 | 13 |
| 2,4,5-Trichlorophenol | ND | 340 | 8.5 |
| 2-Chloronaphthalene | ND | 340 | 9.1 |
| 2-Nitroaniline | ND | 680 | 11 |
| Dimethylphthalate | ND | 340 | 10 |
| Acenaphthylene | ND | 68 | 9.1 |
| 2,6-Dinitrotoluene | ND | 340 | 9.1 |
| 3-Nitroaniline | ND | 680 | 43 |
| Acenaphthene | ND | 68 | 10 |
| 2,4-Dinitrophenol | ND | 680 | 150 |
| 4-Nitrophenol | ND | 680 | 72 |
| Dibenzofuran | ND | 340 | $1\overline{1}$ |
| 2,4-Dinitrotoluene | ND | 340 | 9.8 |
| Diethylphthalate | ND | 340 | 11 |
| Fluorene | ND | 68 | 10 |
| 4-Chlorophenyl-phenylether | ND | 340 | 9.8 |
| 4-Nitroaniline | ND | 680 | 43 |
| 4,6-Dinitro-2-methylphenol | ND | 680 | 78 |
| N-Nitrosodiphenylamine | ND | 340 | 11 |
| Azobenzene | ND | 340 | 8.7 |
| 4-Bromophenyl-phenylether | ND ND | 340 | 11 |
| Hexachlorobenzene | ND ND | 340 | 11 |
| Pentachlorophenol | ND ND | 680 | 130 |
| | | | |
| Phenanthrene | ND | 68 | 11 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-----------------------|-----------------------|-----------------------------------|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | W-3-(5) 304731-065 | Batch#: | 265293 |
| Lab ID: Matrix: | 304731-065 Soil | Sampled: Received: | 10/31/18 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: Diln Fac: | as received 1.000 | Analyzed: | 11/14/18 |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Anthracene | ND | 68 | 12 |
| Di-n-butylphthalate | ND | 340 | 12 |
| Fluoranthene | ND | 68 | 10 |
| Pyrene | ND | 68 | 11 |
| Butylbenzylphthalate | ND | 340 | 10 |
| 3,3'-Dichlorobenzidine | ND | 680 | 22 |
| Benzo(a)anthracene | ND | 68 | 10 |
| Chrysene | ND | 68 | 11 |
| bis(2-Ethylhexyl)phthalate | ND | 340 | 13 |
| Di-n-octylphthalate | ND | 340 | 10 |
| Benzo(b)fluoranthene | ND | 68 | 9.1 |
| Benzo(k)fluoranthene | ND | 68 | 9.6 |
| Benzo(a)pyrene | ND | 68 | 8.9 |
| Indeno(1,2,3-cd)pyrene | ND | 68 | 9.0 |
| Dibenz(a,h)anthracene | ND | 68 | 9.5 |
| Benzo(g,h,i)perylene | ND | 68 | 10 |

| Surrogate %REG | Limits |
|-------------------------|--------|
| 2-Fluorophenol 57 | 40-127 |
| Phenol-d5 55 | 43-128 |
| 2,4,6-Tribromophenol 54 | 31-120 |
| Nitrobenzene-d5 51 | 46-120 |
| 2-Fluorobiphenyl 61 | 40-120 |
| Terphenyl-d14 67 | 56-120 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 2 of 2



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-------------|-----------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | W-4-(1) | Batch#: | 265293 |
| Lab ID: | 304731-069 | Sampled: | 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 5.000 | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|-------|
| N-Nitrosodimethylamine | ND | 1,700 | 230 |
| Pyridine | ND | 1,700 | 110 |
| Phenol | ND | 1,700 | 50 |
| bis(2-Chloroethyl)ether | ND | 1,700 | 300 |
| 2-Chlorophenol | ND | 1,700 | 50 |
| 1,3-Dichlorobenzene | ND | 1,700 | 280 |
| 1,4-Dichlorobenzene | ND | 1,700 | 50 |
| Benzyl alcohol | ND | 1,700 | 54 |
| 1,2-Dichlorobenzene | ND | 1,700 | 50 |
| 2-Methylphenol | ND | 1,700 | 68 |
| bis(2-Chloroisopropyl) ether | ND | 1,700 | 50 |
| 4-Methylphenol | ND | 1,700 | 50 |
| N-Nitroso-di-n-propylamine | ND | 1,700 | 50 |
| Hexachloroethane | ND | 1,700 | 50 |
| Nitrobenzene | ND | 1,700 | 54 |
| Isophorone | ND | 1,700 | 50 |
| 2-Nitrophenol | ND ND | 3,300 | 50 |
| 2,4-Dimethylphenol | ND ND | 1,700 | 70 |
| 1 | ND ND | | |
| Benzoic acid | | 8,300 | 2,200 |
| bis(2-Chloroethoxy)methane | ND | 1,700 | 50 |
| 2,4-Dichlorophenol | ND | 1,700 | 50 |
| 1,2,4-Trichlorobenzene | ND | 1,700 | 50 |
| Naphthalene | ND | 330 | 50 |
| 4-Chloroaniline | ND | 1,700 | 47 |
| Hexachlorobutadiene | ND | 1,700 | 44 |
| 4-Chloro-3-methylphenol | ND | 1,700 | 42 |
| 2-Methylnaphthalene | ND | 330 | 50 |
| Hexachlorocyclopentadiene | ND | 3,300 | 370 |
| 2,4,6-Trichlorophenol | ND | 1,700 | 63 |
| 2,4,5-Trichlorophenol | ND | 1,700 | 42 |
| 2-Chloronaphthalene | ND | 1,700 | 45 |
| 2-Nitroaniline | ND | 3,300 | 54 |
| Dimethylphthalate | ND | 1,700 | 50 |
| Acenaphthylene | ND | 330 | 45 |
| 2,6-Dinitrotoluene | ND | 1,700 | 45 |
| 3-Nitroaniline | ND | 3,300 | 210 |
| Acenaphthene | ND | 330 | 50 |
| 2,4-Dinitrophenol | ND | 3,300 | 750 |
| 4-Nitrophenol | ND | 3,300 | 360 |
| Dibenzofuran | ND | 1,700 | 52 |
| 2,4-Dinitrotoluene | ND | 1,700 | 48 |
| Diethylphthalate | ND | 1,700 | 56 |
| Fluorene | ND | 330 | 49 |
| 4-Chlorophenyl-phenylether | ND | 1,700 | 48 |
| 4-Nitroaniline | ND | 3,300 | 210 |
| 4,6-Dinitro-2-methylphenol | ND | 3,300 | 380 |
| N-Nitrosodiphenylamine | ND | 1,700 | 53 |
| Azobenzene | ND | 1,700 | 43 |
| 4-Bromophenyl-phenylether | ND | 1,700 | 53 |
| Hexachlorobenzene | ND | 1,700 | 53 |
| Pentachlorophenol | ND | 3,300 | 640 |
| Phenanthrene | ND | 330 | 52 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|-----------------------|------------------------|-----------------------------------|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: Lab ID: | W-4-(1) 304731-069 | Batch#: Sampled: | 265293 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: Basis: | ug/Kg as received | Prepared: Analyzed: | 11/08/18 11/14/18 |
| Diln Fac: | 5.000 | Analyzed: | 11/14/10 |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Anthracene | ND | 330 | 57 |
| Di-n-butylphthalate | ND | 1,700 | 60 |
| Fluoranthene | ND | 330 | 51 |
| Pyrene | ND | 330 | 54 |
| Butylbenzylphthalate | ND | 1,700 | 50 |
| 3,3'-Dichlorobenzidine | ND | 3,300 | 110 |
| Benzo(a)anthracene | ND | 330 | 51 |
| Chrysene | ND | 330 | 56 |
| bis(2-Ethylhexyl)phthalate | ND | 1,700 | 65 |
| Di-n-octylphthalate | ND | 1,700 | 50 |
| Benzo(b)fluoranthene | ND | 330 | 45 |
| Benzo(k)fluoranthene | ND | 330 | 47 |
| Benzo(a)pyrene | ND | 330 | 44 |
| Indeno(1,2,3-cd)pyrene | ND | 330 | 44 |
| Dibenz(a,h)anthracene | ND | 330 | 46 |
| Benzo(g,h,i)perylene | ND | 330 | 50 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 61 | 40-127 |
| Phenol-d5 | 59 | 43-128 |
| 2,4,6-Tribromophenol | 50 | 31-120 |
| Nitrobenzene-d5 | 54 | 46-120 |
| 2-Fluorobiphenyl | 77 | 40-120 |
| Terphenyl-d14 | 78 | 56-120 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Field ID: | W-4-(5) | Batch#: | 265293 | |
| Lab ID: | 304731-070 | Sampled: | 10/31/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/08/18 | |
| Basis: | as received | Analyzed: | 11/14/18 | |
| Diln Fac: | 5.000 | | | |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|----------|
| N-Nitrosodimethylamine | ND | 1,700 | 240 |
| Pyridine | ND | 1,700 | 110 |
| Phenol | ND | 1,700 | 50 |
| bis(2-Chloroethyl)ether | ND | 1,700 | 300 |
| 2-Chlorophenol | ND | 1,700 | 50 |
| 1,3-Dichlorobenzene | ND | 1,700 | 280 |
| 1,4-Dichlorobenzene | ND | 1,700 | 50 |
| Benzyl alcohol | ND | 1,700 | 54 |
| 1,2-Dichlorobenzene | ND | 1,700 | 50 |
| 2-Methylphenol | ND | 1,700 | 68 |
| bis(2-Chloroisopropyl) ether | ND | 1,700 | 50 |
| 4-Methylphenol | ND | 1,700 | 50 |
| N-Nitroso-di-n-propylamine | ND | 1,700 | 50 |
| Hexachloroethane | ND ND | 1,700 | 50 |
| Nitrobenzene | ND ND | 1,700 | 55 55 |
| | | | 50 |
| Isophorone | ND | 1,700 | 50 |
| 2-Nitrophenol | ND | 3,300 | 70 |
| 2,4-Dimethylphenol | ND | 1,700 | |
| Benzoic acid | ND | 8,300 | 2,200 |
| bis(2-Chloroethoxy)methane | ND | 1,700 | 50 |
| 2,4-Dichlorophenol | ND | 1,700 | 50 |
| 1,2,4-Trichlorobenzene | ND | 1,700 | 50 |
| Naphthalene | ND | 330 | 50 |
| 4-Chloroaniline | ND | 1,700 | 47 |
| Hexachlorobutadiene | ND | 1,700 | 45 |
| 4-Chloro-3-methylphenol | ND | 1,700 | 42 |
| 2-Methylnaphthalene | ND | 330 | 50 |
| Hexachlorocyclopentadiene | ND | 3,300 | 380 |
| 2,4,6-Trichlorophenol | ND | 1,700 | 63 |
| 2,4,5-Trichlorophenol | ND | 1,700 | 42 |
| 2-Chloronaphthalene | ND | 1,700 | 45 |
| 2-Nitroaniline | ND | 3,300 | 54 |
| Dimethylphthalate | ND | 1,700 | 50 |
| Acenaphthylene | ND | 330 | 45 |
| 2,6-Dinitrotoluene | ND | 1,700 | 45 |
| 3-Nitroaniline | ND | 3,300 | 210 |
| Acenaphthene | ND | 330 | 50 |
| 2,4-Dinitrophenol | ND | 3,300 | 750 |
| 4-Nitrophenol | ND | 3,300 | 360 |
| Dibenzofuran | ND | 1,700 | 52 |
| 2,4-Dinitrotoluene | ND | 1,700 | 48 |
| Diethylphthalate | ND | 1,700 | 57 |
| Fluorene | ND | 330 | 50 |
| 4-Chlorophenyl-phenylether | ND | 1,700 | 48 |
| 4-Nitroaniline | ND | 3,300 | 210 |
| 4,6-Dinitro-2-methylphenol | ND | 3,300 | 380 |
| N-Nitrosodiphenylamine | ND | 1,700 | 53 |
| Azobenzene | ND | 1,700 | 43 |
| 4-Bromophenyl-phenylether | ND | 1,700 | 53 |
| Hexachlorobenzene | ND | 1,700 | 54 |
| Pentachlorophenol | ND | 3,300 | 640 |
| Phenanthrene | ND | 330 | 53 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | |
|--------------------------------|----------------------|-----------------------|-----------------------------------|
| Lab #: Client: | 304731 WSP | Location: Prep: | Vallco Cupertino, CA EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Field ID: | W-4-(5) | Batch#: | 265293 |
| Lab ID: Matrix: | 304731-070 Soil | Sampled: Received: | 10/31/18 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: Diln Fac: | as received 5.000 | Analyzed: | 11/14/18 |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-------|-----|
| Anthracene | ND | 330 | 57 |
| Di-n-butylphthalate | ND | 1,700 | 61 |
| Fluoranthene | ND | 330 | 52 |
| Pyrene | ND | 330 | 55 |
| Butylbenzylphthalate | ND | 1,700 | 50 |
| 3,3'-Dichlorobenzidine | ND | 3,300 | 110 |
| Benzo(a)anthracene | ND | 330 | 51 |
| Chrysene | ND | 330 | 57 |
| bis(2-Ethylhexyl)phthalate | ND | 1,700 | 65 |
| Di-n-octylphthalate | ND | 1,700 | 50 |
| Benzo(b)fluoranthene | ND | 330 | 45 |
| Benzo(k)fluoranthene | ND | 330 | 48 |
| Benzo(a)pyrene | ND | 330 | 44 |
| Indeno(1,2,3-cd)pyrene | ND | 330 | 44 |
| Dibenz(a,h)anthracene | ND | 330 | 47 |
| Benzo(g,h,i)perylene | ND | 330 | 51 |

| Surrogate %R | REC | Limits |
|-------------------------|-----|--------|
| 2-Fluorophenol 71 | | 40-127 |
| Phenol-d5 68 | | 43-128 |
| 2,4,6-Tribromophenol 58 | | 31-120 |
| Nitrobenzene-d5 64 | | 46-120 |
| 2-Fluorobiphenyl 91 | | 40-120 |
| Terphenyl-d14 90 | | 56-120 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 2 of 2



| Bacon go ne | | mivolatile Organics by GO | C/MS |
|-------------|----------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC954440 | Batch#: | 265189 |
| Matrix: | Soil | Prepared: | 11/05/18 |
| Units: | ug/Kg | Analyzed: | 11/09/18 |

| Analyte | Result | RL | MDL |
|--|----------|-------|-----|
| N-Nitrosodimethylamine | ND | 330 | 47 |
| Pyridine | ND | 330 | 22 |
| Phenol | ND | 330 | 10 |
| bis(2-Chloroethyl)ether | ND | 330 | 60 |
| 2-Chlorophenol | ND | 330 | 10 |
| 1,3-Dichlorobenzene | ND | 330 | 57 |
| 1,4-Dichlorobenzene | ND | 330 | 10 |
| Benzyl alcohol | ND | 330 | 11 |
| 1,2-Dichlorobenzene | ND | 330 | 10 |
| 2-Methylphenol | ND ND | 330 | 14 |
| | ND ND | 330 | 10 |
| bis(2-Chloroisopropyl) ether 4-Methylphenol | ND | 330 | 10 |
| | ND ND | 330 | 10 |
| N-Nitroso-di-n-propylamine | ND | 330 | 10 |
| Hexachloroethane | | 330 | 11 |
| Nitrobenzene | ND | | |
| Isophorone | ND | 330 | 10 |
| 2-Nitrophenol | ND | 670 | 10 |
| 2,4-Dimethylphenol | ND | 330 | 14 |
| Benzoic acid | ND | 1,700 | 440 |
| bis(2-Chloroethoxy)methane | ND | 330 | 10 |
| 2,4-Dichlorophenol | ND | 330 | 10 |
| 1,2,4-Trichlorobenzene | ND | 330 | 10 |
| Naphthalene | ND | 67 | 10 |
| 4-Chloroaniline | ND | 330 | 9.4 |
| Hexachlorobutadiene | ND | 330 | 8.9 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.3 |
| 2-Methylnaphthalene | ND | 67 | 10 |
| Hexachlorocyclopentadiene | ND | 670 | 75 |
| 2,4,6-Trichlorophenol | ND | 330 | 13 |
| 2,4,5-Trichlorophenol | ND | 330 | 8.4 |
| 2-Chloronaphthalene | ND | 330 | 9.0 |
| 2-Nitroaniline | ND | 670 | 11 |
| Dimethylphthalate | ND | 330 | 10 |
| Acenaphthylene | ND | 67 | 8.9 |
| 2,6-Dinitrotoluene | ND | 330 | 9.0 |
| 3-Nitroaniline | ND | 670 | 42 |
| Acenaphthene | ND | 67 | 10 |
| 2,4-Dinitrophenol | ND | 670 | 150 |
| 4-Nitrophenol | ND | 670 | 71 |
| Dibenzofuran | ND | 330 | 10 |
| 2,4-Dinitrotoluene | ND | 330 | 9.6 |
| Diethylphthalate | ND | 330 | 11 |
| Fluorene | ND | 67 | 9.9 |
| 4-Chlorophenyl-phenylether | ND | 330 | 9.7 |
| 4-Nitroaniline | ND | 670 | 42 |
| 4,6-Dinitro-2-methylphenol | ND | 670 | 77 |
| N-Nitrosodiphenylamine | ND | 330 | 11 |
| Azobenzene | ND | 330 | 8.6 |
| 4-Bromophenyl-phenylether | ND | 330 | 11 |
| Hexachlorobenzene | ND | 330 | 11 |
| Pentachlorophenol | ND ND | 670 | 130 |
| Phenanthrene | ND | 67 | 11 |
| Anthracene | ND | 67 | 11 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|----------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Type: Lab ID: | BLANK | Diln Fac: | 1.000 | |
| Lab ID: | QC954440 | Batch#: | 265189 | |
| Matrix: | Šoil | Prepared: | 11/05/18 | |
| Units: | ug/Kg | Analyzed: | 11/09/18 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Di-n-butylphthalate | ND | 330 | 12 |
| Fluoranthene | ND | 67 | 10 |
| Pyrene | ND | 67 | 11 |
| Butylbenzylphthalate | ND | 330 | 10 |
| 3,3'-Dichlorobenzidine | ND | 670 | 22 |
| Benzo(a)anthracene | ND | 67 | 10 |
| Chrysene | ND | 67 | 11 |
| bis(2-Ethylhexyl)phthalate | ND | 330 | 13 |
| Di-n-octylphthalate | ND | 330 | 10 |
| Benzo(b)fluoranthene | ND | 67 | 9.0 |
| Benzo(k)fluoranthene | ND | 67 | 9.5 |
| Benzo(a)pyrene | ND | 67 | 8.8 |
| Indeno(1,2,3-cd)pyrene | ND | 67 | 8.8 |
| Dibenz(a,h)anthracene | ND | 67 | 9.3 |
| Benzo(g,h,i)perylene | ND | 67 | 10 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 61 | 40-127 |
| Phenol-d5 | 59 | 43-128 |
| 2,4,6-Tribromophenol | 64 | 31-120 |
| Nitrobenzene-d5 | 65 | 46-120 |
| 2-Fluorobiphenyl | 64 | 40-120 |
| Terphenyl-d14 | 59 | 56-120 |

ND= Not Detected at or above MDL

RL= Reporting Limit MDL= Method Detection Limit

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|----------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Type: | LCS | Diln Fac: | 1.000 | | |
| Lab ID: | QC954441 | Batch#: | 265189 | | |
| Matrix: | Soil | Prepared: | 11/05/18 | | |
| Units: | ug/Kg | Analyzed: | 11/13/18 | | |

| Analyte | Spiked | Result | %REC | Limits |
|----------------------------|--------|--------|------|--------|
| Phenol | 2,667 | 1,989 | 75 | 46-120 |
| 2-Chlorophenol | 2,667 | 2,009 | 75 | 58-120 |
| 1,4-Dichlorobenzene | 2,667 | 1,904 | 71 | 58-120 |
| N-Nitroso-di-n-propylamine | 2,667 | 2,177 | 82 | 50-120 |
| 1,2,4-Trichlorobenzene | 2,667 | 2,065 | 77 | 62-120 |
| 4-Chloro-3-methylphenol | 2,667 | 2,269 | 85 | 64-138 |
| Acenaphthene | 1,000 | 870.4 | 87 | 65-120 |
| 4-Nitrophenol | 2,667 | 2,559 | 96 | 64-124 |
| 2,4-Dinitrotoluene | 2,667 | 2,390 | 90 | 68-120 |
| Pentachlorophenol | 2,667 | 2,301 | 86 | 36-120 |
| Pyrene | 1,000 | 827.2 | 83 | 67-120 |

| Surrogate | %REC | Limits | |
|----------------------|------|--------|--|
| 2-Fluorophenol | 73 | 40-127 | |
| Phenol-d5 | 70 | 43-128 | |
| 2,4,6-Tribromophenol | 87 | 31-120 | |
| Nitrobenzene-d5 | 81 | 46-120 | |
| 2-Fluorobiphenyl | 79 | 40-120 | |
| Terphenyl-d14 | 81 | 56-120 | |

Page 1 of 1 165.0



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|-------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Field ID: | S-1-(5) | Batch#: | 265189 | | |
| MSS Lab ID: | 304731-002 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/05/18 | | |
| Basis: | as received | Analyzed: | 11/09/18 | | |
| Diln Fac: | 1.000 | | | | |

Type: MS Lab ID: QC954442

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|----------------------------|------------|--------|--------|------|--------|
| Phenol | <9.908 | 2,677 | 1,715 | 64 | 49-120 |
| 2-Chlorophenol | <9.908 | 2,677 | 1,639 | 61 | 56-120 |
| 1,4-Dichlorobenzene | <9.908 | 2,677 | 723.2 | 27 * | 35-120 |
| N-Nitroso-di-n-propylamine | <9.908 | 2,677 | 1,823 | 68 | 51-120 |
| 1,2,4-Trichlorobenzene | <9.908 | 2,677 | 1,194 | 45 * | 50-120 |
| 4-Chloro-3-methylphenol | <8.265 | 2,677 | 1,821 | 68 * | 69-128 |
| Acenaphthene | <9.908 | 1,004 | 682.5 | 68 | 65-120 |
| 4-Nitrophenol | <70.67 | 2,677 | 1,911 | 71 | 64-120 |
| 2,4-Dinitrotoluene | <9.539 | 2,677 | 1,890 | 71 * | 72-120 |
| Pentachlorophenol | <126.8 | 2,677 | 1,623 | 61 | 18-120 |
| Pyrene | <10.81 | 1,004 | 667.7 | 67 * | 68-120 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 63 | 40-127 |
| Phenol-d5 | 62 | 43-128 |
| 2,4,6-Tribromophenol | 67 | 31-120 |
| Nitrobenzene-d5 | 65 | 46-120 |
| 2-Fluorobiphenyl | 57 | 40-120 |
| Terphenyl-d14 | 61 | 56-120 |

Type: MSD Lab ID: QC954443

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------------------|--------|--------|------|--------|-----|-----|
| Phenol | 2,669 | 1,733 | 65 | 49-120 | 1 | 26 |
| 2-Chlorophenol | 2,669 | 1,645 | 62 | 56-120 | 1 | 24 |
| 1,4-Dichlorobenzene | 2,669 | 723.5 | 27 * | 35-120 | 0 | 46 |
| N-Nitroso-di-n-propylamine | 2,669 | 1,809 | 68 | 51-120 | 0 | 24 |
| 1,2,4-Trichlorobenzene | 2,669 | 1,178 | 44 * | 50-120 | 1 | 27 |
| 4-Chloro-3-methylphenol | 2,669 | 1,846 | 69 | 69-128 | 2 | 24 |
| Acenaphthene | 1,001 | 691.2 | 69 | 65-120 | 2 | 24 |
| 4-Nitrophenol | 2,669 | 1,917 | 72 | 64-120 | 1 | 31 |
| 2,4-Dinitrotoluene | 2,669 | 1,940 | 73 | 72-120 | 3 | 22 |
| Pentachlorophenol | 2,669 | 1,601 | 60 | 18-120 | 1 | 70 |
| Pyrene | 1,001 | 665.2 | 66 * | 68-120 | 0 | 30 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 62 | 40-127 |
| Phenol-d5 | 63 | 43-128 |
| 2,4,6-Tribromophenol | 68 | 31-120 |
| Nitrobenzene-d5 | 63 | 46-120 |
| 2-Fluorobiphenyl | 58 | 40-120 |
| Terphenyl-d14 | 63 | 56-120 |

Page 1 of 1

^{*=} Value outside of QC limits; see narrative RPD= Relative Percent Difference



| Baccii ge ite | | mivolatile Organics by GC | !/MS |
|---------------|----------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC954795 | Batch#: | 265278 |
| Matrix: | Soil | Prepared: | 11/07/18 |
| Units: | ug/Kg | Analyzed: | 11/09/18 |

| Analyte | Result | RL | MDL |
|--|----------|-------|-----|
| N-Nitrosodimethylamine | ND | 330 | 47 |
| Pyridine | ND | 330 | 22 |
| Phenol | ND | 330 | 10 |
| bis(2-Chloroethyl)ether | ND | 330 | 60 |
| 2-Chlorophenol | ND | 330 | 10 |
| 1,3-Dichlorobenzene | ND | 330 | 57 |
| 1,4-Dichlorobenzene | ND | 330 | 10 |
| Benzyl alcohol | ND | 330 | 11 |
| 1,2-Dichlorobenzene | ND | 330 | 10 |
| 2-Methylphenol | ND ND | 330 | 14 |
| | ND ND | 330 | 10 |
| bis(2-Chloroisopropyl) ether 4-Methylphenol | ND | 330 | 10 |
| | ND ND | 330 | 10 |
| N-Nitroso-di-n-propylamine | ND | 330 | 10 |
| Hexachloroethane | | 330 | 11 |
| Nitrobenzene | ND | | |
| Isophorone | ND | 330 | 10 |
| 2-Nitrophenol | ND | 670 | 10 |
| 2,4-Dimethylphenol | ND | 330 | 14 |
| Benzoic acid | ND | 1,700 | 440 |
| bis(2-Chloroethoxy)methane | ND | 330 | 10 |
| 2,4-Dichlorophenol | ND | 330 | 10 |
| 1,2,4-Trichlorobenzene | ND | 330 | 10 |
| Naphthalene | ND | 67 | 10 |
| 4-Chloroaniline | ND | 330 | 9.4 |
| Hexachlorobutadiene | ND | 330 | 8.9 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.3 |
| 2-Methylnaphthalene | ND | 67 | 10 |
| Hexachlorocyclopentadiene | ND | 670 | 75 |
| 2,4,6-Trichlorophenol | ND | 330 | 13 |
| 2,4,5-Trichlorophenol | ND | 330 | 8.4 |
| 2-Chloronaphthalene | ND | 330 | 9.0 |
| 2-Nitroaniline | ND | 670 | 11 |
| Dimethylphthalate | ND | 330 | 10 |
| Acenaphthylene | ND | 67 | 8.9 |
| 2,6-Dinitrotoluene | ND | 330 | 9.0 |
| 3-Nitroaniline | ND | 670 | 42 |
| Acenaphthene | ND | 67 | 10 |
| 2,4-Dinitrophenol | ND | 670 | 150 |
| 4-Nitrophenol | ND | 670 | 71 |
| Dibenzofuran | ND | 330 | 10 |
| 2,4-Dinitrotoluene | ND | 330 | 9.6 |
| Diethylphthalate | ND | 330 | 11 |
| Fluorene | ND | 67 | 9.9 |
| 4-Chlorophenyl-phenylether | ND | 330 | 9.7 |
| 4-Nitroaniline | ND | 670 | 42 |
| 4,6-Dinitro-2-methylphenol | ND | 670 | 77 |
| N-Nitrosodiphenylamine | ND | 330 | 11 |
| Azobenzene | ND | 330 | 8.6 |
| 4-Bromophenyl-phenylether | ND | 330 | 11 |
| Hexachlorobenzene | ND | 330 | 11 |
| Pentachlorophenol | ND ND | 670 | 130 |
| Phenanthrene | ND | 67 | 11 |
| Anthracene | ND | 67 | 11 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|----------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Type: Lab ID: | BLANK | Diln Fac: | 1.000 | | |
| Lab ID: | QC954795 | Batch#: | 265278 | | |
| Matrix: | Šoil | Prepared: | 11/07/18 | | |
| Units: | ug/Kg | Analyzed: | 11/09/18 | | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Di-n-butylphthalate | ND | 330 | 12 |
| Fluoranthene | ND | 67 | 10 |
| Pyrene | ND | 67 | 11 |
| Butylbenzylphthalate | ND | 330 | 10 |
| 3,3'-Dichlorobenzidine | ND | 670 | 22 |
| Benzo(a)anthracene | ND | 67 | 10 |
| Chrysene | ND | 67 | 11 |
| bis(2-Ethylhexyl)phthalate | ND | 330 | 13 |
| Di-n-octylphthalate | ND | 330 | 10 |
| Benzo(b)fluoranthene | ND | 67 | 9.0 |
| Benzo(k)fluoranthene | ND | 67 | 9.5 |
| Benzo(a)pyrene | ND | 67 | 8.8 |
| Indeno(1,2,3-cd)pyrene | ND | 67 | 8.8 |
| Dibenz(a,h)anthracene | ND | 67 | 9.3 |
| Benzo(g,h,i)perylene | ND | 67 | 10 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 58 | 40-127 |
| Phenol-d5 | 57 | 43-128 |
| 2,4,6-Tribromophenol | 63 | 31-120 |
| Nitrobenzene-d5 | 60 | 46-120 |
| 2-Fluorobiphenyl | 63 | 40-120 |
| Terphenyl-d14 | 61 | 56-120 |

ND= Not Detected at or above MDL

RL= Reporting Limit MDL= Method Detection Limit

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | | |
|--------------------------------|----------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3550C | | |
| Project#: | VALLCO | Analysis: | EPA 8270C | | |
| Type: | LCS | Diln Fac: | 1.000 | | |
| Lab ID: | QC954796 | Batch#: | 265278 | | |
| Matrix: | Soil | Prepared: | 11/07/18 | | |
| Units: | ug/Kg | Analyzed: | 11/14/18 | | |

| Analyte | Spiked | Result | %REC | Limits |
|----------------------------|--------|--------|------|--------|
| Phenol | 2,667 | 1,944 | 73 | 46-120 |
| 2-Chlorophenol | 2,667 | 1,927 | 72 | 58-120 |
| 1,4-Dichlorobenzene | 2,667 | 1,873 | 70 | 58-120 |
| N-Nitroso-di-n-propylamine | 2,667 | 2,017 | 76 | 50-120 |
| 1,2,4-Trichlorobenzene | 2,667 | 1,935 | 73 | 62-120 |
| 4-Chloro-3-methylphenol | 2,667 | 2,209 | 83 | 64-138 |
| Acenaphthene | 1,000 | 884.6 | 88 | 65-120 |
| 4-Nitrophenol | 2,667 | 2,543 | 95 | 64-124 |
| 2,4-Dinitrotoluene | 2,667 | 2,327 | 87 | 68-120 |
| Pentachlorophenol | 2,667 | 2,273 | 85 | 36-120 |
| Pyrene | 1,000 | 803.7 | 80 | 67-120 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 69 | 40-127 |
| Phenol-d5 | 68 | 43-128 |
| 2,4,6-Tribromophenol | 84 | 31-120 |
| Nitrobenzene-d5 | 76 | 46-120 |
| 2-Fluorobiphenyl | 75 | 40-120 |
| Terphenyl-d14 | 78 | 56-120 |

Page 1 of 1



| Date of The P | | emivolatile Organics by GC | C/MS |
|---------------|----------|----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3550C |
| Project#: | VALLCO | Analysis: | EPA 8270C |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC954857 | Batch#: | 265293 |
| Matrix: | Soil | Prepared: | 11/08/18 |
| Units: | ug/Kg | Analyzed: | 11/09/18 |

| Analyte | Result | RL | MDL |
|------------------------------|----------|-------|----------|
| N-Nitrosodimethylamine | ND | 330 | 47 |
| Pyridine | ND | 330 | 22 |
| Phenol | ND | 330 | 10 |
| bis(2-Chloroethyl)ether | ND | 330 | 60 |
| 2-Chlorophenol | ND | 330 | 10 |
| 1,3-Dichlorobenzene | ND | 330 | 57 |
| 1,4-Dichlorobenzene | ND | 330 | 10 |
| Benzyl alcohol | ND | 330 | 11 |
| 1,2-Dichlorobenzene | ND | 330 | 10 |
| 2-Methylphenol | ND | 330 | 14 |
| bis(2-Chloroisopropyl) ether | ND | 330 | 10 |
| 4-Methylphenol | ND | 330 | 10 |
| N-Nitroso-di-n-propylamine | ND | 330 | 10 |
| Hexachloroethane | ND | 330 | 10 |
| Nitrobenzene | ND | 330 | 11 |
| Isophorone | ND | 330 | 10 |
| 2-Nitrophenol | ND ND | 670 | 10 |
| 2,4-Dimethylphenol | ND ND | 330 | 14 |
| | ND ND | 1,700 | 440 |
| Benzoic acid | ND ND | 330 | 10 |
| bis(2-Chloroethoxy)methane | | 330 | 10 |
| 2,4-Dichlorophenol | ND | | 10 |
| 1,2,4-Trichlorobenzene | ND | 330 | |
| Naphthalene | ND | 67 | 10 |
| 4-Chloroaniline | ND | 330 | 9.4 |
| Hexachlorobutadiene | ND | 330 | 8.9 |
| 4-Chloro-3-methylphenol | ND | 330 | 8.3 |
| 2-Methylnaphthalene | ND | 67 | 10 |
| Hexachlorocyclopentadiene | ND | 670 | 75 13 |
| 2,4,6-Trichlorophenol | ND | 330 | 13 |
| 2,4,5-Trichlorophenol | ND | 330 | 8.4 |
| 2-Chloronaphthalene | ND | 330 | 9.0 |
| 2-Nitroaniline | ND | 670 | 11 |
| Dimethylphthalate | ND | 330 | 10 |
| Acenaphthylene | ND | 67 | 8.9 |
| 2,6-Dinitrotoluene | ND | 330 | 9.0 |
| 3-Nitroaniline | ND | 670 | 42 |
| Acenaphthene | ND | 67 | 10 |
| 2,4-Dinitrophenol | ND | 670 | 150 |
| 4-Nitrophenol | ND | 670 | 71 |
| Dibenzofuran | ND | 330 | 10 |
| 2,4-Dinitrotoluene | ND | 330 | 9.6 |
| Diethylphthalate | ND | 330 | 11 |
| Fluorene | ND | 67 | 9.9 |
| 4-Chlorophenyl-phenylether | ND | 330 | 9.7 |
| 4-Nitroaniline | ND | 670 | 42 |
| 4,6-Dinitro-2-methylphenol | ND | 670 | 77 |
| N-Nitrosodiphenylamine | ND | 330 | 11 |
| Azobenzene | ND | 330 | 8.6 |
| 4-Bromophenyl-phenylether | ND | 330 | 11 |
| Hexachlorobenzene | ND | 330 | 11 |
| Pentachlorophenol | ND | 670 | 130 |
| Phenanthrene | ND | 67 | 11 |
| Anthracene | ND | 67 | 11 |

ND= Not Detected at or above MDL RL= Reporting Limit MDL= Method Detection Limit

Page 1 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|----------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Type: | BLANK | Diln Fac: | 1.000 | |
| Type: Lab ID: | QC954857 | Batch#: | 265293 | |
| Matrix: | Šoil | Prepared: | 11/08/18 | |
| Units: | ug/Kg | Analyzed: | 11/09/18 | |

| Analyte | Result | RL | MDL |
|----------------------------|--------|-----|-----|
| Di-n-butylphthalate | ND | 330 | 12 |
| Fluoranthene | ND | 67 | 10 |
| Pyrene | ND | 67 | 11 |
| Butylbenzylphthalate | ND | 330 | 10 |
| 3,3'-Dichlorobenzidine | ND | 670 | 22 |
| Benzo(a)anthracene | ND | 67 | 10 |
| Chrysene | ND | 67 | 11 |
| bis(2-Ethylhexyl)phthalate | ND | 330 | 13 |
| Di-n-octylphthalate | ND | 330 | 10 |
| Benzo(b)fluoranthene | ND | 67 | 9.0 |
| Benzo(k)fluoranthene | ND | 67 | 9.5 |
| Benzo(a)pyrene | ND | 67 | 8.8 |
| Indeno(1,2,3-cd)pyrene | ND | 67 | 8.8 |
| Dibenz(a,h)anthracene | ND | 67 | 9.3 |
| Benzo(g,h,i)perylene | ND | 67 | 10 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 70 | 40-127 |
| Phenol-d5 | 70 | 43-128 |
| 2,4,6-Tribromophenol | 85 | 31-120 |
| Nitrobenzene-d5 | 69 | 46-120 |
| 2-Fluorobiphenyl | 77 | 40-120 |
| Terphenyl-d14 | 83 | 56-120 |

ND= Not Detected at or above MDL

RL= Reporting Limit MDL= Method Detection Limit

Page 2 of 2



| Semivolatile Organics by GC/MS | | | | |
|--------------------------------|----------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | VALLCO | Analysis: | EPA 8270C | |
| Type: | LCS | Diln Fac: | 1.000 | |
| Lab ID: | QC954858 | Batch#: | 265293 | |
| Matrix: | Soil | Prepared: | 11/08/18 | |
| Units: | ug/Kg | Analyzed: | 11/09/18 | |

| Analyte | Spiked | Result | %REC | Limits |
|----------------------------|--------|--------|------|--------|
| Phenol | 2,667 | 2,100 | 79 | 46-120 |
| 2-Chlorophenol | 2,667 | 2,043 | 77 | 58-120 |
| 1,4-Dichlorobenzene | 2,667 | 1,785 | 67 | 58-120 |
| N-Nitroso-di-n-propylamine | 2,667 | 2,323 | 87 | 50-120 |
| 1,2,4-Trichlorobenzene | 2,667 | 1,859 | 70 | 62-120 |
| 4-Chloro-3-methylphenol | 2,667 | 2,241 | 84 | 64-138 |
| Acenaphthene | 1,000 | 868.4 | 87 | 65-120 |
| 4-Nitrophenol | 2,667 | 2,396 | 90 | 64-124 |
| 2,4-Dinitrotoluene | 2,667 | 2,442 | 92 | 68-120 |
| Pentachlorophenol | 2,667 | 2,153 | 81 | 36-120 |
| Pyrene | 1,000 | 920.6 | 92 | 67-120 |

| Surrogate | %REC | Limits |
|----------------------|------|--------|
| 2-Fluorophenol | 74 | 40-127 |
| Phenol-d5 | 75 | 43-128 |
| 2,4,6-Tribromophenol | 88 | 31–120 |
| Nitrobenzene-d5 | 78 | 46-120 |
| 2-Fluorobiphenyl | 76 | 40-120 |
| Terphenyl-d14 | 79 | 56-120 |

Page 1 of 1



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-1-(1) | Batch#: | 265233 | | |
| Lab ID: | 304731-001 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/06/18 | | |
| Basis: | as received | Analyzed: | 11/13/18 | | |
| Diln Fac: | 10.00 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|---------|-----|------|
| alpha-BHC | ND | 11 | 1.0 |
| beta-BHC | ND | 11 | 0.64 |
| gamma-BHC | ND | 11 | 0.81 |
| delta-BHC | ND | 11 | 0.80 |
| Heptachlor | ND | 11 | 0.80 |
| Aldrin | ND | 11 | 0.61 |
| Heptachlor epoxide | ND | 11 | 0.77 |
| Endosulfan I | ND | 11 | 0.80 |
| Dieldrin | 3.8 J | 22 | 0.80 |
| 4,4'-DDE | 19 Ј | 22 | 0.80 |
| Endrin | ND | 22 | 0.66 |
| Endosulfan II | ND | 22 | 0.80 |
| Endosulfan sulfate | ND | 22 | 0.74 |
| 4,4'-DDD | ND | 22 | 1.5 |
| Endrin aldehyde | ND | 22 | 5.9 |
| 4,4'-DDT | 11 Ј | 22 | 3.3 |
| alpha-Chlordane | ND | 11 | 1.8 |
| gamma-Chlordane | 1.2 С Ј | 11 | 1.1 |
| Methoxychlor | ND | 110 | 15 |
| Toxaphene | ND | 400 | 130 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | DO | 28-136 | |
| Decachlorobiphenyl | DO | 41-142 | |

Page 1 of 1

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-1-(5) | Batch#: | 265233 | | |
| Lab ID: | 304731-002 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/06/18 | | |
| Basis: | as received | Analyzed: | 11/13/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.064 |
| gamma-BHC | ND | 1.1 | 0.080 |
| delta-BHC | ND | 1.1 | 0.079 |
| Heptachlor | ND | 1.1 | 0.079 |
| Aldrin | ND | 1.1 | 0.061 |
| Heptachlor epoxide | ND | 1.1 | 0.077 |
| Endosulfan I | ND | 1.1 | 0.079 |
| Dieldrin | 0.79 J | 2.2 | 0.079 |
| 4,4'-DDE | 9.1 # | 2.2 | 0.079 |
| Endrin | ND | 2.2 | 0.066 |
| Endosulfan II | ND | 2.2 | 0.079 |
| Endosulfan sulfate | ND | 2.2 | 0.074 |
| 4,4'-DDD | ND | 2.2 | 0.079 |
| Endrin aldehyde | ND | 2.2 | 0.59 |
| 4,4'-DDT | 3.4 | 2.2 | 0.33 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | 0.33 J | 1.1 | 0.14 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 88 | 28-136 |
| Decachlorobiphenyl | 91 | 41-142 |

Page 1 of 1

^{#=} CCV drift outside limits; average CCV drift within limits per method requirements

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-2-(1) | Batch#: | 265233 | | |
| Lab ID: | 304731-006 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/06/18 | | |
| Basis: | as received | Analyzed: | 11/13/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|----------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.099 |
| beta-BHC | ND | 1.1 | 0.063 |
| gamma-BHC | ND | 1.1 | 0.079 |
| delta-BHC | ND | 1.1 | 0.079 |
| Heptachlor | ND | 1.1 | 0.079 |
| Aldrin | ND | 1.1 | 0.060 |
| Heptachlor epoxide | ND | 1.1 | 0.076 |
| Endosulfan I | ND | 1.1 | 0.11 |
| Dieldrin | 0.99 J | 2.2 | 0.079 |
| 4,4'-DDE | 3.5 # | 2.2 | 0.079 |
| Endrin | ND | 2.2 | 0.065 |
| Endosulfan II | ND | 2.2 | 0.079 |
| Endosulfan sulfate | ND | 2.2 | 0.073 |
| 4,4'-DDD | 0.57 J | 2.2 | 0.079 |
| Endrin aldehyde | ND | 2.2 | 0.58 |
| 4,4'-DDT | 1.3 J | 2.2 | 0.33 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | 0.24 C J | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 39 | 13 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 77 | 28-136 | |
| Decachlorobiphenyl | 81 | 41-142 | |

Page 1 of 1

^{#=} CCV drift outside limits; average CCV drift within limits per method requirements

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | |
|-----------|---------------------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3546 | |
| Project#: | VALLCO | Analysis: | EPA 8081A | |
| Field ID: | S-2-(5) | Batch#: | 265233 | |
| Lab ID: | 304731-007 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/06/18 | |
| Basis: | as received | Analyzed: | 11/13/18 | |
| Diln Fac: | 20.00 | | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-----|
| alpha-BHC | ND | 22 | 2.0 |
| beta-BHC | ND | 22 | 1.3 |
| gamma-BHC | ND | 22 | 1.6 |
| delta-BHC | ND | 22 | 1.6 |
| Heptachlor | ND | 22 | 1.6 |
| Aldrin | ND | 22 | 1.2 |
| Heptachlor epoxide | ND | 22 | 1.5 |
| Endosulfan I | ND | 22 | 1.6 |
| Dieldrin | ND | 44 | 1.6 |
| 4,4'-DDE | ND | 44 | 1.6 |
| Endrin | ND | 44 | 1.3 |
| Endosulfan II | ND | 44 | 1.6 |
| Endosulfan sulfate | ND | 44 | 1.5 |
| 4,4'-DDD | ND | 44 | 1.6 |
| Endrin aldehyde | ND | 44 | 12 |
| 4,4'-DDT | ND | 44 | 1.8 |
| alpha-Chlordane | ND | 22 | 3.6 |
| gamma-Chlordane | ND | 22 | 2.2 |
| Methoxychlor | ND | 220 | 30 |
| Toxaphene | ND | 800 | 270 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | DO | 28-136 | |
| Decachlorobiphenyl | DO | 41-142 | |

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | Organochlori | ne Pesticides | |
|-----------|--------------|---------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | S-3-(1) | Batch#: | 265233 |
| Lab ID: | 304731-011 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/06/18 |
| Basis: | as received | Analyzed: | 11/13/18 |
| Diln Fac: | 50.00 | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-------|-----|
| alpha-BHC | ND | 55 | 5.0 |
| beta-BHC | ND | 55 | 3.2 |
| gamma-BHC | ND | 55 | 4.0 |
| delta-BHC | ND | 55 | 4.0 |
| Heptachlor | ND | 55 | 4.0 |
| Aldrin | ND | 55 | 3.0 |
| Heptachlor epoxide | ND | 55 | 3.8 |
| Endosulfan I | ND | 55 | 4.0 |
| Dieldrin | ND | 110 | 4.0 |
| 4,4'-DDE | ND | 110 | 4.0 |
| Endrin | ND | 110 | 3.3 |
| Endosulfan II | ND | 110 | 4.0 |
| Endosulfan sulfate | ND | 110 | 3.7 |
| 4,4'-DDD | ND | 110 | 4.0 |
| Endrin aldehyde | ND | 110 | 29 |
| 4,4'-DDT | ND | 110 | 4.5 |
| alpha-Chlordane | ND | 55 | 8.9 |
| gamma-Chlordane | ND | 55 | 5.5 |
| Methoxychlor | ND | 550 | 76 |
| Toxaphene | ND | 2,000 | 660 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | DO | 28-136 |
| Decachlorobiphenyl | DO | 41-142 |

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | Organochlorine Pesticides | | | |
|-----------|---------------------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3546 | |
| Project#: | VALLCO | Analysis: | EPA 8081A | |
| Field ID: | S-3-(5) | Batch#: | 265233 | |
| Lab ID: | 304731-012 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | ug/Kg | Prepared: | 11/06/18 | |
| Basis: | as received | Analyzed: | 11/13/18 | |
| Diln Fac: | 1.000 | | | |

| Analyte | Result | RL | MDL |
|--------------------|----------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.065 |
| gamma-BHC | ND | 1.1 | 0.081 |
| delta-BHC | ND | 1.1 | 0.080 |
| Heptachlor | ND | 1.1 | 0.080 |
| Aldrin | ND | 1.1 | 0.061 |
| Heptachlor epoxide | ND | 1.1 | 0.077 |
| Endosulfan I | ND | 1.1 | 0.080 |
| Dieldrin | 0.17 J | 2.2 | 0.080 |
| 4,4'-DDE | 3.3 # | 2.2 | 0.080 |
| Endrin | ND | 2.2 | 0.066 |
| Endosulfan II | ND | 2.2 | 0.080 |
| Endosulfan sulfate | ND | 2.2 | 0.18 |
| 4,4'-DDD | 0.59 С Ј | 2.2 | 0.15 |
| Endrin aldehyde | ND | 2.2 | 0.59 |
| 4,4'-DDT | ND | 2.2 | 0.34 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | 0.34 J | 1.1 | 0.14 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 80 | 28-136 | |
| Decachlorobiphenyl | 79 | 41-142 | |

Page 1 of 1

^{#=} CCV drift outside limits; average CCV drift within limits per method requirements

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-4-(1) | Batch#: | 265233 | | |
| Lab ID: | 304731-016 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/06/18 | | |
| Basis: | as received | Analyzed: | 11/13/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|-----------|-----|-------|
| alpha-BHC | 0.23 J | 1.1 | 0.088 |
| beta-BHC | 0.087 C J | 1.1 | 0.064 |
| gamma-BHC | ND | 1.1 | 0.12 |
| delta-BHC | 0.094 C J | 1.1 | 0.079 |
| Heptachlor | ND | 1.1 | 0.079 |
| Aldrin | 0.14 С Ј | 1.1 | 0.092 |
| Heptachlor epoxide | ND | 1.1 | 0.076 |
| Endosulfan I | ND | 1.1 | 0.079 |
| Dieldrin | 15 # | 2.2 | 0.079 |
| 4,4'-DDE | 65 # | 2.2 | 0.079 |
| Endrin | ND | 2.2 | 0.066 |
| Endosulfan II | ND | 2.2 | 0.079 |
| Endosulfan sulfate | ND | 2.2 | 0.18 |
| 4,4'-DDD | 6.3 # | 2.2 | 0.079 |
| Endrin aldehyde | ND | 2.2 | 0.58 |
| 4,4'-DDT | 1.2 C J | 2.2 | 0.33 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.14 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 39 | 13 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 72 | 28-136 | |
| Decachlorobiphenyl | 66 | 41-142 | |

Page 1 of 1

^{#=} CCV drift outside limits; average CCV drift within limits per method requirements

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-4-(5) | Batch#: | 265233 | | |
| Lab ID: | 304731-017 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/06/18 | | |
| Basis: | as received | Analyzed: | 11/13/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.099 |
| beta-BHC | ND | 1.1 | 0.064 |
| gamma-BHC | ND | 1.1 | 0.080 |
| delta-BHC | ND | 1.1 | 0.079 |
| Heptachlor | ND | 1.1 | 0.079 |
| Aldrin | ND | 1.1 | 0.060 |
| Heptachlor epoxide | ND | 1.1 | 0.076 |
| Endosulfan I | ND | 1.1 | 0.079 |
| Dieldrin | ND | 2.2 | 0.079 |
| 4,4'-DDE | ND | 2.2 | 0.098 |
| Endrin | ND | 2.2 | 0.066 |
| Endosulfan II | ND | 2.2 | 0.079 |
| Endosulfan sulfate | ND | 2.2 | 0.073 |
| 4,4'-DDD | ND | 2.2 | 0.079 |
| Endrin aldehyde | ND | 2.2 | 0.58 |
| 4,4'-DDT | ND | 2.2 | 0.089 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.14 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 39 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 80 | 28-136 |
| Decachlorobiphenyl | 74 | 41-142 |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-5-(1) | Batch#: | 265246 | | |
| Lab ID: | 304731-021 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/13/18 | | |
| Diln Fac: | 2.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|----------|-----|------|
| alpha-BHC | ND | 2.2 | 0.20 |
| beta-BHC | ND | 2.2 | 0.13 |
| gamma-BHC | ND | 2.2 | 0.16 |
| delta-BHC | ND | 2.2 | 0.16 |
| Heptachlor | ND | 2.2 | 0.16 |
| Aldrin | ND | 2.2 | 0.12 |
| Heptachlor epoxide | ND | 2.2 | 0.15 |
| Endosulfan I | ND | 2.2 | 0.16 |
| Dieldrin | ND | 4.3 | 0.16 |
| 4,4'-DDE | 0.18 C J | 4.3 | 0.16 |
| Endrin | 0.60 C J | 4.3 | 0.13 |
| Endosulfan II | 0.18 C J | 4.3 | 0.16 |
| Endosulfan sulfate | ND | 4.3 | 0.35 |
| 4,4'-DDD | ND | 4.3 | 0.16 |
| Endrin aldehyde | ND | 4.3 | 1.1 |
| 4,4'-DDT | ND | 4.3 | 0.65 |
| alpha-Chlordane | ND | 2.2 | 0.35 |
| gamma-Chlordane | ND | 2.2 | 0.27 |
| Methoxychlor | ND | 22 | 3.0 |
| Toxaphene | ND | 78 | 26 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 38 | 28-136 |
| Decachlorobiphenyl | 38 * | 41-142 |

MDL= Method Detection Limit

Page 1 of 1

^{*=} Value outside of QC limits; see narrative

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-5-(5) | Batch#: | 265246 | | |
| Lab ID: | 304731-022 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/13/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|----------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.098 |
| beta-BHC | ND | 1.1 | 0.063 |
| gamma-BHC | ND | 1.1 | 0.079 |
| delta-BHC | ND | 1.1 | 0.078 |
| Heptachlor | ND | 1.1 | 0.078 |
| Aldrin | ND | 1.1 | 0.060 |
| Heptachlor epoxide | ND | 1.1 | 0.083 |
| Endosulfan I | ND | 1.1 | 0.078 |
| Dieldrin | 0.80 J | 2.2 | 0.078 |
| 4,4'-DDE | 1.5 J | 2.2 | 0.078 |
| Endrin | ND | 2.2 | 0.065 |
| Endosulfan II | ND | 2.2 | 0.078 |
| Endosulfan sulfate | ND | 2.2 | 0.072 |
| 4,4'-DDD | 0.48 J | 2.2 | 0.078 |
| Endrin aldehyde | ND | 2.2 | 0.57 |
| 4,4'-DDT | ND | 2.2 | 0.088 |
| alpha-Chlordane | ND | 1.1 | 0.17 |
| gamma-Chlordane | 0.23 С Ј | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 39 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 60 | 28-136 |
| Decachlorobiphenyl | 54 | 41-142 |

Page 1 of 1

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| Organochlorine Pesticides | | | | | | |
|---------------------------|-------------|-----------|----------------------|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | |
| Client: | WSP | Prep: | EPA 3546 | | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | | |
| Field ID: | S-6-(1) | Batch#: | 265246 | | | |
| Lab ID: | 304731-026 | Sampled: | 10/30/18 | | | |
| Matrix: | Soil | Received: | 11/01/18 | | | |
| Units: | ug/Kg | Prepared: | 11/07/18 | | | |
| Basis: | as received | Analyzed: | 11/14/18 | | | |
| Diln Fac: | 1.000 | | | | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.087 |
| beta-BHC | ND | 1.1 | 0.11 |
| gamma-BHC | ND | 1.1 | 0.12 |
| delta-BHC | ND | 1.1 | 0.15 |
| Heptachlor | ND | 1.1 | 0.12 |
| Aldrin | ND | 1.1 | 0.091 |
| Heptachlor epoxide | ND | 1.1 | 0.083 |
| Endosulfan I | ND | 1.1 | 0.11 |
| Dieldrin | ND | 2.2 | 0.086 |
| 4,4'-DDE | 1.2 J | 2.2 | 0.078 |
| Endrin | ND | 2.2 | 0.20 |
| Endosulfan II | ND | 2.2 | 0.12 |
| Endosulfan sulfate | ND | 2.2 | 0.17 |
| 4,4'-DDD | ND | 2.2 | 0.15 |
| Endrin aldehyde | ND | 2.2 | 0.67 |
| 4,4'-DDT | ND | 2.2 | 0.33 |
| alpha-Chlordane | ND | 1.1 | 0.14 |
| gamma-Chlordane | 0.23 J | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 2.6 |
| Toxaphene | ND | 39 | 11 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 83 | 28-136 |
| Decachlorobiphenyl | 65 | 41-142 |

Page 1 of 1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-6-(5) | Batch#: | 265246 | | |
| Lab ID: | 304731-027 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/07/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 20.00 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-----|
| alpha-BHC | ND | 22 | 2.0 |
| beta-BHC | ND | 22 | 1.3 |
| gamma-BHC | ND | 22 | 1.6 |
| delta-BHC | ND | 22 | 1.6 |
| Heptachlor | ND | 22 | 1.6 |
| Aldrin | ND | 22 | 1.2 |
| Heptachlor epoxide | ND | 22 | 1.5 |
| Endosulfan I | ND | 22 | 1.6 |
| Dieldrin | 2.2 Ј | 43 | 1.7 |
| 4,4'-DDE | ND | 43 | 1.6 |
| Endrin | ND | 43 | 4.0 |
| Endosulfan II | ND | 43 | 1.6 |
| Endosulfan sulfate | ND | 43 | 1.4 |
| 4,4'-DDD | ND | 43 | 1.6 |
| Endrin aldehyde | ND | 43 | 11 |
| 4,4'-DDT | ND | 43 | 1.7 |
| alpha-Chlordane | ND | 22 | 3.5 |
| gamma-Chlordane | ND | 22 | 2.2 |
| Methoxychlor | ND | 220 | 30 |
| Toxaphene | ND | 780 | 260 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | DO | 28-136 |
| Decachlorobiphenyl | DO | 41-142 |

J= Estimated value

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-7-(2) | Batch#: | 265307 | | |
| Lab ID: | 304731-033 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/08/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|----------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.090 |
| beta-BHC | ND | 1.1 | 0.065 |
| gamma-BHC | ND | 1.1 | 0.081 |
| delta-BHC | ND | 1.1 | 0.16 |
| Heptachlor | ND | 1.1 | 0.080 |
| Aldrin | 0.97 C J | 1.1 | 0.094 |
| Heptachlor epoxide | 10 C | 1.1 | 0.078 |
| Endosulfan I | ND | 1.1 | 0.080 |
| Dieldrin | 36 C # | 2.2 | 0.080 |
| 4,4'-DDE | 63 # | 2.2 | 0.080 |
| Endrin | 15 # | 2.2 | 0.21 |
| Endosulfan II | ND | 2.2 | 0.080 |
| Endosulfan sulfate | ND | 2.2 | 0.18 |
| 4,4'-DDD | 3.2 C | 2.2 | 0.15 |
| Endrin aldehyde | 3.1 C # | 2.2 | 0.59 |
| 4,4'-DDT | 7.4 C # | 2.2 | 0.091 |
| alpha-Chlordane | 4.2 C # | 1.1 | 0.18 |
| gamma-Chlordane | 22 C | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 2.7 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 74 | 28-136 | |
| Decachlorobiphenyl | 64 | 41-142 | |

Page 1 of 1

^{#=} CCV drift outside limits; average CCV drift within limits per method requirements

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-7-(5) | Batch#: | 265307 | | |
| Lab ID: | 304731-034 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/08/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|----------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.065 |
| gamma-BHC | ND | 1.1 | 0.081 |
| delta-BHC | ND | 1.1 | 0.080 |
| Heptachlor | ND | 1.1 | 0.080 |
| Aldrin | ND | 1.1 | 0.061 |
| Heptachlor epoxide | 0.17 J | 1.1 | 0.078 |
| Endosulfan I | ND | 1.1 | 0.11 |
| Dieldrin | 0.54 J | 2.2 | 0.080 |
| 4,4'-DDE | 0.88 J | 2.2 | 0.080 |
| Endrin | ND | 2.2 | 0.067 |
| Endosulfan II | ND | 2.2 | 0.080 |
| Endosulfan sulfate | ND | 2.2 | 0.18 |
| 4,4'-DDD | 0.19 C J | 2.2 | 0.15 |
| Endrin aldehyde | ND | 2.2 | 0.59 |
| 4,4'-DDT | 0.85 J | 2.2 | 0.34 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | 0.14 С Ј | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 81 | 28-136 |
| Decachlorobiphenyl | 74 | 41-142 |

Page 1 of 1

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | S-8-(1) | Batch#: | 265307 | | |
| Lab ID: | 304731-038 | Sampled: | 10/30/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/08/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 10.00 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|---------|-----|------|
| alpha-BHC | ND | 11 | 1.0 |
| beta-BHC | ND | 11 | 0.66 |
| gamma-BHC | ND | 11 | 0.82 |
| delta-BHC | ND | 11 | 0.81 |
| Heptachlor | ND | 11 | 0.81 |
| Aldrin | ND | 11 | 0.62 |
| Heptachlor epoxide | ND | 11 | 0.78 |
| Endosulfan I | ND | 11 | 0.81 |
| Dieldrin | ND | 23 | 0.81 |
| 4,4'-DDE | 1.5 С Ј | 23 | 1.0 |
| Endrin | ND | 23 | 0.68 |
| Endosulfan II | ND | 23 | 0.81 |
| Endosulfan sulfate | ND | 23 | 0.75 |
| 4,4'-DDD | ND | 23 | 0.81 |
| Endrin aldehyde | ND | 23 | 6.0 |
| 4,4'-DDT | ND | 23 | 0.92 |
| alpha-Chlordane | ND | 11 | 1.8 |
| gamma-Chlordane | ND | 11 | 1.1 |
| Methoxychlor | ND | 110 | 15 |
| Toxaphene | ND | 410 | 140 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | DO | 28-136 | |
| Decachlorobiphenyl | DO | 41-142 | |

Page 1 of 1

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organ | ochlorine Pesticide | es |
|-----------|-------------|---------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | S-8-(5) | Batch#: | 265307 |
| Lab ID: | 304731-039 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 1.000 | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.066 |
| gamma-BHC | ND | 1.1 | 0.083 |
| delta-BHC | ND | 1.1 | 0.082 |
| Heptachlor | ND | 1.1 | 0.082 |
| Aldrin | ND | 1.1 | 0.062 |
| Heptachlor epoxide | ND | 1.1 | 0.079 |
| Endosulfan I | ND | 1.1 | 0.082 |
| Dieldrin | ND | 2.3 | 0.082 |
| 4,4'-DDE | ND | 2.3 | 0.082 |
| Endrin | ND | 2.3 | 0.068 |
| Endosulfan II | ND | 2.3 | 0.082 |
| Endosulfan sulfate | ND | 2.3 | 0.076 |
| 4,4'-DDD | ND | 2.3 | 0.082 |
| Endrin aldehyde | ND | 2.3 | 0.60 |
| 4,4'-DDT | ND | 2.3 | 0.092 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.6 |
| Toxaphene | ND | 41 | 14 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 45 | 28-136 | |
| Decachlorobiphenyl | 29 * | 41-142 | |

Page 1 of 1

^{*=} Value outside of QC limits; see narrative

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organ | ochlorine Pesticide | es |
|-----------|-------------|---------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | W-5-(1) | Batch#: | 265307 |
| Lab ID: | 304731-043 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 1.000 | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.064 |
| gamma-BHC | ND | 1.1 | 0.081 |
| delta-BHC | ND | 1.1 | 0.080 |
| Heptachlor | ND | 1.1 | 0.080 |
| Aldrin | ND | 1.1 | 0.061 |
| Heptachlor epoxide | ND | 1.1 | 0.077 |
| Endosulfan I | ND | 1.1 | 0.080 |
| Dieldrin | 0.15 J | 2.2 | 0.088 |
| 4,4'-DDE | 1.7 Ј | 2.2 | 0.080 |
| Endrin | ND | 2.2 | 0.066 |
| Endosulfan II | ND | 2.2 | 0.080 |
| Endosulfan sulfate | ND | 2.2 | 0.074 |
| 4,4'-DDD | ND | 2.2 | 0.15 |
| Endrin aldehyde | ND | 2.2 | 0.59 |
| 4,4'-DDT | 0.77 J | 2.2 | 0.090 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | 0.22 J | 1.1 | 0.14 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 41 | 28-136 |
| Decachlorobiphenyl | 34 * | 41-142 |

Page 1 of 1

^{*=} Value outside of QC limits; see narrative

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organ | ochlorine Pesticide | es |
|-----------|-------------|---------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | W-5-(5) | Batch#: | 265307 |
| Lab ID: | 304731-044 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 1.000 | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.066 |
| gamma-BHC | ND | 1.1 | 0.083 |
| delta-BHC | ND | 1.1 | 0.082 |
| Heptachlor | ND | 1.1 | 0.082 |
| Aldrin | ND | 1.1 | 0.063 |
| Heptachlor epoxide | ND | 1.1 | 0.079 |
| Endosulfan I | ND | 1.1 | 0.11 |
| Dieldrin | ND | 2.3 | 0.082 |
| 4,4'-DDE | ND | 2.3 | 0.082 |
| Endrin | ND | 2.3 | 0.068 |
| Endosulfan II | ND | 2.3 | 0.082 |
| Endosulfan sulfate | ND | 2.3 | 0.076 |
| 4,4'-DDD | ND | 2.3 | 0.082 |
| Endrin aldehyde | ND | 2.3 | 0.60 |
| 4,4'-DDT | ND | 2.3 | 0.092 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.6 |
| Toxaphene | ND | 41 | 14 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 80 | 28-136 |
| Decachlorobiphenyl | 86 | 41-142 |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | Organochlori | ne Pesticides | |
|-----------|--------------|---------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | W-1-(1) | Batch#: | 265307 |
| Lab ID: | 304731-049 | Sampled: | 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 2.000 | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|------|
| alpha-BHC | ND | 2.3 | 0.21 |
| beta-BHC | ND | 2.3 | 0.13 |
| gamma-BHC | ND | 2.3 | 0.17 |
| delta-BHC | ND | 2.3 | 0.16 |
| Heptachlor | ND | 2.3 | 0.16 |
| Aldrin | ND | 2.3 | 0.13 |
| Heptachlor epoxide | ND | 2.3 | 0.16 |
| Endosulfan I | ND | 2.3 | 0.16 |
| Dieldrin | ND | 4.6 | 0.16 |
| 4,4'-DDE | ND | 4.6 | 0.16 |
| Endrin | ND | 4.6 | 0.14 |
| Endosulfan II | ND | 4.6 | 0.16 |
| Endosulfan sulfate | ND | 4.6 | 0.15 |
| 4,4'-DDD | ND | 4.6 | 0.16 |
| Endrin aldehyde | ND | 4.6 | 1.2 |
| 4,4'-DDT | ND | 4.6 | 0.18 |
| alpha-Chlordane | ND | 2.3 | 0.37 |
| gamma-Chlordane | ND | 2.3 | 0.23 |
| Methoxychlor | ND | 23 | 3.1 |
| Toxaphene | ND | 82 | 27 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 60 | 28-136 |
| Decachlorobiphenyl | 55 | 41-142 |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | Organochlori | ne Pesticides | |
|-----------|--------------|---------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | W-1-(5) | Batch#: | 265307 |
| Lab ID: | 304731-050 | Sampled: | 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 1.000 | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.064 |
| gamma-BHC | ND | 1.1 | 0.081 |
| delta-BHC | ND | 1.1 | 0.080 |
| Heptachlor | ND | 1.1 | 0.080 |
| Aldrin | ND | 1.1 | 0.061 |
| Heptachlor epoxide | ND | 1.1 | 0.077 |
| Endosulfan I | ND | 1.1 | 0.11 |
| Dieldrin | ND | 2.2 | 0.080 |
| 4,4'-DDE | ND | 2.2 | 0.080 |
| Endrin | ND | 2.2 | 0.066 |
| Endosulfan II | ND | 2.2 | 0.080 |
| Endosulfan sulfate | ND | 2.2 | 0.074 |
| 4,4'-DDD | ND | 2.2 | 0.080 |
| Endrin aldehyde | ND | 2.2 | 0.59 |
| 4,4'-DDT | ND | 2.2 | 0.090 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 77 | 28-136 |
| Decachlorobiphenyl | 74 | 41-142 |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | Organ | ochlorine Pesticide | es |
|-----------|-------------|---------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | E-2-(1) | Batch#: | 265307 |
| Lab ID: | 304731-054 | Sampled: | 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 1.000 | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.065 |
| gamma-BHC | ND | 1.1 | 0.081 |
| delta-BHC | ND | 1.1 | 0.080 |
| Heptachlor | ND | 1.1 | 0.080 |
| Aldrin | ND | 1.1 | 0.061 |
| Heptachlor epoxide | ND | 1.1 | 0.077 |
| Endosulfan I | ND | 1.1 | 0.080 |
| Dieldrin | 0.24 J | 2.2 | 0.080 |
| 4,4'-DDE | 0.33 J | 2.2 | 0.080 |
| Endrin | ND | 2.2 | 0.066 |
| Endosulfan II | ND | 2.2 | 0.080 |
| Endosulfan sulfate | ND | 2.2 | 0.074 |
| 4,4'-DDD | ND | 2.2 | 0.080 |
| Endrin aldehyde | ND | 2.2 | 0.59 |
| 4,4'-DDT | ND | 2.2 | 0.090 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 18 * | 28-136 | |
| Decachlorobiphenyl | 21 * | 41-142 | |

Page 1 of 1

^{*=} Value outside of QC limits; see narrative

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organ | ochlorine Pesticide | es |
|-----------|-------------|---------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | E-2-(5) | Batch#: | 265307 |
| Lab ID: | 304731-055 | Sampled: | 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 5.000 | | |

| Analyte | Result | RL | MDL |
|--------------------|----------|-----|------|
| alpha-BHC | ND | 5.5 | 0.50 |
| beta-BHC | ND | 5.5 | 0.32 |
| gamma-BHC | ND | 5.5 | 0.40 |
| delta-BHC | ND | 5.5 | 0.40 |
| Heptachlor | ND | 5.5 | 0.40 |
| Aldrin | 4.2 J | 5.5 | 0.30 |
| Heptachlor epoxide | ND | 5.5 | 0.38 |
| Endosulfan I | 0.60 C J | 5.5 | 0.54 |
| Dieldrin | 81 # | 11 | 0.40 |
| 4,4'-DDE | 81 # | 11 | 0.40 |
| Endrin | ND | 11 | 0.33 |
| Endosulfan II | ND | 11 | 0.40 |
| Endosulfan sulfate | ND | 11 | 0.37 |
| 4,4'-DDD | 47 # | 11 | 0.40 |
| Endrin aldehyde | ND | 11 | 2.9 |
| 4,4'-DDT | ND | 11 | 1.7 |
| alpha-Chlordane | 1.2 С Ј | 5.5 | 0.71 |
| gamma-Chlordane | ND | 5.5 | 0.68 |
| Methoxychlor | ND | 55 | 7.6 |
| Toxaphene | ND | 200 | 66 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 85 | 28-136 | |
| Decachlorobiphenyl | 85 | 41-142 | |

Page 1 of 1

^{#=} CCV drift outside limits; average CCV drift within limits per method requirements

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organ | ochlorine Pesticide | es |
|-----------|-------------|---------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | W-2-(2) | Batch#: | 265307 |
| Lab ID: | 304731-059 | Sampled: | 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 5.000 | | |

| Analyte | Result | RL | MDL |
|--------------------|---------|-----|------|
| alpha-BHC | ND | 5.4 | 0.44 |
| beta-BHC | ND | 5.4 | 0.56 |
| gamma-BHC | ND | 5.4 | 0.61 |
| delta-BHC | ND | 5.4 | 0.77 |
| Heptachlor | ND | 5.4 | 0.60 |
| Aldrin | ND | 5.4 | 0.46 |
| Heptachlor epoxide | ND | 5.4 | 0.42 |
| Endosulfan I | ND | 5.4 | 0.53 |
| Dieldrin | 2.5 J | 11 | 0.43 |
| 4,4'-DDE | 87 | 11 | 0.49 |
| Endrin | ND | 11 | 1.0 |
| Endosulfan II | ND | 11 | 0.60 |
| Endosulfan sulfate | ND | 11 | 0.87 |
| 4,4'-DDD | 1.5 C J | 11 | 0.73 |
| Endrin aldehyde | ND | 11 | 3.4 |
| 4,4'-DDT | 38 # | 11 | 1.6 |
| alpha-Chlordane | ND | 5.4 | 0.70 |
| gamma-Chlordane | ND | 5.4 | 0.67 |
| Methoxychlor | ND | 54 | 13 |
| Toxaphene | ND | 200 | 57 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 91 | 28-136 | |
| Decachlorobiphenyl | 79 | 41-142 | |

Page 1 of 1

^{#=} CCV drift outside limits; average CCV drift within limits per method requirements

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | W-2-(5) | Batch#: | 265331 | | |
| Lab ID: | 304731-060 | Sampled: | 10/31/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/09/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|----------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.099 |
| beta-BHC | ND | 1.1 | 0.063 |
| gamma-BHC | ND | 1.1 | 0.079 |
| delta-BHC | ND | 1.1 | 0.078 |
| Heptachlor | ND | 1.1 | 0.078 |
| Aldrin | ND | 1.1 | 0.060 |
| Heptachlor epoxide | ND | 1.1 | 0.075 |
| Endosulfan I | 0.21 J | 1.1 | 0.078 |
| Dieldrin | 0.11 C J | 2.2 | 0.086 |
| 4,4'-DDE | ND | 2.2 | 0.078 |
| Endrin | ND | 2.2 | 0.20 |
| Endosulfan II | ND | 2.2 | 0.078 |
| Endosulfan sulfate | ND | 2.2 | 0.073 |
| 4,4'-DDD | ND | 2.2 | 0.078 |
| Endrin aldehyde | ND | 2.2 | 0.58 |
| 4,4'-DDT | ND | 2.2 | 0.088 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 39 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 85 | 28-136 |
| Decachlorobiphenyl | 87 | 41-142 |

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | W-3-(1) | Batch#: | 265331 | | |
| Lab ID: | 304731-064 | Sampled: | 10/31/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/09/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.099 |
| beta-BHC | ND | 1.1 | 0.063 |
| gamma-BHC | ND | 1.1 | 0.079 |
| delta-BHC | ND | 1.1 | 0.078 |
| Heptachlor | ND | 1.1 | 0.078 |
| Aldrin | ND | 1.1 | 0.060 |
| Heptachlor epoxide | ND | 1.1 | 0.076 |
| Endosulfan I | ND | 1.1 | 0.078 |
| Dieldrin | ND | 2.2 | 0.078 |
| 4,4'-DDE | 0.35 J | 2.2 | 0.078 |
| Endrin | ND | 2.2 | 0.20 |
| Endosulfan II | ND | 2.2 | 0.078 |
| Endosulfan sulfate | ND | 2.2 | 0.073 |
| 4,4'-DDD | ND | 2.2 | 0.078 |
| Endrin aldehyde | ND | 2.2 | 0.58 |
| 4,4'-DDT | ND | 2.2 | 0.088 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 39 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 49 | 28-136 |
| Decachlorobiphenyl | 38 * | 41-142 |

^{*=} Value outside of QC limits; see narrative

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | W-3-(5) | Batch#: | 265331 | | |
| Lab ID: | 304731-065 | Sampled: | 10/31/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/09/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.064 |
| gamma-BHC | ND | 1.1 | 0.081 |
| delta-BHC | ND | 1.1 | 0.080 |
| Heptachlor | ND | 1.1 | 0.080 |
| Aldrin | ND | 1.1 | 0.061 |
| Heptachlor epoxide | ND | 1.1 | 0.077 |
| Endosulfan I | ND | 1.1 | 0.080 |
| Dieldrin | ND | 2.2 | 0.080 |
| 4,4'-DDE | ND | 2.2 | 0.080 |
| Endrin | ND | 2.2 | 0.21 |
| Endosulfan II | ND | 2.2 | 0.080 |
| Endosulfan sulfate | ND | 2.2 | 0.074 |
| 4,4'-DDD | ND | 2.2 | 0.080 |
| Endrin aldehyde | ND | 2.2 | 0.59 |
| 4,4'-DDT | ND | 2.2 | 0.090 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 91 | 28-136 |
| Decachlorobiphenyl | 80 | 41-142 |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| Organochlorine Pesticides | | | |
|---------------------------|-------------|-----------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | W-4-(1) | Batch#: | 265331 |
| Lab ID: | 304731-069 | Sampled: | 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | ug/Kg | Prepared: | 11/09/18 |
| Basis: | as received | Analyzed: | 11/14/18 |
| Diln Fac: | 1.000 | | |

| Analyte | Result | RL | MDL |
|--------------------|----------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.064 |
| gamma-BHC | ND | 1.1 | 0.081 |
| delta-BHC | ND | 1.1 | 0.080 |
| Heptachlor | ND | 1.1 | 0.080 |
| Aldrin | ND | 1.1 | 0.061 |
| Heptachlor epoxide | ND | 1.1 | 0.077 |
| Endosulfan I | ND | 1.1 | 0.080 |
| Dieldrin | 2.9 | 2.2 | 0.088 |
| 4,4'-DDE | 35 | 2.2 | 0.099 |
| Endrin | ND | 2.2 | 0.21 |
| Endosulfan II | ND | 2.2 | 0.080 |
| Endosulfan sulfate | ND | 2.2 | 0.074 |
| 4,4'-DDD | 2.4 | 2.2 | 0.15 |
| Endrin aldehyde | ND | 2.2 | 0.59 |
| 4,4'-DDT | 13 # | 2.2 | 0.34 |
| alpha-Chlordane | 0.15 C J | 1.1 | 0.14 |
| gamma-Chlordane | 0.41 С Ј | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 79 | 28-136 |
| Decachlorobiphenyl | 73 | 41-142 |

^{#=} CCV drift outside limits; average CCV drift within limits per method requirements

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Field ID: | W-4-(5) | Batch#: | 265331 | | |
| Lab ID: | 304731-070 | Sampled: | 10/31/18 | | |
| Matrix: | Soil | Received: | 11/01/18 | | |
| Units: | ug/Kg | Prepared: | 11/09/18 | | |
| Basis: | as received | Analyzed: | 11/14/18 | | |
| Diln Fac: | 1.000 | | | | |

| Analyte | Result | RL | MDL |
|--------------------|--------|-----|-------|
| alpha-BHC | ND | 1.1 | 0.10 |
| beta-BHC | ND | 1.1 | 0.064 |
| gamma-BHC | ND | 1.1 | 0.080 |
| delta-BHC | ND | 1.1 | 0.079 |
| Heptachlor | ND | 1.1 | 0.079 |
| Aldrin | ND | 1.1 | 0.061 |
| Heptachlor epoxide | ND | 1.1 | 0.077 |
| Endosulfan I | ND | 1.1 | 0.079 |
| Dieldrin | ND | 2.2 | 0.079 |
| 4,4'-DDE | ND | 2.2 | 0.079 |
| Endrin | ND | 2.2 | 0.21 |
| Endosulfan II | ND | 2.2 | 0.079 |
| Endosulfan sulfate | ND | 2.2 | 0.074 |
| 4,4'-DDD | ND | 2.2 | 0.079 |
| Endrin aldehyde | ND | 2.2 | 0.59 |
| 4,4'-DDT | ND | 2.2 | 0.090 |
| alpha-Chlordane | ND | 1.1 | 0.18 |
| gamma-Chlordane | ND | 1.1 | 0.11 |
| Methoxychlor | ND | 11 | 1.5 |
| Toxaphene | ND | 40 | 13 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 68 | 28-136 |
| Decachlorobiphenyl | 84 | 41-142 |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Type: | BLANK | Diln Fac: | 1.000 | | |
| Lab ID: | QC954616 | Batch#: | 265233 | | |
| Matrix: | Soil | Prepared: | 11/06/18 | | |
| Units: | ug/Kg | Analyzed: | 11/07/18 | | |

Cleanup Method: EPA 3620

| Analyte | Result | RL | MDL |
|--------------------|----------|------|-------|
| alpha-BHC | ND | 0.83 | 0.076 |
| beta-BHC | ND | 0.83 | 0.048 |
| gamma-BHC | ND | 0.83 | 0.061 |
| delta-BHC | ND | 0.83 | 0.060 |
| Heptachlor | ND | 0.83 | 0.092 |
| Aldrin | ND | 0.83 | 0.046 |
| Heptachlor epoxide | ND | 0.83 | 0.058 |
| Endosulfan I | ND | 0.83 | 0.060 |
| Dieldrin | ND | 1.7 | 0.060 |
| 4,4'-DDE | ND | 1.7 | 0.060 |
| Endrin | ND | 1.7 | 0.050 |
| Endosulfan II | ND | 1.7 | 0.060 |
| Endosulfan sulfate | ND | 1.7 | 0.056 |
| 4,4'-DDD | ND | 1.7 | 0.060 |
| Endrin aldehyde | ND | 1.7 | 0.44 |
| 4,4'-DDT | ND | 1.7 | 0.068 |
| alpha-Chlordane | ND | 0.83 | 0.13 |
| gamma-Chlordane | 0.17 С Ј | 0.83 | 0.10 |
| Methoxychlor | ND | 8.3 | 1.1 |
| Toxaphene | ND | 30 | 10 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 86 | 28-136 |
| Decachlorobiphenyl | 85 | 41-142 |

Page 1 of 1

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3546 | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | |
| Type: | LCS | Diln Fac: | 1.000 | | |
| Lab ID: | QC954617 | Batch#: | 265233 | | |
| Matrix: | Soil | Prepared: | 11/06/18 | | |
| Units: | ug/Kg | Analyzed: | 11/07/18 | | |

Cleanup Method: EPA 3620

| Analyte | Spiked | Result | %REC | Limits |
|------------|--------|---------|------|--------|
| gamma-BHC | 10.00 | 9.648 | 96 | 45-141 |
| Heptachlor | 10.00 | 11.18 | 112 | 43-144 |
| Aldrin | 10.00 | 9.440 | 94 | 43-137 |
| Dieldrin | 10.00 | 10.26 | 103 | 51-149 |
| Endrin | 10.00 | 10.57 # | 106 | 40-165 |
| 4,4'-DDT | 10.00 | 10.73 # | 107 | 50-145 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 62 | 28-136 |
| Decachlorobiphenyl | 68 | 41-142 |



| | | Organochlorine Pesticides | |
|-----------|----------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC954734 | Batch#: | 265246 |
| Matrix: | Soil | Prepared: | 11/07/18 |
| Units: | ug/Kg | Analyzed: | 11/08/18 |

| Analyte | Result | RL | MDL |
|--------------------|----------|------|-------|
| alpha-BHC | ND | 0.83 | 0.076 |
| beta-BHC | ND | 0.83 | 0.048 |
| gamma-BHC | ND | 0.83 | 0.061 |
| delta-BHC | ND | 0.83 | 0.060 |
| Heptachlor | ND | 0.83 | 0.060 |
| Aldrin | ND | 0.83 | 0.046 |
| Heptachlor epoxide | ND | 0.83 | 0.058 |
| Endosulfan I | ND | 0.83 | 0.060 |
| Dieldrin | ND | 1.7 | 0.060 |
| 4,4'-DDE | ND | 1.7 | 0.060 |
| Endrin | ND | 1.7 | 0.050 |
| Endosulfan II | ND | 1.7 | 0.060 |
| Endosulfan sulfate | ND | 1.7 | 0.056 |
| 4,4'-DDD | ND | 1.7 | 0.060 |
| Endrin aldehyde | ND | 1.7 | 0.44 |
| 4,4'-DDT | ND | 1.7 | 0.068 |
| alpha-Chlordane | ND | 0.83 | 0.13 |
| gamma-Chlordane | 0.12 С Ј | 0.83 | 0.10 |
| Methoxychlor | ND | 8.3 | 1.1 |
| Toxaphene | ND | 30 | 10 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 64 | 28-136 |
| Decachlorobiphenyl | 64 | 41-142 |

Page 1 of 1

C= Presence confirmed, but RPD between columns exceeds 40%

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Or | ganochlorine Pesticide | s |
|-----------|----------|------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC954735 | Batch#: | 265246 |
| Matrix: | Soil | Prepared: | 11/07/18 |
| Units: | ug/Kg | Analyzed: | 11/08/18 |

| Analyte | Spiked | Result | %REC | Limits |
|------------|--------|---------|------|--------|
| gamma-BHC | 10.00 | 9.982 | 100 | 45-141 |
| Heptachlor | 10.00 | 10.05 | 101 | 43-144 |
| Aldrin | 10.00 | 10.34 | 103 | 43-137 |
| Dieldrin | 10.00 | 10.02 # | 100 | 51-149 |
| Endrin | 10.00 | 9.635 # | 96 | 40-165 |
| 4,4'-DDT | 10.00 | 11.39 | 114 | 50-145 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 73 | 28-136 |
| Decachlorobiphenyl | 70 | 41-142 |



| | Or | ganochlorine Pesticides | 3 |
|-------------|-------------|-------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Field ID: | ZZZZZZZZZ | Batch#: | 265246 |
| MSS Lab ID: | 304541-010 | Sampled: | 10/25/18 |
| Matrix: | Soil | Received: | 10/25/18 |
| Units: | ug/Kg | Prepared: | 11/07/18 |
| Basis: | as received | Analyzed: | 11/08/18 |
| Diln Fac: | 1.000 | | |

Type: MS Lab ID: QC954736

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|------------|------------|--------|---------|------|--------|
| gamma-BHC | <0.08066 | 13.32 | 12.07 | 91 | 50-135 |
| Heptachlor | <0.07968 | 13.32 | 12.06 | 91 | 46-138 |
| Aldrin | <0.06097 | 13.32 | 12.03 | 90 | 45-136 |
| Dieldrin | 0.1732 | 13.32 | 12.05 # | 89 | 41-150 |
| Endrin | 0.6215 | 13.32 | 13.29 # | 95 | 44-167 |
| 4,4'-DDT | 0.8658 | 13.32 | 14.56 | 103 | 41-148 |

| S | Surrogate | %REC | Limits |
|-------------|-----------|------|--------|
| TCMX | | 65 | 28-136 |
| Decachlorob | biphenyl | 60 | 41-142 |

Type: MSD Lab ID: QC954737

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|---------|------|--------|-----|-----|
| gamma-BHC | 13.16 | 12.15 | 92 | 50-135 | 2 | 43 |
| Heptachlor | 13.16 | 11.62 | 88 | 46-138 | 2 | 47 |
| Aldrin | 13.16 | 12.12 | 92 | 45-136 | 2 | 42 |
| Dieldrin | 13.16 | 11.64 # | 87 | 41-150 | 2 | 60 |
| Endrin | 13.16 | 12.78 # | 92 | 44-167 | 3 | 56 |
| 4,4'-DDT | 13.16 | 12.78 | 91 | 41-148 | 12 | 52 |

| | Surrogate | %REC | Limits |
|----------|-------------|------|--------|
| TCMX | | 71 | 28-136 |
| Decachlo | orobiphenyl | 55 | 41-142 |

#= CCV drift outside limits; average CCV drift within limits per method requirements
RPD= Relative Percent Difference

Page 1 of 1 204.0



| | | Organochlorine Pesticides | |
|-----------|----------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC954915 | Batch#: | 265307 |
| Matrix: | Soil | Prepared: | 11/08/18 |
| Units: | ug/Kg | Analyzed: | 11/09/18 |

Cleanup Method: EPA 3620B

| Analyte | Result | RL | MDL |
|--------------------|--------|------|-------|
| alpha-BHC | ND | 0.83 | 0.076 |
| beta-BHC | ND | 0.83 | 0.048 |
| gamma-BHC | ND | 0.83 | 0.061 |
| delta-BHC | ND | 0.83 | 0.060 |
| Heptachlor | ND | 0.83 | 0.060 |
| Aldrin | ND | 0.83 | 0.046 |
| Heptachlor epoxide | ND | 0.83 | 0.058 |
| Endosulfan I | ND | 0.83 | 0.060 |
| Dieldrin | ND | 1.7 | 0.060 |
| 4,4'-DDE | ND | 1.7 | 0.060 |
| Endrin | ND | 1.7 | 0.050 |
| Endosulfan II | ND | 1.7 | 0.060 |
| Endosulfan sulfate | ND | 1.7 | 0.056 |
| 4,4'-DDD | ND | 1.7 | 0.060 |
| Endrin aldehyde | ND | 1.7 | 0.44 |
| 4,4'-DDT | ND | 1.7 | 0.068 |
| alpha-Chlordane | ND | 0.83 | 0.13 |
| gamma-Chlordane | 0.12 Ј | 0.83 | 0.083 |
| Methoxychlor | ND | 8.3 | 1.1 |
| Toxaphene | ND | 30 | 10 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 104 | 28-136 | |
| Decachlorobiphenyl | 85 | 41-142 | |

Page 1 of 1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Organochlorine Pesticides | | | | | | |
|-----------|---------------------------|-----------|----------------------|--|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | | |
| Client: | WSP | Prep: | EPA 3546 | | | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | | | |
| Type: | LCS | Diln Fac: | 1.000 | | | | |
| Lab ID: | QC954919 | Batch#: | 265307 | | | | |
| Matrix: | Soil | Prepared: | 11/08/18 | | | | |
| Units: | ug/Kg | Analyzed: | 11/09/18 | | | | |

Cleanup Method: EPA 3620B

| Analyte | Spiked | Result | %REC | Limits |
|------------|--------|---------|------|--------|
| gamma-BHC | 10.00 | 7.008 | 70 | 45-141 |
| Heptachlor | 10.00 | 6.941 | 69 | 43-144 |
| Aldrin | 10.00 | 7.167 | 72 | 43-137 |
| Dieldrin | 10.00 | 7.125 # | 71 | 51-149 |
| Endrin | 10.00 | 7.022 | 70 | 40-165 |
| 4,4'-DDT | 10.00 | 7.687 | 77 | 50-145 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 51 | 28-136 |
| Decachlorobiphenyl | 47 | 41-142 |



| | Organochlorine Pesticides | | | | | | |
|-------------|---------------------------|-----------|----------------------|--|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | | |
| Client: | WSP | Prep: | EPA 3546 | | | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | | | |
| Field ID: | ZZZZZZZZZ | Batch#: | 265307 | | | | |
| MSS Lab ID: | 304803-001 | Sampled: | 11/06/18 | | | | |
| Matrix: | Soil | Received: | 11/07/18 | | | | |
| Units: | ug/Kg | Prepared: | 11/08/18 | | | | |
| Basis: | as received | Analyzed: | 11/09/18 | | | | |
| Diln Fac: | 1.000 | | | | | | |

Type: MS Cleanup Method: EPA 3620B

Lab ID: QC954920

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|------------|------------|--------|---------|------|--------|
| gamma-BHC | <0.08196 | 13.32 | 16.58 | 124 | 50-135 |
| Heptachlor | <0.08097 | 13.32 | 16.57 | 124 | 46-138 |
| Aldrin | <0.06196 | 13.32 | 16.54 | 124 | 45-136 |
| Dieldrin | 4.642 | 13.32 | 21.16 # | 124 | 41-150 |
| Endrin | 0.2276 | 13.32 | 18.54 | 138 | 44-167 |
| 4,4'-DDT | 12.88 | 13.32 | 30.34 | 131 | 41-148 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 86 | 28-136 | |
| Decachlorobiphenyl | 85 | 41-142 | |

Type: MSD Cleanup Method: EPA 3620B

Lab ID: QC954921

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|---------|------|--------|-----|-----|
| gamma-BHC | 13.53 | 14.92 | 110 | 50-135 | 12 | 43 |
| Heptachlor | 13.53 | 14.91 | 110 | 46-138 | 12 | 47 |
| Aldrin | 13.53 | 14.92 | 110 | 45-136 | 12 | 42 |
| Dieldrin | 13.53 | 17.33 # | 94 | 41-150 | 21 | 60 |
| Endrin | 13.53 | 16.56 | 121 | 44-167 | 13 | 56 |
| 4,4'-DDT | 13.53 | 26.93 | 104 | 41-148 | 13 | 52 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 85 | 28-136 | |
| Decachlorobiphenyl | 73 | 41-142 | |

#= CCV drift outside limits; average CCV drift within limits per method requirements
RPD= Relative Percent Difference

Page 1 of 1 207.0



| | | Organochlorine Pesticides | |
|-----------|----------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC955019 | Batch#: | 265331 |
| Matrix: | Soil | Prepared: | 11/09/18 |
| Units: | ug/Kg | Analyzed: | 11/09/18 |

| Analyte | Result | RL | MDL |
|--------------------|--------|------|-------|
| alpha-BHC | ND | 0.83 | 0.076 |
| beta-BHC | ND | 0.83 | 0.048 |
| gamma-BHC | ND | 0.83 | 0.061 |
| delta-BHC | ND | 0.83 | 0.060 |
| Heptachlor | ND | 0.83 | 0.060 |
| Aldrin | ND | 0.83 | 0.046 |
| Heptachlor epoxide | ND | 0.83 | 0.058 |
| Endosulfan I | ND | 0.83 | 0.060 |
| Dieldrin | ND | 1.7 | 0.060 |
| 4,4'-DDE | ND | 1.7 | 0.060 |
| Endrin | ND | 1.7 | 0.050 |
| Endosulfan II | ND | 1.7 | 0.060 |
| Endosulfan sulfate | ND | 1.7 | 0.056 |
| 4,4'-DDD | ND | 1.7 | 0.060 |
| Endrin aldehyde | ND | 1.7 | 0.44 |
| 4,4'-DDT | ND | 1.7 | 0.068 |
| alpha-Chlordane | ND | 0.83 | 0.13 |
| gamma-Chlordane | 0.19 J | 0.83 | 0.083 |
| Methoxychlor | ND | 8.3 | 1.1 |
| Toxaphene | ND | 30 | 10 |

| Surrogate | %REC | Limits |
|--------------------|------|--------|
| TCMX | 71 | 28-136 |
| Decachlorobiphenyl | 72 | 41-142 |

Page 1 of 1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | Organochlorine Pesticides | |
|-----------|----------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3546 |
| Project#: | VALLCO | Analysis: | EPA 8081A |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC955020 | Batch#: | 265331 |
| Matrix: | Soil | Prepared: | 11/09/18 |
| Units: | ug/Kg | Analyzed: | 11/09/18 |

| Analyte | Spiked | Result | %REC | Limits |
|------------|--------|---------|------|--------|
| gamma-BHC | 10.00 | 11.60 | 116 | 45-141 |
| Heptachlor | 10.00 | 11.73 | 117 | 43-144 |
| Aldrin | 10.00 | 11.79 # | 118 | 43-137 |
| Dieldrin | 10.00 | 11.81 # | 118 | 51-149 |
| Endrin | 10.00 | 10.84 | 108 | 40-165 |
| 4,4'-DDT | 10.00 | 11.22 | 112 | 50-145 |

| Surrogate | %REC | Limits | |
|--------------------|------|--------|--|
| TCMX | 87 | 28-136 | |
| Decachlorobiphenyl | 70 | 41-142 | |



| Organochlorine Pesticides | | | | | | | | |
|---------------------------|-------------|-----------|----------------------|--|--|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | | | |
| Client: | WSP | Prep: | EPA 3546 | | | | | |
| Project#: | VALLCO | Analysis: | EPA 8081A | | | | | |
| Field ID: | ZZZZZZZZZZ | Batch#: | 265331 | | | | | |
| MSS Lab ID: | 304837-001 | Sampled: | 11/05/18 | | | | | |
| Matrix: | Soil | Received: | 11/08/18 | | | | | |
| Units: | ug/Kg | Prepared: | 11/09/18 | | | | | |
| Basis: | as received | Analyzed: | 11/09/18 | | | | | |
| Diln Fac: | 2.000 | | | | | | | |

Type: MS Lab ID: QC955021

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|------------|------------|--------|---------|------|--------|
| gamma-BHC | <0.1588 | 13.05 | 12.81 | 98 | 50-135 |
| Heptachlor | <0.1569 | 13.05 | 12.22 | 94 | 46-138 |
| Aldrin | <0.1200 | 13.05 | 11.65 # | 89 | 45-136 |
| Dieldrin | 3.061 | 13.05 | 13.59 # | 81 | 41-150 |
| Endrin | 0.5989 | 13.05 | 11.80 | 86 | 44-167 |
| 4,4'-DDT | <0.1769 | 13.05 | 12.76 | 98 | 41-148 |

| Surr | Surrogate %REC | Limits |
|----------------|---------------------|--------|
| TCMX | MX 73 | 28-136 |
| Decachlorobiph | cachlorobiphenyl 62 | 41-142 |

Type: MSD Lab ID: QC955022

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|---------|------|--------|-----|-----|
| gamma-BHC | 13.08 | 12.41 | 95 | 50-135 | 3 | 43 |
| Heptachlor | 13.08 | 12.07 | 92 | 46-138 | 1 | 47 |
| Aldrin | 13.08 | 11.45 # | 88 | 45-136 | 2 | 42 |
| Dieldrin | 13.08 | 13.65 # | 81 | 41-150 | 0 | 60 |
| Endrin | 13.08 | 12.08 | 88 | 44-167 | 2 | 56 |
| 4,4'-DDT | 13.08 | 14.14 | 108 | 41-148 | 10 | 52 |

| | Surrogate | %REC | Limits |
|----------|--------------|------|--------|
| TCMX | | 71 | 28-136 |
| Decachlo | lorobiphenyl | 65 | 41-142 |

#= CCV drift outside limits; average CCV drift within limits per method requirements
RPD= Relative Percent Difference

Page 1 of 1 210.0



| California Title 22 Metals | | | | | | | | |
|----------------------------|------------|-----------|----------------------|--|--|--|--|--|
| Lab #: | 304731 | Project#: | VALLCO | | | | | |
| Client: | WSP | Location: | Vallco Cupertino, CA | | | | | |
| Field ID: | S-1-(1) | Basis: | as received | | | | | |
| Lab ID: | 304731-001 | Diln Fac: | 1.000 | | | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | | | |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.54 J | 2.0 | 0.073 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.7 | 1.5 | 0.070 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 160 | 0.27 | 0.032 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.45 | 0.11 | 0.011 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.19 J | 0.27 | 0.018 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 65 | 0.27 | 0.052 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 15 | 0.27 | 0.015 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 31 | 0.27 | 0.061 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.1 | 1.0 | 0.060 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.052 | 0.017 | 0.0030 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.39 | 0.27 | 0.028 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 87 | 0.27 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.032 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.096 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 51 | 0.27 | 0.056 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 49 | 1.1 | 0.23 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| California Title 22 Metals | | | | | | | |
|----------------------------|------------|-----------|----------------------|--|--|--|--|
| Lab #: | 304731 | Project#: | VALLCO | | | | |
| Client: | WSP | Location: | Vallco Cupertino, CA | | | | |
| Field ID: | S-1-(5) | Basis: | as received | | | | |
| Lab ID: | 304731-002 | Diln Fac: | 1.000 | | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | | |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.49 J | 2.0 | 0.072 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.1 | 1.5 | 0.070 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 140 | 0.26 | 0.032 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.52 | 0.11 | 0.011 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.18 J | 0.26 | 0.017 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 87 | 0.26 | 0.052 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 16 | 0.26 | 0.015 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 29 | 0.26 | 0.060 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.4 | 1.0 | 0.059 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.050 | 0.018 | 0.0031 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.26 J | 0.26 | 0.027 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 74 | 0.26 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.032 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.095 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 69 | 0.26 | 0.055 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 47 | 1.1 | 0.22 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| California Title 22 Metals | | | | | | | | |
|----------------------------|------------|-----------|----------------------|--|--|--|--|--|
| Lab #: | 304731 | Project#: | VALLCO | | | | | |
| Client: | WSP | Location: | Vallco Cupertino, CA | | | | | |
| Field ID: | S-1-(10) | Basis: | as received | | | | | |
| Lab ID: | 304731-003 | Diln Fac: | 1.000 | | | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | | | |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.33 J | 2.0 | 0.075 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.1 | 1.5 | 0.072 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 200 | 0.27 | 0.033 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.64 | 0.11 | 0.011 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.20 J | 0.27 | 0.018 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 94 | 0.27 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 21 | 0.27 | 0.016 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 46 | 0.27 | 0.062 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 8.1 | 1.0 | 0.061 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.049 | 0.016 | 0.0029 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.25 J | 0.27 | 0.028 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 110 | 0.27 | 0.054 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.033 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.098 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 64 | 0.27 | 0.057 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 65 | 1.1 | 0.23 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| California Title 22 Metals | | | | | | | |
|----------------------------|------------|-----------|----------------------|--|--|--|--|
| Lab #: | 304731 | Project#: | VALLCO | | | | |
| Client: | WSP | Location: | Vallco Cupertino, CA | | | | |
| Field ID: | S-1-(15) | Basis: | as received | | | | |
| Lab ID: | 304731-004 | Diln Fac: | 1.000 | | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | | |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.23 J | 2.0 | 0.067 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.0 | 1.5 | 0.065 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.25 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.57 | 0.098 | 0.0098 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.20 J | 0.25 | 0.016 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 93 | 0.25 | 0.048 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 18 | 0.25 | 0.014 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 37 | 0.25 | 0.056 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 5.7 | 0.98 | 0.055 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.088 | 0.016 | 0.0028 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.24 J | 0.25 | 0.026 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 85 | 0.25 | 0.049 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.18 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.49 | 0.088 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 81 | 0.25 | 0.051 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 52 | 0.98 | 0.21 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| California Title 22 Metals | | | | | | | | |
|----------------------------|------------|-----------|----------------------|--|--|--|--|--|
| Lab #: | 304731 | Project#: | VALLCO | | | | | |
| Client: | WSP | Location: | Vallco Cupertino, CA | | | | | |
| Field ID: | S-1-(20) | Basis: | as received | | | | | |
| Lab ID: | 304731-005 | Diln Fac: | 1.000 | | | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | | | |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.45 J | 1.9 | 0.066 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.0 | 1.4 | 0.064 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 100 | 0.24 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.47 | 0.096 | 0.0096 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.20 J | 0.24 | 0.016 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 45 | 0.24 | 0.047 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 11 | 0.24 | 0.014 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 28 | 0.24 | 0.055 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.4 | 0.96 | 0.054 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.099 | 0.017 | 0.0030 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.58 | 0.24 | 0.025 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 57 | 0.24 | 0.048 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.48 | 0.086 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 43 | 0.24 | 0.050 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 46 | 0.96 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| California Title 22 Metals | | | | | | | | |
|----------------------------|------------|-----------|----------------------|--|--|--|--|--|
| Lab #: | 304731 | Project#: | VALLCO | | | | | |
| Client: | WSP | Location: | Vallco Cupertino, CA | | | | | |
| Field ID: | S-2-(1) | Basis: | as received | | | | | |
| Lab ID: | 304731-006 | Diln Fac: | 1.000 | | | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | | | |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.46 J | 1.9 | 0.067 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.6 | 1.5 | 0.064 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 190 | 0.24 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.54 | 0.097 | 0.0097 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.18 J | 0.24 | 0.016 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 76 | 0.24 | 0.048 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 18 | 0.24 | 0.014 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 41 | 0.24 | 0.055 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.6 | 0.97 | 0.055 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.062 | 0.016 | 0.0028 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.19 J | 0.24 | 0.025 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 86 | 0.24 | 0.049 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.49 | 0.087 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 52 | 0.24 | 0.051 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 58 | 0.97 | 0.21 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| California Title 22 Metals | | | | | | | |
|----------------------------|------------|-----------|----------------------|--|--|--|--|
| Lab #: | 304731 | Project#: | VALLCO | | | | |
| Client: | WSP | Location: | Vallco Cupertino, CA | | | | |
| Field ID: | S-2-(5) | Basis: | as received | | | | |
| Lab ID: | 304731-007 | Diln Fac: | 1.000 | | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | | |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.45 J | 2.0 | 0.069 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.1 | 1.5 | 0.067 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 180 | 0.25 | 0.030 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.42 | 0.10 | 0.010 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.19 J | 0.25 | 0.017 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 74 | 0.25 | 0.050 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.25 | 0.015 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 28 | 0.25 | 0.058 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 5.1 | 1.0 | 0.057 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.032 | 0.017 | 0.0030 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.76 | 0.25 | 0.026 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 67 | 0.25 | 0.051 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.030 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.51 | 0.091 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 60 | 0.25 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 43 | 1.0 | 0.21 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| California Title 22 Metals | | | | | | | | |
|----------------------------|------------|-----------|----------------------|--|--|--|--|--|
| Lab #: | 304731 | Project#: | VALLCO | | | | | |
| Client: | WSP | Location: | Vallco Cupertino, CA | | | | | |
| Field ID: | S-2-(10) | Basis: | as received | | | | | |
| Lab ID: | 304731-008 | Diln Fac: | 1.000 | | | | | |
| Matrix: | Soil | Sampled: | 10/30/18 | | | | | |
| Units: | mg/Kg | Received: | 11/01/18 | | | | | |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.38 J | 2.0 | 0.075 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.0 | 1.5 | 0.072 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 250 | 0.27 | 0.033 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.47 | 0.11 | 0.011 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.18 J | 0.27 | 0.018 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 80 | 0.27 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 14 | 0.27 | 0.016 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 27 | 0.27 | 0.062 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 5.1 | 1.0 | 0.061 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.045 | 0.017 | 0.0030 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 1.5 | 0.27 | 0.028 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 68 | 0.27 | 0.054 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.033 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.098 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 66 | 0.27 | 0.057 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 42 | 1.1 | 0.23 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-2-(15) | Basis: | as received |
| Lab ID: | 304731-009 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.29 J | 1.9 | 0.065 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.9 | 1.4 | 0.062 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 110 | 0.24 | 0.028 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.46 | 0.094 | 0.0095 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.13 J | 0.24 | 0.016 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 52 | 0.24 | 0.046 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 10 | 0.24 | 0.014 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 30 | 0.24 | 0.054 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.0 | 0.94 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.12 | 0.017 | 0.0030 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.41 | 0.24 | 0.025 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 61 | 0.24 | 0.047 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.028 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.47 | 0.085 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 43 | 0.24 | 0.049 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 44 | 0.94 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

22.1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California | Title 22 Metals | |
|-----------|------------|-----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-2-(20) | Basis: | as received |
| Lab ID: | 304731-010 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.55 J | 2.0 | 0.071 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.1 | 1.5 | 0.068 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 110 | 0.26 | 0.031 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.50 | 0.10 | 0.010 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.20 J | 0.26 | 0.017 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 44 | 0.26 | 0.051 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 11 | 0.26 | 0.015 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 27 | 0.26 | 0.059 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.4 | 1.0 | 0.058 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.13 | 0.016 | 0.0028 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.53 | 0.26 | 0.027 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 58 | 0.26 | 0.052 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.031 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.52 | 0.093 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 41 | 0.26 | 0.054 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 46 | 1.0 | 0.22 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-3-(1) | Basis: | as received |
| Lab ID: | 304731-011 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.53 J | 2.0 | 0.072 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.0 | 1.5 | 0.070 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 230 | 0.26 | 0.032 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.43 | 0.11 | 0.011 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.24 J | 0.26 | 0.017 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 45 | 0.26 | 0.052 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 12 | 0.26 | 0.015 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 29 | 0.26 | 0.060 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 5.9 | 1.0 | 0.059 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.060 | 0.018 | 0.0031 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.58 | 0.26 | 0.027 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 55 | 0.26 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.032 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.095 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 46 | 0.26 | 0.055 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 47 | 1.1 | 0.22 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-3-(5) | Basis: | as received |
| Lab ID: | 304731-012 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.44 J | 2.0 | 0.069 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.9 | 1.5 | 0.066 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 150 | 0.25 | 0.030 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.55 | 0.10 | 0.010 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.20 J | 0.25 | 0.017 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 83 | 0.25 | 0.049 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 18 | 0.25 | 0.015 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 41 | 0.25 | 0.057 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.6 | 1.0 | 0.056 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.055 | 0.018 | 0.0031 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.30 | 0.25 | 0.026 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 96 | 0.25 | 0.050 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.030 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.50 | 0.090 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 60 | 0.25 | 0.052 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 60 | 1.0 | 0.21 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-3-(10) | Basis: | as received |
| Lab ID: | 304731-013 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.81 J | 2.0 | 0.069 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 2.5 | 1.5 | 0.067 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 150 | 0.25 | 0.030 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.53 | 0.10 | 0.010 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.20 J | 0.25 | 0.017 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 93 | 0.25 | 0.050 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 16 | 0.25 | 0.015 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 28 | 0.25 | 0.058 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 5.5 | 1.0 | 0.057 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.042 | 0.017 | 0.0030 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.32 | 0.25 | 0.026 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 80 | 0.25 | 0.051 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.030 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.51 | 0.091 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 75 | 0.25 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 47 | 1.0 | 0.21 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-3-(15) | Basis: | as received |
| Lab ID: | 304731-014 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.28 J | 1.9 | 0.064 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.9 | 1.4 | 0.061 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 98 | 0.23 | 0.028 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.56 | 0.093 | 0.0093 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.15 J | 0.23 | 0.015 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 48 | 0.23 | 0.045 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 10 | 0.23 | 0.013 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 29 | 0.23 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.5 | 0.93 | 0.052 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.081 | 0.017 | 0.0030 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.70 | 0.23 | 0.024 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 64 | 0.23 | 0.046 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.17 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.23 | 0.028 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.46 | 0.083 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 45 | 0.23 | 0.049 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 52 | 0.93 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

27.1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-3-(20) | Basis: | as received |
| Lab ID: | 304731-015 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.64 J | 1.9 | 0.065 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.9 | 1.4 | 0.063 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 120 | 0.24 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.47 | 0.095 | 0.0095 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.17 J | 0.24 | 0.016 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 39 | 0.24 | 0.047 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 10 | 0.24 | 0.014 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 26 | 0.24 | 0.054 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.2 | 0.95 | 0.054 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.095 | 0.017 | 0.0030 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.55 | 0.24 | 0.025 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 50 | 0.24 | 0.048 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.48 | 0.086 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 39 | 0.24 | 0.050 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 42 | 0.95 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-4-(1) | Basis: | as received |
| Lab ID: | 304731-016 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.45 J | 1.9 | 0.067 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.5 | 1.5 | 0.064 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 160 | 0.24 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.51 | 0.097 | 0.0097 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.26 | 0.24 | 0.016 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 78 | 0.24 | 0.048 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 17 | 0.24 | 0.014 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 39 | 0.24 | 0.055 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 15 | 0.97 | 0.055 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.053 | 0.016 | 0.0029 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.36 | 0.24 | 0.025 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 84 | 0.24 | 0.049 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.029 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.49 | 0.087 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 60 | 0.24 | 0.051 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 64 | 0.97 | 0.21 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-4-(5) | Basis: | as received |
| Lab ID: | 304731-017 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.37 J | 2.0 | 0.075 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.1 | 1.5 | 0.072 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 190 | 0.27 | 0.033 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.50 | 0.11 | 0.011 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.18 J | 0.27 | 0.018 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 79 | 0.27 | 0.053 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 19 | 0.27 | 0.016 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 34 | 0.27 | 0.062 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.9 | 1.0 | 0.061 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.087 | 0.017 | 0.0029 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.29 | 0.27 | 0.028 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 90 | 0.27 | 0.054 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.033 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.098 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 59 | 0.27 | 0.057 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 51 | 1.1 | 0.23 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

30.1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metal | S |
|-----------|------------|---------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-4-(10) | Basis: | as received |
| Lab ID: | 304731-018 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.40 J | 2.0 | 0.071 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.3 | 1.5 | 0.068 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 140 | 0.26 | 0.031 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.53 | 0.10 | 0.010 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.18 J | 0.26 | 0.017 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 80 | 0.26 | 0.051 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 18 | 0.26 | 0.015 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 37 | 0.26 | 0.059 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.2 | 1.0 | 0.058 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.039 | 0.016 | 0.0029 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.33 | 0.26 | 0.027 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 82 | 0.26 | 0.052 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.031 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.52 | 0.093 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 54 | 0.26 | 0.054 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 54 | 1.0 | 0.22 | 265200 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California 1 | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-4-(15) | Basis: | as received |
| Lab ID: | 304731-019 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.51 J | 1.8 | 0.063 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 6.2 | 1.4 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 150 | 0.23 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.69 | 0.092 | 0.0092 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.25 | 0.23 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 54 | 0.23 | 0.045 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 14 | 0.23 | 0.013 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 42 | 0.23 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 10 | 0.92 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.093 | 0.017 | 0.0030 | 265296 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.91 | 0.23 | 0.024 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 67 | 0.23 | 0.046 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.8 | 0.17 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.23 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.46 | 0.082 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 53 | 0.23 | 0.048 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 73 | 0.92 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California ' | Fitle 22 Metals | |
|-----------|--------------|-----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-4-(20) | Basis: | as received |
| Lab ID: | 304731-020 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.61 J | 2.0 | 0.075 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.0 | 1.5 | 0.072 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 110 | 0.27 | 0.033 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.55 | 0.11 | 0.011 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.23 J | 0.27 | 0.018 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 48 | 0.27 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.27 | 0.016 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 32 | 0.27 | 0.062 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.6 | 1.0 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.12 | 0.018 | 0.0032 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.67 | 0.27 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 63 | 0.27 | 0.054 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.033 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.098 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 46 | 0.27 | 0.057 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 56 | 1.1 | 0.23 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-5-(1) | Basis: | as received |
| Lab ID: | 304731-021 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.46 J | 2.0 | 0.073 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.4 | 1.5 | 0.070 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 180 | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.57 | 0.11 | 0.011 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.15 J | 0.27 | 0.018 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 78 | 0.27 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 16 | 0.27 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 37 | 0.27 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.4 | 1.0 | 0.060 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.054 | 0.016 | 0.0028 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.21 J | 0.27 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 92 | 0.27 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.096 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 50 | 0.27 | 0.056 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 55 | 1.1 | 0.23 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-5-(5) | Basis: | as received |
| Lab ID: | 304731-022 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.53 J | 2.0 | 0.071 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.1 | 1.5 | 0.069 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 180 | 0.26 | 0.031 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.57 | 0.10 | 0.010 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.19 J | 0.26 | 0.017 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 88 | 0.26 | 0.051 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 19 | 0.26 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 43 | 0.26 | 0.059 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 8.3 | 1.0 | 0.059 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.052 | 0.016 | 0.0028 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.24 J | 0.26 | 0.027 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 100 | 0.26 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.031 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.52 | 0.094 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 62 | 0.26 | 0.055 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 63 | 1.0 | 0.22 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-5-(10) | Basis: | as received |
| Lab ID: | 304731-023 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.44 J | 1.8 | 0.063 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.2 | 1.4 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 150 | 0.23 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.62 | 0.092 | 0.0092 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.24 | 0.23 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 94 | 0.23 | 0.045 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 17 | 0.23 | 0.013 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 39 | 0.23 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.7 | 0.92 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.061 | 0.017 | 0.0030 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.30 | 0.23 | 0.024 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 73 | 0.23 | 0.046 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.8 | 0.17 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.23 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.46 | 0.082 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 76 | 0.23 | 0.048 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 56 | 0.92 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-5-(15) | Basis: | as received |
| Lab ID: | 304731-024 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|---------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.70 J | 2.0 | 0.071 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 2.7 | 1.5 | 0.069 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 99 | 0.26 | 0.031 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.45 | 0.10 | 0.010 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.095 J | 0.26 | 0.017 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 61 | 0.26 | 0.051 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.26 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 26 | 0.26 | 0.059 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 4.4 | 1.0 | 0.059 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.044 | 0.016 | 0.0029 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.67 | 0.26 | 0.027 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 59 | 0.26 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.031 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.52 | 0.094 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 56 | 0.26 | 0.055 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 42 | 1.0 | 0.22 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-5-(20) | Basis: | as received |
| Lab ID: | 304731-025 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.30 J | 1.9 | 0.064 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 2.8 | 1.4 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 82 | 0.23 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.33 | 0.093 | 0.0093 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.10 J | 0.23 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 36 | 0.23 | 0.045 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 8.4 | 0.23 | 0.013 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 23 | 0.23 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 4.6 | 0.93 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.082 | 0.017 | 0.0030 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.53 | 0.23 | 0.024 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 31 | 0.23 | 0.046 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.17 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.23 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.46 | 0.083 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 45 | 0.23 | 0.049 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 41 | 0.93 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-6-(1) | Basis: | as received |
| Lab ID: | 304731-026 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.45 J | 2.0 | 0.075 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 2.7 | 1.5 | 0.073 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 150 | 0.27 | 0.033 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.32 | 0.11 | 0.011 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.17 J | 0.27 | 0.018 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 45 | 0.27 | 0.054 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 10 | 0.27 | 0.016 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 25 | 0.27 | 0.063 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 12 | 1.0 | 0.062 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.065 | 0.018 | 0.0031 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 1.1 | 0.27 | 0.029 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 53 | 0.27 | 0.055 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.21 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.033 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.55 | 0.099 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 39 | 0.27 | 0.058 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 70 | 1.1 | 0.23 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-6-(5) | Basis: | as received |
| Lab ID: | 304731-027 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.46 J | 2.0 | 0.069 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.1 | 1.5 | 0.067 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 100 | 0.25 | 0.030 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.42 | 0.10 | 0.010 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.17 J | 0.25 | 0.017 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 64 | 0.25 | 0.050 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 14 | 0.25 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 27 | 0.25 | 0.058 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.3 | 1.0 | 0.057 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.052 | 0.018 | 0.0031 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.31 | 0.25 | 0.026 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 71 | 0.25 | 0.051 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.030 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.51 | 0.091 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 46 | 0.25 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 45 | 1.0 | 0.21 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

40.1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-6-(10) | Basis: | as received |
| Lab ID: | 304731-028 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.40 J | 2.0 | 0.074 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.8 | 1.5 | 0.071 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 120 | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.48 | 0.11 | 0.011 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.15 J | 0.27 | 0.018 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 45 | 0.27 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 11 | 0.27 | 0.016 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 26 | 0.27 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.8 | 1.0 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.071 | 0.016 | 0.0027 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.75 | 0.27 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 56 | 0.27 | 0.054 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.097 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 46 | 0.27 | 0.056 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 50 | 1.1 | 0.23 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-6-(15) | Basis: | as received |
| Lab ID: | 304731-029 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.34 J | 2.0 | 0.067 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.9 | 1.5 | 0.065 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 110 | 0.25 | 0.029 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.57 | 0.098 | 0.0098 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.19 J | 0.25 | 0.016 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 47 | 0.25 | 0.048 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 11 | 0.25 | 0.014 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 30 | 0.25 | 0.056 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.2 | 0.98 | 0.055 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.18 | 0.017 | 0.0029 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.69 | 0.25 | 0.026 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 63 | 0.25 | 0.049 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.18 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.029 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.49 | 0.088 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 43 | 0.25 | 0.051 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 52 | 0.98 | 0.21 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-6-(20) | Basis: | as received |
| Lab ID: | 304731-030 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.15 J | 2.0 | 0.074 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.7 | 1.5 | 0.071 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 120 | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.46 | 0.11 | 0.011 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.19 J | 0.27 | 0.018 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 80 | 0.27 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 17 | 0.27 | 0.016 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 33 | 0.27 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 5.8 | 1.0 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.12 | 0.017 | 0.0030 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.37 | 0.27 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 85 | 0.27 | 0.054 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.097 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 66 | 0.27 | 0.056 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 46 | 1.1 | 0.23 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-7-(2) | Basis: | as received |
| Lab ID: | 304731-033 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.34 J | 2.0 | 0.073 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 2.7 | 1.5 | 0.070 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 120 | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.48 | 0.11 | 0.011 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.19 J | 0.27 | 0.018 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 62 | 0.27 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 15 | 0.27 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 35 | 0.27 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 8.2 | 1.0 | 0.060 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.67 | 0.018 | 0.0031 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.30 | 0.27 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 68 | 0.27 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.096 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 56 | 0.27 | 0.056 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 60 | 1.1 | 0.23 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metal | s |
|-----------|------------|---------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-7-(5) | Basis: | as received |
| Lab ID: | 304731-034 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.45 J | 2.0 | 0.072 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.0 | 1.5 | 0.070 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 160 | 0.26 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.54 | 0.11 | 0.011 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.19 J | 0.26 | 0.017 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 70 | 0.26 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 16 | 0.26 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 34 | 0.26 | 0.060 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.1 | 1.0 | 0.059 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.056 | 0.018 | 0.0031 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.35 | 0.26 | 0.027 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 80 | 0.26 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.095 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 53 | 0.26 | 0.055 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 58 | 1.1 | 0.22 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-7-(10) | Basis: | as received |
| Lab ID: | 304731-035 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.51 J | 1.9 | 0.064 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.1 | 1.4 | 0.062 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.23 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.57 | 0.093 | 0.0094 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.19 J | 0.23 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 61 | 0.23 | 0.046 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 16 | 0.23 | 0.014 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 38 | 0.23 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 7.2 | 0.93 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.071 | 0.016 | 0.0028 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.44 | 0.23 | 0.024 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 59 | 0.23 | 0.047 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.23 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.47 | 0.084 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 68 | 0.23 | 0.049 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 58 | 0.93 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-7-(15) | Basis: | as received |
| Lab ID: | 304731-036 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.30 J | 2.0 | 0.069 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.1 | 1.5 | 0.066 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 78 | 0.25 | 0.030 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.51 | 0.10 | 0.010 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.17 J | 0.25 | 0.017 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 49 | 0.25 | 0.049 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 11 | 0.25 | 0.015 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 26 | 0.25 | 0.057 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 6.5 | 1.0 | 0.056 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.12 | 0.016 | 0.0029 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.68 | 0.25 | 0.026 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 56 | 0.25 | 0.050 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.030 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.50 | 0.090 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 39 | 0.25 | 0.052 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 45 | 1.0 | 0.21 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-7-(20) | Basis: | as received |
| Lab ID: | 304731-037 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.90 J | 2.0 | 0.074 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Arsenic | 2.6 | 1.5 | 0.071 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Barium | 69 | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.37 | 0.11 | 0.011 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.12 J | 0.27 | 0.018 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Chromium | 40 | 0.27 | 0.053 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Cobalt | 10 | 0.27 | 0.016 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Copper | 31 | 0.27 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Lead | 4.8 | 1.0 | 0.061 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.11 | 0.016 | 0.0029 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.63 | 0.27 | 0.028 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Nickel | 40 | 0.27 | 0.054 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.032 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.097 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Vanadium | 49 | 0.27 | 0.056 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |
| Zinc | 44 | 1.1 | 0.23 | 265201 | 11/05/18 | 11/06/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California 1 | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-8-(1) | Basis: | as received |
| Lab ID: | 304731-038 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.85 J | 1.8 | 0.062 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 1.8 | 1.4 | 0.060 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 110 | 0.23 | 0.027 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.23 | 0.091 | 0.0091 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.29 | 0.23 | 0.045 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 33 | 0.23 | 0.045 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 8.3 | 0.23 | 0.013 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 15 | 0.23 | 0.052 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 2.9 | 0.91 | 0.051 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.036 | 0.017 | 0.0029 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.37 | 0.23 | 0.024 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 50 | 0.23 | 0.045 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.8 | 0.17 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.23 | 0.027 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.45 | 0.082 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 23 | 0.23 | 0.048 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 26 | 0.91 | 0.19 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Califor | rnia Title 22 Metal | Ls |
|-----------|------------|---------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-8-(5) | Basis: | as received |
| Lab ID: | 304731-039 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.50 J | 1.9 | 0.065 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.8 | 1.4 | 0.062 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 190 | 0.24 | 0.028 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.60 | 0.094 | 0.0095 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.37 | 0.24 | 0.047 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 88 | 0.24 | 0.046 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 20 | 0.24 | 0.014 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 41 | 0.24 | 0.054 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 7.8 | 0.94 | 0.053 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.052 | 0.018 | 0.0032 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.19 J | 0.24 | 0.025 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 99 | 0.24 | 0.047 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.028 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.47 | 0.085 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 60 | 0.24 | 0.049 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 57 | 0.94 | 0.20 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-8-(10) | Basis: | as received |
| Lab ID: | 304731-040 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.41 J | 1.9 | 0.065 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.6 | 1.4 | 0.062 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 120 | 0.24 | 0.028 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.51 | 0.094 | 0.0095 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.35 | 0.24 | 0.047 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 71 | 0.24 | 0.046 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.24 | 0.014 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 30 | 0.24 | 0.054 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 6.5 | 0.94 | 0.053 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.054 | 0.016 | 0.0029 | 265297 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.22 J | 0.24 | 0.025 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 64 | 0.24 | 0.047 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.028 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.47 | 0.085 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 54 | 0.24 | 0.049 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 48 | 0.94 | 0.20 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-8-(15) | Basis: | as received |
| Lab ID: | 304731-041 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.57 J | 2.0 | 0.075 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.9 | 1.5 | 0.072 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 120 | 0.27 | 0.033 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.53 | 0.11 | 0.011 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.27 J | 0.27 | 0.054 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 52 | 0.27 | 0.053 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 12 | 0.27 | 0.016 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 30 | 0.27 | 0.062 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 7.0 | 1.0 | 0.061 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.13 | 0.018 | 0.0031 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.63 | 0.27 | 0.028 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 63 | 0.27 | 0.054 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.033 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.098 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 46 | 0.27 | 0.057 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 49 | 1.1 | 0.23 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | S-8-(20) | Basis: | as received |
| Lab ID: | 304731-042 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.55 J | 2.0 | 0.071 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.5 | 1.5 | 0.069 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 110 | 0.26 | 0.031 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.51 | 0.10 | 0.010 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.36 | 0.26 | 0.052 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 49 | 0.26 | 0.051 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 12 | 0.26 | 0.015 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 33 | 0.26 | 0.059 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 7.1 | 1.0 | 0.059 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.043 | 0.016 | 0.0027 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.74 | 0.26 | 0.027 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 59 | 0.26 | 0.052 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.031 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.52 | 0.094 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 48 | 0.26 | 0.055 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 49 | 1.0 | 0.22 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-5-(1) | Basis: | as received |
| Lab ID: | 304731-043 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.33 J | 2.0 | 0.069 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.5 | 1.5 | 0.066 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 210 | 0.25 | 0.030 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.55 | 0.10 | 0.010 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.40 | 0.25 | 0.050 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 70 | 0.25 | 0.049 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 17 | 0.25 | 0.015 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 37 | 0.25 | 0.057 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 7.4 | 1.0 | 0.056 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.058 | 0.017 | 0.0029 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.23 J | 0.25 | 0.026 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 91 | 0.25 | 0.050 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.030 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.50 | 0.090 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 46 | 0.25 | 0.052 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 59 | 1.0 | 0.21 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

54.1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-5-(5) | Basis: | as received |
| Lab ID: | 304731-044 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.40 J | 2.0 | 0.075 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 2.5 | 1.5 | 0.072 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 79 | 0.27 | 0.033 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.30 | 0.11 | 0.011 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.25 J | 0.27 | 0.054 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 33 | 0.27 | 0.053 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 8.2 | 0.27 | 0.016 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 15 | 0.27 | 0.062 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 5.4 | 1.0 | 0.061 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.089 | 0.017 | 0.0030 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.23 J | 0.27 | 0.028 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 43 | 0.27 | 0.054 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.033 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.098 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 27 | 0.27 | 0.057 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 35 | 1.1 | 0.23 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-5-(10) | Basis: | as received |
| Lab ID: | 304731-045 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.54 J | 2.0 | 0.073 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.9 | 1.5 | 0.070 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.27 | 0.032 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.52 | 0.11 | 0.011 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.40 | 0.27 | 0.053 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 75 | 0.27 | 0.052 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 17 | 0.27 | 0.015 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 37 | 0.27 | 0.061 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 7.4 | 1.0 | 0.060 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.076 | 0.015 | 0.0027 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.30 | 0.27 | 0.028 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 97 | 0.27 | 0.053 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.032 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.096 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 52 | 0.27 | 0.056 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 59 | 1.1 | 0.23 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-5-(15) | Basis: | as received |
| Lab ID: | 304731-046 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.40 J | 2.0 | 0.069 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.5 | 1.5 | 0.066 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.25 | 0.030 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.53 | 0.10 | 0.010 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.39 | 0.25 | 0.050 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 55 | 0.25 | 0.049 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 12 | 0.25 | 0.015 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 26 | 0.25 | 0.057 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 7.2 | 1.0 | 0.056 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.090 | 0.017 | 0.0030 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.61 | 0.25 | 0.026 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 58 | 0.25 | 0.050 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.030 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.50 | 0.090 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 45 | 0.25 | 0.052 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 55 | 1.0 | 0.21 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

57.1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metal | s |
|-----------|------------|---------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-5-(20) | Basis: | as received |
| Lab ID: | 304731-047 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/30/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.47 J | 1.9 | 0.065 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.4 | 1.4 | 0.063 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 100 | 0.24 | 0.029 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.51 | 0.095 | 0.0095 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.43 | 0.24 | 0.048 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 63 | 0.24 | 0.047 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 16 | 0.24 | 0.014 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 38 | 0.24 | 0.054 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 7.3 | 0.95 | 0.054 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.11 | 0.017 | 0.0030 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.41 | 0.24 | 0.025 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 72 | 0.24 | 0.048 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.029 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.48 | 0.086 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 54 | 0.24 | 0.050 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 56 | 0.95 | 0.20 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | Califor | rnia Title 22 Metal | .s |
|-----------|------------|---------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-1-(1) | Basis: | as received |
| Lab ID: | 304731-049 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.71 J | 2.0 | 0.071 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.8 | 1.5 | 0.069 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 140 | 0.26 | 0.031 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.41 | 0.10 | 0.010 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.33 | 0.26 | 0.052 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 60 | 0.26 | 0.051 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 14 | 0.26 | 0.015 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 35 | 0.26 | 0.059 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 8.2 | 1.0 | 0.059 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.083 | 0.018 | 0.0031 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.84 | 0.26 | 0.027 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 79 | 0.26 | 0.052 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.20 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.031 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.52 | 0.094 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 51 | 0.26 | 0.055 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 55 | 1.0 | 0.22 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California 1 | Title 22 Metals | |
|-----------|--------------|-----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-1-(5) | Basis: | as received |
| Lab ID: | 304731-050 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.43 J | 2.0 | 0.067 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.1 | 1.5 | 0.065 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 150 | 0.25 | 0.029 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.53 | 0.098 | 0.0098 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.33 | 0.25 | 0.049 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 61 | 0.25 | 0.048 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 15 | 0.25 | 0.014 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 37 | 0.25 | 0.056 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 8.0 | 0.98 | 0.055 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.14 | 0.015 | 0.0027 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.46 | 0.25 | 0.026 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 93 | 0.25 | 0.049 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.18 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.029 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.49 | 0.088 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 48 | 0.25 | 0.051 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 56 | 0.98 | 0.21 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-1-(10) | Basis: | as received |
| Lab ID: | 304731-051 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.39 J | 2.0 | 0.068 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.9 | 1.5 | 0.066 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 140 | 0.25 | 0.030 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.55 | 0.099 | 0.0099 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.44 | 0.25 | 0.050 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 51 | 0.25 | 0.049 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.25 | 0.014 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 30 | 0.25 | 0.056 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 8.3 | 0.99 | 0.056 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.083 | 0.015 | 0.0027 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.64 | 0.25 | 0.026 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 54 | 0.25 | 0.050 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.030 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.50 | 0.089 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 45 | 0.25 | 0.052 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 64 | 0.99 | 0.21 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-1-(15) | Basis: | as received |
| Lab ID: | 304731-052 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.33 J | 1.9 | 0.066 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.3 | 1.4 | 0.064 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.24 | 0.029 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.56 | 0.096 | 0.0096 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.37 | 0.24 | 0.048 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 47 | 0.24 | 0.047 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.24 | 0.014 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 34 | 0.24 | 0.055 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 8.3 | 0.96 | 0.054 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.14 | 0.016 | 0.0029 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.68 | 0.24 | 0.025 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 69 | 0.24 | 0.048 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.029 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.48 | 0.086 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 43 | 0.24 | 0.050 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 57 | 0.96 | 0.20 | 265237 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-1-(20) | Basis: | as received |
| Lab ID: | 304731-053 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.5 | 1.5 | 0.20 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 160 | 0.25 | 0.029 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.59 | 0.098 | 0.020 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.33 | 0.25 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 79 | 0.25 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 18 | 0.25 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 39 | 0.25 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 7.2 | 0.98 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.11 | 0.016 | 0.0027 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.13 J | 0.25 | 0.054 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 100 | 0.25 | 0.068 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.49 | 0.15 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 61 | 0.25 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 57 | 0.98 | 0.20 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | E-2-(1) | Basis: | as received |
| Lab ID: | 304731-054 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 1.9 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 2.5 | 1.4 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 180 | 0.24 | 0.028 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.70 | 0.094 | 0.019 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.44 | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 82 | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 20 | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 37 | 0.24 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 6.7 | 0.94 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.038 | 0.017 | 0.0030 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.11 J | 0.24 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 92 | 0.24 | 0.065 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.47 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 67 | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 54 | 0.94 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metal | s |
|-----------|------------|---------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | E-2-(5) | Basis: | as received |
| Lab ID: | 304731-055 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 1.8 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.3 | 1.4 | 0.18 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 150 | 0.23 | 0.027 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.67 | 0.091 | 0.018 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.42 | 0.23 | 0.045 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 81 | 0.23 | 0.045 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 18 | 0.23 | 0.045 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 35 | 0.23 | 0.051 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 9.0 | 0.91 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.061 | 0.017 | 0.0030 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | ND | 0.23 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 85 | 0.23 | 0.063 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.8 | 0.20 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.23 | 0.045 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.45 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 68 | 0.23 | 0.045 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 54 | 0.91 | 0.18 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

RL= Reporting Limit

MDL= Method Detection Limit



| | California 1 | Fitle 22 Metals | |
|-----------|--------------|-----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | E-2-(10) | Basis: | as received |
| Lab ID: | 304731-056 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.0 | 1.5 | 0.20 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 200 | 0.25 | 0.029 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.68 | 0.10 | 0.020 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.37 | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 86 | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 17 | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 38 | 0.25 | 0.056 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 7.6 | 1.0 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.072 | 0.016 | 0.0029 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | ND | 0.25 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 100 | 0.25 | 0.069 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.50 | 0.15 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 68 | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 57 | 1.0 | 0.20 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | E-2-(15) | Basis: | as received |
| Lab ID: | 304731-057 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 1.9 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.6 | 1.4 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 220 | 0.23 | 0.027 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.68 | 0.093 | 0.019 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.39 | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 83 | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 20 | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 30 | 0.23 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 6.4 | 0.93 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.072 | 0.017 | 0.0029 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | ND | 0.23 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 85 | 0.23 | 0.065 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.47 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 72 | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 49 | 0.93 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | E-2-(20) | Basis: | as received |
| Lab ID: | 304731-058 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.6 | 1.5 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 170 | 0.26 | 0.030 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.73 | 0.10 | 0.021 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.36 | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 81 | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 16 | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 37 | 0.26 | 0.057 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 8.5 | 1.0 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.033 | 0.017 | 0.0030 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.19 J | 0.26 | 0.057 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 89 | 0.26 | 0.071 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.23 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.52 | 0.16 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 66 | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 58 | 1.0 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-2-(2) | Basis: | as received |
| Lab ID: | 304731-059 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 2.8 | 1.5 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.27 | 0.032 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.57 | 0.11 | 0.022 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.30 | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 60 | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 27 | 0.27 | 0.061 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 5.3 | 1.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.059 | 0.016 | 0.0029 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.23 J | 0.27 | 0.061 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 55 | 0.27 | 0.076 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.25 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.55 | 0.17 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 59 | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 48 | 1.1 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-2-(5) | Basis: | as received |
| Lab ID: | 304731-060 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 1.9 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.2 | 1.4 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 97 | 0.24 | 0.028 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.67 | 0.096 | 0.019 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.31 | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 56 | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 15 | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 39 | 0.24 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 5.4 | 0.96 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.11 | 0.016 | 0.0027 | 265298 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.13 J | 0.24 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 62 | 0.24 | 0.066 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.48 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 68 | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 55 | 0.96 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-2-(10) | Basis: | as received |
| Lab ID: | 304731-061 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.7 | 1.5 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 81 | 0.27 | 0.032 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.60 | 0.11 | 0.022 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.35 | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 58 | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 11 | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 35 | 0.27 | 0.061 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 5.0 | 1.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.12 | 0.017 | 0.0030 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.21 J | 0.27 | 0.061 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 69 | 0.27 | 0.076 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.25 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.55 | 0.17 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 66 | 0.27 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 53 | 1.1 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-2-(15) | Basis: | as received |
| Lab ID: | 304731-062 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.1 | 1.5 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 100 | 0.26 | 0.030 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.64 | 0.10 | 0.021 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.29 | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 47 | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 11 | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 37 | 0.26 | 0.057 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 6.3 | 1.0 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.13 | 0.017 | 0.0030 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.20 J | 0.26 | 0.057 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 50 | 0.26 | 0.071 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.23 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.52 | 0.16 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 68 | 0.26 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 56 | 1.0 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-2-(20) | Basis: | as received |
| Lab ID: | 304731-063 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 1.9 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.5 | 1.4 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 110 | 0.24 | 0.028 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.55 | 0.096 | 0.019 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.71 | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 60 | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 9.7 | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 26 | 0.24 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 4.9 | 0.96 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.081 | 0.016 | 0.0027 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 2.0 | 0.24 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 57 | 0.24 | 0.066 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | 1.1 | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.48 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 56 | 0.24 | 0.048 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 44 | 0.96 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-3-(1) | Basis: | as received |
| Lab ID: | 304731-064 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.4 | 1.5 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 460 | 0.27 | 0.032 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.24 | 0.11 | 0.022 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.45 | 0.27 | 0.054 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 27 | 0.27 | 0.054 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 8.6 | 0.27 | 0.054 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 19 | 0.27 | 0.060 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 1.1 | 1.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.24 | 0.016 | 0.0028 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.31 | 0.27 | 0.059 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 47 | 0.27 | 0.074 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.24 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.054 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.54 | 0.16 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 29 | 0.27 | 0.054 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 31 | 1.1 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California T | itle 22 Metals | |
|-----------|--------------|----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-3-(5) | Basis: | as received |
| Lab ID: | 304731-065 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.0 | 1.5 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 99 | 0.27 | 0.031 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.69 | 0.11 | 0.021 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.35 | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 57 | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 16 | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 43 | 0.27 | 0.059 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 6.7 | 1.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.15 | 0.017 | 0.0030 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.23 J | 0.27 | 0.059 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 79 | 0.27 | 0.074 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.24 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.16 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 70 | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 54 | 1.1 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-3-(10) | Basis: | as received |
| Lab ID: | 304731-066 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 3.9 | 1.5 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 84 | 0.26 | 0.031 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.59 | 0.11 | 0.021 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.31 | 0.26 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 54 | 0.26 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 12 | 0.26 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 29 | 0.26 | 0.059 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 5.1 | 1.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.076 | 0.016 | 0.0029 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.21 J | 0.26 | 0.058 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 65 | 0.26 | 0.073 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.24 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.26 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.16 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 63 | 0.26 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 49 | 1.1 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | California : | Fitle 22 Metals | |
|-----------|--------------|-----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-3-(15) | Basis: | as received |
| Lab ID: | 304731-067 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 1.9 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.9 | 1.5 | 0.20 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.24 | 0.029 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.68 | 0.097 | 0.019 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.36 | 0.24 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 53 | 0.24 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.24 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 39 | 0.24 | 0.054 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 8.1 | 0.97 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.073 | 0.016 | 0.0029 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.26 | 0.24 | 0.054 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 74 | 0.24 | 0.067 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.49 | 0.15 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 55 | 0.24 | 0.049 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 55 | 0.97 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

RL= Reporting Limit

MDL= Method Detection Limit



| | California ' | Title 22 Metals | |
|-----------|--------------|-----------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-3-(20) | Basis: | as received |
| Lab ID: | 304731-068 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 1.9 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.9 | 1.4 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.24 | 0.028 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.76 | 0.094 | 0.019 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.44 | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 44 | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 33 | 0.24 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 9.1 | 0.94 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.16 | 0.017 | 0.0030 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.61 | 0.24 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 65 | 0.24 | 0.065 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.47 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 55 | 0.24 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 66 | 0.94 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

RL= Reporting Limit

MDL= Method Detection Limit



| | Californ | ia Title 22 Metal | ls |
|-----------|------------|-------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-4-(1) | Basis: | as received |
| Lab ID: | 304731-069 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.0 | 1.5 | 0.20 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 200 | 0.25 | 0.029 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.72 | 0.10 | 0.020 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.43 | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 88 | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 18 | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 40 | 0.25 | 0.056 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 8.0 | 1.0 | 0.13 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.13 | 0.017 | 0.0030 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.20 J | 0.25 | 0.055 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 96 | 0.25 | 0.069 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.22 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.50 | 0.15 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 71 | 0.25 | 0.050 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 64 | 1.0 | 0.20 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-4-(5) | Basis: | as received |
| Lab ID: | 304731-070 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 1.9 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 4.0 | 1.4 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 150 | 0.23 | 0.027 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.61 | 0.093 | 0.019 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.37 | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 58 | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 14 | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 26 | 0.23 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 6.3 | 0.93 | 0.12 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.063 | 0.016 | 0.0029 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.17 J | 0.23 | 0.052 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 66 | 0.23 | 0.065 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.47 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 60 | 0.23 | 0.047 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 57 | 0.93 | 0.19 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-4-(10) | Basis: | as received |
| Lab ID: | 304731-071 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | ND | 2.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 8.1 | 1.5 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 180 | 0.27 | 0.031 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.95 | 0.11 | 0.021 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.57 | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 71 | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 23 | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 58 | 0.27 | 0.059 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 12 | 1.0 | 0.14 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.11 | 0.017 | 0.0030 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.54 | 0.27 | 0.059 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 120 | 0.27 | 0.074 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.24 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.53 | 0.16 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 79 | 0.27 | 0.053 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 89 | 1.1 | 0.21 | 265253 | 11/07/18 | 11/07/18 | EPA 3050B | EPA 6010B |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | C | alifornia Title 22 Metals | |
|-----------|------------|---------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-4-(15) | Basis: | as received |
| Lab ID: | 304731-072 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.65 J | 2.0 | 0.068 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.8 | 1.5 | 0.066 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.25 | 0.030 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.61 | 0.099 | 0.0099 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.38 | 0.25 | 0.050 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 51 | 0.25 | 0.049 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 14 | 0.25 | 0.014 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 36 | 0.25 | 0.056 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 8.6 | 0.99 | 0.056 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.13 | 0.017 | 0.0030 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.72 | 0.25 | 0.026 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 70 | 0.25 | 0.050 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 2.0 | 0.19 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.25 | 0.030 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.50 | 0.089 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 49 | 0.25 | 0.052 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 60 | 0.99 | 0.21 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|------------|----------------------------|----------------------|
| Lab #: | 304731 | Project#: | VALLCO |
| Client: | WSP | Location: | Vallco Cupertino, CA |
| Field ID: | W-4-(20) | Basis: | as received |
| Lab ID: | 304731-073 | Diln Fac: | 1.000 |
| Matrix: | Soil | Sampled: | 10/31/18 |
| Units: | mg/Kg | Received: | 11/01/18 |

| Analyte | Result | RL | MDL | Batch# | Prepared | Analyzed | Prep | Analysis |
|------------|--------|-------|--------|--------|----------|----------|-----------|-----------|
| Antimony | 0.26 J | 1.9 | 0.067 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Arsenic | 5.0 | 1.5 | 0.064 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Barium | 130 | 0.24 | 0.029 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Beryllium | 0.60 | 0.097 | 0.0097 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cadmium | 0.48 | 0.24 | 0.049 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Chromium | 51 | 0.24 | 0.048 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Cobalt | 13 | 0.24 | 0.014 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Copper | 34 | 0.24 | 0.055 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Lead | 8.3 | 0.97 | 0.055 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Mercury | 0.088 | 0.017 | 0.0030 | 265299 | 11/08/18 | 11/08/18 | METHOD | EPA 7471A |
| Molybdenum | 0.65 | 0.24 | 0.025 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Nickel | 59 | 0.24 | 0.049 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Selenium | ND | 1.9 | 0.18 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Silver | ND | 0.24 | 0.029 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Thallium | ND | 0.49 | 0.087 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Vanadium | 49 | 0.24 | 0.051 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |
| Zinc | 69 | 0.97 | 0.21 | 265238 | 11/06/18 | 11/07/18 | EPA 3050B | EPA 6010B |

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | |
|-----------|----------|----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3050B |
| Project#: | VALLCO | Analysis: | EPA 6010B |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC954481 | Batch#: | 265200 |
| Matrix: | Soil | Prepared: | 11/05/18 |
| Units: | mg/Kg | Analyzed: | 11/06/18 |

| Analyte | Result | RL | MDL |
|------------|--------|-------|--------|
| Antimony | ND | 2.0 | 0.068 |
| Arsenic | ND | 1.5 | 0.066 |
| Barium | ND | 0.25 | 0.030 |
| Beryllium | ND | 0.099 | 0.0099 |
| Cadmium | ND | 0.25 | 0.016 |
| Chromium | ND | 0.25 | 0.049 |
| Cobalt | ND | 0.25 | 0.014 |
| Copper | ND | 0.25 | 0.056 |
| Lead | ND | 0.99 | 0.056 |
| Molybdenum | ND | 0.25 | 0.026 |
| Nickel | ND | 0.25 | 0.050 |
| Selenium | ND | 2.0 | 0.19 |
| Silver | ND | 0.25 | 0.030 |
| Thallium | ND | 0.50 | 0.089 |
| Vanadium | ND | 0.25 | 0.052 |
| Zinc | ND | 0.99 | 0.21 |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metal | ls |
|-----------|--------|-----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3050B |
| Project#: | VALLCO | Analysis: | EPA 6010B |
| Matrix: | Soil | Batch#: Prepared: Analyzed: | 265200 |
| Units: | mg/Kg | | 11/05/18 |
| Diln Fac: | 1.000 | | 11/06/18 |

Type: BS Lab ID: QC954482

| Analyte | Spiked | Result | %REC | Limits |
|------------|--------|--------|------|--------|
| Antimony | 52.08 | 52.49 | 101 | 80-120 |
| Arsenic | 52.08 | 52.64 | 101 | 80-120 |
| Barium | 52.08 | 54.14 | 104 | 80-120 |
| Beryllium | 26.04 | 27.32 | 105 | 80-120 |
| Cadmium | 52.08 | 52.39 | 101 | 80-120 |
| Chromium | 52.08 | 54.22 | 104 | 80-120 |
| Cobalt | 52.08 | 53.10 | 102 | 80-120 |
| Copper | 52.08 | 52.68 | 101 | 80-120 |
| Lead | 52.08 | 53.69 | 103 | 80-120 |
| Molybdenum | 52.08 | 54.01 | 104 | 80-120 |
| Nickel | 52.08 | 53.52 | 103 | 80-120 |
| Selenium | 52.08 | 51.97 | 100 | 80-120 |
| Silver | 5.208 | 5.190 | 100 | 80-120 |
| Thallium | 52.08 | 53.61 | 103 | 80-120 |
| Vanadium | 52.08 | 53.43 | 103 | 80-120 |
| Zinc | 52.08 | 54.52 | 105 | 80-120 |

Type: BSD Lab ID: QC954483

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|--------|------|--------|-----|-----|
| Antimony | 50.00 | 50.03 | 100 | 80-120 | 1 | 20 |
| Arsenic | 50.00 | 50.71 | 101 | 80-120 | 0 | 20 |
| Barium | 50.00 | 51.45 | 103 | 80-120 | 1 | 20 |
| Beryllium | 25.00 | 25.91 | 104 | 80-120 | 1 | 20 |
| Cadmium | 50.00 | 49.74 | 99 | 80-120 | 1 | 20 |
| Chromium | 50.00 | 51.41 | 103 | 80-120 | 1 | 20 |
| Cobalt | 50.00 | 50.46 | 101 | 80-120 | 1 | 20 |
| Copper | 50.00 | 49.71 | 99 | 80-120 | 2 | 20 |
| Lead | 50.00 | 51.11 | 102 | 80-120 | 1 | 20 |
| Molybdenum | 50.00 | 51.32 | 103 | 80-120 | 1 | 20 |
| Nickel | 50.00 | 50.80 | 102 | 80-120 | 1 | 20 |
| Selenium | 50.00 | 49.05 | 98 | 80-120 | 2 | 20 |
| Silver | 5.000 | 4.955 | 99 | 80-120 | 1 | 20 |
| Thallium | 50.00 | 50.97 | 102 | 80-120 | 1 | 20 |
| Vanadium | 50.00 | 50.83 | 102 | 80-120 | 1 | 20 |
| Zinc | 50.00 | 51.96 | 104 | 80-120 | 1 | 20 |



| | | California Title 22 Metals | |
|----------------------|----------------------|----------------------------|------------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: Project#: | WSP VALLCO | Prep: Analysis: | EPA 3050B EPA 6010B |
| Field ID: | S-3-(10) | Batch#: | 265200 |
| MSS Lab ID: | 304731-013 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | mg/Kg | Prepared: | 11/05/18 |
| Basis: Diln Fac: | as received 1.000 | Analyzed: | 11/06/18 |

Type: MS Lab ID: QC954484

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|------------|------------|--------|--------|------|--------|
| Antimony | 0.8112 | 50.00 | 11.75 | 22 * | 75-120 |
| Arsenic | 2.506 | 50.00 | 48.96 | 93 | 80-124 |
| Barium | 153.2 | 50.00 | 177.7 | 49 * | 75-125 |
| Beryllium | 0.5300 | 25.00 | 23.75 | 93 | 80-120 |
| Cadmium | 0.2010 | 50.00 | 48.51 | 97 | 80-120 |
| Chromium | 93.23 | 50.00 | 130.1 | 74 * | 75-125 |
| Cobalt | 16.29 | 50.00 | 59.46 | 86 | 75-120 |
| Copper | 28.40 | 50.00 | 75.59 | 94 | 77-125 |
| Lead | 5.477 | 50.00 | 49.05 | 87 | 75-125 |
| Molybdenum | 0.3240 | 50.00 | 40.54 | 80 | 75-120 |
| Nickel | 79.92 | 50.00 | 115.0 | 70 * | 75-125 |
| Selenium | <0.1902 | 50.00 | 43.67 | 87 | 75-121 |
| Silver | <0.03030 | 5.000 | 4.496 | 90 | 75-120 |
| Thallium | <0.09083 | 50.00 | 40.80 | 82 | 75-120 |
| Vanadium | 74.80 | 50.00 | 119.4 | 89 | 75-125 |
| Zinc | 46.86 | 50.00 | 89.72 | 86 | 75-125 |

Type: MSD Lab ID: QC954485

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|--------|------|--------|-----|-----|
| Antimony | 50.00 | 11.12 | 21 * | 75-120 | 6 | 20 |
| Arsenic | 50.00 | 49.40 | 94 | 80-124 | 1 | 20 |
| Barium | 50.00 | 154.2 | 2 * | 75-125 | 14 | 20 |
| Beryllium | 25.00 | 23.57 | 92 | 80-120 | 1 | 20 |
| Cadmium | 50.00 | 48.60 | 97 | 80-120 | 0 | 20 |
| Chromium | 50.00 | 118.0 | 49 * | 75-125 | 10 | 20 |
| Cobalt | 50.00 | 59.65 | 87 | 75-120 | 0 | 20 |
| Copper | 50.00 | 70.50 | 84 | 77-125 | 7 | 20 |
| Lead | 50.00 | 49.20 | 87 | 75-125 | 0 | 20 |
| Molybdenum | 50.00 | 40.32 | 80 | 75-120 | 1 | 20 |
| Nickel | 50.00 | 106.2 | 53 * | 75-125 | 8 | 20 |
| Selenium | 50.00 | 44.91 | 90 | 75-121 | 3 | 20 |
| Silver | 5.000 | 4.548 | 91 | 75-120 | 1 | 20 |
| Thallium | 50.00 | 40.73 | 81 | 75-120 | 0 | 20 |
| Vanadium | 50.00 | 112.0 | 74 * | 75-125 | 6 | 20 |
| Zinc | 50.00 | 83.11 | 73 * | 75-125 | 8 | 20 |

^{*=} Value outside of QC limits; see narrative RPD= Relative Percent Difference Page 1 of 1



| | | California Title 22 Metal | Ls |
|-----------|----------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3050B |
| Project#: | VALLCO | Analysis: | EPA 6010B |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC954486 | Batch#: | 265201 |
| Matrix: | Soil | Prepared: | 11/05/18 |
| Units: | mg/Kg | Analyzed: | 11/06/18 |

| Analyte | Result | RL | MDL |
|------------|---------|------|-------|
| Antimony | ND | 2.0 | 0.075 |
| Arsenic | 0.12 J | 1.5 | 0.072 |
| Barium | ND | 0.27 | 0.033 |
| Beryllium | ND | 0.11 | 0.011 |
| Cadmium | ND | 0.27 | 0.018 |
| Chromium | ND | 0.27 | 0.053 |
| Cobalt | ND | 0.27 | 0.016 |
| Copper | ND | 0.27 | 0.062 |
| Lead | ND | 1.0 | 0.061 |
| Molybdenum | 0.032 J | 0.27 | 0.028 |
| Nickel | ND | 0.27 | 0.054 |
| Selenium | ND | 2.0 | 0.20 |
| Silver | ND | 0.27 | 0.033 |
| Thallium | ND | 0.54 | 0.098 |
| Vanadium | ND | 0.27 | 0.057 |
| Zinc | ND | 1.1 | 0.23 |

Page 1 of 1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metals | 3 |
|-----------|--------|----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3050B |
| Project#: | VALLCO | Analysis: | EPA 6010B |
| Matrix: | Soil | Batch#: | 265201 |
| Units: | mg/Kg | Prepared: | 11/05/18 |
| Diln Fac: | 1.000 | Analyzed: | 11/06/18 |

Type: BS Lab ID: QC954487

| Analyte | Spiked | Result | %REC | Limits |
|------------|--------|--------|------|--------|
| Antimony | 52.08 | 51.39 | 99 | 80-120 |
| Arsenic | 52.08 | 51.75 | 99 | 80-120 |
| Barium | 52.08 | 52.71 | 101 | 80-120 |
| Beryllium | 26.04 | 26.59 | 102 | 80-120 |
| Cadmium | 52.08 | 50.91 | 98 | 80-120 |
| Chromium | 52.08 | 52.68 | 101 | 80-120 |
| Cobalt | 52.08 | 51.71 | 99 | 80-120 |
| Copper | 52.08 | 50.99 | 98 | 80-120 |
| Lead | 52.08 | 52.52 | 101 | 80-120 |
| Molybdenum | 52.08 | 52.56 | 101 | 80-120 |
| Nickel | 52.08 | 52.05 | 100 | 80-120 |
| Selenium | 52.08 | 51.00 | 98 | 80-120 |
| Silver | 5.208 | 5.061 | 97 | 80-120 |
| Thallium | 52.08 | 52.43 | 101 | 80-120 |
| Vanadium | 52.08 | 52.23 | 100 | 80-120 |
| Zinc | 52.08 | 53.44 | 103 | 80-120 |

Type: BSD Lab ID: QC954488

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|--------|------|--------|-----|-----|
| Antimony | 52.08 | 52.29 | 100 | 80-120 | 2 | 20 |
| Arsenic | 52.08 | 52.06 | 100 | 80-120 | 1 | 20 |
| Barium | 52.08 | 53.31 | 102 | 80-120 | 1 | 20 |
| Beryllium | 26.04 | 26.70 | 103 | 80-120 | 0 | 20 |
| Cadmium | 52.08 | 51.58 | 99 | 80-120 | 1 | 20 |
| Chromium | 52.08 | 53.55 | 103 | 80-120 | 2 | 20 |
| Cobalt | 52.08 | 52.58 | 101 | 80-120 | 2 | 20 |
| Copper | 52.08 | 51.55 | 99 | 80-120 | 1 | 20 |
| Lead | 52.08 | 53.28 | 102 | 80-120 | 1 | 20 |
| Molybdenum | 52.08 | 53.33 | 102 | 80-120 | 1 | 20 |
| Nickel | 52.08 | 52.82 | 101 | 80-120 | 1 | 20 |
| Selenium | 52.08 | 51.03 | 98 | 80-120 | 0 | 20 |
| Silver | 5.208 | 5.119 | 98 | 80-120 | 1 | 20 |
| Thallium | 52.08 | 52.76 | 101 | 80-120 | 1 | 20 |
| Vanadium | 52.08 | 52.77 | 101 | 80-120 | 1 | 20 |
| Zinc | 52.08 | 53.89 | 103 | 80-120 | 1 | 20 |



| | | California Title 22 Metals | |
|----------------------|----------------------|----------------------------|------------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: Project#: | WSP VALLCO | Prep: Analysis: | EPA 3050B EPA 6010B |
| Field ID: | S-7-(20) | Batch#: | 265201 |
| MSS Lab ID: | 304731-037 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: Basis: | mg/Kg as received | Prepared: Analyzed: | 11/05/18 11/06/18 |
| Diln Fac: | 1.000 | mary zea · | 11,00,10 |

Type: MS Lab ID: QC954489

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|------------|------------|--------|--------|------|--------|
| Antimony | 0.8989 | 51.02 | 13.90 | 25 * | 75-120 |
| Arsenic | 2.583 | 51.02 | 53.25 | 99 | 80-124 |
| Barium | 69.43 | 51.02 | 113.8 | 87 | 75-125 |
| Beryllium | 0.3678 | 25.51 | 24.67 | 95 | 80-120 |
| Cadmium | 0.1250 | 51.02 | 50.16 | 98 | 80-120 |
| Chromium | 39.84 | 51.02 | 90.39 | 99 | 75-125 |
| Cobalt | 10.38 | 51.02 | 56.01 | 89 | 75-120 |
| Copper | 31.38 | 51.02 | 86.02 | 107 | 77-125 |
| Lead | 4.757 | 51.02 | 51.48 | 92 | 75-125 |
| Molybdenum | 0.6264 | 51.02 | 47.24 | 91 | 75-120 |
| Nickel | 40.03 | 51.02 | 88.43 | 95 | 75-125 |
| Selenium | <0.2025 | 51.02 | 47.41 | 93 | 75-121 |
| Silver | <0.03226 | 5.102 | 4.728 | 93 | 75-120 |
| Thallium | <0.09669 | 51.02 | 45.22 | 89 | 75-120 |
| Vanadium | 49.20 | 51.02 | 99.09 | 98 | 75-125 |
| Zinc | 43.86 | 51.02 | 93.87 | 98 | 75-125 |

Type: MSD Lab ID: QC954490

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|--------|------|--------|-----|-----|
| Antimony | 53.19 | 15.87 | 28 * | 75-120 | 9 | 20 |
| Arsenic | 53.19 | 56.92 | 102 | 80-124 | 3 | 20 |
| Barium | 53.19 | 111.8 | 80 | 75-125 | 4 | 20 |
| Beryllium | 26.60 | 26.65 | 99 | 80-120 | 4 | 20 |
| Cadmium | 53.19 | 54.57 | 102 | 80-120 | 4 | 20 |
| Chromium | 53.19 | 94.91 | 104 | 75-125 | 3 | 20 |
| Cobalt | 53.19 | 61.31 | 96 | 75-120 | 6 | 20 |
| Copper | 53.19 | 85.26 | 101 | 77-125 | 3 | 20 |
| Lead | 53.19 | 54.83 | 94 | 75-125 | 2 | 20 |
| Molybdenum | 53.19 | 51.53 | 96 | 75-120 | 5 | 20 |
| Nickel | 53.19 | 93.60 | 101 | 75-125 | 3 | 20 |
| Selenium | 53.19 | 51.88 | 98 | 75-121 | 5 | 20 |
| Silver | 5.319 | 5.115 | 96 | 75-120 | 4 | 20 |
| Thallium | 53.19 | 46.87 | 88 | 75-120 | 1 | 20 |
| Vanadium | 53.19 | 105.1 | 105 | 75-125 | 4 | 20 |
| Zinc | 53.19 | 98.50 | 103 | 75-125 | 3 | 20 |

^{*=} Value outside of QC limits; see narrative RPD= Relative Percent Difference Page 1 of 1



| | | California Title 22 Metals | |
|-----------|----------|----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3050B |
| Project#: | VALLCO | Analysis: | EPA 6010B |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC954641 | Batch#: | 265237 |
| Matrix: | Soil | Prepared: | 11/06/18 |
| Units: | mg/Kg | Analyzed: | 11/07/18 |

| Analyte | Result | RL | MDL |
|------------|---------|------|-------|
| Antimony | ND | 2.0 | 0.069 |
| Arsenic | 0.071 J | 1.5 | 0.066 |
| Barium | ND | 0.25 | 0.030 |
| Beryllium | ND | 0.10 | 0.010 |
| Cadmium | ND | 0.25 | 0.050 |
| Chromium | ND | 0.25 | 0.049 |
| Cobalt | ND | 0.25 | 0.015 |
| Copper | ND | 0.25 | 0.057 |
| Lead | ND | 1.0 | 0.056 |
| Molybdenum | ND | 0.25 | 0.026 |
| Nickel | ND | 0.25 | 0.050 |
| Selenium | ND | 2.0 | 0.19 |
| Silver | ND | 0.25 | 0.030 |
| Thallium | ND | 0.50 | 0.090 |
| Vanadium | ND | 0.25 | 0.052 |
| Zinc | 0.26 J | 1.0 | 0.21 |

Page 1 of 1

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Meta | ls |
|---------------------|-------------------------|--------------------------|-----------------------------------|
| Lab #: Client: | 304731 WSP VALLCO | Location: Prep: | Vallco Cupertino, CA EPA 3050B |
| Project#: Matrix: | Soil | Analysis: Batch#: | EPA 6010B 265237 |
| Units: Diln Fac: | mg/Kg 1.000 | Prepared: Analyzed: | 11/06/18 11/07/18 |

Type: BS Lab ID: QC954642

| Analyte | Spiked | Result | %REC | Limits |
|------------|--------|--------|------|--------|
| Antimony | 51.02 | 49.20 | 96 | 80-120 |
| Arsenic | 51.02 | 49.18 | 96 | 80-120 |
| Barium | 51.02 | 49.70 | 97 | 80-120 |
| Beryllium | 25.51 | 25.31 | 99 | 80-120 |
| Cadmium | 51.02 | 49.80 | 98 | 80-120 |
| Chromium | 51.02 | 49.96 | 98 | 80-120 |
| Cobalt | 51.02 | 49.25 | 97 | 80-120 |
| Copper | 51.02 | 49.49 | 97 | 80-120 |
| Lead | 51.02 | 50.28 | 99 | 80-120 |
| Molybdenum | 51.02 | 49.53 | 97 | 80-120 |
| Nickel | 51.02 | 49.65 | 97 | 80-120 |
| Selenium | 51.02 | 48.57 | 95 | 80-120 |
| Silver | 5.102 | 4.813 | 94 | 80-120 |
| Thallium | 51.02 | 49.69 | 97 | 80-120 |
| Vanadium | 51.02 | 49.35 | 97 | 80-120 |
| Zinc | 51.02 | 49.94 | 98 | 80-120 |

Type: BSD Lab ID: QC954643

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|--------|------|--------|-----|-----|
| Antimony | 51.55 | 49.81 | 97 | 80-120 | 0 | 20 |
| Arsenic | 51.55 | 48.90 | 95 | 80-120 | 2 | 20 |
| Barium | 51.55 | 49.86 | 97 | 80-120 | 1 | 20 |
| Beryllium | 25.77 | 24.91 | 97 | 80-120 | 3 | 20 |
| Cadmium | 51.55 | 49.99 | 97 | 80-120 | 1 | 20 |
| Chromium | 51.55 | 50.21 | 97 | 80-120 | 1 | 20 |
| Cobalt | 51.55 | 49.55 | 96 | 80-120 | 0 | 20 |
| Copper | 51.55 | 48.62 | 94 | 80-120 | 3 | 20 |
| Lead | 51.55 | 50.34 | 98 | 80-120 | 1 | 20 |
| Molybdenum | 51.55 | 49.85 | 97 | 80-120 | 0 | 20 |
| Nickel | 51.55 | 49.80 | 97 | 80-120 | 1 | 20 |
| Selenium | 51.55 | 48.52 | 94 | 80-120 | 1 | 20 |
| Silver | 5.155 | 4.811 | 93 | 80-120 | 1 | 20 |
| Thallium | 51.55 | 49.76 | 97 | 80-120 | 1 | 20 |
| Vanadium | 51.55 | 49.27 | 96 | 80-120 | 1 | 20 |
| Zinc | 51.55 | 49.67 | 96 | 80-120 | 2 | 20 |



| California Title 22 Metals | | | | |
|----------------------------|-------------|-----------|----------------------|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | |
| Client: | WSP | Prep: | EPA 3050B | |
| Project#: | VALLCO | Analysis: | EPA 6010B | |
| Field ID: | S-8-(1) | Batch#: | 265237 | |
| MSS Lab ID: | 304731-038 | Sampled: | 10/30/18 | |
| Matrix: | Soil | Received: | 11/01/18 | |
| Units: | mq/Kq | Prepared: | 11/06/18 | |
| Basis: | as received | Analyzed: | 11/07/18 | |
| Diln Fac: | 1.000 | | | |

Type: MS Lab ID: QC954644

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|------------|------------|--------|--------|------|--------|
| Antimony | 0.8491 | 49.02 | 20.96 | 41 * | 75-120 |
| Arsenic | 1.758 | 49.02 | 51.19 | 101 | 80-124 |
| Barium | 106.6 | 49.02 | 106.3 | 0 * | 75-125 |
| Beryllium | 0.2314 | 24.51 | 23.92 | 97 | 80-120 |
| Cadmium | 0.2949 | 49.02 | 49.19 | 100 | 80-120 |
| Chromium | 33.34 | 49.02 | 65.95 | 67 * | 75-125 |
| Cobalt | 8.272 | 49.02 | 49.42 | 84 | 75-120 |
| Copper | 14.50 | 49.02 | 59.84 | 92 | 77-125 |
| Lead | 2.912 | 49.02 | 48.66 | 93 | 75-125 |
| Molybdenum | 0.3655 | 49.02 | 46.90 | 95 | 75-120 |
| Nickel | 49.73 | 49.02 | 64.66 | 30 * | 75-125 |
| Selenium | <0.1712 | 49.02 | 48.32 | 99 | 75-121 |
| Silver | <0.02727 | 4.902 | 4.666 | 95 | 75-120 |
| Thallium | <0.08174 | 49.02 | 44.84 | 91 | 75-120 |
| Vanadium | 23.13 | 49.02 | 63.82 | 83 | 75-125 |
| Zinc | 25.74 | 49.02 | 66.76 | 84 | 75-125 |

Type: MSD Lab ID: QC954645

| Analyte | Spiked | Result | %REC | Limits RPD | Lim |
|------------|--------|--------|------|------------|------|
| Antimony | 50.00 | 21.97 | 42 * | 75-120 3 | 20 |
| Arsenic | 50.00 | 53.14 | 103 | 80-124 2 | 20 |
| Barium | 50.00 | 165.4 | 118 | 75-125 43 | * 20 |
| Beryllium | 25.00 | 24.24 | 96 | 80-120 1 | 20 |
| Cadmium | 50.00 | 50.99 | 101 | 80-120 2 | 20 |
| Chromium | 50.00 | 68.45 | 70 * | 75-125 3 | 20 |
| Cobalt | 50.00 | 49.92 | 83 | 75-120 1 | 20 |
| Copper | 50.00 | 59.59 | 90 | 77-125 2 | 20 |
| Lead | 50.00 | 48.75 | 92 | 75-125 2 | 20 |
| Molybdenum | 50.00 | 47.78 | 95 | 75-120 0 | 20 |
| Nickel | 50.00 | 66.41 | 33 * | 75-125 2 | 20 |
| Selenium | 50.00 | 49.85 | 100 | 75-121 1 | 20 |
| Silver | 5.000 | 4.819 | 96 | 75-120 1 | 20 |
| Thallium | 50.00 | 45.26 | 91 | 75-120 1 | 20 |
| Vanadium | 50.00 | 68.60 | 91 | 75-125 6 | 20 |
| Zinc | 50.00 | 66.36 | 81 | 75-125 2 | 20 |

^{*=} Value outside of QC limits; see narrative RPD= Relative Percent Difference Page 1 of 1



| California Title 22 Metals | | | | | |
|----------------------------|----------|-----------|----------------------|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | |
| Client: | WSP | Prep: | EPA 3050B | | |
| Project#: | VALLCO | Analysis: | EPA 6010B | | |
| Type: | BLANK | Diln Fac: | 1.000 | | |
| Lab ID: | QC954646 | Batch#: | 265238 | | |
| Matrix: | Soil | Prepared: | 11/06/18 | | |
| Units: | mg/Kg | Analyzed: | 11/07/18 | | |

| Analyte | Result | RL | MDL |
|------------|--------|------|-------|
| Antimony | ND | 2.0 | 0.075 |
| Arsenic | ND | 1.5 | 0.073 |
| Barium | ND | 0.27 | 0.033 |
| Beryllium | ND | 0.11 | 0.011 |
| Cadmium | ND | 0.27 | 0.055 |
| Chromium | ND | 0.27 | 0.054 |
| Cobalt | ND | 0.27 | 0.016 |
| Copper | ND | 0.27 | 0.063 |
| Lead | ND | 1.0 | 0.062 |
| Molybdenum | ND | 0.27 | 0.029 |
| Nickel | ND | 0.27 | 0.055 |
| Selenium | ND | 2.0 | 0.21 |
| Silver | ND | 0.27 | 0.033 |
| Thallium | ND | 0.55 | 0.099 |
| Vanadium | ND | 0.27 | 0.058 |
| Zinc | ND | 1.1 | 0.23 |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Meta | ls |
|---------------------|-------------------------|--------------------------|-----------------------------------|
| Lab #: Client: | 304731 WSP VALLCO | Location: Prep: | Vallco Cupertino, CA EPA 3050B |
| Project#: Matrix: | Soil | Analysis: Batch#: | EPA 6010B 265238 |
| Units: Diln Fac: | mg/Kg 1.000 | Prepared: Analyzed: | 11/06/18 11/07/18 |

Type: BS Lab ID: QC954647

| Analyte | Spiked | Result | %REC | Limits |
|------------|--------|--------|------|--------|
| Antimony | 52.08 | 53.17 | 102 | 80-120 |
| Arsenic | 52.08 | 52.87 | 102 | 80-120 |
| Barium | 52.08 | 53.50 | 103 | 80-120 |
| Beryllium | 26.04 | 26.65 | 102 | 80-120 |
| Cadmium | 52.08 | 53.41 | 103 | 80-120 |
| Chromium | 52.08 | 53.68 | 103 | 80-120 |
| Cobalt | 52.08 | 52.95 | 102 | 80-120 |
| Copper | 52.08 | 52.37 | 101 | 80-120 |
| Lead | 52.08 | 53.50 | 103 | 80-120 |
| Molybdenum | 52.08 | 53.26 | 102 | 80-120 |
| Nickel | 52.08 | 53.38 | 102 | 80-120 |
| Selenium | 52.08 | 52.06 | 100 | 80-120 |
| Silver | 5.208 | 5.200 | 100 | 80-120 |
| Thallium | 52.08 | 52.84 | 101 | 80-120 |
| Vanadium | 52.08 | 52.95 | 102 | 80-120 |
| Zinc | 52.08 | 53.29 | 102 | 80-120 |

Type: BSD Lab ID: QC954648

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|--------|------|--------|-----|-----|
| Antimony | 54.95 | 54.92 | 100 | 80-120 | 2 | 20 |
| Arsenic | 54.95 | 54.99 | 100 | 80-120 | 1 | 20 |
| Barium | 54.95 | 55.62 | 101 | 80-120 | 1 | 20 |
| Beryllium | 27.47 | 27.70 | 101 | 80-120 | 1 | 20 |
| Cadmium | 54.95 | 55.80 | 102 | 80-120 | 1 | 20 |
| Chromium | 54.95 | 55.83 | 102 | 80-120 | 1 | 20 |
| Cobalt | 54.95 | 54.99 | 100 | 80-120 | 2 | 20 |
| Copper | 54.95 | 54.79 | 100 | 80-120 | 1 | 20 |
| Lead | 54.95 | 55.66 | 101 | 80-120 | 1 | 20 |
| Molybdenum | 54.95 | 55.32 | 101 | 80-120 | 2 | 20 |
| Nickel | 54.95 | 55.39 | 101 | 80-120 | 2 | 20 |
| Selenium | 54.95 | 54.27 | 99 | 80-120 | 1 | 20 |
| Silver | 5.495 | 5.435 | 99 | 80-120 | 1 | 20 |
| Thallium | 54.95 | 54.98 | 100 | 80-120 | 1 | 20 |
| Vanadium | 54.95 | 55.32 | 101 | 80-120 | 1 | 20 |
| Zinc | 54.95 | 55.71 | 101 | 80-120 | 1 | 20 |



| | | California Title 22 Metals | |
|----------------------|----------------------|----------------------------|------------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: Project#: | WSP VALLCO | Prep: Analysis: | EPA 3050B EPA 6010B |
| Field ID: | ZZZZZZZZZZ | Batch#: | 265238 |
| MSS Lab ID: | 304757-001 | Sampled: | 11/05/18 |
| Matrix: Units: | Soil mg/Kg | Received: Prepared: | 11/06/18 11/06/18 |
| Basis: Diln Fac: | as received 1.000 | Analyzed: | 11/07/18 |

Type: MS Lab ID: QC954649

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|------------|------------|--------|--------|-------|--------|
| Antimony | 0.9099 | 52.63 | 12.77 | 23 * | 75-120 |
| Arsenic | 5.212 | 52.63 | 56.45 | 97 | 80-124 |
| Barium | 262.2 | 52.63 | 280.9 | 36 NM | 75-125 |
| Beryllium | 0.9043 | 26.32 | 26.37 | 97 | 80-120 |
| Cadmium | 0.1944 | 52.63 | 53.85 | 102 | 80-120 |
| Chromium | 20.69 | 52.63 | 76.58 | 106 | 75-125 |
| Cobalt | 10.12 | 52.63 | 60.63 | 96 | 75-120 |
| Copper | 20.16 | 52.63 | 78.54 | 111 | 77-125 |
| Lead | 10.11 | 52.63 | 59.70 | 94 | 75-125 |
| Molybdenum | 0.3669 | 52.63 | 43.09 | 81 | 75-120 |
| Nickel | 23.46 | 52.63 | 76.32 | 100 | 75-125 |
| Selenium | <0.2003 | 52.63 | 48.27 | 92 | 75-121 |
| Silver | <0.03191 | 5.263 | 5.051 | 96 | 75-120 |
| Thallium | <0.09566 | 52.63 | 44.47 | 84 | 75-120 |
| Vanadium | 39.11 | 52.63 | 93.69 | 104 | 75-125 |
| Zinc | 51.81 | 52.63 | 108.3 | 107 | 75-125 |

Type: MSD Lab ID: QC954650

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|--------|-------|--------|-----|-----|
| Antimony | 50.00 | 11.90 | 22 * | 75-120 | 2 | 20 |
| Arsenic | 50.00 | 53.60 | 97 | 80-124 | 1 | 20 |
| Barium | 50.00 | 281.7 | 39 NM | 75-125 | 1 | 20 |
| Beryllium | 25.00 | 25.21 | 97 | 80-120 | 0 | 20 |
| Cadmium | 50.00 | 52.04 | 104 | 80-120 | 2 | 20 |
| Chromium | 50.00 | 76.47 | 112 | 75-125 | 4 | 20 |
| Cobalt | 50.00 | 58.71 | 97 | 75-120 | 1 | 20 |
| Copper | 50.00 | 75.81 | 111 | 77-125 | 0 | 20 |
| Lead | 50.00 | 56.79 | 93 | 75-125 | 1 | 20 |
| Molybdenum | 50.00 | 40.91 | 81 | 75-120 | 0 | 20 |
| Nickel | 50.00 | 76.51 | 106 | 75-125 | 4 | 20 |
| Selenium | 50.00 | 45.29 | 91 | 75-121 | 1 | 20 |
| Silver | 5.000 | 4.833 | 97 | 75-120 | 1 | 20 |
| Thallium | 50.00 | 41.39 | 83 | 75-120 | 2 | 20 |
| Vanadium | 50.00 | 91.40 | 105 | 75-125 | 0 | 20 |
| Zinc | 50.00 | 105.4 | 107 | 75-125 | 0 | 20 |

Page 1 of 1

95.0

^{*=} Value outside of QC limits; see narrative NM= Not Meaningful: Sample concentration > 4X spike concentration RPD= Relative Percent Difference



| | | California Title 22 Metals | |
|-----------|----------|----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3050B |
| Project#: | VALLCO | Analysis: | EPA 6010B |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC954683 | Batch#: | 265253 |
| Matrix: | Soil | Prepared: | 11/07/18 |
| Units: | mg/Kg | Analyzed: | 11/07/18 |

| Analyte | Result | RL | MDL |
|------------|--------|------|-------|
| Antimony | 0.14 Ј | 2.0 | 0.14 |
| Arsenic | ND | 1.5 | 0.21 |
| Barium | ND | 0.27 | 0.031 |
| Beryllium | ND | 0.11 | 0.021 |
| Cadmium | ND | 0.27 | 0.053 |
| Chromium | ND | 0.27 | 0.053 |
| Cobalt | ND | 0.27 | 0.053 |
| Copper | ND | 0.27 | 0.059 |
| Lead | ND | 1.0 | 0.14 |
| Molybdenum | ND | 0.27 | 0.059 |
| Nickel | ND | 0.27 | 0.074 |
| Selenium | ND | 2.0 | 0.24 |
| Silver | ND | 0.27 | 0.053 |
| Thallium | 0.33 J | 0.53 | 0.16 |
| Vanadium | ND | 0.27 | 0.053 |
| Zinc | 0.36 J | 1.1 | 0.21 |

Page 1 of 1

96.0

J= Estimated value

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit



| | | California Title 22 Metal | ls |
|-----------|--------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3050B |
| Project#: | VALLCO | Analysis: | EPA 6010B |
| Matrix: | Soil | Batch#: | 265253 |
| Units: | mg/Kg | Prepared: | 11/07/18 |
| Diln Fac: | 1.000 | Analyzed: | 11/07/18 |

Type: BS Lab ID: QC954684

| Analyte | Spiked | Result | %REC | Limits |
|------------|--------|--------|------|--------|
| Antimony | 47.62 | 46.04 | 97 | 80-120 |
| Arsenic | 47.62 | 51.04 | 107 | 80-120 |
| Barium | 47.62 | 46.87 | 98 | 80-120 |
| Beryllium | 23.81 | 23.33 | 98 | 80-120 |
| Cadmium | 47.62 | 47.40 | 100 | 80-120 |
| Chromium | 47.62 | 49.46 | 104 | 80-120 |
| Cobalt | 47.62 | 48.59 | 102 | 80-120 |
| Copper | 47.62 | 47.78 | 100 | 80-120 |
| Lead | 47.62 | 47.45 | 100 | 80-120 |
| Molybdenum | 47.62 | 46.46 | 98 | 80-120 |
| Nickel | 47.62 | 48.48 | 102 | 80-120 |
| Selenium | 47.62 | 50.20 | 105 | 80-120 |
| Silver | 4.762 | 4.435 | 93 | 80-120 |
| Thallium | 47.62 | 50.88 | 107 | 80-120 |
| Vanadium | 47.62 | 50.31 | 106 | 80-120 |
| Zinc | 47.62 | 49.16 | 103 | 80-120 |

Type: BSD Lab ID: QC954685

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|------------|--------|--------|------|--------|-----|-----|
| Antimony | 47.17 | 47.91 | 102 | 80-120 | 5 | 20 |
| Arsenic | 47.17 | 52.88 | 112 | 80-120 | 4 | 20 |
| Barium | 47.17 | 47.53 | 101 | 80-120 | 2 | 20 |
| Beryllium | 23.58 | 23.82 | 101 | 80-120 | 3 | 20 |
| Cadmium | 47.17 | 48.71 | 103 | 80-120 | 4 | 20 |
| Chromium | 47.17 | 51.08 | 108 | 80-120 | 4 | 20 |
| Cobalt | 47.17 | 49.94 | 106 | 80-120 | 4 | 20 |
| Copper | 47.17 | 49.29 | 104 | 80-120 | 4 | 20 |
| Lead | 47.17 | 48.84 | 104 | 80-120 | 4 | 20 |
| Molybdenum | 47.17 | 47.90 | 102 | 80-120 | 4 | 20 |
| Nickel | 47.17 | 50.09 | 106 | 80-120 | 4 | 20 |
| Selenium | 47.17 | 52.04 | 110 | 80-120 | 5 | 20 |
| Silver | 4.717 | 4.488 | 95 | 80-120 | 2 | 20 |
| Thallium | 47.17 | 52.55 | 111 | 80-120 | 4 | 20 |
| Vanadium | 47.17 | 51.77 | 110 | 80-120 | 4 | 20 |
| Zinc | 47.17 | 50.53 | 107 | 80-120 | 4 | 20 |



| | | California Title 22 Metals | |
|-------------|-------------|----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | EPA 3050B |
| Project#: | VALLCO | Analysis: | EPA 6010B |
| Field ID: | W-1-(20) | Batch#: | 265253 |
| MSS Lab ID: | 304731-053 | Sampled: | 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | mg/Kg | Prepared: | 11/07/18 |
| Basis: | as received | Analyzed: | 11/07/18 |
| Diln Fac: | 1.000 | | |

Type: MS Lab ID: QC954686

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|------------|------------|--------|--------|-------|--------|
| Antimony | <0.1291 | 52.63 | 8.878 | 17 * | 75-120 |
| Arsenic | 4.456 | 52.63 | 57.78 | 101 | 80-124 |
| Barium | 156.7 | 52.63 | 220.3 | 121 | 75-125 |
| Beryllium | 0.5943 | 26.32 | 25.78 | 96 | 80-120 |
| Cadmium | 0.3302 | 52.63 | 54.26 | 102 | 80-120 |
| Chromium | 79.24 | 52.63 | 146.9 | 129 * | 75-125 |
| Cobalt | 17.97 | 52.63 | 68.26 | 96 | 75-120 |
| Copper | 38.74 | 52.63 | 100.5 | 117 | 77-125 |
| Lead | 7.182 | 52.63 | 53.90 | 89 | 75-125 |
| Molybdenum | 0.1328 | 52.63 | 39.81 | 75 | 75-120 |
| Nickel | 103.8 | 52.63 | 161.4 | 109 | 75-125 |
| Selenium | <0.2203 | 52.63 | 51.71 | 98 | 75-121 |
| Silver | <0.04902 | 5.263 | 4.759 | 90 | 75-120 |
| Thallium | <0.1476 | 52.63 | 47.92 | 91 | 75-120 |
| Vanadium | 60.63 | 52.63 | 121.4 | 115 | 75-125 |
| Zinc | 57.15 | 52.63 | 111.6 | 103 | 75-125 |

Type: MSD Lab ID: QC954687

| Analyte | Spiked | Result | %REC | Limits RPD | Lim |
|------------|--------|--------|-------|------------|------|
| Antimony | 53.76 | 9.763 | 18 * | 75-120 7 | 20 |
| Arsenic | 53.76 | 58.25 | 100 | 80-124 1 | 20 |
| Barium | 53.76 | 172.1 | 29 * | 75-125 25 | * 20 |
| Beryllium | 26.88 | 25.84 | 94 | 80-120 2 | 20 |
| Cadmium | 53.76 | 54.74 | 101 | 80-120 1 | 20 |
| Chromium | 53.76 | 142.6 | 118 | 75-125 4 | 20 |
| Cobalt | 53.76 | 68.28 | 94 | 75-120 2 | 20 |
| Copper | 53.76 | 99.76 | 113 | 77-125 2 | 20 |
| Lead | 53.76 | 59.80 | 98 | 75-125 9 | 20 |
| Molybdenum | 53.76 | 40.80 | 76 | 75-120 0 | 20 |
| Nickel | 53.76 | 158.7 | 102 | 75-125 2 | 20 |
| Selenium | 53.76 | 52.61 | 98 | 75-121 0 | 20 |
| Silver | 5.376 | 4.731 | 88 | 75-120 3 | 20 |
| Thallium | 53.76 | 48.85 | 91 | 75-120 0 | 20 |
| Vanadium | 53.76 | 129.5 | 128 * | 75-125 5 | 20 |
| Zinc | 53.76 | 110.6 | 99 | 75-125 2 | 20 |

98.0

^{*=} Value outside of QC limits; see narrative RPD= Relative Percent Difference Page 1 of 1



| California Title 22 Metals | | | | | | |
|----------------------------|----------|-----------|----------------------|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | |
| Client: | WSP | Prep: | METHOD | | | |
| Project#: | VALLCO | Analysis: | EPA 7471A | | | |
| Analyte: | Mercury | Diln Fac: | 1.000 | | | |
| Type: | BLANK | Batch#: | 265296 | | | |
| Lab ID: | QC954870 | Prepared: | 11/08/18 | | | |
| Matrix: | Soil | Analyzed: | 11/08/18 | | | |
| Units: | mg/Kg | | | | | |

| Result | RL | MDL | |
|--------|-------|--------|--|
| ND | 0.017 | 0.0029 | |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | | California Title 22 Metal | .s |
|-----------|---------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | METHOD |
| Project#: | VALLCO | Analysis: | EPA 7471A |
| Analyte: | Mercury | Batch#: | 265296 |
| Matrix: | Soil | Prepared: | 11/08/18 |
| Units: | mg/Kg | Analyzed: | 11/08/18 |
| Diln Fac: | 1.000 | | |

| Type | Lab ID | Spiked | Result | %REC | Limits | RPD | Lim |
|------|----------|--------|--------|------|--------|-----|-----|
| BS | QC954871 | 0.1639 | 0.1656 | 101 | 80-120 | | |
| BSD | QC954872 | 0.1786 | 0.1783 | 100 | 80-120 | 1 | 20 |



| | | California Title 22 Metals | |
|-------------|-------------|----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | METHOD |
| Project#: | VALLCO | Analysis: | EPA 7471A |
| Analyte: | Mercury | Diln Fac: | 1.000 |
| Field ID: | S-1-(1) | Batch#: | 265296 |
| MSS Lab ID: | 304731-001 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | mg/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/08/18 |

| Type | Lab ID | MSS Result | Spiked | Result | %REC | Limits | RPD | Lim |
|------|----------|------------|--------|--------|------|--------|-----|-----|
| MS | QC954873 | 0.05226 | 0.1667 | 0.2354 | 110 | 80-120 | | |
| MSD | QC954874 | | 0.1754 | 0.2461 | 111 | 80-120 | 1 | 20 |



| | | California Title 22 Metal | ls |
|-----------|----------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | METHOD |
| Project#: | VALLCO | Analysis: | EPA 7471A |
| Analyte: | Mercury | Diln Fac: | 1.000 |
| Type: | BLANK | Batch#: | 265297 |
| Lab ID: | QC954875 | Prepared: | 11/08/18 |
| Matrix: | Soil | Analyzed: | 11/08/18 |
| Units: | mg/Kg | | |

| Result | RL | MDL | |
|--------|-------|--------|--|
| ND | 0.017 | 0.0030 | |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | | California Title 22 Metal | .s |
|-----------|---------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | METHOD |
| Project#: | VALLCO | Analysis: | EPA 7471A |
| Analyte: | Mercury | Batch#: | 265297 |
| Matrix: | Soil | Prepared: | 11/08/18 |
| Units: | mg/Kg | Analyzed: | 11/08/18 |
| Diln Fac: | 1.000 | | |

| Type | Lab ID | Spiked | Result | %REC | Limits | RPD | Lim |
|------|----------|--------|--------|------|--------|-----|-----|
| BS | QC954876 | 0.1818 | 0.1827 | 100 | 80-120 | | |
| BSD | QC954877 | 0.1613 | 0.1623 | 101 | 80-120 | 0 | 20 |



| | | California Title 22 Metals | |
|-------------|-------------|----------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | METHOD |
| Project#: | VALLCO | Analysis: | EPA 7471A |
| Analyte: | Mercury | Diln Fac: | 1.000 |
| Field ID: | S-4-(20) | Batch#: | 265297 |
| MSS Lab ID: | 304731-020 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | mg/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/08/18 |

| Type | Lab ID | MSS Result | Spiked | Result | %REC | Limits | RPD | Lim |
|------|----------|------------|--------|--------|-------|--------|-----|-----|
| MS | QC954878 | 0.1210 | 0.1695 | 0.3298 | 123 * | 80-120 | | |
| MSD | QC954879 | | 0.1754 | 0.3064 | 106 | 80-120 | 9 | 20 |

^{*=} Value outside of QC limits; see narrative RPD= Relative Percent Difference Page 1 of 1



| California Title 22 Metals | | | | | | |
|----------------------------|----------|-----------|----------------------|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | |
| Client: | WSP | Prep: | METHOD | | | |
| Project#: | VALLCO | Analysis: | EPA 7471A | | | |
| Analyte: | Mercury | Diln Fac: | 1.000 | | | |
| Type: | BLANK | Batch#: | 265298 | | | |
| Lab ID: | QC954880 | Prepared: | 11/08/18 | | | |
| Matrix: | Soil | Analyzed: | 11/08/18 | | | |
| Units: | mg/Kg | | | | | |

| Result | RL | MDL | |
|--------|-------|--------|--|
| ND | 0.016 | 0.0028 | |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| California Title 22 Metals | | | | | | |
|----------------------------|---------|-----------|----------------------|--|--|--|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA | | | |
| Client: | WSP | Prep: | METHOD | | | |
| Project#: | VALLCO | Analysis: | EPA 7471A | | | |
| Analyte: | Mercury | Batch#: | 265298 | | | |
| Matrix: | Soil | Prepared: | 11/08/18 | | | |
| Units: | mg/Kg | Analyzed: | 11/08/18 | | | |
| Diln Fac: | 1.000 | | | | | |

| Type | Lab ID | Spiked | Result | %REC | Limits | RPD | Lim |
|------|----------|--------|--------|------|--------|-----|-----|
| BS | QC954881 | 0.1538 | 0.1579 | 103 | 80-120 | | |
| BSD | QC954882 | 0.1695 | 0.1840 | 109 | 80-120 | 6 | 20 |



| | (| California Title 22 Metal | .s |
|-------------|-------------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | METHOD |
| Project#: | VALLCO | Analysis: | EPA 7471A |
| Analyte: | Mercury | Diln Fac: | 1.000 |
| Field ID: | W-5-(20) | Batch#: | 265298 |
| MSS Lab ID: | 304731-047 | Sampled: | 10/30/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | mg/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/08/18 |

| Type | Lab ID | MSS Result | Spiked | Result | %REC | Limits | RPD | Lim |
|------|----------|------------|--------|--------|-------|--------|-----|-----|
| MS | QC954883 | 0.1125 | 0.1563 | 0.2671 | 99 | 80-120 | | |
| MSD | QC954884 | | 0.1667 | 0.3349 | 133 * | 80-120 | 19 | 20 |

^{*=} Value outside of QC limits; see narrative RPD= Relative Percent Difference Page 1 of 1



| | | California Title 22 Metal | ls |
|-----------|----------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | METHOD |
| Project#: | VALLCO | Analysis: | EPA 7471A |
| Analyte: | Mercury | Diln Fac: | 1.000 |
| Type: | BLANK | Batch#: | 265299 |
| Lab ID: | QC954885 | Prepared: | 11/08/18 |
| Matrix: | Soil | Analyzed: | 11/08/18 |
| Units: | mg/Kg | | |

| Result | RL | MDL | |
|--------|-------|--------|--|
| ND | 0.017 | 0.0030 | |

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1



| | | California Title 22 Metal | .s |
|-----------|---------|---------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | METHOD |
| Project#: | VALLCO | Analysis: | EPA 7471A |
| Analyte: | Mercury | Batch#: | 265299 |
| Matrix: | Soil | Prepared: | 11/08/18 |
| Units: | mg/Kg | Analyzed: | 11/08/18 |
| Diln Fac: | 1.000 | | |

| Type | Lab ID | Spiked | Result | %REC | Limits | RPD | Lim |
|------|----------|--------|--------|------|--------|-----|-----|
| BS | QC954886 | 0.1667 | 0.1774 | 106 | 80-120 | | |
| BSD | QC954887 | 0.1754 | 0.1849 | 105 | 80-120 | 1 | 20 |



| | Ca | lifornia Title 22 Metal | ls |
|-------------|-------------|-------------------------|----------------------|
| Lab #: | 304731 | Location: | Vallco Cupertino, CA |
| Client: | WSP | Prep: | METHOD |
| Project#: | VALLCO | Analysis: | EPA 7471A |
| Analyte: | Mercury | Diln Fac: | 1.000 |
| Field ID: | W-2-(15) | Batch#: | 265299 |
| MSS Lab ID: | 304731-062 | Sampled: | 10/31/18 |
| Matrix: | Soil | Received: | 11/01/18 |
| Units: | mg/Kg | Prepared: | 11/08/18 |
| Basis: | as received | Analyzed: | 11/08/18 |

| Type | Lab ID | MSS Result | Spiked | Result | %REC | Limits | RPD | Lim |
|------|----------|------------|--------|--------|------|--------|-----|-----|
| MS | QC954888 | 0.1256 | 0.1639 | 0.3139 | 115 | 80-120 | | |
| MSD | QC954889 | | 0.1724 | 0.2984 | 100 | 80-120 | 8 | 20 |

Laboratory Job Number 304731
Subcontracted Products
Eurofins (CalScience)



Calscience



WORK ORDER NUMBER: 18-11-0469

The difference is service



AIR | SOIL | WATER | MARINE CHEMISTRY

Analytical Report For

Client: Enthalpy Analytical

Client Project Name: 304731

Attention: Patrick McCarthy

2323 Fifth Street

Berkeley, CA 94710-2407

Vikas Patel

Approved for release on 11/20/2018 by:

Vikas Patel Project Manager

ResultLink ▶

Email your PM >

Eurofins Calscience (Calscience) certifies that the test results provided in this report meet all NELAC Institute requirements for parameters for which accreditation is required or available. Any exceptions to NELAC Institute requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.



Contents

| Client Project Name: | 304731 |
|----------------------|------------|
| Nork Order Number: | 18-11-0469 |

| 1 | Work Order Narrative | 3 |
|---|--------------------------------------|----------------|
| 2 | Sample Summary | 4 |
| 3 | Client Sample Data | 5 5 |
| 4 | Quality Control Sample Data | 20 20 22 |
| 5 | Sample Analysis Summary | 24 |
| 6 | Glossary of Terms and Qualifiers | 25 |
| 7 | Chain-of-Custody/Sample Receipt Form | 26 |



Work Order Narrative

Work Order: 18-11-0469 Page 1 of 1

Condition Upon Receipt:

Samples were received under Chain-of-Custody (COC) on 11/07/18. They were assigned to Work Order 18-11-0469.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

Holding Times:

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the Calscience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of <= 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

Quality Control:

All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

Subcontractor Information:

Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.

Additional Comments:

Air - Sorbent-extracted air methods (EPA TO-4A, EPA TO-10, EPA TO-13A, EPA TO-17): Analytical results are converted from mass/sample basis to mass/volume basis using client-supplied air volumes.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.

DoD Projects:

The test results contained in this report are accredited under the laboratory's ISO/IEC 17025:2005 and DoD-ELAP accreditation issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation ADE-1864.



Sample Summary

Client: Enthalpy Analytical Work Order: 18-11-0469
2323 Fifth Street Project Name: 304731

Berkeley, CA 94710-2407 PO Number:

Date/Time 11/07/18 09:30 Received:

Number of 28 Containers:

Attn: Patrick McCarthy

| Sample Identification | Lab Number | Collection Date and Time | Number of Containers | Matrix |
|-----------------------|---------------|--------------------------|-------------------------|--------|
| S-1-(1) | 18-11-0469-1 | 10/30/18 10:15 | 1 | Solid |
| S-1-(5) | 18-11-0469-2 | 10/30/18 10:25 | 1 | Solid |
| S-2-(1) | 18-11-0469-3 | 10/30/18 10:40 | 1 | Solid |
| S-2-(5) | 18-11-0469-4 | 10/30/18 10:45 | 1 | Solid |
| S-3-(1) | 18-11-0469-5 | 10/30/18 08:45 | 1 | Solid |
| S-3-(5) | 18-11-0469-6 | 10/30/18 08:50 | 1 | Solid |
| S-4-(1) | 18-11-0469-7 | 10/30/18 09:15 | 1 | Solid |
| S-4-(5) | 18-11-0469-8 | 10/30/18 07:30 | 1 | Solid |
| S-5-(1) | 18-11-0469-9 | 10/30/18 12:30 | 1 | Solid |
| S-5-(5) | 18-11-0469-10 | 10/30/18 12:40 | 1 | Solid |
| S-6-(1) | 18-11-0469-11 | 10/30/18 14:00 | 1 | Solid |
| S-6-(5) | 18-11-0469-12 | 10/30/18 14:05 | 1 | Solid |
| S-7-(2) | 18-11-0469-13 | 10/30/18 14:15 | 1 | Solid |
| S-7-(5) | 18-11-0469-14 | 10/30/18 14:40 | 1 | Solid |
| S-8-(1) | 18-11-0469-15 | 10/30/18 17:05 | 1 | Solid |
| S-8-(5) | 18-11-0469-16 | 10/30/18 17:15 | 1 | Solid |
| W-5-(1) | 18-11-0469-17 | 10/30/18 17:20 | 1 | Solid |
| W-5-(5) | 18-11-0469-18 | 10/30/18 17:25 | 1 | Solid |
| W-1-(1) | 18-11-0469-19 | 10/31/18 08:05 | 1 | Solid |
| W-1-(5) | 18-11-0469-20 | 10/31/18 08:10 | 1 | Solid |
| E-2-(1) | 18-11-0469-21 | 10/31/18 09:30 | 1 | Solid |
| E-2-(5) | 18-11-0469-22 | 10/31/18 09:35 | 1 | Solid |
| W-2-(2) | 18-11-0469-23 | 10/31/18 11:05 | 1 | Solid |
| W-2-(5) | 18-11-0469-24 | 10/31/18 11:15 | 1 | Solid |
| W-3-(1) | 18-11-0469-25 | 10/31/18 12:50 | 1 | Solid |
| W-3-(5) | 18-11-0469-26 | 10/31/18 13:00 | 1 | Solid |
| W-4-(1) | 18-11-0469-27 | 10/31/18 13:45 | 1 | Solid |
| W-4-(5) | 18-11-0469-28 | 10/31/18 13:55 | 1 | Solid |



Project: 304731

Analytical Report

Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg
Page 1 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-------------|
| S-1-(1) | 18-11-0469-1-A | 10/30/18 10:15 | Solid | GC 40 | 11/08/18 | 11/14/18 12:37 | 181108L14 |
| Parameter | · | Result | | RL | <u>DF</u> | Qua | alifiers |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 10 | 1.00 | | |
| MCPP | | ND | | 10000 | 1.00 | | |
| MCPA | | ND | | 10000 | 1.00 | | |
| Dichlorprop | | ND | | 100 | 1.00 | | |
| 2,4-D | | ND | | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 10 | 1.00 | | |
| 2,4,5-T | | ND | | 10 | 1.00 | | |
| 2,4-DB | | ND | | 100 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 92 | | 44-146 | | | |

| S-1-(5) | 18-11-0469-2-A | 10/30/18 10:25 | Solid GC 40 | 11/08/18 | 11/14/18 13:00 | 181108L14 |
|-------------------------------|----------------|-------------------|----------------|------------|-------------------|-------------|
| <u>Parameter</u> | | Result | <u>RL</u> | <u>DF</u> | Qualif | <u>iers</u> |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| <u>Surrogate</u> | | Rec. (%) | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 94 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 2 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| S-2-(1) | 18-11-0469-3-A | 10/30/18 10:40 | Solid | GC 40 | 11/08/18 | 11/14/18 13:23 | 181108L14 |
| Parameter | | <u>Result</u> | | RL | <u>DF</u> | Qua | <u>llifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 9.9 | 1.00 | | |
| MCPP | | ND | | 9900 | 1.00 | | |
| MCPA | | ND | | 9900 | 1.00 | | |
| Dichlorprop | | ND | | 99 | 1.00 | | |
| 2,4-D | | ND | | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | | 9.9 | 1.00 | | |
| 2,4-DB | | ND | | 99 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 55 | | 44-146 | | | |

| S-2-(5) | 18-11-0469-4-A | 10/30/18 10:45 | Solid GC 40 | 11/08/18 | 11/14/18 13:46 | 181108L14 |
|-------------------------------|----------------|-------------------|----------------|------------|-------------------|---------------|
| Parameter | · | Result | <u>RL</u> | <u>DF</u> | Qual | <u>ifiers</u> |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | Control Limits | Qualifiers | | |
| 2.4-Dichlorophenylacetic acid | | 90 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 3 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|-------------------|-----------------------|----------------|
| S-3-(1) | 18-11-0469-5-A | 10/30/18 08:45 | Solid | GC 40 | 11/08/18 | 11/14/18 14:10 | 181108L14 |
| Parameter | | Result | | <u>RL</u> | <u>DF</u> | Qua | <u>lifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 9.9 | 1.00 | | |
| MCPP | | ND | | 9900 | 1.00 | | |
| MCPA | | ND | | 9900 | 1.00 | | |
| Dichlorprop | | ND | | 99 | 1.00 | | |
| 2,4-D | | ND | | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | | 9.9 | 1.00 | | |
| 2,4-DB | | ND | | 99 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | <u>Qualifiers</u> | | |
| 2,4-Dichlorophenylacetic acid | | 110 | | 44-146 | | | |

| S-3-(5) | 18-11-0469-6-A | 10/30/18 08:50 | Solid GC 40 | 11/08/18 | 11/14/18 14:33 | 181108L14 |
|-------------------------------|----------------|-------------------|----------------|-------------------|-------------------|-----------|
| <u>Parameter</u> | | Result | <u>RL</u> | <u>DF</u> | Qu | alifiers |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| | | | | | | |
| <u>Surrogate</u> | | Rec. (%) | Control Limits | <u>Qualifiers</u> | | |
| 2,4-Dichlorophenylacetic acid | | 88 | 44-146 | | | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL: (714) 895-5494 • FAX: (714) 894-7501



Project: 304731

Analytical Report

Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg
Page 4 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| S-4-(1) | 18-11-0469-7-A | 10/30/18 09:15 | Solid | GC 40 | 11/08/18 | 11/14/18 14:56 | 181108L14 |
| <u>Parameter</u> | · | Result | | <u>RL</u> | DF | Qua | <u>llifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 10 | 1.00 | | |
| MCPP | | ND | | 10000 | 1.00 | | |
| MCPA | | ND | | 10000 | 1.00 | | |
| Dichlorprop | | ND | | 100 | 1.00 | | |
| 2,4-D | | ND | | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 10 | 1.00 | | |
| 2,4,5-T | | ND | | 10 | 1.00 | | |
| 2,4-DB | | ND | | 100 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 68 | | 44-146 | | | |

| S-4-(5) | 18-11-0469-8-A | 10/30/18 07:30 | Solid GC 40 | 11/08/18 | 11/14/18 15:19 | 181108L14 |
|-------------------------------|----------------|-------------------|----------------|------------|-------------------|-----------|
| <u>Parameter</u> | · | Result | <u>RL</u> | <u>DF</u> | Qua | alifiers |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 9.9 | 1.00 | | |
| MCPP | | ND | 9900 | 1.00 | | |
| MCPA | | ND | 9900 | 1.00 | | |
| Dichlorprop | | ND | 99 | 1.00 | | |
| 2,4-D | | ND | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | 9.9 | 1.00 | | |
| 2,4-DB | | ND | 99 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 110 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 5 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| S-5-(1) | 18-11-0469-9-A | 10/30/18 12:30 | Solid | GC 40 | 11/08/18 | 11/14/18 15:42 | 181108L14 |
| Parameter | | Result | | <u>RL</u> | <u>DF</u> | Qua | <u>llifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 9.9 | 1.00 | | |
| MCPP | | ND | | 9900 | 1.00 | | |
| MCPA | | ND | | 9900 | 1.00 | | |
| Dichlorprop | | ND | | 99 | 1.00 | | |
| 2,4-D | | ND | | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | | 9.9 | 1.00 | | |
| 2,4-DB | | ND | | 99 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 106 | | 44-146 | | | |

| S-5-(5) | 18-11-0469-10-A | 10/30/18 12:40 | Solid GC | 40 11/08/18 | 11/14/18 16:05 | 181108L14 |
|-------------------------------|-----------------|-------------------|----------------|---------------------------------|-------------------|-----------|
| <u>Parameter</u> | | Result | <u>RL</u> | <u>DF</u> | Qua | alifiers |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 9.9 | 1.00 | | |
| MCPP | | ND | 9900 | 1.00 | | |
| MCPA | | ND | 9900 | 1.00 | | |
| Dichlorprop | | ND | 99 | 1.00 | | |
| 2,4-D | | ND | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | 9.9 | 1.00 | | |
| 2,4-DB | | ND | 99 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| | | | | | | |
| <u>Surrogate</u> | | Rec. (%) | <u>Control</u> | <u>Limits</u> <u>Qualifiers</u> | <u> </u> | |
| 2,4-Dichlorophenylacetic acid | | 85 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 6 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| S-6-(1) | 18-11-0469-11-A | 10/30/18 14:00 | Solid | GC 40 | 11/08/18 | 11/14/18 16:28 | 181108L14 |
| Parameter | | Result | | RL | <u>DF</u> | Qua | <u>alifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 10 | 1.00 | | |
| MCPP | | ND | | 10000 | 1.00 | | |
| MCPA | | ND | | 10000 | 1.00 | | |
| Dichlorprop | | ND | | 100 | 1.00 | | |
| 2,4-D | | ND | | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 10 | 1.00 | | |
| 2,4,5-T | | ND | | 10 | 1.00 | | |
| 2,4-DB | | ND | | 100 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 68 | | 44-146 | | | |

| S-6-(5) | 18-11-0469-12-A | 10/30/18 14:05 | Solid GC 40 | 11/08/18 | 11/14/18 16:51 | 181108L14 |
|-------------------------------|-----------------|-------------------|----------------|-------------------|-------------------|-----------------|
| <u>Parameter</u> | | Result | <u>RL</u> | <u>DF</u> | Qua | <u>alifiers</u> |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 9.9 | 1.00 | | |
| MCPP | | ND | 9900 | 1.00 | | |
| MCPA | | ND | 9900 | 1.00 | | |
| Dichlorprop | | ND | 99 | 1.00 | | |
| 2,4-D | | ND | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | 9.9 | 1.00 | | |
| 2,4-DB | | ND | 99 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| | | | | | | |
| <u>Surrogate</u> | | Rec. (%) | Control Limits | <u>Qualifiers</u> | | |
| 2,4-Dichlorophenylacetic acid | | 74 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 7 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| S-7-(2) | 18-11-0469-13-A | 10/30/18 14:15 | Solid | GC 40 | 11/08/18 | 11/14/18 17:15 | 181108L14 |
| Parameter | · | Result | | <u>RL</u> | <u>DF</u> | Qua | <u>llifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 9.9 | 1.00 | | |
| MCPP | | ND | | 9900 | 1.00 | | |
| MCPA | | ND | | 9900 | 1.00 | | |
| Dichlorprop | | ND | | 99 | 1.00 | | |
| 2,4-D | | ND | | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | | 9.9 | 1.00 | | |
| 2,4-DB | | ND | | 99 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 60 | | 44-146 | | | |

| S-7-(5) | 18-11-0469-14-A | 10/30/18 14:40 | Solid GC 40 | 11/08/18 | 11/14/18 17:38 | 181108L14 |
|-------------------------------|-----------------|-------------------|----------------|-------------------|-------------------|-----------------|
| Parameter | | Result | <u>RL</u> | <u>DF</u> | Qua | <u>alifiers</u> |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 9.9 | 1.00 | | |
| MCPP | | ND | 9900 | 1.00 | | |
| MCPA | | ND | 9900 | 1.00 | | |
| Dichlorprop | | ND | 99 | 1.00 | | |
| 2,4-D | | ND | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | 9.9 | 1.00 | | |
| 2,4-DB | | ND | 99 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | Control Limits | <u>Qualifiers</u> | | |
| 2,4-Dichlorophenylacetic acid | | 72 | 44-146 | | | |



Enthalpy AnalyticalDate Received:11/07/182323 Fifth StreetWork Order:18-11-0469Berkeley, CA 94710-2407Preparation:EPA 8151A

Method: EPA 8151A Units: ug/kg

Project: 304731 Page 8 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|-------------------|-----------------------|----------------|
| S-8-(1) | 18-11-0469-15-A | 10/30/18 17:05 | Solid | GC 40 | 11/08/18 | 11/14/18 18:01 | 181108L14 |
| Parameter | | Result | | <u>RL</u> | <u>DF</u> | Qua | <u>lifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 10 | 1.00 | | |
| MCPP | | ND | | 10000 | 1.00 | | |
| MCPA | | ND | | 10000 | 1.00 | | |
| Dichlorprop | | ND | | 100 | 1.00 | | |
| 2,4-D | | ND | | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 10 | 1.00 | | |
| 2,4,5-T | | ND | | 10 | 1.00 | | |
| 2,4-DB | | ND | | 100 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | <u>Qualifiers</u> | | |
| 2,4-Dichlorophenylacetic acid | | 88 | | 44-146 | | | |

| S-8-(5) | 18-11-0469-16-A | 10/30/18 17:15 | Solid GC 40 | 11/08/18 | 11/14/18 18:24 | 181108L14 |
|-------------------------------|-----------------|-------------------|----------------|-------------------|-------------------|-----------|
| <u>Parameter</u> | | Result | <u>RL</u> | <u>DF</u> | Qu | alifiers |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| | | | | | | |
| <u>Surrogate</u> | | Rec. (%) | Control Limits | <u>Qualifiers</u> | | |
| 2,4-Dichlorophenylacetic acid | | 92 | 44-146 | | | |



Enthalpy AnalyticalDate Received:11/07/182323 Fifth StreetWork Order:18-11-0469Berkeley, CA 94710-2407Preparation:EPA 8151A

Method: EPA 8151A Units: ug/kg

Project: 304731 Page 9 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| W-5-(1) | 18-11-0469-17-A | 10/30/18 17:20 | Solid | GC 40 | 11/08/18 | 11/14/18 19:10 | 181108L14 |
| Parameter | | Result | | RL | <u>DF</u> | Qua | <u>llifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 10 | 1.00 | | |
| MCPP | | ND | | 10000 | 1.00 | | |
| MCPA | | ND | | 10000 | 1.00 | | |
| Dichlorprop | | ND | | 100 | 1.00 | | |
| 2,4-D | | ND | | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 10 | 1.00 | | |
| 2,4,5-T | | ND | | 10 | 1.00 | | |
| 2,4-DB | | ND | | 100 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 101 | | 44-146 | | | |

| W-5-(5) | 18-11-0469-18-A | 10/30/18 17:25 | Solid GC 40 | 11/08/18 | 11/14/18 19:33 | 181108L14 |
|-------------------------------|-----------------|-------------------|----------------|-------------------|-------------------|-----------|
| <u>Parameter</u> | | Result | <u>RL</u> | <u>DF</u> | Qua | alifiers |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| | | | | | | |
| <u>Surrogate</u> | | Rec. (%) | Control Limits | <u>Qualifiers</u> | | |
| 2,4-Dichlorophenylacetic acid | | 90 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 10 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| W-1-(1) | 18-11-0469-19-A | 10/31/18 08:05 | Solid | GC 40 | 11/08/18 | 11/14/18 19:56 | 181108L14 |
| Parameter | | Result | | <u>RL</u> | <u>DF</u> | Qua | <u>llifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 10 | 1.00 | | |
| MCPP | | ND | | 10000 | 1.00 | | |
| MCPA | | ND | | 10000 | 1.00 | | |
| Dichlorprop | | ND | | 100 | 1.00 | | |
| 2,4-D | | ND | | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 10 | 1.00 | | |
| 2,4,5-T | | ND | | 10 | 1.00 | | |
| 2,4-DB | | ND | | 100 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 79 | | 44-146 | | | |

| W-1-(5) | 18-11-0469-20-A | 10/31/18 08:10 | Solid GC 40 | 11/08/18 | 11/14/18 20:19 | 181108L14 |
|-------------------------------|-----------------|-------------------|-------------|----------------|-------------------|-----------|
| Parameter | | Result | <u>RL</u> | DF | Qu | alifiers |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | Control Lim | its Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 92 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 11 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|----------------|
| E-2-(1) | 18-11-0469-21-A | 10/31/18 09:30 | Solid | GC 40 | 11/09/18 | 11/15/18 08:03 | 181109L10 |
| Parameter | | Result | | RL | <u>DF</u> | Qua | <u>lifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 9.9 | 1.00 | | |
| MCPP | | ND | | 9900 | 1.00 | | |
| MCPA | | ND | | 9900 | 1.00 | | |
| Dichlorprop | | ND | | 99 | 1.00 | | |
| 2,4-D | | ND | | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | | 9.9 | 1.00 | | |
| 2,4-DB | | ND | | 99 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 78 | | 44-146 | | | |

| E-2-(5) | 18-11-0469-22-A | 10/31/18 09:35 | Solid | GC 40 | 11/09/18 | 11/15/18 08:26 | 181109L10 |
|-------------------------------|-----------------|-------------------|----------|----------------|------------|-------------------|-----------------|
| Parameter | | Result | <u> </u> | <u>RL</u> | <u>DF</u> | Qu | <u>alifiers</u> |
| Dalapon | | ND | 2 | 250 | 1.00 | | |
| Dicamba | | ND | 1 | 10 | 1.00 | | |
| MCPP | | ND | 1 | 10000 | 1.00 | | |
| MCPA | | ND | 1 | 10000 | 1.00 | | |
| Dichlorprop | | ND | 1 | 100 | 1.00 | | |
| 2,4-D | | ND | 1 | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 1 | 10 | 1.00 | | |
| 2,4,5-T | | ND | 1 | 10 | 1.00 | | |
| 2,4-DB | | ND | 1 | 100 | 1.00 | | |
| Dinoseb | | ND | Ę | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | <u>(</u> | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 88 | 4 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 12 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| W-2-(2) | 18-11-0469-23-A | 10/31/18 11:05 | Solid | GC 40 | 11/09/18 | 11/15/18 08:49 | 181109L10 |
| Parameter | | Result | | <u>RL</u> | <u>DF</u> | Qua | <u>llifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 9.9 | 1.00 | | |
| MCPP | | ND | | 9900 | 1.00 | | |
| MCPA | | ND | | 9900 | 1.00 | | |
| Dichlorprop | | ND | | 99 | 1.00 | | |
| 2,4-D | | ND | | 99 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 9.9 | 1.00 | | |
| 2,4,5-T | | ND | | 9.9 | 1.00 | | |
| 2,4-DB | | ND | | 99 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 122 | | 44-146 | | | |

| W-2-(5) | 18-11-0469-24-A | 10/31/18 11:15 | Solid GC 40 | 11/09/18 | 11/15/18 09:12 | 181109L10 |
|-------------------------------|-----------------|-------------------|----------------|------------|-------------------|-----------|
| <u>Parameter</u> | | Result | <u>RL</u> | <u>DF</u> | Qua | alifiers |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| <u>Surrogate</u> | | Rec. (%) | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 96 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 13 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| W-3-(1) | 18-11-0469-25-A | 10/31/18 12:50 | Solid | GC 40 | 11/09/18 | 11/15/18 09:35 | 181109L10 |
| Parameter | · | Result | | RL | <u>DF</u> | Qua | <u>llifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 10 | 1.00 | | |
| MCPP | | ND | | 10000 | 1.00 | | |
| MCPA | | ND | | 10000 | 1.00 | | |
| Dichlorprop | | ND | | 100 | 1.00 | | |
| 2,4-D | | ND | | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 10 | 1.00 | | |
| 2,4,5-T | | ND | | 10 | 1.00 | | |
| 2,4-DB | | ND | | 100 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 98 | | 44-146 | | | |

| W-3-(5) | 18-11-0469-26-A | 10/31/18 13:00 | Solid GC 40 | 11/09/18 | 11/15/18 09:58 | 181109L10 |
|-------------------------------|-----------------|-------------------|----------------|-------------------|-------------------|-----------|
| <u>Parameter</u> | | Result | <u>RL</u> | <u>DF</u> | Qu | alifiers |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| | | | | | | |
| <u>Surrogate</u> | | Rec. (%) | Control Limits | <u>Qualifiers</u> | | |
| 2,4-Dichlorophenylacetic acid | | 74 | 44-146 | | | |



Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg

Project: 304731 Page 14 of 15

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|-------------------------------|----------------------|------------------------|--------|----------------|------------------|-----------------------|-----------------|
| W-4-(1) | 18-11-0469-27-A | 10/31/18 13:45 | Solid | GC 40 | 11/09/18 | 11/15/18 10:21 | 181109L10 |
| Parameter | · | Result | | RL | <u>DF</u> | Qua | <u>llifiers</u> |
| Dalapon | | ND | | 250 | 1.00 | | |
| Dicamba | | ND | | 10 | 1.00 | | |
| MCPP | | ND | | 10000 | 1.00 | | |
| MCPA | | ND | | 10000 | 1.00 | | |
| Dichlorprop | | ND | | 100 | 1.00 | | |
| 2,4-D | | ND | | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | | 10 | 1.00 | | |
| 2,4,5-T | | ND | | 10 | 1.00 | | |
| 2,4-DB | | ND | | 100 | 1.00 | | |
| Dinoseb | | ND | | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 95 | | 44-146 | | | |

| W-4-(5) | 18-11-0469-28-A | 10/31/18 13:55 | Solid GC 40 | 11/09/18 | 11/15/18 10:45 | 181109L10 |
|-------------------------------|-----------------|-------------------|----------------|-------------------|-------------------|-----------|
| <u>Parameter</u> | | Result | <u>RL</u> | <u>DF</u> | Qu | alifiers |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| | | | | | | |
| <u>Surrogate</u> | | Rec. (%) | Control Limits | <u>Qualifiers</u> | | |
| 2,4-Dichlorophenylacetic acid | | 88 | 44-146 | | | |



Project: 304731

Analytical Report

Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Units: ug/kg
Page 15 of 15

| ., | | | | | | - 3 | , |
|-------------------------------|----------------------|------------------------|----------|----------------|------------------|-----------------------|-------------|
| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
| Method Blank | 095-01-033-1615 | N/A | Solid | GC 40 | 11/08/18 | 11/14/18 11:05 | 181108L14 |
| Parameter | | Result | <u>F</u> | <u> </u> | DF | Qua | alifiers |
| Dalapon | | ND | 2 | 250 | 1.00 | | |
| Dicamba | | ND | 1 | 10 | 1.00 | | |
| MCPP | | ND | 1 | 0000 | 1.00 | | |
| MCPA | | ND | 1 | 0000 | 1.00 | | |
| Dichlorprop | | ND | 1 | 100 | 1.00 | | |
| 2,4-D | | ND | 1 | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 1 | 10 | 1.00 | | |
| 2,4,5-T | | ND | 1 | 10 | 1.00 | | |
| 2,4-DB | | ND | 1 | 100 | 1.00 | | |
| Dinoseb | | ND | 5 | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | <u>(</u> | Control Limits | Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 64 | 4 | 14-146 | | | |

| Method Blank | 095-01-033-1616 | N/A | Solid GC 40 | 11/09/18 | 11/15/18 03:48 | 181109L10 |
|-------------------------------|-----------------|----------|-------------|----------------|-------------------|------------------|
| Parameter | | Result | <u>RL</u> | DF | Qu | <u>ialifiers</u> |
| Dalapon | | ND | 250 | 1.00 | | |
| Dicamba | | ND | 10 | 1.00 | | |
| MCPP | | ND | 10000 | 1.00 | | |
| MCPA | | ND | 10000 | 1.00 | | |
| Dichlorprop | | ND | 100 | 1.00 | | |
| 2,4-D | | ND | 100 | 1.00 | | |
| 2,4,5-TP (Silvex) | | ND | 10 | 1.00 | | |
| 2,4,5-T | | ND | 10 | 1.00 | | |
| 2,4-DB | | ND | 100 | 1.00 | | |
| Dinoseb | | ND | 50 | 1.00 | | |
| Surrogate | | Rec. (%) | Control Lim | its Qualifiers | | |
| 2,4-Dichlorophenylacetic acid | | 120 | 44-146 | | | |

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.




Quality Control - Spike/Spike Duplicate

Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Project: 304731 Page 1 of 2

| Quality Control Sample ID | Туре | | Matrix | Inst | rument | Date Prepared | Date Ana | lyzed | MS/MSD Bat | tch Number |
|---------------------------|-----------------|------------------------------|-------------|--------------------|--------------|---------------|----------|-------|------------|------------|
| S-1-(5) | Sample | | Solid | GC | 40 | 11/08/18 | 11/14/18 | 13:00 | 181108S14 | |
| S-1-(5) | Matrix Spike | | Solid | GC | 40 | 11/08/18 | 11/14/18 | 11:51 | 181108S14 | |
| S-1-(5) | Matrix Spike | Duplicate | Solid | GC | 40 | 11/08/18 | 11/14/18 | 12:14 | 181108S14 | |
| Parameter | Sample Conc. | <u>Spike</u> <u>Added</u> | MS Conc. | <u>MS</u> %Rec. | MSD Conc. | MSD %Rec. | %Rec. CL | RPD | RPD CL | Qualifiers |
| 2,4-D | ND | 400.0 | 175.0 | 44 | 140.0 | 35 | 32-146 | 22 | 0-37 | |
| 2,4,5-T | ND | 40.00 | 23.00 | 58 | 369.0 | 922 | 27-147 | 177 | 0-37 | 3,4 |
| 2,4-DB | ND | 400.0 | 237.0 | 59 | 649.0 | 162 | 31-151 | 93 | 0-42 | 3,4 |






Quality Control - Spike/Spike Duplicate

Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Project: 304731 Page 2 of 2

| Quality Control Sample ID | Туре | | Matrix | ı | nstrument | Date Prepared | Date Ana | lyzed | MS/MSD Bat | ch Number |
|---------------------------|-----------------|-----------------------|-------------|------------|--------------|---------------|----------|-------|------------|------------|
| 18-11-0462-8 | Sample | | Sedime | nt (| GC 40 | 11/09/18 | 11/15/18 | 05:44 | 181109S10 | |
| 18-11-0462-8 | Matrix Spike | | Sedime | nt (| GC 40 | 11/09/18 | 11/16/18 | 16:29 | 181109S10 | |
| 18-11-0462-8 | Matrix Spike | Duplicate | Sedime | nt (| GC 40 | 11/09/18 | 11/16/18 | 16:52 | 181109S10 | |
| Parameter | Sample Conc. | <u>Spike</u> Added | MS Conc. | MS %Rec | MSD Conc. | MSD %Rec. | %Rec. CL | RPD | RPD CL | Qualifiers |
| 2,4-D | ND | 400.0 | 532.0 | 133 | 454.0 | 114 | 32-146 | 16 | 0-37 | |
| 2,4,5-T | ND | 40.00 | 109.0 | 272 | 48.00 | 120 | 27-147 | 78 | 0-37 | 3,4 |
| 2,4-DB | ND | 400.0 | 10210 | 2552 | 2881 | 720 | 31-151 | 112 | 0-42 | 3,4 |






Quality Control - LCS

Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Project: 304731 Page 1 of 2

| Quality Control Sample ID | Type | Matrix | Instrument | Date Prepared | Date Analyzed | LCS Batch Number |
|---------------------------|------|-------------|---------------|---------------|----------------|------------------|
| 095-01-033-1615 | LCS | Solid | GC 40 | 11/08/18 | 11/14/18 11:28 | 181108L14 |
| Parameter | | Spike Added | Conc. Recover | ed LCS %Re | ec. %Rec | . CL Qualifiers |
| 2,4-D | | 400.0 | 304.0 | 76 | 49-127 | 7 |
| 2,4,5-T | | 40.00 | 30.00 | 75 | 31-14 | 5 |
| 2,4-DB | | 400.0 | 277.0 | 69 | 48-132 | 2 |





Quality Control - LCS/LCSD

Enthalpy Analytical Date Received: 11/07/18
2323 Fifth Street Work Order: 18-11-0469
Berkeley, CA 94710-2407 Preparation: EPA 8151A
Method: EPA 8151A

Project: 304731 Page 2 of 2

| Quality Control Sample ID | Туре | Mat | rix | Instrument | Date Pre | pared Date | Analyzed | LCS/LCSD Ba | atch Number |
|---------------------------|-------------|-----------|---------------------|------------|---------------|------------|------------|-------------|-------------|
| 095-01-033-1616 | LCS | Soli | d | GC 40 | 11/09/18 | 11/1 | 6/18 15:43 | 181109L10 | |
| 095-01-033-1616 | LCSD | Soli | d | GC 40 | 11/09/18 | 11/1 | 6/18 16:06 | 181109L10 | |
| Parameter | Spike Added | LCS Conc. | <u>LCS</u> %Rec. | LCSD Conc. | LCSD %Rec. | %Rec. CL | <u>RPD</u> | RPD CL | Qualifiers |
| 2,4-D | 400.0 | 326.0 | 82 | 338.0 | 84 | 49-127 | 4 | 0-24 | |
| 2,4,5-T | 40.00 | 35.00 | 88 | 34.00 | 85 | 31-145 | 3 | 0-25 | |
| 2,4-DB | 400.0 | 280.0 | 70 | 333.0 | 83 | 48-132 | 17 | 0-27 | |





Sample Analysis Summary Report

| Work Order: 18-11-0469 | | | | Page 1 of 1 |
|------------------------|------------|------------|------------|---------------------|
| Method | Extraction | Chemist ID | Instrument | Analytical Location |
| EPA 8151A | EPA 8151A | 669 | GC 40 | 1 |





SG

Glossary of Terms and Qualifiers

Work Order: 18-11-0469 Page 1 of 1

| | . ago |
|------------|--|
| Qualifiers | <u>Definition</u> |
| * | See applicable analysis comment. |
| < | Less than the indicated value. |
| > | Greater than the indicated value. |
| 1 | Surrogate compound recovery was out of control due to a required sample dilution. Therefore, the sample data was reported without further clarification. |
| 2 | Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification. |
| 3 | Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to suspected matrix interference. The associated LCS recovery was in control. |
| 4 | The MS/MSD RPD was out of control due to suspected matrix interference. |
| 5 | The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to suspected matrix interference. |
| 6 | Surrogate recovery below the acceptance limit. |
| 7 | Surrogate recovery above the acceptance limit. |
| В | Analyte was present in the associated method blank. |
| BU | Sample analyzed after holding time expired. |
| BV | Sample received after holding time expired. |
| CI | See case narrative. |
| Е | Concentration exceeds the calibration range. |
| ET | Sample was extracted past end of recommended max. holding time. |
| HD | The chromatographic pattern was inconsistent with the profile of the reference fuel standard. |
| HDH | The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but heavier hydrocarbons were also present (or detected). |
| HDL | The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but lighter hydrocarbons were also present (or detected). |
| J | Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated. |
| JA | Analyte positively identified but quantitation is an estimate. |
| ME | LCS Recovery Percentage is within Marginal Exceedance (ME) Control Limit range (+/- 4 SD from the mean). |
| ND | Parameter not detected at the indicated reporting limit. |
| Q | Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater. |

- X % Recovery and/or RPD out-of-range.
- Z Analyte presence was not confirmed by second column or GC/MS analysis.

The sample extract was subjected to Silica Gel treatment prior to analysis.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of <= 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.

n to Contents

Vikas Patel

From: Patrick McCarthy <patrick.mccarthy@enthalpy.com>

Sent: Thursday, November 08, 2018 10:41 AM

To: Erick Ovalle
Cc: Vikas Patel

Subject: Re: Sample receipt confirmation / 18-11-0469 / 304731

Attachments: image003.jpg

Please proceed with the collection time on the container.

Thanks,

Patrick McCarthy

Project Manager Enthalpy Analytical LLC (formerly Curtis & Tompkins, Ltd.) 2323 Fifth St., Berkeley, CA 94710

Office: (510) 486.0900 Direct: (510) 204.2236 www.curtisandtompkins.com

In observance of Thanksgiving, Christmas and New Year, Enthalpy Analytical will be closed on November 22nd - 23rd, December 24th - 25th and January 1st. For special projects or short hold analyses, please coordinate with your project manager in advance.

On Thu, Nov 8, 2018 at 10:40 AM Erick Ovalle < ErickOvalle@eurofinsus.com > wrote:

Sample receipt confirmation attached. Please review and advise of any changes required.

Sample 9: The collection time listed on the container does not match the COC. Please advise what is the correct time that we should use?

Please call with any questions or concerns.

Best Regards,

Erick Ovalle Project Manager Assistant

Eurofins Calscience 7440 Lincoln Way Garden Grove, CA 92841-1427

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you receive this in error, please contact the sender and delete the material from any computer. Email transmission cannot be guaranteed to be secure or error free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete. The sender therefore is in no way liable for any errors or omissions in the content of this message which may arise as a result of email transmission. If verification is required, please request a hard copy. We take reasonable precautions to ensure our emails are free from viruses. You need, however, to verify that this email and any attachments are free of viruses, as we can take no responsibility for any computer viruses, which might be transferred by way of this email. We may monitor all email communication through our networks. If you contact us by email, we may store your name and address to facilitate communication.

CONFIDENTIALITY NOTICE: The contents of this email message and any attachments are intended solely for the addressee(s) and may contain confidential, proprietary and/or privileged information and may be legally protected from disclosure. If you are not the intended recipient of this message or their agent, or if this message has been addressed to you in error, please immediately alert the sender by reply email and then delete this message and any attachments and the reply from your system. If you are not the intended recipient, you are hereby notified that any disclosure, use, dissemination, copying, or storage of this message or its attachments is strictly prohibited.

Enthalpy Berkeley

2323 Fifth Street Berkeley, CA 94710 (510) 486-0900 (510) 486-0532

18-11-0469

Project Number: 304731 Site: Vallco Cupertino, CA

Subcontract Laboratory:

Eurofins (CalScience)

7440 Lincoln Way

Garden Grove, CA 92841-1432

(714) 895-5494 ATTN: Vik Patel

Results due:

Report Level: II

Please send report to: Patrick McCarthy (patrick.mccarthy@enthalpy.com)
*** Please report using Sample ID rather than Enthalpy (Berkeley) Lab #.

| Sample ID | Sampled | Matrix | Analysis | Lab # Comments | |
|--------------------|-------------|--------|----------|----------------|--|
| S-1-(1) | 10/30 10:15 | Soil | 8151 | 304731-001 | |
| S-1-(5) 2 | 10/30 10:25 | Soil | 8151 | 304731-002 | |
| S-2-(1) 3 | 10/30 10:40 | Soil | 8151 | 304731-006 | |
| S-2-(5) 4 | 10/30 10:45 | Soil | 8151 | 304731-007 | |
| s-3-(1) <i>5</i> | 10/30 08:45 | Soil | 8151 | 304731-011 | |
| S-3-(5) | 10/30 08:50 | Soil | 8151 | 304731-012 | |
| S-4-(1) 7 | 10/30 09:15 | Soil | 8151 | 304731-016 | |
| S-4-(5) 8 | 10/30 07:30 | Soil | 8151 | 304731-017 | |
| S-5-(1) q | 10/30 13:20 | Soil | 8151 | 304731-021 | |
| s-5-(5) (0 | 10/30 12:40 | Soil | 8151 | 304731-022 | |
| S-6-(1) \ | 10/30 14:00 | Soil | 8151 | 304731-026 | |
| 6-6-(5) 12 | 10/30 14:05 | Soil | 8151 | 304731-027 | |
| S-7-(2) 13 | 10/30 14:15 | Soil | 8151 | 304731-033 | |
| 6-7-(5) 14 | 10/30 14:40 | Soil | 8151 | 304731-034 | |
| 5-8-(1) 15 | 10/30 17:05 | Soil | 8151 | 304731-038 | |
| i-8-(5) 16 | 10/30 17:15 | Soil | 8151 | 304731-039 | |
| r-5-(1) 17 | 10/30 17:20 | Soil | 8151 | 304731-043 | |
| 1-5-(5) 18 | 10/30 17:25 | Soil | 8151 | 304731-044 | |
| 1-1-(1) ;9 | 10/31 08:05 | Soil | 8151 | 304731-049 | |
| V-1-(5) 20 | 10/31 08:10 | Soil | 8151 | 304731-050 | |
| E-2-(1) 2; | 10/31 09:30 | Soil | 8151 | 304731-054 | |
| E-2-(5) 2.2 | 10/31 09:35 | Soil | 8151 | 304731-055 | |
| V-2-(2) 13 | 10/31 11:05 | Soil | 8151 | 304731-059 | |
| 1-2-(5) 24 | 10/31 11:15 | Soil | 8151 | 304731-060 | |
| V-3-(1) 25 | 10/31 12:50 | Soil | 8151 | 304731-064 | |
| W-3-(5) 2C | 10/31 13:00 | Soil | 8151 | 304731-065 | |
| W-4-(1) 27 | 10/31 13:45 | Soil | 8151 | 304731-069 | |
| W-4-(5) 28 | 10/31 13:55 | Soil | 8151 | 304731-070 | |

Enthalpy Berkeley

6469

2323 Fifth Street Berkeley, CA 94710 (510) 486-0900 (510) 486-0532

| 4 | A |
|---|----|
| 1 | |
| | ts |

| Notes: | Relinquished By: | Received By: |
|--------|------------------------|------------------------|
| | | |
| Da | ate/Time: 1/6/18 12:30 | Date/Time: |
| | Na (e-a- | HALANT. |
| Da | ate/Time: | Date/Time: 117/18 0930 |

Signature on this form constitutes a firm Purchase Order for the services requested above. Page 2 of 2



Ship From

CURTIS & TOMPKINS MICHAEL DAHLQUIST 2323 FIFTH STREET BERKELEY, CA 94710

Ship To EUROFINS (CALSCIENCE) VIK PATEL 7440 LINCOLN WAY 92841-1432 GARDEN GROVE, CA 92841

COD: \$0.00 Weight: 0 lb(s) Reference:

Delivery Instructions:

Signature Type: STANDARD

Tracking #: 542680983




0469

PDS

ORC

GARDEN GROVE

S92841A



Print Date: 11/6/2018 12:44 PM

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

Step 1: Use the "Print Label" button on this page to print the shipping label on a laser or inkjet printer.

Step 2: Fold this page in half.

Step 3: Securely attach this label to your package and do not cover the barcode.

TERMS AND CONDITIONS:


By giving us your shipment to deliver, you agree to all of the GSO service terms & conditions including, but not limited to; limits of liability, declared value conditions, and claim procedures which are available on our website at www.gso.com.



Calscience

WORK ORDER NUMBER: 18 11 of 2016

| SAMPLE RECEIPT CHECKLIST C | COOLER_ | OF |
|--|-------------------------------|-------------------------------------|
| CLIENT: Enthalpy DAT | E: <u>11 /</u> | 7 / 2018 |
| TEMPERATURE: (Criteria: 0.0°C − 6.0°C, not frozen except sediment/tissue) Thermometer ID: SC6 (CF: 0.0°C); Temperature (w/o CF): 2.7—°C (w/ CF): 2.7—°C; □ Sample(s) outside temperature criteria (PM/APM contacted by:) □ Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling | □ Blank | Sample |
| ☐ Sample(s) received at ambient temperature; placed on ice for transport by courier Ambient Temperature: ☐,Air ☐ Filter | Checked | by: <u>· VJ6P</u> |
| CUSTODY SEAL: Cooler | | by: <u>UU6 P</u> by: <u>HUMW</u> |
| SAMPLE CONDITION: | Yes | No N/A |
| Chain-of-Custody (COC) document(s) received with samples | | |
| COC document(s) received complete | | 0 0 |
| ☐ Sampling date ☐ Sampling time ☐ Matrix ☐ Number of containers | | |
| ☐ No analysis requested ☐ Not relinquished ☐ No relinquished date ☐ No relinquished time | € | , |
| Sampler's name indicated on COC | | |
| Sample container label(s) consistent with COC | | |
| Sample container(s) intact and in good condition | | |
| Proper containers for analyses requested | _ | 0 0 |
| Sufficient volume/mass for analyses requested | | |
| Samples received within holding time | | |
| Aqueous samples for certain analyses received within 15-minute holding time | | |
| □ pH □ Residual Chlorine □ Dissolved Sulfide □ Dissolved Oxygen | . 🗖 | |
| Proper preservation chemical(s) noted on COC and/or sample container | | |
| Unpreserved aqueous sample(s) received for certain analyses | · - | |
| □ Volatile Organics □ Total Metals □ Dissolved Metals | • | |
| Acid/base preserved samples - pH within acceptable range | П | |
| Container(s) for certain analysis free of headspace | • | |
| ☐ Volatile Organics ☐ Dissolved Gases (RSK-175) ☐ Dissolved Oxygen (SM 4500) | _ | |
| ☐ Carbon Dioxide (SM 4500) ☐ Ferrous Iron (SM 3500) ☐ Hydrogen Sulfide (Hach) | | |
| Tedlar™ bag(s) free of condensation | – | |
| | | |
| CONTAINER TYPE: (Trip Blank Lot Numb Aqueous: □ VOA □ VOAh □ VOAna₂ □ 100PJ □ 100PJna₂ □ 125AGB □ 125AGBh □ 125AGBp □ 125 □ 250AGB □ 250CGB □ 250CGBs (pH_2) □ 250PB □ 250PBn (pH_2) □ 500AGB □ 500AGJ □ 500AG □ 1AGB □ 1AGBna₂ □ 1AGBs (pH_2) □ 1AGBs (O&G) □ 1PB □ 1PBna (pH_12) □ □ Solid: □ 4ozCGJ □ 8ozCGJ □ 16ozCGJ □ Sleeve () □ EnCores® () □ TerraCores® () □ Air: □ Tedlar™ □ Canister □ Sorbent Tube □ PUF □ Other Matrix (): □ | PB □ 125PE .GJs (pH2) □ | Bznna (pH9)) |
| Container: A = Amber, B = Bottle, C = Clear, E = Envelope, G = Glass, J = Jar, P = Plastic, and Z = Ziploc/Re Preservative: b = buffered, f = filtered, h = HCl, n = HNO ₃ , na = NaOH, na ₂ = Na ₂ S ₂ O ₃ , p = H ₃ PO ₄ , Labele C = H ₂ SO ₂ , u = ultra-pure, x = Na ₂ SO ₂ +NaHSO ₄ H ₂ O ₂ , znpa = Zn (CH ₂ CO ₂) ₂ + NaOH | ed/Checked | by: <u>#19MW</u> |
| A = U.CO. $A = ultro puro V = No.S(0.4NoHS(0.Ho(0.7nno.f.f.) + 0.00 Ho(0.Ho(0.Ho(0.Ho(0.Ho(0.Ho(0.Ho(0.Ho(0.$ | VEALEMED. | UVIIAAILL |



Calscience

WORK ORDER NUMBER: 18-11- 969

SAMPLE ANOMALY REPORT

DATE: 11 / 7 / 2018

| SAMPLES, CONTAINERS, AND LABELS: | Comments |
|--|--|
| ☐ Sample(s) NOT RECEIVED but listed on COC | |
| ☐ Sample(s) received but NOT LISTED on COC | |
| ☐ Holding time expired (list client or ECI sample ID and analysis) | · · · · · · · · · · · · · · · · · · · |
| ☐ Insufficient sample amount for requested analysis (list analysis) | |
| ☐ Improper container(s) used (list analysis) | <u> </u> |
| ☐ Improper preservative used (list analysis) | |
| ☐ pH outside acceptable range (list analysis) | |
| ☐ No preservative noted on COC or label (list analysis and notify lab) | |
| ☐ Sample container(s) not labeled | |
| ☐ Client sample label(s) illegible (list container type and analysis) | |
| El Client sample label(s) do not match COC (comment) | (-9) collection time Per |
| ☐ Project information | jabel is 12:30 |
| ☐ Client sample ID | |
| ☑ Sampling date and/or time | |
| ☐ Number of container(s) | |
| ☐ Requested analysis | |
| ☐ Sample container(s) compromised (comment) | |
| ☐ Broken | |
| ☐ Water present in sample container | : |
| ☐ Air sample container(s) compromised (comment) | |
| ☐ Flat | |
| ☐ Very low in volume | |
| ☐ Leaking (not transferred; duplicate bag submitted) | |
| □ Leaking (transferred into ECI Tedlar™ bags*) | |
| □ Leaking (transferred into client's Tedlar™ bags*) | |
| * Transferred at client's request. | |
| MISCELLANEOUS: (Describe) | Comments |
| | |
| HEADSPACE: | |
| (Containers with bubble > 6 mm or ¼ inch for volatile organic or dissolved gas analysis) | (Containers with bubble for other analysis) |
| ECI ECI Total ECI ECI Total Sample ID Container ID Number** | ECI ECI Total Sample ID Container ID Number** Requested Analysis |
| Sample ID Container ID Number** Sample ID Container ID Number** | |
| | |
| | |
| | |
| | |
| Comments | |
| Comments: | Reported by: 119MW |
| ** Record the total number of containers (i.e., vials or bottles) for the affected sample. | Reported by: H9MW Reviewed by: WWW |
| record the total number of containers (i.e., vials of cottles) for the anected sample. | 440 ef 44 |

2017464609@tvi3i640

APPENDIX

MCCAMPBELL ANALYTICAL REPORTS



McCampbell Analytical, Inc.

"When Quality Counts"

Analytical Report

WorkOrder: 1901429

Report Created for: WSP USA Corp

2025 Gateway Place, #348 (3rd Floor Back of Build

San Jose, CA 95110

Project Contact: San Jose Main

Project P.O.:

Project: 31401588.001; Vallco

Project Received: 01/10/2019

Analytical Report reviewed & approved for release on 01/16/2019 by:

The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.



1534 Willow Pass Rd. Pittsburg, CA 94565 ♦ TEL: (877) 252-9262 ♦ FAX: (925) 252-9269 ♦ www.mccampbell.com

Glossary of Terms & Qualifier Definitions

Client: WSP USA Corp Project: 31401588.001; Vallco

WorkOrder: 1901429

Glossary Abbreviation

%D Serial Dilution Percent Difference

95% Interval 95% Confident Interval

DF Dilution Factor

DI WET (DISTLC) Waste Extraction Test using DI water

DISS Dissolved (direct analysis of 0.45 µm filtered and acidified water sample)

DLT Dilution Test (Serial Dilution)

DUP Duplicate

EDL Estimated Detection Limit

ERS External reference sample. Second source calibration verification.

ITEF International Toxicity Equivalence Factor

LCS Laboratory Control Sample

MB Method Blank

MB % Rec % Recovery of Surrogate in Method Blank, if applicable

MDL Method Detection Limit

ML Minimum Level of Quantitation

MS Matrix Spike

MSD Matrix Spike Duplicate

N/A Not Applicable

ND Not detected at or above the indicated MDL or RL

NR Data Not Reported due to matrix interference or insufficient sample amount.

PDS Post Digestion Spike

PDSD Post Digestion Spike Duplicate

PF Prep Factor

RD Relative Difference

RL Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)

RPD Relative Percent Deviation
RRT Relative Retention Time

SPK Val Spike Value

SPKRef Val Spike Reference Value

SPLP Synthetic Precipitation Leachate Procedure

ST Sorbent Tube

TCLP Toxicity Characteristic Leachate Procedure

TEQ Toxicity Equivalents

TZA TimeZone Net Adjustment for sample collected outside of MAI's UTC.

WET (STLC) Waste Extraction Test (Soluble Threshold Limit Concentration)

Glossary of Terms & Qualifier Definitions

Client: WSP USA Corp Project: 31401588.001; Vallco

WorkOrder: 1901429

Analytical Qualifiers

B Analyte detected in the associated Method Blank and in the sample

J Result is less than the RL/ML but greater than the MDL. The reported concentration is an estimated value.

P Agreement between quantitative confirmation results exceed method recommended limits

a3 Sample diluted due to high organic content.

Quality Control Qualifiers

F1 MS/MSD recovery and/or RPD is out of acceptance criteria; LCS validates the prep batch.

F3 The surrogate standard recovery and/or RPD is outside of acceptance limits.

Detection Summary

Client: WSP USA Corp WorkOrder: 1901429

Project: 31401588.001; Vallco

Dieldrin

1901429-001A Client ID: SB-001-(0.5) Lab ID:

| Analyte | Result | Qual | RL | DF | Unit | ExtType/ Method CleanUp |
|---------|--------|------|--------|----|-------|----------------------------|
| Lead | 38 | | 0.50 | 1 | mg/Kg | SW6020 |
| p,p-DDE | 0.020 | | 0.0050 | 5 | mg/kg | SW8081A |
| p,p-DDT | 0.020 | | 0.0050 | 5 | mg/kg | SW8081A |

| Client ID: SB-001-(1) | | | | | | Lab ID: | 1901429-002A |
|-----------------------|--------|------|--------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 56 | | 0.50 | 1 | mg/Kg | | SW6020 |
| p,p-DDD | 0.0030 | | 0.0020 | 2 | mg/kg | | SW8081A |
| p,p-DDE | 0.072 | | 0.0020 | 2 | mg/kg | | SW8081A |
| p,p-DDT | 0.057 | | 0.0020 | 2 | mg/kg | | SW8081A |

0.0020

2

mg/kg

SW8081A

0.0029

| Client ID: SB-001-(2) | Lab ID: | 1901429-003A | | | | | |
|-----------------------|---------|--------------|--------|----|-------|---------------------|---------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 6.2 | | 0.50 | 1 | mg/Kg | | SW6020 |
| p,p-DDE | 0.0044 | | 0.0010 | 1 | mg/kg | | SW8081A |

| Client ID: SB-001-(3) | | | | | | Lab ID: | 1901429-004A |
|------------------------------|--------|------|------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 4.7 | | 0.50 | 1 | mg/Kg | | SW6020 |

| Client ID: SB-002-(0.5) | | | | | | Lab ID: | 1901429-005A |
|-------------------------|--------|------|------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 16 | | 0.50 | 1 | mg/Kg | | SW6020 |

| Client ID: SB-002-(1) | | | | | | | 1901429-006A |
|-----------------------|--------|------|--------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 8.5 | | 0.50 | 1 | mg/Kg | | SW6020 |
| p,p-DDE | 0.0043 | | 0.0010 | 1 | mg/kg | | SW8081A |
| p,p-DDT | 0.0018 | | 0.0010 | 1 | mg/kg | | SW8081A |

| Client ID: SB-002-(2) | | | | | | Lab ID: | 1901429-007A |
|-----------------------|--------|------|--------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 9.6 | | 0.50 | 1 | mg/Kg | | SW6020 |
| p,p-DDE | 0.0091 | | 0.0010 | 1 | mg/kg | | SW8081A |
| p,p-DDT | 0.0031 | | 0.0010 | 1 | mg/kg | | SW8081A |

| p,p-DDL | 0.0031 | | 0.0010 | | ilig/kg | | 3W0001A |
|-----------------------|--------|------|--------|----|---------|---------------------|--------------|
| p,p-DDT | 0.0031 | | 0.0010 | 1 | mg/kg | SW8081A | |
| Client ID: SB-002-(3) | | | | | | Lab ID: | 1901429-008A |
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 5.9 | | 0.50 | 1 | mg/Kg | | SW6020 |

Detection Summary

Client: WSP USA Corp WorkOrder: 1901429

Project: 31401588.001; Vallco

Client ID: SB-002-(3) Lab ID: 1901429-008A

| Analyte | Result | Qual | RL | DF | Unit | ExtType/ Method CleanUp |
|---------|--------|------|------|----|-------|----------------------------|
| Lead | 5.9 | | 0.50 | 1 | mg/Kg | SW6020 |

| Client ID: SB-003-(0.5) | | | | | | Lab ID: | 1901429-009A |
|-------------------------|--------|------|--------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 11 | | 0.50 | 1 | mg/Kg | | SW6020 |
| a-Chlordane | 0.012 | | 0.0050 | 5 | mg/kg | | SW8081A |
| g-Chlordane | 0.011 | | 0.0050 | 5 | mg/kg | | SW8081A |
| p,p-DDE | 0.018 | | 0.0050 | 5 | mg/kg | | SW8081A |
| p,p-DDT | 0.014 | | 0.0050 | 5 | mg/kg | | SW8081A |
| Dieldrin | 0.0057 | | 0.0050 | 5 | mg/kg | | SW8081A |

| Client ID: SB-003-(1) | | | | | | Lab ID: | 1901429-010A |
|-----------------------|--------|------|------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 4.5 | | 0.50 | 1 | mg/Kg | | SW6020 |

| Client ID: SB-003-(2) | | | | | | Lab ID: | 1901429-011A |
|-----------------------|--------|------|------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 3.3 | | 0.50 | 1 | mg/Kg | | SW6020 |

| Client ID: SB-003-(3) | | | | | | Lab ID: | 1901429-012A | |
|------------------------------|--------|------|--------|----|-------|---------------------|--------------|--|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method | |
| Lead | 5.8 | | 0.50 | 1 | mg/Kg | | SW6020 | |
| p,p-DDE | 0.0020 | | 0.0020 | 2 | mg/kg | | SW8081A | |
| n n-DDT | 0.0029 | | 0.0020 | 2 | ma/ka | | SW8081A | |

| Client ID: SB-004-(0.5) | | | | | | Lab ID: | 1901429-013A |
|-------------------------|--------|------|--------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 30 | | 0.50 | 1 | mg/Kg | | SW6020 |
| p,p-DDE | 0.0075 | | 0.0020 | 2 | mg/kg | | SW8081A |
| p,p-DDT | 0.0032 | Р | 0.0020 | 2 | mg/kg | | SW8081A |

| Client ID: SB-004-(1) | | | | | | Lab ID: | 1901429-014A |
|-----------------------|--------|------|--------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 14 | | 0.50 | 1 | mg/Kg | | SW6020 |
| p,p-DDE | 0.0096 | | 0.0050 | 5 | mg/kg | | SW8081A |
| p,p-DDT | 0.0095 | | 0.0050 | 5 | mg/kg | | SW8081A |

Detection Summary

Client: WSP USA Corp WorkOrder: 1901429

Project: 31401588.001; Vallco

Client ID: SB-004-(2) Lab ID: 1901429-015A

| Analyte | Result | Qual | RL | DF | Unit | ExtType/ Method CleanUp |
|-------------|--------|------|--------|----|-------|----------------------------|
| Lead | 30 | В | 0.50 | 1 | mg/Kg | SW6020 |
| a-Chlordane | 0.0013 | Р | 0.0010 | 1 | mg/kg | SW8081A |
| p,p-DDD | 0.0013 | | 0.0010 | 1 | mg/kg | SW8081A |
| p,p-DDE | 0.20 | | 0.0010 | 1 | mg/kg | SW8081A |
| p,p-DDT | 0.085 | | 0.0010 | 1 | mg/kg | SW8081A |
| Dieldrin | 0.0047 | | 0.0010 | 1 | mg/kg | SW8081A |

Client ID: SB-004-(3) Lab ID: 1901429-016A Analyte Result Qual RL DF Unit ExtType/ Method CleanUp Lead 17 В 0.50 1 SW6020 mg/Kg p,p-DDE 0.0078 0.0010 1 mg/kg SW8081A SW8081A p,p-DDT 0.0027 0.0010 1 mg/kg

Client ID: SB-005-(0.5) Lab ID: 1901429-017A Analyte Result Qual RL DF Unit ExtType/ Method CleanUp Lead 21 В 0.50 1 mg/Kg SW6020

p,p-DDE 0.052 0.0020 2 SW8081A mg/kg p,p-DDT SW8081A 0.023 0.0020 2 mg/kg 2 Dieldrin 0.0026 0.0020 mg/kg SW8081A

Client ID: SB-005-(1) Lab ID: 1901429-018A

| Analyte | Result | Qual | RL | DF | Unit | ExtType/ Method CleanUp |
|-------------|--------|------|--------|----|-------|----------------------------|
| Lead | 21 | В | 0.50 | 1 | mg/Kg | SW6020 |
| g-Chlordane | 0.0026 | | 0.0020 | 2 | mg/kg | SW8081A |
| p,p-DDD | 0.0026 | | 0.0020 | 2 | mg/kg | SW8081A |
| p,p-DDE | 0.11 | | 0.0020 | 2 | mg/kg | SW8081A |
| p,p-DDT | 0.032 | | 0.0020 | 2 | mg/kg | SW8081A |
| Dieldrin | 0.0035 | | 0.0020 | 2 | mg/kg | SW8081A |

Client ID: SB-005-(2) Lab ID: 1901429-019A

| Analyte | Result | Qual | RL | DF | Unit | ExtType/ Method CleanUp |
|---------|--------|------|--------|----|-------|----------------------------|
| Lead | 6.5 | В | 0.50 | 1 | mg/Kg | SW6020 |
| p,p-DDE | 0.0017 | | 0.0010 | 1 | mg/kg | SW8081A |

Client ID: SB-005-(3)

Analyte Result Qual RL DF Unit ExtType/ Method

Lead 6.2 B 0.50 1 mg/Kg SW6020

Detection Summary

Client: WSP USA Corp WorkOrder: 1901429

Project: 31401588.001; Vallco

| Client ID: SB-006-(0.5) | | | | | | Lab ID: | 1901429-021A |
|------------------------------|--------|------|--------|----|-------|---------------------|--------------|
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 6.7 | В | 0.50 | 1 | mg/Kg | | SW6020 |
| Client ID: SB-006-(1) | | | | | | Lab ID: | 1901429-022A |
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 6.6 | В | 0.50 | 1 | mg/Kg | | SW6020 |
| Client ID: SB-006-(2) | | | | | | Lab ID: | 1901429-023A |
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 5.5 | В | 0.50 | 1 | mg/Kg | | SW6020 |
| Client ID: SB-006-(3) | | | | | | Lab ID: | 1901429-024A |
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 6.5 | В | 0.50 | 1 | mg/Kg | | SW6020 |
| Client ID: SB-007-(0.5) | | | | | | Lab ID: | 1901429-025A |
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 5.2 | В | 0.50 | 1 | mg/Kg | | SW6020 |
| Client ID: SB-007-(1) | | | | | | Lab ID: | 1901429-026A |
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 7.7 | В | 0.50 | 1 | mg/Kg | | SW6020 |
| Client ID: SB-007-(2) | | | | | | Lab ID: | 1901429-027A |
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |
| Lead | 6.7 | В | 0.50 | 1 | mg/Kg | | SW6020 |
| p,p-DDE | 0.0017 | | 0.0010 | 1 | mg/kg | | SW8081A |
| p,p-DDT | 0.0013 | | 0.0010 | 1 | mg/kg | | SW8081A |
| (Hant ID: CD 007 (2) | | | | | | Lab ID: | 1901429-028A |
| Client ID: SB-007-(3) | | | | | | | |
| Analyte | Result | Qual | RL | DF | Unit | ExtType/ CleanUp | Method |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

| Organochlorine Pesticides | | | | | | | | | | |
|---------------------------|----------------|--------|---------------|-----------|-----------------|------------------|--|--|--|--|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID | | | | |
| SB-001-(0.5) | 1901429-001A | Soil | 01/10/2019 | 08:20 | GC20 01111927.D | 171267 | | | | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | | | | |
| Aldrin | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| a-BHC | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| b-BHC | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| d-BHC | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| g-BHC | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Chlordane (Technical) | ND | | 0.12 | 5 | | 01/11/2019 19:08 | | | | |
| a-Chlordane | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| g-Chlordane | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| p,p-DDD | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| p,p-DDE | 0.020 | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| p,p-DDT | 0.020 | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Dieldrin | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Endosulfan I | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Endosulfan II | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Endosulfan sulfate | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Endrin | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Endrin aldehyde | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Endrin ketone | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Heptachlor | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Heptachlor epoxide | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Hexachlorobenzene | ND | | 0.050 | 5 | | 01/11/2019 19:08 | | | | |
| Hexachlorocyclopentadiene | ND | | 0.10 | 5 | | 01/11/2019 19:08 | | | | |
| Methoxychlor | ND | | 0.0050 | 5 | | 01/11/2019 19:08 | | | | |
| Toxaphene | ND | | 0.25 | 5 | | 01/11/2019 19:08 | | | | |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | | | | | | |
| Decachlorobiphenyl | 126 | | 69-143 | | | 01/11/2019 19:08 | | | | |
| Analyst(s): CK | | | | | | | | | | |

Analytical Report

Client: WSP USA Corp Date Received: 1/10/19 16:00 Date Prepared: 1/10/19

Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| | | inocinorini | | | | |
|---------------------------|--------------|-------------|---------------|-----------|-----------------|------------------|
| Client ID | Lab ID | Matrix | Date Colle | cted | Instrument | Batch ID |
| SB-001-(1) | 1901429-002A | Soil | 01/10/2019 (| 08:25 | GC20 01111936.D | 171267 |
| Analytes | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| a-BHC | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| b-BHC | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| d-BHC | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| g-BHC | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Chlordane (Technical) | ND | | 0.050 | 2 | | 01/11/2019 21:30 |
| a-Chlordane | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| g-Chlordane | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| p,p-DDD | 0.0030 | | 0.0020 | 2 | | 01/11/2019 21:30 |
| p,p-DDE | 0.072 | | 0.0020 | 2 | | 01/11/2019 21:30 |
| p,p-DDT | 0.057 | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Dieldrin | 0.0029 | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Endosulfan I | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Endosulfan II | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Endosulfan sulfate | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Endrin | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Endrin aldehyde | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Endrin ketone | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Heptachlor | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Heptachlor epoxide | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Hexachlorobenzene | ND | | 0.020 | 2 | | 01/11/2019 21:30 |
| Hexachlorocyclopentadiene | ND | | 0.040 | 2 | | 01/11/2019 21:30 |
| Methoxychlor | ND | | 0.0020 | 2 | | 01/11/2019 21:30 |
| Toxaphene | ND | | 0.10 | 2 | | 01/11/2019 21:30 |
| Surrogates | REC (%) | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 127 | | 69-143 | | | 01/11/2019 21:30 |
| Analyst(s): CK | | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| Client ID | Lab ID | Matrix | Date Colle | cted | Instrument | Batch ID |
|---------------------------|----------------|--------|---------------|-----------|-----------------|------------------|
| SB-001-(2) | 1901429-003A | Soil | 01/10/2019 (| | GC20 01111929.D | 171267 |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| a-BHC | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| b-BHC | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| d-BHC | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| g-BHC | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Chlordane (Technical) | ND | | 0.025 | 1 | | 01/11/2019 19:40 |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| p,p-DDE | 0.0044 | | 0.0010 | 1 | | 01/11/2019 19:40 |
| p,p-DDT | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Dieldrin | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Endrin | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Heptachlor | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/11/2019 19:40 |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/11/2019 19:40 |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/11/2019 19:40 |
| Toxaphene | ND | | 0.050 | 1 | | 01/11/2019 19:40 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 116 | | 69-143 | | | 01/11/2019 19:40 |
| Analyst(s): CK | | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides Client ID Lab ID Matrix **Date Collected** Instrument **Batch ID** SB-001-(3) 1901429-004A 01/10/2019 08:35 GC20 01111930.D 171267 Soil <u>RL</u> <u>DF</u> **Analytes** Result **Date Analyzed** Aldrin ND 0.0010 1 01/11/2019 19:56 a-BHC ND 0.0010 1 01/11/2019 19:56 b-BHC ND 0.0010 1 01/11/2019 19:56 d-BHC ND 0.0010 1 01/11/2019 19:56 1 ND 0.0010 01/11/2019 19:56 g-BHC Chlordane (Technical) ND 0.025 1 01/11/2019 19:56 ND 0.0010 01/11/2019 19:56 a-Chlordane 1 g-Chlordane ND 0.0010 1 01/11/2019 19:56 p,p-DDD ND 0.0010 1 01/11/2019 19:56 ND 1 p,p-DDE 0.0010 01/11/2019 19:56 p,p-DDT ND 0.0010 1 01/11/2019 19:56 Dieldrin ND 0.0010 1 01/11/2019 19:56 Endosulfan I ND 0.0010 1 01/11/2019 19:56 Endosulfan II ND 0.0010 1 01/11/2019 19:56 Endosulfan sulfate ND 0.0010 1 01/11/2019 19:56 Endrin ND 0.0010 1 01/11/2019 19:56 ND 0.0010 1 01/11/2019 19:56 Endrin aldehyde Endrin ketone ND 0.0010 1 01/11/2019 19:56 ND Heptachlor 0.0010 1 01/11/2019 19:56 Heptachlor epoxide ND 0.0010 1 01/11/2019 19:56 Hexachlorobenzene ND 0.010 1 01/11/2019 19:56 0.020 ND 1 01/11/2019 19:56 Hexachlorocyclopentadiene ND 0.0010 1 01/11/2019 19:56 Methoxychlor Toxaphene ND 0.050 1 01/11/2019 19:56 **REC (%)** Surrogates **Limits** Decachlorobiphenyl 113 69-143 01/11/2019 19:56 Analyst(s):

Analytical Report

Client: WSP USA Corp

Date Received: 1/10/19 16:00

Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| | 9-8 | | e i esticiaes | | | |
|---------------------------|---------------|--------|-----------------|-----------|-----------------|------------------|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID |
| SB-002-(0.5) | 1901429-005A | Soil | 01/10/2019 (| 08:45 | GC20 01111942.D | 171267 |
| <u>Analytes</u> | <u>Result</u> | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| a-BHC | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| b-BHC | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| d-BHC | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| g-BHC | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Chlordane (Technical) | ND | | 0.050 | 2 | | 01/11/2019 23:05 |
| a-Chlordane | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| g-Chlordane | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| p,p-DDD | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| p,p-DDE | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| p,p-DDT | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Dieldrin | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Endosulfan I | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Endosulfan II | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Endosulfan sulfate | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Endrin | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Endrin aldehyde | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Endrin ketone | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Heptachlor | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Heptachlor epoxide | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Hexachlorobenzene | ND | | 0.020 | 2 | | 01/11/2019 23:05 |
| Hexachlorocyclopentadiene | ND | | 0.040 | 2 | | 01/11/2019 23:05 |
| Methoxychlor | ND | | 0.0020 | 2 | | 01/11/2019 23:05 |
| Toxaphene | ND | | 0.10 | 2 | | 01/11/2019 23:05 |
| Surrogates | REC (%) | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 121 | | 69-143 | | | 01/11/2019 23:05 |
| Analyst(s): CK | | | Analytical Comr | ments: a3 | 3 | |

Analytical Report

Client: WSP USA Corp

Date Received: 1/10/19 16:00

Date Received: 1/10/10

Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

| Organochlorine Pesticides | | | | | | | |
|---------------------------|----------------|--------|---------------|-----------|-----------------|------------------|--|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID | |
| SB-002-(1) | 1901429-006A | Soil | 01/10/2019 | 08:50 | GC20 01111931.D | 171267 | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | |
| Aldrin | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| a-BHC | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| b-BHC | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| d-BHC | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| g-BHC | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Chlordane (Technical) | ND | | 0.025 | 1 | | 01/11/2019 20:11 | |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| p,p-DDE | 0.0043 | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| p,p-DDT | 0.0018 | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Dieldrin | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Endrin | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Heptachlor | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/11/2019 20:11 | |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/11/2019 20:11 | |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/11/2019 20:11 | |
| Toxaphene | ND | | 0.050 | 1 | | 01/11/2019 20:11 | |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | | |
| Decachlorobiphenyl | 115 | | 69-143 | | | 01/11/2019 20:11 | |
| Analyst(s): CK | | | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

| Organochlorine Pesticides | | | | | | | |
|---------------------------|----------------|--------|---------------|-----------|-----------------|------------------|--|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID | |
| SB-002-(2) | 1901429-007A | Soil | 01/10/2019 | 08:55 | GC22 01111928.D | 171270 | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | |
| Aldrin | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| a-BHC | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| b-BHC | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| d-BHC | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| g-BHC | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Chlordane (Technical) | ND | | 0.025 | 1 | | 01/12/2019 01:51 | |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| p,p-DDE | 0.0091 | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| p,p-DDT | 0.0031 | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Dieldrin | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Endrin | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Heptachlor | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/12/2019 01:51 | |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/12/2019 01:51 | |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/12/2019 01:51 | |
| Toxaphene | ND | | 0.050 | 1 | | 01/12/2019 01:51 | |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | | |
| Decachlorobiphenyl | 113 | | 69-143 | | | 01/12/2019 01:51 | |
| Analyst(s): CK | | | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

| Client ID Lab ID Matrix SB-002-(3) 1901429-008A Soil Analytes Result | Date Collection 01/10/2019 0 RL 0.0010 0.0010 0.0010 0.0010 | | Instrument GC22 01111929.D | Batch ID 171270 Date Analyzed 01/12/2019 02:25 |
|--|--|----------------|-------------------------------|--|
| | RL 0.0010 0.0010 0.0010 | <u>DF</u> 1 | GC22 01111929.D | Date Analyzed |
| Analytes Result | 0.0010 0.0010 0.0010 | 1 | | |
| | 0.0010 0.0010 | 1 | | 01/12/2019 02:25 |
| Aldrin ND | 0.0010 | | | |
| a-BHC ND | | 4 | | 01/12/2019 02:25 |
| b-BHC ND | 0.0010 | | | 01/12/2019 02:25 |
| d-BHC ND | | 1 | | 01/12/2019 02:25 |
| g-BHC ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Chlordane (Technical) ND | 0.025 | 1 | | 01/12/2019 02:25 |
| a-Chlordane ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| g-Chlordane ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| p,p-DDD ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| p,p-DDE ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| p,p-DDT ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Dieldrin ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Endosulfan I ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Endosulfan II ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Endosulfan sulfate ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Endrin ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Endrin aldehyde ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Endrin ketone ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Heptachlor ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Heptachlor epoxide ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Hexachlorobenzene ND | 0.010 | 1 | | 01/12/2019 02:25 |
| Hexachlorocyclopentadiene ND | 0.020 | 1 | | 01/12/2019 02:25 |
| Methoxychlor ND | 0.0010 | 1 | | 01/12/2019 02:25 |
| Toxaphene ND | 0.050 | 1 | | 01/12/2019 02:25 |
| Surrogates REC (%) | <u>Limits</u> | | | |
| Decachlorobiphenyl 113 | 69-143 | | | 01/12/2019 02:25 |

Analyst(s):

CK

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| | | | c I esticides | | | |
|---------------------------|----------------|--------|---------------|-----------|-----------------|------------------|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID |
| SB-003-(0.5) | 1901429-009A | Soil | 01/10/2019 | 09:05 | GC20 01111944.D | 171270 |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| a-BHC | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| b-BHC | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| d-BHC | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| g-BHC | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Chlordane (Technical) | ND | | 0.12 | 5 | | 01/11/2019 23:36 |
| a-Chlordane | 0.012 | | 0.0050 | 5 | | 01/11/2019 23:36 |
| g-Chlordane | 0.011 | | 0.0050 | 5 | | 01/11/2019 23:36 |
| p,p-DDD | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| p,p-DDE | 0.018 | | 0.0050 | 5 | | 01/11/2019 23:36 |
| p,p-DDT | 0.014 | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Dieldrin | 0.0057 | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Endosulfan I | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Endosulfan II | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Endosulfan sulfate | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Endrin | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Endrin aldehyde | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Endrin ketone | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Heptachlor | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Heptachlor epoxide | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Hexachlorobenzene | ND | | 0.050 | 5 | | 01/11/2019 23:36 |
| Hexachlorocyclopentadiene | ND | | 0.10 | 5 | | 01/11/2019 23:36 |
| Methoxychlor | ND | | 0.0050 | 5 | | 01/11/2019 23:36 |
| Toxaphene | ND | | 0.25 | 5 | | 01/11/2019 23:36 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 121 | | 69-143 | | | 01/11/2019 23:36 |
| Analyst(s): CK | | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

| Organochlorine Pesticides | | | | | | | |
|---------------------------|----------------|--------|-----------------|-----------|-----------------|------------------|--|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID | |
| SB-003-(1) | 1901429-010A | Soil | 01/10/2019 | 09:10 | GC20 01111928.D | 171270 | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | |
| Aldrin | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| a-BHC | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| b-BHC | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| d-BHC | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| g-BHC | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Chlordane (Technical) | ND | | 0.12 | 5 | | 01/11/2019 19:24 | |
| a-Chlordane | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| g-Chlordane | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| p,p-DDD | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| p,p-DDE | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| p,p-DDT | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Dieldrin | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Endosulfan I | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Endosulfan II | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Endosulfan sulfate | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Endrin | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Endrin aldehyde | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Endrin ketone | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Heptachlor | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Heptachlor epoxide | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Hexachlorobenzene | ND | | 0.050 | 5 | | 01/11/2019 19:24 | |
| Hexachlorocyclopentadiene | ND | | 0.10 | 5 | | 01/11/2019 19:24 | |
| Methoxychlor | ND | | 0.0050 | 5 | | 01/11/2019 19:24 | |
| Toxaphene | ND | | 0.25 | 5 | | 01/11/2019 19:24 | |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | | |
| Decachlorobiphenyl | 116 | | 69-143 | | | 01/11/2019 19:24 | |
| Analyst(s): CK | | | Analytical Comr | ments: a3 | 3 | | |

Analytical Report

Client: WSP USA Corp Date Received: 1/10/19 16:00 Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| | - - 8 | | e i esticiaes | | | |
|---------------------------|------------------|--------|-----------------|-----------|-----------------|------------------|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID |
| SB-003-(2) | 1901429-011A | Soil | 01/10/2019 (| 09:15 | GC20 01111934.D | 171270 |
| Analytes | <u>Result</u> | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| a-BHC | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| b-BHC | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| d-BHC | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| g-BHC | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Chlordane (Technical) | ND | | 0.050 | 2 | | 01/11/2019 20:59 |
| a-Chlordane | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| g-Chlordane | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| p,p-DDD | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| p,p-DDE | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| p,p-DDT | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Dieldrin | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Endosulfan I | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Endosulfan II | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Endosulfan sulfate | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Endrin | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Endrin aldehyde | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Endrin ketone | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Heptachlor | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Heptachlor epoxide | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Hexachlorobenzene | ND | | 0.020 | 2 | | 01/11/2019 20:59 |
| Hexachlorocyclopentadiene | ND | | 0.040 | 2 | | 01/11/2019 20:59 |
| Methoxychlor | ND | | 0.0020 | 2 | | 01/11/2019 20:59 |
| Toxaphene | ND | | 0.10 | 2 | | 01/11/2019 20:59 |
| Surrogates | REC (%) | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 109 | | 69-143 | | | 01/11/2019 20:59 |
| Analyst(s): CK | | | Analytical Comr | ments: a3 | 3 | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

| Organochlorine Pesticides | | | | | | | |
|---------------------------|----------------|--------|----------------|-----------|-----------------|------------------|--|
| Client ID | Lab ID | Matrix | Date Collected | | Instrument | Batch ID | |
| SB-003-(3) | 1901429-012A | Soil | 01/10/2019 | 09:20 | GC20 01111946.D | 171270 | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | |
| Aldrin | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| a-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| b-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| d-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| g-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Chlordane (Technical) | ND | | 0.050 | 2 | | 01/12/2019 00:08 | |
| a-Chlordane | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| g-Chlordane | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| p,p-DDD | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| p,p-DDE | 0.0020 | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| p,p-DDT | 0.0029 | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Dieldrin | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Endosulfan I | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Endosulfan II | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Endosulfan sulfate | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Endrin | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Endrin aldehyde | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Endrin ketone | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Heptachlor | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Heptachlor epoxide | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Hexachlorobenzene | ND | | 0.020 | 2 | | 01/12/2019 00:08 | |
| Hexachlorocyclopentadiene | ND | | 0.040 | 2 | | 01/12/2019 00:08 | |
| Methoxychlor | ND | | 0.0020 | 2 | | 01/12/2019 00:08 | |
| Toxaphene | ND | | 0.10 | 2 | | 01/12/2019 00:08 | |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | | |
| Decachlorobiphenyl | 115 | | 69-143 | | | 01/12/2019 00:08 | |
| Analyst(s): CK | | | | | | | |

Analytical Report

Client: WSP USA Corp **Date Received:** 1/10/19 16:00 **Date Prepared:** 1/10/19

Project: 31401588.001; Vallco WorkOrder: 1901429 **Extraction Method:** SW3550B Analytical Method: SW8081A **Unit:** mg/kg

| Organochlorine Pesticides | | | | | | | |
|---------------------------|--------------|-------------------|----------------|-----------|-----------------|------------------|--|
| Client ID | Lab ID | Matrix | Date Collected | | Instrument | Batch ID | |
| SB-004-(0.5) | 1901429-013A | Soil | 01/10/2019 | 09:40 | GC20 01111947.D | 171270 | |
| <u>Analytes</u> | Result | <u>Qualifiers</u> | <u>RL</u> | <u>DF</u> | | Date Analyzed | |
| Aldrin | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| a-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| b-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| d-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| g-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Chlordane (Technical) | ND | | 0.050 | 2 | | 01/12/2019 00:23 | |
| a-Chlordane | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| g-Chlordane | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| p,p-DDD | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| p,p-DDE | 0.0075 | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| p,p-DDT | 0.0032 | Р | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Dieldrin | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Endosulfan I | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Endosulfan II | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Endosulfan sulfate | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Endrin | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Endrin aldehyde | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Endrin ketone | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Heptachlor | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Heptachlor epoxide | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Hexachlorobenzene | ND | | 0.020 | 2 | | 01/12/2019 00:23 | |
| Hexachlorocyclopentadiene | ND | | 0.040 | 2 | | 01/12/2019 00:23 | |
| Methoxychlor | ND | | 0.0020 | 2 | | 01/12/2019 00:23 | |
| Toxaphene | ND | | 0.10 | 2 | | 01/12/2019 00:23 | |
| Surrogates | REC (%) | | <u>Limits</u> | | | | |
| Decachlorobiphenyl | 118 | | 69-143 | | | 01/12/2019 00:23 | |
| Analyst(s): CK | | | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

| | Organochlorine Pesticides | | | | | | | |
|---------------------------|---------------------------|--------|----------------|-----------|-----------------|------------------|--|--|
| Client ID | Lab ID | Matrix | Date Collected | | Instrument | Batch ID | | |
| SB-004-(1) | 1901429-014A | Soil | 01/10/2019 | 09:45 | GC20 01111945.D | 171270 | | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | | |
| Aldrin | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| a-BHC | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| b-BHC | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| d-BHC | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| g-BHC | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Chlordane (Technical) | ND | | 0.12 | 5 | | 01/11/2019 23:52 | | |
| a-Chlordane | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| g-Chlordane | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| p,p-DDD | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| p,p-DDE | 0.0096 | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| p,p-DDT | 0.0095 | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Dieldrin | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Endosulfan I | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Endosulfan II | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Endosulfan sulfate | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Endrin | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Endrin aldehyde | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Endrin ketone | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Heptachlor | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Heptachlor epoxide | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Hexachlorobenzene | ND | | 0.050 | 5 | | 01/11/2019 23:52 | | |
| Hexachlorocyclopentadiene | ND | | 0.10 | 5 | | 01/11/2019 23:52 | | |
| Methoxychlor | ND | | 0.0050 | 5 | | 01/11/2019 23:52 | | |
| Toxaphene | ND | | 0.25 | 5 | | 01/11/2019 23:52 | | |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | | | |
| Decachlorobiphenyl | 120 | | 69-143 | | | 01/11/2019 23:52 | | |
| Analyst(s): CK | | | | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides Client ID Lab ID Matrix **Date Collected** Instrument **Batch ID** SB-004-(2) 1901429-015A 01/10/2019 09:50 GC22 01111930.D 171270 Soil Qualifiers <u>RL</u> <u>DF</u> **Analytes** Result **Date Analyzed** Aldrin ND 0.0010 1 01/12/2019 02:59 a-BHC ND 0.0010 1 01/12/2019 02:59 b-BHC ND 0.0010 1 01/12/2019 02:59 d-BHC ND 0.0010 1 01/12/2019 02:59 1 ND 0.0010 01/12/2019 02:59 g-BHC Chlordane (Technical) ND 0.025 1 01/12/2019 02:59 Ρ 0.0010 01/12/2019 02:59 a-Chlordane 0.0013 1 g-Chlordane ND 0.0010 1 01/12/2019 02:59 p,p-DDD 0.0013 0.0010 1 01/12/2019 02:59 1 p,p-DDE 0.20 0.0010 01/12/2019 02:59 p,p-DDT 0.0010 1 01/12/2019 02:59 0.085 Dieldrin 0.0047 0.0010 1 01/12/2019 02:59 Endosulfan I ND 0.0010 1 01/12/2019 02:59 Endosulfan II ND 0.0010 1 01/12/2019 02:59 Endosulfan sulfate ND 0.0010 1 01/12/2019 02:59 Endrin ND 0.0010 1 01/12/2019 02:59 ND 1 01/12/2019 02:59 Endrin aldehyde 0.0010 Endrin ketone ND 0.0010 1 01/12/2019 02:59 ND Heptachlor 0.0010 1 01/12/2019 02:59 Heptachlor epoxide ND 0.0010 1 01/12/2019 02:59 Hexachlorobenzene ND 0.010 1 01/12/2019 02:59 0.020 ND 1 01/12/2019 02:59 Hexachlorocyclopentadiene ND 0.0010 1 01/12/2019 02:59 Methoxychlor Toxaphene ND 0.050 1 01/12/2019 02:59 **REC (%)** Surrogates **Limits** Decachlorobiphenyl 105 69-143 01/12/2019 02:59 Analyst(s):

Analytical Report

Client: WSP USA Corp Date Received: 1/10/19 16:00 Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| Client ID | Lab ID | Matrix | Date Colle | cted | Instrument | Batch ID |
|---------------------------|----------------|--------|------------------|-----------|-----------------|------------------|
| SB-004-(3) | 1901429-016A | Soil | 01/10/2019 09:55 | | GC22 01111931.D | 171270 |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| a-BHC | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| b-BHC | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| d-BHC | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| g-BHC | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Chlordane (Technical) | ND | | 0.025 | 1 | | 01/12/2019 03:33 |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| p,p-DDE | 0.0078 | | 0.0010 | 1 | | 01/12/2019 03:33 |
| p,p-DDT | 0.0027 | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Dieldrin | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Endrin | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Heptachlor | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/12/2019 03:33 |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/12/2019 03:33 |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/12/2019 03:33 |
| Toxaphene | ND | | 0.050 | 1 | | 01/12/2019 03:33 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 114 | | 69-143 | | | 01/12/2019 03:33 |
| Analyst(s): CK | | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

| Organochlorine Pesticides | | | | | | | | |
|---------------------------|--------------|--------|------------------|-----------|-----------------|------------------|--|--|
| Client ID | Lab ID | Matrix | Date Collected | | Instrument | Batch ID | | |
| SB-005-(0.5) | 1901429-017A | Soil | 01/10/2019 10:05 | | GC20 01111943.D | 171270 | | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | | |
| Aldrin | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| a-BHC | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| b-BHC | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| d-BHC | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| g-BHC | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Chlordane (Technical) | ND | | 0.050 | 2 | | 01/11/2019 23:20 | | |
| a-Chlordane | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| g-Chlordane | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| p,p-DDD | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| p,p-DDE | 0.052 | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| p,p-DDT | 0.023 | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Dieldrin | 0.0026 | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Endosulfan I | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Endosulfan II | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Endosulfan sulfate | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Endrin | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Endrin aldehyde | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Endrin ketone | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Heptachlor | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Heptachlor epoxide | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Hexachlorobenzene | ND | | 0.020 | 2 | | 01/11/2019 23:20 | | |
| Hexachlorocyclopentadiene | ND | | 0.040 | 2 | | 01/11/2019 23:20 | | |
| Methoxychlor | ND | | 0.0020 | 2 | | 01/11/2019 23:20 | | |
| Toxaphene | ND | | 0.10 | 2 | | 01/11/2019 23:20 | | |
| Surrogates | REC (%) | | <u>Limits</u> | | | | | |
| Decachlorobiphenyl | 120 | | 69-143 | | | 01/11/2019 23:20 | | |
| Analyst(s): CK | | | | | | | | |

Analytical Report

Client: WSP USA Corp Date Received: 1/10/19 16:00 Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID |
|---------------------------|----------------|--------|------------------|-----------|-----------------|------------------|
| SB-005-(1) | 1901429-018A | Soil | 01/10/2019 10:10 | | GC20 01111948.D | 171270 |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| a-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| b-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| d-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| g-BHC | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Chlordane (Technical) | ND | | 0.050 | 2 | | 01/12/2019 00:39 |
| a-Chlordane | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| g-Chlordane | 0.0026 | | 0.0020 | 2 | | 01/12/2019 00:39 |
| p,p-DDD | 0.0026 | | 0.0020 | 2 | | 01/12/2019 00:39 |
| p,p-DDE | 0.11 | | 0.0020 | 2 | | 01/12/2019 00:39 |
| p,p-DDT | 0.032 | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Dieldrin | 0.0035 | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Endosulfan I | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Endosulfan II | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Endosulfan sulfate | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Endrin | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Endrin aldehyde | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Endrin ketone | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Heptachlor | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Heptachlor epoxide | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Hexachlorobenzene | ND | | 0.020 | 2 | | 01/12/2019 00:39 |
| Hexachlorocyclopentadiene | ND | | 0.040 | 2 | | 01/12/2019 00:39 |
| Methoxychlor | ND | | 0.0020 | 2 | | 01/12/2019 00:39 |
| Toxaphene | ND | | 0.10 | 2 | | 01/12/2019 00:39 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 122 | | 69-143 | | | 01/12/2019 00:39 |
| Analyst(s): CK | | | | | | |

Analytical Report

Client: WSP USA Corp

Date Received: 1/10/19 16:00

Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| Client ID | Lab ID | Matrix | Date Colle | cted | Instrument | Batch ID |
|---------------------------|----------------|--------|------------------|-----------|-----------------|------------------|
| SB-005-(2) | 1901429-019A | Soil | 01/10/2019 10:15 | | GC22 01111932.D | 171270 |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| a-BHC | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| b-BHC | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| d-BHC | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| g-BHC | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Chlordane (Technical) | ND | | 0.025 | 1 | | 01/12/2019 04:06 |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| p,p-DDE | 0.0017 | | 0.0010 | 1 | | 01/12/2019 04:06 |
| p,p-DDT | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Dieldrin | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Endrin | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Heptachlor | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/12/2019 04:06 |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/12/2019 04:06 |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/12/2019 04:06 |
| Toxaphene | ND | | 0.050 | 1 | | 01/12/2019 04:06 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 112 | | 69-143 | | | 01/12/2019 04:06 |
| Analyst(s): CK | | | | | | |

Analytical Report

Client: WSP USA Corp **Date Received:** 1/10/19 16:00 **Date Prepared:** 1/10/19

Project: 31401588.001; Vallco

| Organochlorine Pesticides | | | | | | | |
|---------------------------|----------------|--------|---------------|-----------|-----------------|------------------|--|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID | |
| SB-005-(3) | 1901429-020A | Soil | 01/10/2019 | 10:20 | GC22 01111933.D | 171270 | |
| <u>Analytes</u> | <u>Result</u> | | <u>RL</u> | <u>DF</u> | | Date Analyzed | |
| Aldrin | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| a-BHC | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| b-BHC | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| d-BHC | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| g-BHC | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Chlordane (Technical) | ND | | 0.025 | 1 | | 01/12/2019 04:40 | |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| p,p-DDE | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| p,p-DDT | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Dieldrin | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Endrin | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Heptachlor | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/12/2019 04:40 | |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/12/2019 04:40 | |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/12/2019 04:40 | |
| Toxaphene | ND | | 0.050 | 1 | | 01/12/2019 04:40 | |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | | | |
| Decachlorobiphenyl | 109 | | 69-143 | | | 01/12/2019 04:40 | |
| Analyst(s): CK | | | | | | | |

Analytical Report

Client: WSP USA Corp **Date Received:** 1/10/19 16:00 **Date Prepared:** 1/10/19

Project: 31401588.001; Vallco WorkOrder: 1901429 **Extraction Method: SW3550B** Analytical Method: SW8081A **Unit:** mg/kg

Organochlorine Pesticides Client ID Lab ID Matrix Data Callacted

| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID |
|---------------------------|----------------|--------|---------------|-----------|-----------------|------------------|
| SB-006-(0.5) | 1901429-021A | Soil | 01/10/2019 | 10:25 | GC22 01111934.D | 171270 |
| Analytes | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| a-BHC | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| b-BHC | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| d-BHC | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| g-BHC | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Chlordane (Technical) | ND | | 0.025 | 1 | | 01/12/2019 05:14 |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| p,p-DDE | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| p,p-DDT | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Dieldrin | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Endrin | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Heptachlor | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/12/2019 05:14 |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/12/2019 05:14 |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/12/2019 05:14 |
| Toxaphene | ND | | 0.050 | 1 | | 01/12/2019 05:14 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 111 | | 69-143 | | | 01/12/2019 05:14 |
| Analyst(s): CK | | | | | | |

Analytical Report

Client: WSP USA Corp **Date Received:** 1/10/19 16:00 **Date Prepared:** 1/10/19

Project: 31401588.001; Vallco

| Organochlorine Pesticides | | | | | | | | |
|---------------------------|----------------|--------|---------------|-----------|-----------------|------------------|--|--|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID | | |
| SB-006-(1) | 1901429-022A | Soil | 01/10/2019 | 10:30 | GC22 01111935.D | 171270 | | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | | |
| Aldrin | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| a-BHC | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| b-BHC | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| d-BHC | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| g-BHC | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Chlordane (Technical) | ND | | 0.025 | 1 | | 01/12/2019 05:48 | | |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| p,p-DDE | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| p,p-DDT | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Dieldrin | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Endrin | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Heptachlor | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/12/2019 05:48 | | |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/12/2019 05:48 | | |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/12/2019 05:48 | | |
| Toxaphene | ND | | 0.050 | 1 | | 01/12/2019 05:48 | | |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | | | |
| Decachlorobiphenyl | 115 | | 69-143 | | | 01/12/2019 05:48 | | |
| Analyst(s): CK | | | | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

| Organochlorine Pesticides | | | | | | | |
|---------------------------|----------------|--------|---------------|-----------|-----------------|------------------|--|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID | |
| SB-006-(2) | 1901429-023A | Soil | 01/10/2019 | 10:35 | GC22 01111936.D | 171270 | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | |
| Aldrin | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| a-BHC | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| b-BHC | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| d-BHC | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| g-BHC | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Chlordane (Technical) | ND | | 0.025 | 1 | | 01/12/2019 06:22 | |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| p,p-DDE | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| p,p-DDT | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Dieldrin | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Endrin | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Heptachlor | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/12/2019 06:22 | |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/12/2019 06:22 | |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/12/2019 06:22 | |
| Toxaphene | ND | | 0.050 | 1 | | 01/12/2019 06:22 | |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | | | |
| Decachlorobiphenyl | 113 | | 69-143 | | | 01/12/2019 06:22 | |
| Analyst(s): CK | | | | | | | |

Analytical Report

Client: WSP USA Corp Date Received: 1/10/19 16:00 Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| | 2-8 | | | | | |
|---------------------------|----------------|--------|-----------------------|-----------|-----------------|------------------|
| Client ID | Lab ID | Matrix | Matrix Date Collected | | Instrument | Batch ID |
| SB-006-(3) | 1901429-024A | Soil | 01/10/2019 | 10:40 | GC20 01111935.D | 171270 |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| a-BHC | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| b-BHC | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| d-BHC | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| g-BHC | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Chlordane (Technical) | ND | | 0.25 | 10 | | 01/11/2019 21:14 |
| a-Chlordane | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| g-Chlordane | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| p,p-DDD | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| p,p-DDE | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| p,p-DDT | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Dieldrin | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Endosulfan I | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Endosulfan II | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Endosulfan sulfate | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Endrin | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Endrin aldehyde | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Endrin ketone | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Heptachlor | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Heptachlor epoxide | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Hexachlorobenzene | ND | | 0.10 | 10 | | 01/11/2019 21:14 |
| Hexachlorocyclopentadiene | ND | | 0.20 | 10 | | 01/11/2019 21:14 |
| Methoxychlor | ND | | 0.010 | 10 | | 01/11/2019 21:14 |
| Toxaphene | ND | | 0.50 | 10 | | 01/11/2019 21:14 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 122 | | 69-143 | | | 01/11/2019 21:14 |
| Analyst(s): CK | | | Analytical Com | ments: a3 | 3 | |

Analytical Report

Client: WSP USA Corp

Date Received: 1/10/19 16:00

Date Prepared: 1/10/19

Project: 31401588.001; Vallco

| Organochlorine Pesticides | | | | | | | | |
|---------------------------|----------------|--------|----------------|-----------|-----------------|------------------|--|--|
| Client ID | Lab ID | Matrix | Date Coll | ected | Instrument | Batch ID | | |
| SB-007-(0.5) | 1901429-025A | Soil | 01/10/2019 | 10:45 | GC20 01111932.D | 171270 | | |
| <u>Analytes</u> | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | | |
| Aldrin | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| a-BHC | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| b-BHC | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| d-BHC | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| g-BHC | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Chlordane (Technical) | ND | | 0.50 | 20 | | 01/11/2019 20:27 | | |
| a-Chlordane | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| g-Chlordane | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| p,p-DDD | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| p,p-DDE | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| p,p-DDT | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Dieldrin | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Endosulfan I | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Endosulfan II | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Endosulfan sulfate | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Endrin | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Endrin aldehyde | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Endrin ketone | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Heptachlor | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Heptachlor epoxide | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Hexachlorobenzene | ND | | 0.20 | 20 | | 01/11/2019 20:27 | | |
| Hexachlorocyclopentadiene | ND | | 0.40 | 20 | | 01/11/2019 20:27 | | |
| Methoxychlor | ND | | 0.020 | 20 | | 01/11/2019 20:27 | | |
| Toxaphene | ND | | 1.0 | 20 | | 01/11/2019 20:27 | | |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | | | | |
| Decachlorobiphenyl | 122 | | 69-143 | | | 01/11/2019 20:27 | | |
| Analyst(s): CK | | | Analytical Com | ments: a3 | 3 | | | |

Analytical Report

Client: WSP USA Corp Date Received: 1/10/19 16:00 Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3550B
Analytical Method: SW8081A
Unit: mg/kg

Organochlorine Pesticides

| | Organization in a restricted | | | | | |
|---------------------------|------------------------------|--------|----------------|-----------|-----------------|------------------|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch ID |
| SB-007-(1) | 1901429-026A | Soil | 01/10/2019 | 10:50 | GC20 01111933.D | 171270 |
| <u>Analytes</u> | <u>Result</u> | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| a-BHC | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| b-BHC | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| d-BHC | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| g-BHC | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Chlordane (Technical) | ND | | 0.50 | 20 | | 01/11/2019 20:43 |
| a-Chlordane | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| g-Chlordane | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| p,p-DDD | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| p,p-DDE | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| p,p-DDT | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Dieldrin | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Endosulfan I | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Endosulfan II | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Endosulfan sulfate | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Endrin | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Endrin aldehyde | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Endrin ketone | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Heptachlor | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Heptachlor epoxide | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Hexachlorobenzene | ND | | 0.20 | 20 | | 01/11/2019 20:43 |
| Hexachlorocyclopentadiene | ND | | 0.40 | 20 | | 01/11/2019 20:43 |
| Methoxychlor | ND | | 0.020 | 20 | | 01/11/2019 20:43 |
| Toxaphene | ND | | 1.0 | 20 | | 01/11/2019 20:43 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Decachlorobiphenyl | 111 | | 69-143 | | | 01/11/2019 20:43 |
| Analyst(s): CK | | | Analytical Com | ments: a3 | 3 | |

Analytical Report

Client: WSP USA Corp **Date Received:** 1/10/19 16:00 **Date Prepared:** 1/10/19

Project:

31401588.001; Vallco

| Client ID SB-007-(2) Analytes Aldrin a-BHC b-BHC d-BHC g-BHC Chlordane (Technical) a-Chlordane g-Chlordane | Lab ID | 3.5 | | | | | | |
|--|---|------|---------------|-----------|-----------------|------------------|--|--|
| Analytes Aldrin a-BHC b-BHC d-BHC g-BHC Chlordane (Technical) a-Chlordane | Client ID Lab ID Matrix Date Collected Instrument Bat | | | | | | | |
| Aldrin a-BHC b-BHC d-BHC g-BHC Chlordane (Technical) a-Chlordane | 1901429-027A | Soil | 01/10/2019 1 | 10:55 | GC23 01111942.d | 171271 | | |
| a-BHC b-BHC d-BHC g-BHC Chlordane (Technical) a-Chlordane | Result | | <u>RL</u> | <u>DF</u> | | Date Analyzed | | |
| b-BHC d-BHC g-BHC Chlordane (Technical) a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| d-BHC g-BHC Chlordane (Technical) a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| g-BHC Chlordane (Technical) a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Chlordane (Technical) a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| a-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| | ND | | 0.025 | 1 | | 01/12/2019 01:01 | | |
| g-Chlordane | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| p,p-DDD | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| p,p-DDE | 0.0017 | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| p,p-DDT | 0.0013 | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Dieldrin | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Endosulfan I | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Endosulfan II | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Endosulfan sulfate | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Endrin | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Endrin aldehyde | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Endrin ketone | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Heptachlor | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Heptachlor epoxide | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Hexachlorobenzene | ND | | 0.010 | 1 | | 01/12/2019 01:01 | | |
| Hexachlorocyclopentadiene | ND | | 0.020 | 1 | | 01/12/2019 01:01 | | |
| Methoxychlor | ND | | 0.0010 | 1 | | 01/12/2019 01:01 | | |
| Toxaphene | ND | | 0.050 | 1 | | 01/12/2019 01:01 | | |
| <u>Surrogates</u> | REC (%) | | <u>Limits</u> | | | | | |
| Decachlorobiphenyl | 107 | | 69-143 | | | 01/12/2019 01:01 | | |
| Analyst(s): LT | | | | | | | | |

Analytical Report

Client: WSP USA Corp **Date Received:** 1/10/19 16:00 **Date Prepared:** 1/10/19

Project: 31401588.001; Vallco WorkOrder: 1901429 **Extraction Method: SW3550B** Analytical Method: SW8081A **Unit:** mg/kg

| | Orga | anochlorin | e Pesticides | | | |
|------------|---------------|------------|--------------|-----------|-----------------|---------------|
| Client ID | Lab ID | Matrix | Date Colle | ected | Instrument | Batch |
| SB-007-(3) | 1901429-028A | Soil | 01/10/2019 | 11:00 | GC23 01111979.d | 17127 |
| Analytes | <u>Result</u> | | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Aldrin | ND | | 0.0010 | 1 | | 01/12/2019 10 |
| a-BHC | ND | | 0.0010 | 1 | | 01/12/2019 10 |
| | | | | | | |

| SB-007-(3) | 1901429-028A Soil | 01/10/2019 11:00 | GC23 01111979.d | 171271 |
|---------------------------|-------------------|---------------------|-----------------|------------------|
| <u>Analytes</u> | Result | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Aldrin | ND | 0.0010 1 | | 01/12/2019 10:45 |
| a-BHC | ND | 0.0010 1 | | 01/12/2019 10:45 |
| b-BHC | ND | 0.0010 1 | | 01/12/2019 10:45 |
| d-BHC | ND | 0.0010 1 | | 01/12/2019 10:45 |
| g-BHC | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Chlordane (Technical) | ND | 0.025 1 | | 01/12/2019 10:45 |
| a-Chlordane | ND | 0.0010 1 | | 01/12/2019 10:45 |
| g-Chlordane | ND | 0.0010 1 | | 01/12/2019 10:45 |
| p,p-DDD | ND | 0.0010 1 | | 01/12/2019 10:45 |
| p,p-DDE | ND | 0.0010 1 | | 01/12/2019 10:45 |
| p,p-DDT | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Dieldrin | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Endosulfan I | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Endosulfan II | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Endosulfan sulfate | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Endrin | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Endrin aldehyde | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Endrin ketone | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Heptachlor | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Heptachlor epoxide | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Hexachlorobenzene | ND | 0.010 1 | | 01/12/2019 10:45 |
| Hexachlorocyclopentadiene | ND | 0.020 1 | | 01/12/2019 10:45 |
| Methoxychlor | ND | 0.0010 1 | | 01/12/2019 10:45 |
| Toxaphene | ND | 0.050 1 | | 01/12/2019 10:45 |
| Surrogates | <u>REC (%)</u> | <u>Limits</u> | | |
| Decachlorobiphenyl | 105 | 69-143 | | 01/12/2019 10:45 |

Analyst(s): LT

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

| | | Lead | I | | |
|-----------------|----------------|--------|-----------------------|-------------------|------------------|
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-001-(0.5) | 1901429-001A | Soil | 01/10/2019 08:20 | ICP-MS1 126SMPL.D | 171266 |
| <u>Analytes</u> | Result | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 38 | | 0.50 1 | | 01/15/2019 02:21 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 98 | | 70-130 | | 01/15/2019 02:21 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-001-(1) | 1901429-002A | Soil | 01/10/2019 08:25 | ICP-MS1 127SMPL.D | 171266 |
| <u>Analytes</u> | Result | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 56 | | 0.50 1 | | 01/15/2019 02:27 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 105 | | 70-130 | | 01/15/2019 02:27 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-001-(2) | 1901429-003A | Soil | 01/10/2019 08:30 | ICP-MS1 128SMPL.D | 171266 |
| <u>Analytes</u> | Result | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 6.2 | | 0.50 1 | | 01/15/2019 02:34 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 101 | | 70-130 | | 01/15/2019 02:34 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-001-(3) | 1901429-004A | Soil | 01/10/2019 08:35 | ICP-MS1 129SMPL.D | 171266 |
| Analytes | <u>Result</u> | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 4.7 | | 0.50 1 | | 01/15/2019 02:40 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 103 | | 70-130 | | 01/15/2019 02:40 |
| Analyst(s): DB | | | | | |

Analytical Report

Client: WSP USA Corp Date Received: 1/10/19 16:00 Date Prepared: 1/10/19

Project: 31401588.001; Vallco

| | | Lead | d | | |
|-------------------|----------------|--------|-----------------------|-------------------|------------------|
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-002-(0.5) | 1901429-005A | Soil | 01/10/2019 08:45 | ICP-MS1 130SMPL.D | 171266 |
| <u>Analytes</u> | <u>Result</u> | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 16 | | 0.50 1 | | 01/15/2019 02:46 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 100 | | 70-130 | | 01/15/2019 02:46 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-002-(1) | 1901429-006A | Soil | 01/10/2019 08:50 | ICP-MS1 131SMPL.D | 171266 |
| <u>Analytes</u> | <u>Result</u> | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 8.5 | | 0.50 1 | | 01/15/2019 02:52 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 103 | | 70-130 | | 01/15/2019 02:52 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-002-(2) | 1901429-007A | Soil | 01/10/2019 08:55 | ICP-MS1 132SMPL.D | 171266 |
| <u>Analytes</u> | <u>Result</u> | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 9.6 | | 0.50 1 | | 01/15/2019 02:58 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 108 | | 70-130 | | 01/15/2019 02:58 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-002-(3) | 1901429-008A | Soil | 01/10/2019 09:00 | ICP-MS1 133SMPL.D | 171266 |
| <u>Analytes</u> | Result | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 5.9 | | 0.50 1 | | 01/15/2019 03:04 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 106 | | 70-130 | | 01/15/2019 03:04 |
| Analyst(s): DB | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

| | | Lead | l | | |
|-----------------|----------------|--------|-----------------------|-------------------|------------------|
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-003-(0.5) | 1901429-009A | Soil | 01/10/2019 09:05 | ICP-MS1 137SMPL.D | 171266 |
| <u>Analytes</u> | Result | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 11 | | 0.50 1 | | 01/15/2019 03:28 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 106 | | 70-130 | | 01/15/2019 03:28 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-003-(1) | 1901429-010A | Soil | 01/10/2019 09:10 | ICP-MS1 138SMPL.D | 171266 |
| <u>Analytes</u> | Result | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 4.5 | | 0.50 1 | | 01/15/2019 03:35 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 102 | | 70-130 | | 01/15/2019 03:35 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-003-(2) | 1901429-011A | Soil | 01/10/2019 09:15 | ICP-MS1 139SMPL.D | 171266 |
| <u>Analytes</u> | Result | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 3.3 | | 0.50 1 | | 01/15/2019 03:41 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 107 | | 70-130 | | 01/15/2019 03:41 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-003-(3) | 1901429-012A | Soil | 01/10/2019 09:20 | ICP-MS1 140SMPL.D | 171266 |
| Analytes | <u>Result</u> | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 5.8 | | 0.50 1 | | 01/15/2019 03:47 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 105 | | 70-130 | | 01/15/2019 03:47 |
| Analyst(s): DB | | | | | |

Analytical Report

Client: WSP USA Corp

Date Received: 1/10/19 16:00

Date Prepared: 1/10/19

Project: 31401588.001; Vallco

| | | Lead | l | | |
|-------------------|----------------|-------------------|---------------------|-------------------|------------------|
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-004-(0.5) | 1901429-013A | Soil | 01/10/2019 09:40 | ICP-MS1 141SMPL.D | 171266 |
| <u>Analytes</u> | Result | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 30 | | 0.50 1 | | 01/15/2019 03:53 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 96 | | 70-130 | | 01/15/2019 03:53 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-004-(1) | 1901429-014A | Soil | 01/10/2019 09:45 | ICP-MS1 142SMPL.D | 171266 |
| <u>Analytes</u> | Result | | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 14 | | 0.50 1 | | 01/15/2019 03:59 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 106 | | 70-130 | | 01/15/2019 03:59 |
| Analyst(s): DB | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-004-(2) | 1901429-015A | Soil | 01/10/2019 09:50 | ICP-MS3 039SMPL.D | 171272 |
| <u>Analytes</u> | Result | <u>Qualifiers</u> | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 30 | В | 0.50 1 | | 01/14/2019 13:51 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 102 | | 70-130 | | 01/14/2019 13:51 |
| Analyst(s): MIG | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-004-(3) | 1901429-016A | Soil | 01/10/2019 09:55 | ICP-MS1 143SMPL.D | 171272 |
| <u>Analytes</u> | Result | <u>Qualifiers</u> | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 17 | В | 0.50 1 | | 01/15/2019 04:05 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 102 | | 70-130 | | 01/15/2019 04:05 |
| Analyst(s): DB | | | | | |

Analytical Report

Client: WSP USA Corp
Date Received: 1/10/19 16:00
Date Prepared: 1/10/19

Project: 31401588.001; Vallco

| | | Lead | l | | | |
|-------------------|----------------|-------------------|---------------|-----------|-------------------|------------------|
| Client ID | Lab ID | Matrix | Date Coll | ected | Instrument | Batch ID |
| SB-005-(0.5) | 1901429-017A | Soil | 01/10/2019 | 10:05 | ICP-MS1 144SMPL.D | 171272 |
| <u>Analytes</u> | Result | <u>Qualifiers</u> | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Lead | 21 | В | 0.50 | 1 | | 01/15/2019 04:11 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Terbium | 103 | | 70-130 | | | 01/15/2019 04:11 |
| Analyst(s): DB | | | | | | |
| Client ID | Lab ID | Matrix | Date Coll | ected | Instrument | Batch ID |
| SB-005-(1) | 1901429-018A | Soil | 01/10/2019 | 10:10 | ICP-MS3 175SMPL.D | 171272 |
| Analytes | Result | <u>Qualifiers</u> | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Lead | 21 | В | 0.50 | 1 | | 01/15/2019 04:00 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Terbium | 102 | | 70-130 | | | 01/15/2019 04:00 |
| Analyst(s): JC | | | | | | |
| Client ID | Lab ID | Matrix | Date Coll | ected | Instrument | Batch ID |
| SB-005-(2) | 1901429-019A | Soil | 01/10/2019 | 10:15 | ICP-MS1 145SMPL.D | 171272 |
| Analytes | Result | <u>Qualifiers</u> | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Lead | 6.5 | В | 0.50 | 1 | | 01/15/2019 04:17 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Terbium | 108 | | 70-130 | | | 01/15/2019 04:17 |
| Analyst(s): DB | | | | | | |
| Client ID | Lab ID | Matrix | Date Coll | ected | Instrument | Batch ID |
| SB-005-(3) | 1901429-020A | Soil | 01/10/2019 | 10:20 | ICP-MS3 176SMPL.D | 171272 |
| <u>Analytes</u> | Result | <u>Qualifiers</u> | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Lead | 6.2 | В | 0.50 | 1 | | 01/15/2019 04:06 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Terbium | 96 | | 70-130 | | | 01/15/2019 04:06 |
| Analyst(s): JC | | | | | | |

Analytical Report

Client: WSP USA Corp

Date Received: 1/10/19 16:00

Date Prepared: 1/10/19

Project: 31401588.001; Vallco

WorkOrder: 1901429
Extraction Method: SW3050B
Analytical Method: SW6020
Unit: mg/Kg

| | | Lead | l | | | |
|-------------------|----------------|-------------------|---------------|-----------|-------------------|------------------|
| Client ID | Lab ID | Matrix | Date Coll | ected | Instrument | Batch ID |
| SB-006-(0.5) | 1901429-021A | Soil | 01/10/2019 | 10:25 | ICP-MS1 146SMPL.D | 171272 |
| <u>Analytes</u> | Result | <u>Qualifiers</u> | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Lead | 6.7 | В | 0.50 | 1 | | 01/15/2019 04:23 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Terbium | 101 | | 70-130 | | | 01/15/2019 04:23 |
| Analyst(s): DB | | | | | | |
| Client ID | Lab ID | Matrix | Date Coll | ected | Instrument | Batch ID |
| SB-006-(1) | 1901429-022A | Soil | 01/10/2019 | 10:30 | ICP-MS1 150SMPL.D | 171272 |
| Analytes | Result | <u>Qualifiers</u> | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Lead | 6.6 | В | 0.50 | 1 | | 01/15/2019 04:48 |
| Surrogates | REC (%) | | <u>Limits</u> | | | |
| Terbium | 107 | | 70-130 | | | 01/15/2019 04:48 |
| Analyst(s): DB | | | | | | |
| Client ID | Lab ID | Matrix | Date Coll | ected | Instrument | Batch ID |
| SB-006-(2) | 1901429-023A | Soil | 01/10/2019 | 10:35 | ICP-MS3 177SMPL.D | 171272 |
| Analytes | Result | <u>Qualifiers</u> | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Lead | 5.5 | В | 0.50 | 1 | | 01/15/2019 04:12 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Terbium | 97 | | 70-130 | | | 01/15/2019 04:12 |
| Analyst(s): JC | | | | | | |
| Client ID | Lab ID | Matrix | Date Coll | ected | Instrument | Batch ID |
| SB-006-(3) | 1901429-024A | Soil | 01/10/2019 | 10:40 | ICP-MS1 120SMPL.D | 171272 |
| Analytes | Result | <u>Qualifiers</u> | <u>RL</u> | <u>DF</u> | | Date Analyzed |
| Lead | 6.5 | В | 0.50 | 1 | | 01/15/2019 01:45 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | | |
| Terbium | 101 | | 70-130 | | | 01/15/2019 01:45 |
| | | | | | | |

Analyst(s): DB

Analytical Report

Client: WSP USA Corp

Date Received: 1/10/19 16:00

Date Prepared: 1/10/19

Project: 31401588.001; Vallco

| | | Lead | I | | |
|-------------------|----------------|-------------------|-----------------------|-------------------|------------------|
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-007-(0.5) | 1901429-025A | Soil | 01/10/2019 10:45 | ICP-MS3 178SMPL.D | 171272 |
| <u>Analytes</u> | <u>Result</u> | <u>Qualifiers</u> | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 5.2 | В | 0.50 1 | | 01/15/2019 04:18 |
| Surrogates | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 93 | | 70-130 | | 01/15/2019 04:18 |
| Analyst(s): JC | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-007-(1) | 1901429-026A | Soil | 01/10/2019 10:50 | ICP-MS3 179SMPL.D | 171272 |
| <u>Analytes</u> | Result | <u>Qualifiers</u> | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 7.7 | В | 0.50 1 | | 01/15/2019 04:24 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 107 | | 70-130 | | 01/15/2019 04:24 |
| Analyst(s): JC | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-007-(2) | 1901429-027A | Soil | 01/10/2019 10:55 | ICP-MS3 180SMPL.D | 171272 |
| <u>Analytes</u> | Result | <u>Qualifiers</u> | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 6.7 | В | 0.50 1 | | 01/15/2019 04:31 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 98 | | 70-130 | | 01/15/2019 04:31 |
| Analyst(s): JC | | | | | |
| Client ID | Lab ID | Matrix | Date Collected | Instrument | Batch ID |
| SB-007-(3) | 1901429-028A | Soil | 01/10/2019 11:00 | ICP-MS3 184SMPL.D | 171272 |
| <u>Analytes</u> | Result | <u>Qualifiers</u> | <u>RL</u> <u>DF</u> | | Date Analyzed |
| Lead | 5.9 | В | 0.50 1 | | 01/15/2019 04:55 |
| <u>Surrogates</u> | <u>REC (%)</u> | | <u>Limits</u> | | |
| Terbium | 99 | | 70-130 | | 01/15/2019 04:55 |
| Analyst(s): JC | | | | | |

Quality Control Report

Client: WSP USA Corp

Date Prepared: 1/10/19
Date Analyzed: 1/11/19
Instrument: GC23
Matrix: Soil

Project: 31401588.001; Vallco

WorkOrder: 1901429
BatchID: 171267
Extraction Method: SW3550B

Analytical Method: SW8081A **Unit:** mg/kg

Sample ID: MB/LCS/LCSD-171267

| Result | | | | | | |
|---|---------------------------|--------------|--------|------------|---------------|-----------------|
| a-BHC ND 0.0010 | Analyte | MB Result | RL | SPK Val | MB SS %REC | MB SS Limits |
| b-BHC ND 0.0010 - <th< td=""><td>Aldrin</td><td>ND</td><td>0.0010</td><td>-</td><td>-</td><td>-</td></th<> | Aldrin | ND | 0.0010 | - | - | - |
| d-BHC | a-BHC | ND | 0.0010 | - | - | - |
| g-BHC ND 0.0010 - - - Chlordane (Technical) ND 0.025 - - - a-Chlordane ND 0.0010 - - - g-Chlordane ND 0.0010 - - - p-Chlordane ND 0.0010 - - - - p-Chlordane ND 0.0010 - <td>b-BHC</td> <td>ND</td> <td>0.0010</td> <td>-</td> <td>-</td> <td>-</td> | b-BHC | ND | 0.0010 | - | - | - |
| Chlordane (Technical) | d-BHC | ND | 0.0010 | - | - | - |
| a-Chlordane ND 0.0010 | g-BHC | ND | 0.0010 | - | - | - |
| Surrogate ND | Chlordane (Technical) | ND | 0.025 | - | - | - |
| ND | a-Chlordane | ND | 0.0010 | - | - | - |
| p.p-DDE ND 0.0010 - < | g-Chlordane | ND | 0.0010 | - | - | - |
| ND | p,p-DDD | ND | 0.0010 | - | - | - |
| Dieldrin ND 0.0010 - | p,p-DDE | ND | 0.0010 | - | - | - |
| Endosulfan I | p,p-DDT | ND | 0.0010 | - | - | - |
| ND 0.0010 - - - - - - - - - | Dieldrin | ND | 0.0010 | - | - | - |
| ND 0.0010 - - - - - - - - - | Endosulfan I | ND | 0.0010 | - | - | - |
| ND 0.0010 - - - - | Endosulfan II | ND | 0.0010 | - | - | - |
| Endrin aldehyde | Endosulfan sulfate | ND | 0.0010 | - | - | - |
| ND 0.0010 - - - - - - - - - | Endrin | ND | 0.0010 | - | - | - |
| Heptachlor | Endrin aldehyde | ND | 0.0010 | - | - | - |
| Heptachlor epoxide | Endrin ketone | ND | 0.0010 | - | - | - |
| Hexachlorobenzene ND 0.010 - | Heptachlor | ND | 0.0010 | - | - | - |
| Hexachlorocyclopentadiene ND 0.020 - <th< td=""><td>Heptachlor epoxide</td><td>ND</td><td>0.0010</td><td>-</td><td>-</td><td>-</td></th<> | Heptachlor epoxide | ND | 0.0010 | - | - | - |
| Methoxychlor ND 0.0010 - | Hexachlorobenzene | ND | 0.010 | - | - | - |
| Toxaphene ND 0.050 Surrogate Recovery | Hexachlorocyclopentadiene | ND | 0.020 | - | - | - |
| Toxaphene ND 0.050 Surrogate Recovery | Methoxychlor | ND | 0.0010 | - | - | - |
| | | ND | 0.050 | - | - | - |
| 2 continue to the continue to | Surrogate Recovery | | | | | |
| Decacnioropipnenyi 0.053 0.050 106 7 | Decachlorobiphenyl | 0.053 | | 0.050 | 106 | 75-136 |

Quality Control Report

Client: WSP USA Corp

WorkOrder: 1901429 **Date Prepared:** 1/10/19 **BatchID:** 171267 **Date Analyzed:** 1/11/19 **Extraction Method: SW3550B Instrument:** GC23 **Analytical Method:** SW8081A **Matrix:** Soil **Unit:** mg/kg

Project: 31401588.001; Vallco **Sample ID:** MB/LCS/LCSD-171267

| QC Summary Report for SW8081A | | | | | | | | |
|-------------------------------|---------------|----------------|------------|-------------|--------------|--------------------|-------|--------------|
| Analyte | LCS Result | LCSD Result | SPK Val | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Limit |
| Aldrin | 0.059 | 0.058 | 0.050 | 119 | 117 | 92-133 | 1.72 | 20 |
| a-BHC | 0.054 | 0.054 | 0.050 | 108 | 107 | 96-140 | 0.904 | 20 |
| b-BHC | 0.058 | 0.058 | 0.050 | 117 | 116 | 77-137 | 0.885 | 20 |
| d-BHC | 0.061 | 0.061 | 0.050 | 122 | 121 | 89-145 | 0.972 | 20 |
| g-BHC | 0.059 | 0.058 | 0.050 | 118 | 116 | 92-134 | 1.66 | 20 |
| a-Chlordane | 0.057 | 0.056 | 0.050 | 113 | 112 | 72-134 | 1.38 | 20 |
| g-Chlordane | 0.058 | 0.058 | 0.050 | 116 | 115 | 86-132 | 1.20 | 20 |
| p,p-DDD | 0.049 | 0.048 | 0.050 | 98 | 97 | 35-140 | 1.38 | 20 |
| p,p-DDE | 0.060 | 0.057 | 0.050 | 119 | 114 | 83-138 | 4.40 | 20 |
| p,p-DDT | 0.054 | 0.054 | 0.050 | 109 | 109 | 70-137 | 0 | 20 |
| Dieldrin | 0.064 | 0.063 | 0.050 | 127 | 125 | 99-141 | 1.27 | 20 |
| Endosulfan I | 0.057 | 0.056 | 0.050 | 113 | 111 | 93-121 | 1.81 | 20 |
| Endosulfan II | 0.054 | 0.054 | 0.050 | 108 | 108 | 74-125 | 0 | 20 |
| Endosulfan sulfate | 0.058 | 0.057 | 0.050 | 116 | 114 | 66-138 | 1.90 | 20 |
| Endrin | 0.060 | 0.059 | 0.050 | 120 | 118 | 92-137 | 1.84 | 20 |
| Endrin aldehyde | 0.058 | 0.058 | 0.050 | 116 | 115 | 77-135 | 0.863 | 20 |
| Endrin ketone | 0.053 | 0.052 | 0.050 | 106 | 105 | 72-126 | 0.940 | 20 |
| Heptachlor | 0.057 | 0.056 | 0.050 | 115 | 113 | 89-136 | 1.87 | 20 |
| Heptachlor epoxide | 0.055 | 0.054 | 0.050 | 111 | 108 | 85-121 | 2.15 | 20 |
| Hexachlorobenzene | 0.054 | 0.053 | 0.050 | 108 | 107 | 87-127 | 0.900 | 20 |
| Hexachlorocyclopentadiene | 0.057 | 0.061 | 0.050 | 114 | 121 | 41-145 | 6.17 | 20 |
| Methoxychlor | 0.049 | 0.049 | 0.050 | 99 | 98 | 82-142 | 0.846 | 20 |
| Surrogate Recovery | | | | | | | | |
| Decachlorobiphenyl | 0.054 | 0.054 | 0.050 | 108 | 107 | 75-136 | 0.231 | 20 |

Quality Control Report

Client: WSP USA Corp

Date Prepared: 1/10/19

Date Analyzed: 1/11/19 - 1/12/19

Instrument: GC23 **Matrix:** Soil

Project: 31401588.001; Vallco

WorkOrder: 1901429 **BatchID:** 171270

Extraction Method: SW3550B

Analytical Method: SW8081A

Unit: mg/kg

Sample ID: MB/LCS/LCSD-171270

0.050

107

1901429-026AMS/MSD

| Analyte | MB Result | RL | SPK Val | MB SS %REC | MB SS Limits |
|---------------------------|--------------|--------|------------|---------------|-----------------|
| Aldrin | ND | 0.0010 | | | |
| a-BHC | ND ND | 0.0010 | | - | - |
| | | | - | | - |
| b-BHC | ND ND | 0.0010 | - | - | - |
| d-BHC | ND | 0.0010 | - | - | - |
| g-BHC | ND | 0.0010 | - | - | - |
| Chlordane (Technical) | ND | 0.025 | - | - | - |
| a-Chlordane | ND | 0.0010 | - | - | - |
| g-Chlordane | ND | 0.0010 | - | - | - |
| p,p-DDD | ND | 0.0010 | - | - | - |
| p,p-DDE | ND | 0.0010 | - | - | - |
| p,p-DDT | ND | 0.0010 | - | - | - |
| Dieldrin | ND | 0.0010 | - | - | - |
| Endosulfan I | ND | 0.0010 | - | - | - |
| Endosulfan II | ND | 0.0010 | - | - | - |
| Endosulfan sulfate | ND | 0.0010 | - | - | - |
| Endrin | ND | 0.0010 | - | - | - |
| Endrin aldehyde | ND | 0.0010 | - | | - |
| Endrin ketone | ND | 0.0010 | - | | - |
| Heptachlor | ND | 0.0010 | - | | - |
| Heptachlor epoxide | ND | 0.0010 | _ | - | - |
| Hexachlorobenzene | ND | 0.010 | - | _ | _ |
| Hexachlorocyclopentadiene | ND | 0.020 | - | - | - |
| Methoxychlor | ND ND | 0.0010 | | | - |
| Toxaphene | ND ND | 0.050 | - | _ | - |

0.054

Decachlorobiphenyl

75-136

Quality Control Report

Client: WSP USA Corp

Date Prepared: 1/10/19

Date Analyzed: 1/11/19 - 1/12/19

Instrument: GC23 **Matrix:** Soil

Project: 31401588.001; Vallco WorkOrder: 1901429

BatchID: 171270

Extraction Method: SW3550B Analytical Method: SW8081A

Unit: mg/kg

Sample ID: MB/LCS/LCSD-171270

1901429-026AMS/MSD

QC Summary Report for SW8081A

| Analyte | LCS Result | LCSD Result | SPK Val | LCS %RE | LCSD %REC | LCS/LCSD Limits | RPD | RPD Limit |
|---------------------------|---------------|----------------|------------|------------|--------------|--------------------|-------|--------------|
| Aldrin | 0.060 | 0.059 | 0.050 | 120 | 119 | 92-133 | 0.700 | 20 |
| a-BHC | 0.055 | 0.055 | 0.050 | 109 | 111 | 96-140 | 1.28 | 20 |
| b-BHC | 0.060 | 0.059 | 0.050 | 119 | 117 | 77-137 | 1.88 | 20 |
| d-BHC | 0.063 | 0.062 | 0.050 | 125 | 124 | 89-145 | 0.886 | 20 |
| g-BHC | 0.060 | 0.060 | 0.050 | 120 | 119 | 92-134 | 0.940 | 20 |
| a-Chlordane | 0.057 | 0.057 | 0.050 | 114 | 115 | 72-134 | 0.240 | 20 |
| g-Chlordane | 0.059 | 0.059 | 0.050 | 119 | 119 | 86-132 | 0 | 20 |
| p,p-DDD | 0.048 | 0.050 | 0.050 | 96 | 101 | 35-140 | 5.08 | 20 |
| p,p-DDE | 0.059 | 0.057 | 0.050 | 117 | 115 | 83-138 | 1.86 | 20 |
| p,p-DDT | 0.055 | 0.056 | 0.050 | 110 | 112 | 70-137 | 1.45 | 20 |
| Dieldrin | 0.064 | 0.064 | 0.050 | 128 | 128 | 99-141 | 0 | 20 |
| Endosulfan I | 0.057 | 0.057 | 0.050 | 113 | 114 | 93-121 | 0.548 | 20 |
| Endosulfan II | 0.054 | 0.055 | 0.050 | 108 | 110 | 74-125 | 2.33 | 20 |
| Endosulfan sulfate | 0.058 | 0.059 | 0.050 | 116 | 118 | 66-138 | 1.15 | 20 |
| Endrin | 0.061 | 0.061 | 0.050 | 121 | 122 | 92-137 | 0.283 | 20 |
| Endrin aldehyde | 0.057 | 0.059 | 0.050 | 114 | 119 | 77-135 | 3.65 | 20 |
| Endrin ketone | 0.053 | 0.054 | 0.050 | 107 | 109 | 72-126 | 1.98 | 20 |
| Heptachlor | 0.058 | 0.057 | 0.050 | 116 | 115 | 89-136 | 1.23 | 20 |
| Heptachlor epoxide | 0.056 | 0.056 | 0.050 | 111 | 111 | 85-121 | 0 | 20 |
| Hexachlorobenzene | 0.055 | 0.054 | 0.050 | 110 | 109 | 87-127 | 0.925 | 20 |
| Hexachlorocyclopentadiene | 0.061 | 0.060 | 0.050 | 122 | 119 | 41-145 | 2.28 | 20 |
| Methoxychlor | 0.051 | 0.051 | 0.050 | 102 | 102 | 82-142 | 0 | 20 |
| Surrogate Recovery | | | | | | | | |

Surrogate Recovery

Decachlorobiphenyl 0.055 0.056 0.050 111 111 75-136 20

| Analyte | MS DF | MS Result | MSD Result | SPK Val | SPKRef Val | MS %REC | MSD %REC | MS/MSD Limits | RPD | RPD Limit |
|-------------|----------|--------------|---------------|------------|---------------|------------|-------------|------------------|-------|--------------|
| Aldrin | 20 | 0.049 | 0.050 | 0.050 | ND<0.020 | 97 | 101 | 59-143 | 3.39 | 20 |
| a-BHC | 20 | 0.052 | 0.051 | 0.050 | ND<0.020 | 104 | 101 | 42-159 | 2.75 | 20 |
| b-BHC | 20 | 0.068 | 0.061 | 0.050 | ND<0.020 | 136 | 121 | 67-141 | 11.7 | 20 |
| d-BHC | 20 | 0.049 | 0.051 | 0.050 | ND<0.020 | 99 | 102 | 38-164 | 3.15 | 20 |
| g-BHC | 20 | 0.051 | 0.050 | 0.050 | ND<0.020 | 103 | 100 | 51-148 | 2.47 | 20 |
| a-Chlordane | 20 | 0.049 | 0.049 | 0.050 | ND<0.020 | 98 | 98 | 70-130 | 0 | 20 |
| g-Chlordane | 20 | 0.052 | 0.052 | 0.050 | ND<0.020 | 104 | 103 | 61-146 | 0.834 | 20 |
| p,p-DDD | 20 | 0.044 | 0.045 | 0.050 | ND<0.020 | 88 | 90 | 10-158 | 1.61 | 20 |
| p,p-DDE | 20 | 0.059 | 0.059 | 0.050 | ND<0.020 | 90 | 92 | 52-151 | 1.01 | 20 |

(Cont.)

Quality Control Report

Client: WSP USA Corp

Date Prepared: 1/10/19

Date Analyzed: 1/11/19 - 1/12/19

Instrument: GC23 **Matrix:** Soil

Project: 31401588.001; Vallco

WorkOrder: 1901429

BatchID: 171270

Extraction Method: SW3550B **Analytical Method:** SW8081A

Unit: mg/kg

Sample ID: MB/LCS/LCSD-171270

1901429-026AMS/MSD

QC Summary Report for SW8081A

| | | • | <i>J</i> | | | | | | | |
|---------------------------|----------|--------------|---------------|------------|---------------|------------|-------------|------------------|---------|--------------|
| Analyte | MS DF | MS Result | MSD Result | SPK Val | SPKRef Val | MS %REC | MSD %REC | MS/MSD Limits | RPD | RPD Limit |
| p,p-DDT | 20 | 0.045 | 0.047 | 0.050 | ND<0.020 | 71 | 76 | 53-137 | 4.92 | 20 |
| Dieldrin | 20 | 0.054 | 0.054 | 0.050 | ND<0.020 | 108 | 108 | 58-163 | 0 | 20 |
| Endosulfan I | 20 | 0.049 | 0.050 | 0.050 | ND<0.020 | 99 | 100 | 64-136 | 0.907 | 20 |
| Endosulfan II | 20 | 0.064 | 0.068 | 0.050 | ND<0.020 | 128 | 136 | 46-141 | 5.59 | 20 |
| Endosulfan sulfate | 20 | 0.045 | 0.044 | 0.050 | ND<0.020 | 89 | 89 | 45-144 | 0 | 20 |
| Endrin | 20 | 0.049 | 0.049 | 0.050 | ND<0.020 | 98 | 98 | 56-153 | 0 | 20 |
| Endrin aldehyde | 20 | 0.045 | 0.046 | 0.050 | ND<0.020 | 91 | 93 | 63-134 | 2.13 | 20 |
| Endrin ketone | 20 | 0.043 | 0.042 | 0.050 | ND<0.020 | 87 | 85 | 53-130 | 2.32 | 20 |
| Heptachlor | 20 | 0.051 | 0.051 | 0.050 | ND<0.020 | 103 | 103 | 55-147 | 0 | 20 |
| Heptachlor epoxide | 20 | 0.050 | 0.049 | 0.050 | ND<0.020 | 99 | 97 | 63-128 | 2.45 | 20 |
| Hexachlorobenzene | 20 | 0.055 | 0.054 | 0.050 | ND<0.20 | 109 | 107 | 71-132 | 1.78 | 20 |
| Hexachlorocyclopentadiene | 20 | 0.046 | 0.045 | 0.050 | ND<0.40 | 93 | 91 | 12-144 | 1.73 | 20 |
| Methoxychlor | 20 | 0.041 | 0.049 | 0.050 | ND<0.020 | 82 | 99 | 70-150 | 18.1 | 20 |
| Surrogate Recovery | | | | | | | | | | |
| Decachlorobiphenyl | 20 | 0.057 | 0.077 | 0.050 | | 115 | 154,F3 | 69-143 | 29.7,F1 | 20 |
| | | | | | | | | | | |

Quality Control Report

Client: WSP USA Corp

Date Prepared: 1/10/19

Date Analyzed: 1/11/19 - 1/12/19

Instrument: GC23 **Matrix:** Soil

Project: 31401588.001; Vallco

WorkOrder: 1901429 **BatchID:** 171271

Extraction Method: SW3550B

Analytical Method: SW8081A

Unit: mg/kg

Sample ID: MB/LCS/LCSD-171271

1901429-027AMS/MSD

| Analyte | MB Result | RL | SPK Val | MB SS %REC | MB SS Limits |
|---------------------------|--------------|--------|------------|---------------|-----------------|
| Aldrin | ND | 0.0010 | - | - | - |
| a-BHC | ND | 0.0010 | - | - | = |
| b-BHC | ND | 0.0010 | - | - | - |
| d-BHC | ND | 0.0010 | - | - | - |
| g-BHC | ND | 0.0010 | - | - | - |
| Chlordane (Technical) | ND | 0.025 | - | - | - |
| a-Chlordane | ND | 0.0010 | - | - | - |
| g-Chlordane | ND | 0.0010 | - | - | - |
| p,p-DDD | ND | 0.0010 | - | - | - |
| p,p-DDE | ND | 0.0010 | - | - | - |
| p,p-DDT | ND | 0.0010 | - | - | - |
| Dieldrin | ND | 0.0010 | - | - | - |
| Endosulfan I | ND | 0.0010 | - | - | - |
| Endosulfan II | ND | 0.0010 | - | - | - |
| Endosulfan sulfate | ND | 0.0010 | - | - | - |
| Endrin | ND | 0.0010 | - | - | - |
| Endrin aldehyde | ND | 0.0010 | - | - | - |
| Endrin ketone | ND | 0.0010 | - | - | - |
| Heptachlor | ND | 0.0010 | - | - | - |
| Heptachlor epoxide | ND | 0.0010 | - | - | - |
| Hexachlorobenzene | ND | 0.010 | - | - | - |
| Hexachlorocyclopentadiene | ND | 0.020 | - | - | - |
| Methoxychlor | ND | 0.0010 | - | - | - |
| Toxaphene | ND | 0.050 | - | - | - |
| Surrogate Recovery | | | | | |
| Decachlorobiphenyl | 0.054 | | 0.050 | 107 | 75-136 |

Quality Control Report

Client: WSP USA Corp

Date Prepared: 1/10/19

Date Analyzed: 1/11/19 - 1/12/19

Instrument: GC23 **Matrix:** Soil

Project: 31401588.001; Vallco WorkOrder: 1901429

BatchID: 171271

Extraction Method: SW3550B Analytical Method: SW8081A

Unit: mg/kg

Sample ID: MB/LCS/LCSD-171271

1901429-027AMS/MSD

QC Summary Report for SW8081A

| Analyte | LCS Result | LCSD Result | SPK Val | LCS %R | | LCS/LCSD Limits | RPD | RPD Limit |
|---------------------------|---------------|----------------|------------|-----------|-----|--------------------|-------|--------------|
| Aldrin | 0.059 | 0.060 | 0.050 | 117 | 121 | 92-133 | 2.81 | 20 |
| a-BHC | 0.055 | 0.056 | 0.050 | 109 | 111 | 96-140 | 1.87 | 20 |
| b-BHC | 0.058 | 0.059 | 0.050 | 116 | 119 | 77-137 | 2.19 | 20 |
| d-BHC | 0.061 | 0.062 | 0.050 | 122 | 125 | 89-145 | 2.00 | 20 |
| g-BHC | 0.059 | 0.060 | 0.050 | 118 | 121 | 92-134 | 2.05 | 20 |
| a-Chlordane | 0.056 | 0.057 | 0.050 | 112 | 115 | 72-134 | 2.25 | 20 |
| g-Chlordane | 0.058 | 0.059 | 0.050 | 116 | 119 | 86-132 | 2.17 | 20 |
| p,p-DDD | 0.049 | 0.050 | 0.050 | 98 | 99 | 35-140 | 1.52 | 20 |
| p,p-DDE | 0.057 | 0.059 | 0.050 | 115 | 117 | 83-138 | 2.48 | 20 |
| p,p-DDT | 0.055 | 0.055 | 0.050 | 110 | 111 | 70-137 | 0.969 | 20 |
| Dieldrin | 0.063 | 0.064 | 0.050 | 126 | 129 | 99-141 | 2.37 | 20 |
| Endosulfan I | 0.056 | 0.058 | 0.050 | 112 | 115 | 93-121 | 2.91 | 20 |
| Endosulfan II | 0.054 | 0.055 | 0.050 | 108 | 110 | 74-125 | 2.18 | 20 |
| Endosulfan sulfate | 0.058 | 0.059 | 0.050 | 116 | 118 | 66-138 | 1.95 | 20 |
| Endrin | 0.060 | 0.062 | 0.050 | 120 | 123 | 92-137 | 2.88 | 20 |
| Endrin aldehyde | 0.058 | 0.059 | 0.050 | 116 | 119 | 77-135 | 2.61 | 20 |
| Endrin ketone | 0.053 | 0.054 | 0.050 | 106 | 108 | 72-126 | 1.42 | 20 |
| Heptachlor | 0.057 | 0.059 | 0.050 | 114 | 118 | 89-136 | 3.11 | 20 |
| Heptachlor epoxide | 0.055 | 0.057 | 0.050 | 109 | 113 | 85-121 | 3.60 | 20 |
| Hexachlorobenzene | 0.054 | 0.055 | 0.050 | 108 | 110 | 87-127 | 1.74 | 20 |
| Hexachlorocyclopentadiene | 0.061 | 0.057 | 0.050 | 122 | 114 | 41-145 | 6.38 | 20 |
| Methoxychlor | 0.050 | 0.050 | 0.050 | 100 | 100 | 82-142 | 0 | 20 |
| Surrogate Recovery | | | | | | | | |

Decachlorobiphenyl 0.055 0.055 0.050 75-136 0.284 20

| Analyte | MS DF | MS Result | MSD Result | SPK Val | SPKRef Val | MS %REC | MSD %REC | MS/MSD Limits | RPD | RPD Limit |
|-------------|----------|--------------|---------------|------------|---------------|------------|-------------|------------------|------|--------------|
| Aldrin | 1 | 0.056 | 0.057 | 0.050 | ND | 111 | 114 | 59-143 | 2.69 | 20 |
| a-BHC | 1 | 0.060 | 0.062 | 0.050 | ND | 119 | 123 | 42-159 | 3.07 | 20 |
| b-BHC | 1 | 0.061 | 0.060 | 0.050 | ND | 122 | 121 | 67-141 | 1.31 | 20 |
| d-BHC | 1 | 0.059 | 0.060 | 0.050 | ND | 117 | 121 | 38-164 | 3.32 | 20 |
| g-BHC | 1 | 0.055 | 0.057 | 0.050 | ND | 111 | 113 | 51-148 | 2.08 | 20 |
| a-Chlordane | 1 | 0.051 | 0.053 | 0.050 | ND | 102 | 106 | 70-130 | 3.90 | 20 |
| g-Chlordane | 1 | 0.051 | 0.053 | 0.050 | ND | 101 | 106 | 61-146 | 4.74 | 20 |
| p,p-DDD | 1 | 0.035 | 0.038 | 0.050 | ND | 70 | 75 | 10-158 | 6.88 | 20 |
| p,p-DDE | 1 | 0.054 | 0.057 | 0.050 | 0.001652 | 105 | 111 | 52-151 | 5.20 | 20 |

(Cont.)

Quality Control Report

Client: WSP USA Corp

Date Prepared: 1/10/19

Date Analyzed: 1/11/19 - 1/12/19

Instrument: GC23 **Matrix:** Soil

Project: 31401588.001; Vallco

WorkOrder: 1901429

BatchID: 171271 **Extraction Method:** SW3550B

Analytical Method: SW8081A

Unit: mg/kg

Sample ID: MB/LCS/LCSD-171271

1901429-027AMS/MSD

QC Summary Report for SW8081A

| Analyte | MS DF | MS Result | MSD Result | SPK Val | SPKRef Val | MS %REC | MSD %REC | MS/MSD Limits | RPD | RPD Limit |
|---------------------------|----------|--------------|---------------|------------|---------------|------------|-------------|------------------|------|--------------|
| p,p-DDT | 1 | 0.049 | 0.052 | 0.050 | 0.001304 | 96 | 102 | 53-137 | 6.46 | 20 |
| Dieldrin | 1 | 0.058 | 0.060 | 0.050 | ND | 115 | 120 | 58-163 | 4.15 | 20 |
| Endosulfan I | 1 | 0.051 | 0.053 | 0.050 | ND | 102 | 106 | 64-136 | 4.01 | 20 |
| Endosulfan II | 1 | 0.045 | 0.048 | 0.050 | ND | 91 | 97 | 46-141 | 6.25 | 20 |
| Endosulfan sulfate | 1 | 0.051 | 0.054 | 0.050 | ND | 103 | 108 | 45-144 | 5.42 | 20 |
| Endrin | 1 | 0.054 | 0.056 | 0.050 | ND | 107 | 113 | 56-153 | 5.17 | 20 |
| Endrin aldehyde | 1 | 0.045 | 0.049 | 0.050 | ND | 90 | 98 | 63-134 | 8.58 | 20 |
| Endrin ketone | 1 | 0.047 | 0.049 | 0.050 | ND | 93 | 98 | 53-130 | 5.10 | 20 |
| Heptachlor | 1 | 0.054 | 0.056 | 0.050 | ND | 108 | 111 | 55-147 | 2.56 | 20 |
| Heptachlor epoxide | 1 | 0.051 | 0.053 | 0.050 | ND | 102 | 106 | 63-128 | 3.34 | 20 |
| Hexachlorobenzene | 1 | 0.052 | 0.053 | 0.050 | ND | 104 | 106 | 71-132 | 2.53 | 20 |
| Hexachlorocyclopentadiene | 1 | 0.052 | 0.054 | 0.050 | ND | 105 | 108 | 12-144 | 2.50 | 20 |
| Methoxychlor | 1 | 0.046 | 0.048 | 0.050 | ND | 92 | 97 | 70-150 | 5.39 | 20 |
| Surrogate Recovery | | | | | | | | | | |
| Decachlorobiphenyl | 1 | 0.050 | 0.051 | 0.050 | | 100 | 102 | 69-143 | 2.05 | 20 |

Quality Control Report

Client: WSP USA Corp

Date Prepared: 1/10/19Date Analyzed: 1/14/19Instrument: ICP-MS2Matrix: Soil

watra. Son

Project: 31401588.001; Vallco

WorkOrder: 1901429

BatchID: 171266

Extraction Method: SW3050B **Analytical Method:** SW6020

Unit: mg/Kg

Sample ID: MB/LCS/LCSD-171266

| | QC Sui | | | | | | | | |
|--------------------|---------------|----------------|------------|------|-------------|--------------|--------------------|-----|-----------------|
| Analyte | MB Result | | MDL | RL | | SPK Val | MB SS %REC | | MB SS Limits |
| Lead | ND | | 0.094 | 0.50 | | - | - | | - |
| Surrogate Recovery | | | | | | | | | |
| Terbium | 530 | | | | | 500 | 107 | | 70-130 |
| Analyte | LCS Result | LCSD Result | SPK Val | | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Limit |
| Lead | 51 | 51 | 50 | | 102 | 102 | 75-125 | 0 | 20 |
| Surrogate Recovery | | | | | | | | | |
| Terbium | 530 | 530 | 500 | | 105 | 105 | 70-130 | 0 | 20 |

Quality Control Report

Client: WSP USA Corp

Date Prepared: 1/10/19 **Date Analyzed:** 1/14/19

Instrument: ICP-MS1, ICP-MS3

Matrix: Soil

Project: 31401588.001; Vallco

WorkOrder: 1901429

BatchID: 171272

Extraction Method: SW3050B

Analytical Method: SW6020 **Unit:** mg/Kg

Sample ID: MB/LCS/LCSD-171272

1901429-015AMS/MSD

| | | QC Sur | mmary R | eport for | Metals | | | | | |
|--------------------|----------|---------------|----------------|------------|---------------|-------------|---------------|--------------------|------|-----------------|
| Analyte | | MB Result | | MDL | RL | | SPK Val | MB SS %REC | | MB SS Limits |
| Lead | | 0.19,J | | 0.094 | 0.50 | | - | - | | - |
| Surrogate Recovery | | | | | | | | | | |
| Terbium | | 540 | | | | | 500 | 108 | | 70-130 |
| Analyte | | LCS Result | LCSD Result | SPK Val | | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Limit |
| Lead | | 52 | 49 | 50 | | 104 | 97 | 75-125 | 6.19 | 20 |
| Surrogate Recovery | | | | | | | | | | |
| Terbium | | 550 | 510 | 500 | | 110 | 102 | 70-130 | 6.95 | 20 |
| Analyte | MS DF | MS Result | MSD Result | SPK Val | SPKRef Val | MS %RE | MSD C %REC | MS/MSD Limits | RPD | RPD Limit |
| Lead | 1 | 86 | 82 | 50 | 30.03 | 111 | 104 | 75-125 | 4.22 | 20 |
| Surrogate Recovery | | | | | | | | | | |
| Terbium | 1 | 540 | 510 | 500 | | 109 | 103 | 70-130 | 5.92 | 20 |
| Analyte | | DLT Result | | | DLTRef Val | | | | %D | %D Limit |
| Lead | | 29 | | | 30.03 | | | | 3.43 | 20 |

[%]D Control Limit applied to analytes with concentrations greater than 25 times the reporting limits.

1534 Willow Pass Rd Pittsburg, CA 94565-1701 (925) 252-9262

CHAIN-OF-CUSTODY RECORD

Page 1 of 2

01/10/2019

Date Received:

| | | | WorkOrder: | 1901429 | ClientCod | le: WSPE | | |
|-----------|---------|-----|----------------|---------|----------------|----------|------------|--------|
| WaterTrax | WriteOn | EDF | ✓ Excel | EQuIS | ✓ Email | HardCopy | ThirdParty | J-flag |

✓ Detection Summary
□ Dry-Weight

Report to: Bill to: Requested TAT: 5 days;

San Jose Main Email: sanjosemain@wsp.com Env. Accounts Payable WSP USA Corp WSP Parsons Brinckerhoff

WSP USA Corp cc/3rd Party: WSP Parsons Brinckerhoff
2025 Gateway Place, #348 (3rd Floor PO: 13530 Dulles Technology Drive, Ste.300

 Back of Building)
 Project:
 31401588.001; Vallco
 Herndon, VA 20171
 Date Logged:
 01/10/2019

(408) 878-0672 FAX: SEND HARDCOPY; USENVAccountspa

| | | | | | | | | Re | questec | d Tests (| See leg | end be | low) | | | |
|-------------|--------------|--------|------------------------|------|---|---|---|----|---------|-----------|---------|--------|------|----|----|----|
| Lab ID | Client ID | Matrix | Collection Date | Hold | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 1901429-001 | SB-001-(0.5) | Soil | 1/10/2019 08:20 | | Α | Α | | | | | | | | | | Ī |
| 1901429-002 | SB-001-(1) | Soil | 1/10/2019 08:25 | | Α | Α | | | | | | | | | | |
| 1901429-003 | SB-001-(2) | Soil | 1/10/2019 08:30 | | Α | Α | | | | | | | | | | |
| 1901429-004 | SB-001-(3) | Soil | 1/10/2019 08:35 | | Α | Α | | | | | | | | | | |
| 1901429-005 | SB-002-(0.5) | Soil | 1/10/2019 08:45 | | Α | Α | | | | | | | | | | |
| 1901429-006 | SB-002-(1) | Soil | 1/10/2019 08:50 | | Α | Α | | | | | | | | | | |
| 1901429-007 | SB-002-(2) | Soil | 1/10/2019 08:55 | | Α | Α | | | | | | | | | | |
| 1901429-008 | SB-002-(3) | Soil | 1/10/2019 09:00 | | Α | Α | | | | | | | | | | |
| 1901429-009 | SB-003-(0.5) | Soil | 1/10/2019 09:05 | | Α | Α | | | | | | | | | | |
| 1901429-010 | SB-003-(1) | Soil | 1/10/2019 09:10 | | Α | Α | | | | | | | | | | |
| 1901429-011 | SB-003-(2) | Soil | 1/10/2019 09:15 | | Α | Α | | | | | | | | | | |
| 1901429-012 | SB-003-(3) | Soil | 1/10/2019 09:20 | | Α | Α | | | | | | | | | | |
| 1901429-013 | SB-004-(0.5) | Soil | 1/10/2019 09:40 | | Α | Α | | | | | | | | | | |
| 1901429-014 | SB-004-(1) | Soil | 1/10/2019 09:45 | | Α | Α | | | | | | | | | | 1 |
| 1901429-015 | SB-004-(2) | Soil | 1/10/2019 09:50 | | Α | Α | | | | | | | | | 1 | 1 |

Test Legend:

| 1 8081_S | 2 PBMS_TTLC_S | 3 | 4 | |
|----------|---------------|----|----|--|
| 5 | 6 | 7 | 8 | |
| 9 | 10 | 11 | 12 | |

Project Manager: Christine Askari

Prepared by: Julia Danielsson

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).

Hazardous samples will be returned to client or disposed of at client expense.

1534 Willow Pass Rd Pittsburg, CA 94565-1701 (925) 252-9262

CHAIN-OF-CUSTODY RECORD

Page 2 of 2

WorkOrder: 1901429 ClientCode: WSPE □WaterTrax WriteOn □ EDF

✓ Excel **EQuIS** ✓ Email ✓ Detection Summary Dry-Weight

Bill to:

□HardCopy ☐ ThirdParty J-flag

Report to: San Jose Main

Email: sanjosemain@wsp.com cc/3rd Party:

Requested TAT: Env. Accounts Payable

2025 Gateway Place, #348 (3rd Floor

WSP Parsons Brinckerhoff

Herndon, VA 20171

Date Received: 01/10/2019

5 days;

Back of Building)

San Jose, CA 95110

WSP USA Corp

PO:

13530 Dulles Technology Drive, Ste.300

Project: 31401588.001; Vallco Date Logged: 01/10/2019

(408) 878-0672 FAX: SEND HARDCOPY; USENVAccountspa

| | | | Requested Tests (Se | | | | | | | | | | ow) | | | |
|-------------|--------------|--------|------------------------|------|---|---|---|---|---|---|---|---|-----|----|----|----|
| Lab ID | Client ID | Matrix | Collection Date | Hold | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 1901429-016 | SB-004-(3) | Soil | 1/10/2019 09:55 | | Α | Α | | | | | | | | | | Ī |
| 1901429-017 | SB-005-(0.5) | Soil | 1/10/2019 10:05 | | Α | Α | | | | | | | | | | |
| 1901429-018 | SB-005-(1) | Soil | 1/10/2019 10:10 | | Α | Α | | | | | | | | | | |
| 1901429-019 | SB-005-(2) | Soil | 1/10/2019 10:15 | | Α | Α | | | | | | | | | | |
| 1901429-020 | SB-005-(3) | Soil | 1/10/2019 10:20 | | Α | Α | | | | | | İ | | | | |
| 1901429-021 | SB-006-(0.5) | Soil | 1/10/2019 10:25 | | Α | Α | | | | | | İ | | | | |
| 1901429-022 | SB-006-(1) | Soil | 1/10/2019 10:30 | | Α | Α | | | | | | | | | | |
| 1901429-023 | SB-006-(2) | Soil | 1/10/2019 10:35 | | Α | Α | | | | | | | | | | |
| 1901429-024 | SB-006-(3) | Soil | 1/10/2019 10:40 | | Α | Α | | | | | | | | | | |
| 1901429-025 | SB-007-(0.5) | Soil | 1/10/2019 10:45 | | Α | Α | | | | | | | | | | |
| 1901429-026 | SB-007-(1) | Soil | 1/10/2019 10:50 | | Α | Α | | | | | | | | | | |
| 1901429-027 | SB-007-(2) | Soil | 1/10/2019 10:55 | | Α | Α | | | | | | | | | | |
| 1901429-028 | SB-007-(3) | Soil | 1/10/2019 11:00 | | Α | Α | | | | | | | | | | |

Test Legend:

| 1 | 8081_S | 2 PBMS_TTLC_S | 3 | 4 |
|---|--------|---------------|----|----|
| 5 | | 6 | 7 | 8 |
| 9 | | 10 | 11 | 12 |

Project Manager: Christine Askari Prepared by: Julia Danielsson

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days). Hazardous samples will be returned to client or disposed of at client expense.



"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701 Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269 http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: WSP USA CORP Project: 31401588.001; Vallco Work Order: 1901429

Client Contact: San Jose Main

QC Level:

Contact's Email: sanjosemain@wsp.com

Comments:

Date Logged: 1/10/2019

| | | WaterTrax | WriteOn EDF | ✓ Excel |]EQuIS ✓Email | HardC | opy ThirdPart | y <u></u> | l-flag |
|--------------|--------------|-----------|-------------------------|---------------------------|-----------------------|--------------------|------------------------|-----------|---------------------------------|
| Lab ID | Client ID | Matrix | Test Name | Containers /Composites | Bottle & Preservative | De- chlorinated | Collection Date & Time | TAT | Sediment Hold SubOut Content |
| 1901429-001A | SB-001-(0.5) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 8:20 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-002A | SB-001-(1) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 8:25 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-003A | SB-001-(2) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 8:30 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-004A | SB-001-(3) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 8:35 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-005A | SB-002-(0.5) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 8:45 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-006A | SB-002-(1) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 8:50 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-007A | SB-002-(2) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 8:55 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-008A | SB-002-(3) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 9:00 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.



"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701 Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269 http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

| Client Name: | WSP USA CORP | Project: | 31401588.001; Vallco | Work Order: 1901429 |
|--------------|--------------|----------|----------------------|----------------------------|
|--------------|--------------|----------|----------------------|----------------------------|

Client Contact: San Jose Main

QC Level:

Contact's Email: sanjosemain@wsp.com

Comments:

Date Logged: 1/10/2019

| | | WaterTrax | WriteOn EDF | ✓ Excel | EQuIS ✓ Email | HardC | opy ThirdPart | у 🔳 | J-flag |
|--------------|--------------|-----------|-------------------------|---------------------------|-----------------------|--------------------|------------------------|--------|---------------------------------|
| Lab ID | Client ID | Matrix | Test Name | Containers /Composites | Bottle & Preservative | De- chlorinated | Collection Date & Time | TAT | Sediment Hold SubOut Content |
| 1901429-009A | SB-003-(0.5) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 9:05 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-010A | SB-003-(1) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 9:10 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-011A | SB-003-(2) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 9:15 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-012A | SB-003-(3) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 9:20 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-013A | SB-004-(0.5) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 9:40 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-014A | SB-004-(1) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 9:45 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-015A | SB-004-(2) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 9:50 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-016A | SB-004-(3) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 9:55 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.



"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701 Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269 http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

| | Client Name: | WSP USA CORP | Project: | 31401588.001; Vallco | Work Order: 1901429 |
|--|--------------|--------------|----------|----------------------|---------------------|
|--|--------------|--------------|----------|----------------------|---------------------|

Client Contact: San Jose Main

QC Level:

Contact's Email: sanjosemain@wsp.com

Comments:

Date Logged: 1/10/2019

| | | WaterTrax | WriteOn EDF | ✓ Excel | EQuIS Email | HardC | opy ThirdPart | y 🔳 - | l-flag |
|--------------|--------------|-----------|-------------------------|---------------------------|-----------------------|--------------------|------------------------|--------|---------------------------------|
| Lab ID | Client ID | Matrix | Test Name | Containers /Composites | Bottle & Preservative | De- chlorinated | Collection Date & Time | TAT | Sediment Hold SubOut Content |
| 1901429-017A | SB-005-(0.5) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:05 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-018A | SB-005-(1) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:10 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-019A | SB-005-(2) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:15 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-020A | SB-005-(3) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:20 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-021A | SB-006-(0.5) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:25 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-022A | SB-006-(1) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:30 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-023A | SB-006-(2) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:35 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-024A | SB-006-(3) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:40 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.



McCampbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701 Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269 http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

| Client Name: | WSP USA CORP | Project: | 31401588.001; Vallco | Work Order: 1901429 |
|--------------|--------------|----------|----------------------|---------------------|
|--------------|--------------|----------|----------------------|---------------------|

Client Contact: San Jose Main

QC Level:

Contact's Email: sanjosemain@wsp.com

Comments:

Date Logged: 1/10/2019

| | | WaterTrax | WriteOn EDF | Excel | EQuIS ✓ Email | HardC | opyThirdPart | у 🔲 Ј | -flag |
|--------------|--------------|-----------|-------------------------|---------------------------|-----------------------|--------------------|------------------------|--------|---------------------------------|
| Lab ID | Client ID | Matrix | Test Name | Containers /Composites | Bottle & Preservative | De- chlorinated | Collection Date & Time | TAT | Sediment Hold SubOut Content |
| 1901429-025A | SB-007-(0.5) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:45 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-026A | SB-007-(1) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:50 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-027A | SB-007-(2) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 10:55 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |
| 1901429-028A | SB-007-(3) | Soil | SW6020 (Lead) | 1 | 8OZ GJ, Unpres | | 1/10/2019 11:00 | 5 days | |
| | | | SW8081A (OC Pesticides) | | | | | 5 days | |

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

901429 Page 2 of 2 CHAIN-OF-CUSTODY RECORD Requested Analyses & Preservatives 2029 69 tway Place, San Jose CA

Two I Parsons Brinckerhoff Contact Name No. 005455 WSP PARSONS BRINCKERHOFF Laboratory Name & Location Val Co San Jose main
WSP | Parsons Brinckerhoff Contact F.ma Mc Campbell Analytical Pesticides (808) Cupertino, CA Laboratory Project Manager San jose Merin
WSP I Parsons Brinckerhoff Contact Phone @wspgroup.com 408-453-6100 Requested Turn-Around-Time Standard 24 HR Kevin Hodyson 48 HR 72 HR Bailey Sam Collection Start* Sample Identification Sample Comments 1/10/19 0955 58-004-(3) 56-005-(0.5) 1005 58-005-61) 1010 53-005-(2) 5 1015 58-005-(3) 1020 SB-006-(0.5) 1025 SB-006-CI) 1030 58-006-(2) 1035 53-006-(3) 1040 SB-007-CO.S) 1045 5B-007-CD 1050 SB-007-(2) 1055 58-007-(3) 1100 Relinquished By (Signature) Tracking Number(s) Relinquished By (Signature) Custody Seal Number(s)

"Use stop time/date for composite and/or air samples; use only start time/date for all other samples

1534 Willow Pass Road, Pittsburg, CA 94565-1701 Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269 http://www.mccampbell.com / E-mail: main@mccampbell.com

Sample Receipt Checklist

| Client Name: | WSP USA Corp | | | | Date and Time Received: | 1/10/2019 16:00 |
|----------------------------------|--|--------------------------------------|---------|---------------|----------------------------|--------------------------------------|
| Project: | 31401588.001; | Vallco | | | Date Logged: | 1/10/2019 |
| WorkOrder №: | 1901429 | Matrix: Soil | | | Received by: Logged by: | Julia Danielsson Julia Danielsson |
| Carrier: | Laurie Moore (M. | | | | Logged by. | Valia Bariloissori |
| | | Chain of (| Custod | y (COC) Info | rmation | |
| Chain of custody | y present? | | Yes | ✓ | No 🗆 | |
| Chain of custody | y signed when relin | quished and received? | Yes | ✓ | No 🗆 | |
| Chain of custody | y agrees with samp | ole labels? | Yes | • | No 🗆 | |
| Sample IDs note | ed by Client on CO | C? | Yes | ✓ | No 🗆 | |
| Date and Time of | of collection noted I | by Client on COC? | Yes | ✓ | No 🗆 | |
| Sampler's name | noted on COC? | | Yes | ✓ | No 🗆 | |
| COC agrees with | h Quote? | | Yes | | No 🗆 | NA 🗹 |
| | | <u>Samp</u> | le Rec | eipt Informat | <u>tion</u> | |
| Custody seals in | ntact on shipping co | ontainer/cooler? | Yes | | No 🗌 | NA 🗹 |
| Shipping contain | ner/cooler in good o | condition? | Yes | ✓ | No 🗆 | |
| Samples in prop | er containers/bottle | es? | Yes | • | No 🗌 | |
| Sample containe | ers intact? | | Yes | \checkmark | No 🗌 | |
| Sufficient sample | e volume for indica | ited test? | Yes | ✓ | No 🗆 | |
| | | Sample Preservat | ion and | l Hold Time (| (HT) Information | |
| All samples rece | eived within holding | time? | Yes | ✓ | No 🗆 | NA 🗌 |
| Samples Receiv | red on Ice? | | Yes | ✓ | No 🗆 | |
| | | (Ice Typ | e: WE | TICE) | | |
| Sample/Temp B | lank temperature | | | Temp: 3. | 1°C | NA 🗌 |
| Water - VOA via | als have zero heads | space / no bubbles? | Yes | | No 🗆 | NA 🗸 |
| Sample labels c | hecked for correct | preservation? | Yes | ✓ | No 🗌 | |
| pH acceptable u <2; 522: <4; 218 | | : <2; Nitrate 353.2/4500NO3: | Yes | | No 🗆 | NA 🗸 |
| UCMR Samples | <u>:</u> | | | | | |
| | acceptable upon r <3; 544: <6.5 & 7.5 | eceipt (200.8: ≤2; 525.3: ≤4; 5)? | Yes | | No 🗌 | NA 🗹 |
| Free Chlorine | tested and accepta | able upon receipt (<0.1mg/L)? | Yes | | No 🗆 | NA 🗹 |
| | | | | | ======== | |
| Comments: | | | | | | |

APPENDIX

GPR SURVEY REPORT





Tel.:+1 408 453-6100 Fax: +1 408 453-0496 wsp.com

VIA ELECTRONIC MAIL

February 11, 2019

Vallco Property Owner, LLC 965 Page Mill Road Palo Alto, CA 94304 Attn: Reed Moulds

Subject: GPR Suvey, Former Sears Automotive Center, Former Vallco Mall, 10123 North Wolfe

Road, Cupertino, California 95014

Dear Mr. Reeds,

On January 28, 2019 at approximately 8 a.m., WSP's Rick Freudenberger met with Nicholas Butler of California Utility Locators at the referenced location for the conduct of a Ground Penetrating Radar (GPR) survey of several areas within the former Sears Automotive Center. These areas included:

- 1 An area in the southeastern portion of the Sears location that formerly contained four underground storage tanks (USTs).
- 2 An area west of the central portion of the Sears building that formerly contained two USTS containing oil and where it has been alleged a third UST may still remain.

The areas were initially scanned with a Fisher TW-6 M-Scope (magnetic detector) that detected some metal piping on the west side of the Sears building. There was no indication of the existence of USTs in either area.

Mr. Butler than scanned both areas with MALA Easy Locator GPR equipment. The presence of concrete re-bar was noted in the concrete apron area west of the Sears building. There was no indication of the existence of USTs in either area.

The report of California Utility Locators is attached.

Sincerely,

Rick Freudenberger

Executive Vice President

ENCLOSURES

Enclosure 1 – California Utility Locators Report



ENCLOSURE 1 – CALIFORNIA UTILITY LOCATORS REPORT

California Utility Locators
PO Box 67066
Scotts Valley, CA 95067
831-239-6057

| | | Job Invoice |
|--------------------------------|---------------|---------------------|
| | DATE ORDERED | ORDER TAKEN BY |
| | 1-23-2019 | am |
| SOLD TO | PHONE NO. | CUSTOMER ORDER # |
| Sand Hill Property Company | 2 | 496 |
| , | JOB LOCATION | 1 |
| 965 Page Mill Rd. | Wolfe & steve | screek Blud Sandose |
| 3 | JOB PHONE | STARTING DATE |
| Palo Alto, CA 94304 | | 1-28-2019 |
| • | TERMS | -1 |
| RickFreudenberger-408-878-0657 | 8:00-1 | 0:00 |

| RickFreudenberger-40 | 8-878. | -0657 | 8:00-10: | 20 | | 121 | |
|--------------------------------|--|---|---------------------------------------|-----------|---------|---------|----------------------------|
| QTY. MATERIAL | UNIT | AMOUNT | DESCRI | PTION OF | WORK | The R M | |
| - Scanned areas indicated o | n mal | | Scanfor U | 57'S | w/e | PR | |
| provided by Chient for s | , | 1. | 1 1 1 1 X | b. | | | |
| UST's in crea | | | | | | | |
| Gafan at | | | | | - | | |
| - Metal Succe sentimed us | | | | - | | | |
| Fisher Tw-6 M. Scope an | | | | | | | |
| results with whole parat. In | ter and the second | the second second | MISCELL | ANEOUS C | HARGES | | |
| of UST's in areas scanned | | MON | | | | 21. | |
| - GPR Scan performed with | | 9-7 | | 1 | | | |
| MALA Facy Locator GPR. L | o In | brahan | | 74 | - / | | |
| of UST's in areas scann | | | , , , , , , , , , , , , , , , , , , , | | | | |
| - Pesults gone over consite | | | 4 | | | | |
| 7 2 2 2 2 | | | | MISCELLA | | | 1 |
| | | | LABOR | HRS. | | AMOU | 1 |
| | | | Locating w/GP | R 2 | 1620 | 330 | 00 |
| | | | | - | - | | 8. 0. 0. 0. 0. |
| Tech on site! | | | | | - | | |
| Nicholas Buller -831-226-9052 | | | | | 1 | | 0 0 0 0 |
| TOTAL MAT | TERIALS | | | TOTAL | LABOR | 330 | 90 |
| | | | | | | | _ |
| WORK ORDERED | | | | TOTAL | LABOR | 330 | 00 |
| DATE ORDERED | | | | TOTAL MA | TERIALS | | |
| DATE COMPLETED | | | TOTA | L MISCELL | ANEOUS | | |
| | yme-material (************************************ | | | | BTOTAL | | |
| Customer Approval signature | milita contra circumstanti militari | anne anne ann ann ann an ann an ann an ann an | | | | | |
| AUTHORIZED SIGNATURE A. Bull | | | - | | TAX | | |
| A-2817-3817 / T-3866 | ****************** | 10-11 | ** | GRANI | D TOTAL | 330 | 00 |

APPENDIX

GENTHALPY ANALYTICAL REPORTPIPE SAMPLES





Enthalpy Analytical

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

Laboratory Job Number 308481 ANALYTICAL REPORT

WSP Project : 31401588.001 2025 Gateway Place Location : Vallco Sears

San Jose, CA 95110 Level : II

 Sample ID
 Lab ID

 PIPE-EAST
 308481-001

 PIPE-CAP
 308481-002

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature:

Patrick McCarthy
Project Manager
patrick.mccarthy@enthalpy.com
(510) 204-2236 ext 13115

CA ELAP# 2896, NELAP# 4044-001

Date: <u>04/04/2019</u>



CASE NARRATIVE

Laboratory number: 308481 Client: WSP

Project: 31401588.001
Location: Vallco Sears
Request Date: 03/27/19
Samples Received: 03/27/19

This data package contains sample and QC results for two soil samples, requested for the above referenced project on 03/27/19. The samples were received cold and intact.

TPH-Extractables by GC (EPA 8015B):

PIPE-CAP (lab # 308481-002) was diluted due to the dark and viscous nature of the sample extract. No other analytical problems were encountered.

CHAIN-OF-CUSTODY RECORD

308481

ō

Page

2 | 2 | 1 | 1 | Matix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (detail in comments -Frichde 3-Flags Patrick
Requested Jum-Around-Time Enthal pu 72 HR -aboratory Name & Location 또 Custody Seal Number(s) No. 12113 racking Number(s) ample Comments 48 HR 3-27-19 13 146 Number of Packages Shipment Method 13-27-19 1.57 × @wsp.com Number of Containers i Shq Collection Stop* Elena Robertson WSP USA Contact E-mail 408-878-0668 95110 Received By (Signature) elenainobertson WSP USA Contact Phone Date S BRUM 1045 3polla 1045 Collection Start*
Date Time 2025 Glateway P1. 4348 SanJose, 14 replies hame Sampler(s) Signature(s) Date Time 3-27-19 1'57 Date Time \circ Elena Roberton 31461588,001 Sampler(s) Name(s) Cupertino, (4 Valle - Sears Proe-East Pipe-(ap elinquished By (Signature) Relinquished By (Signature) /SP USA Office Address ample Identification

| Section 2: Login # | AMPLE RECEIPT CHE | CKLIST | . / 1 | 1 | | - 4 | |
|--|--|---|--|----------------------|-------------------|-------------|---------------------------------------|
| Data Racelved: 3 2 7 1 9 Project: INTERMEDIAN Section 3 below) Seathon 2: Samples received in a cooler? If yes, how many? | ection 1: Login# 2 | 18481 | Client: Val | 160-Se | ars | | 71 |
| Section 2: Samples received in a coolery Ves, how many? Signature of the property of the cooler Sample Temp (*C): Signature of the property of the cooler Samples received on ice directly from the field. Cooling process had begun shipping info (if applicable). Are custody seals present? No, or Clyes. If yes, where? On cooler, On samples, On package how many Shipping Info (if applicable). Are custody seals intact upon arrivel? Ves Signature, Clinitials, None Were custody seals intact upon arrivel? Ves Signature, Clinitials, None Were custody seals intact upon arrivel? Ves Signature, Clinitials, None Were custody seals intact upon arrivel? Ves No Signature, Clinitials, None Were custody seals intact upon arrivel? Ves No Signature, Clinitials, None Section 3: Amportant: Notify PMI if temperature seasoeds 6*C or arrive Packing in cooler; (if other, describe) Signature, Clinitials, None Si | Date Receiv | nd: 3-27-19 | | | | EN. | THALPY |
| If no cooler Sample Tenep (*C): | | | | □ No /skin Seci | tion 8 helow) | | |
| Samples received on lor directly from the field. Cooling process had begun | | | | | | | |
| If in cooler: Data Opened 3 2 7 | | received on ice directly from | n the field. Cooling r | incess had begun | | | |
| Shipping Info (if applicable) Are custody seals present? No, or Yes. If yes, where? | - | | · | (| | | |
| Are custody seals present? No, or Yes. If yes, where? on cooler, on samples, on package Deta: How many Signaturs, Initials, None Were custody seals intact upon arrival? Yes No A/(A Deta: · · · · · · · · · · · · · · · · · · · | | | (sign) | | | • |
| Deba: | Snipping im | о (п аррисаріе) | M | 2 M | U | | |
| Ware custody seals intact upon arrival? Yes No CAN/A | - | | | | | n package | |
| Section 3: | | | | | _1 None | | |
| Packing in cooler: (if other, describe) Bubble Wirap, Foam blocks, Rags, None, Cloth material, Cardboard, Styrofoam, Paper towels Samples received on, ice directly from the field. Cooling process had begun Type of ice used: Met, Blue/Gel, None Temperature blank(s) included? Yes, No Temperature measured using Thermometer ID: or IR Gun# A B Cooler Temp (*C): #1: #3: #4: #5: #5: #7: Section 4: YES NO Were custody papers dry, filled out properly, and the project identifiable Were Method 5035 sampling containers present? If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopened? Are samples in the appropriate containers for indicated tests? Are sample inbels grees with custody papers? Are sample labels grees with custody papers? Are sample labels grees with custody papers? Was sufficient, amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VCAs? Did you change the hold time in LIMS for unpreserved VCAs? Did you change the hold time in LIMS for preserved versecores? Are bubbles > Green absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who wes called? By Date: Section 5: YES NO Date: Section 5: YES NO Date: Preservetive added: ph strip lot# Preservetive added: ph strip lot# added to samples on/at on/at On/at Date: On/at Date: | | a custody seass intact upon | | | | | |
| □ Bubble Wrap, □ Foam blocks, □ Stags, □ None, □ Cloth material, □ Cardboard, □ Styrofoam, □ Paper towels □ Samples received on Joc directly from the field. Cooling process had begun Type of ice used: □ Wet, □ Blue/Gel, □ Non □ Temperature blank(s) included? □ Yes, □ No Temperature measurad using □ Thermometer ID: □ or IR Gun # □ A □ B Cooler Temp (*C): \$1: □ , | | | Importo | nt : Nocky PM if tem | becimie excises | P.COL MIN | re trozer |
| Samples received on ice directly from the field. Cooling process had begun Type of ice used: Wet, Blue/cel, None Temperature blank(s) included? Yes, No Temperature measured using Thermometer ID; or IR Gun # A B Cooler Temp (*C); #1; #2; #3: #4: #5: #5: #7: Section 4: YES NO Were custody papers dry, filled out properly, and the project identifiable Were Method 5035 sampling containers present? Were Method 5035 sampling containers present? | | | Jone II Oleth and a | | | | |
| Type of ice used: | • • • | - / \ | | | Styroman, Li Paj | sel rismerz | |
| Temperature measured using Thermometer ID: | | | | | Marakadada 1771 V | ee 🗆 No | |
| Cooler Temp (*C): #1: | | | | | | ca, [] 140 | |
| Section 4: Were custody papers dry, filled out properly, and the project identifiable Were Method 5035 sampling containers present? If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopenad? Are there any missing / extra samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient emount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VOAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you check preservatives for all bottles for each sample? Did you decornent your preservative check? pH strip lottle | | | | | | | |
| Were custody papers dry, filled out properly, and the project identifiable Were Method 5035 sampling containers present? If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopened? Are there any missing / extre samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient emount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VOAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lots! | | | , 84, | , wa, w | | FS NO | N/A |
| Were Method 5035 sampling containers present? If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopened? Are there any missing / extra samples? Are samples in the appropriete containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient emount of sample sent for tests requested? Did you change the hold time in LIMS for preserved VOAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm elsent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: YES NO Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lots! | | ov filled out properly, and th | he amiect identifish | | | | |
| If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopened? Are stense any missing / extre samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VQA samples? Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lots | | | na project identinas | | | | |
| Did all bottles arrive unbroken/unopened? Are there any missing / extra samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Dot the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VOAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm elsent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# | | والتراث المحالة المحالية الم | ezer? | | | | |
| Are there any missing / extre samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VQA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you chack preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# | | | | | | | |
| Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient emount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: YES NO Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# pH strip lot# pH strip lot# preservative added: HASO4 lot# added to samples on/at On/at NaOH lot# added to samples on/at On/at NaOH lot# Section 6: | | | | | | | |
| Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: YES NO Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# Preservative added: HCL lot# added to samples on/at HNOS lot# added to samples on/at NaOH lot# added to samples on/at Section 6: | | | eted tests? | | 7 | | |
| Do the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VQA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# | | | | | | | |
| Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VQA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: YES NO Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: H2SO4 lot# added to samples, pH strip lot#, pH strip lot#, pH strip lot#, pH added to samples, | oes the container cou | nt match the COC? | | | / | · | |
| Did you change the hold time in LIMS for unpreserved VOAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# pH strip lot# pH strip lot# Preservative added: H2SO4 lot# added to samples on/at H1NO8 lot# added to samples on/at NaOH lot# added to samples on/at NaOH lot# Section 6: | | | | | | 7 | |
| Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lots! preservative added: H2SO4 lots! added to samples on/at On/at HNO3 lots! added to samples on/at NaOH lots! added to samples on/at Section 6: | | | | | | | |
| Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# pH strip lot# pH strip lot# Preservative added: H2SO4 lot# added to samples on/at H1CL lot# added to samples on/at H1CS lot# added to samples on/at NaOH lot# added to samples on/at | | | | | | | 1 |
| Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: H2SO4 lot# added to samples, on/at HCL lot# added to samples, on/at HNO8 lot# added to samples, on/at NaOH lot# added to samples, on/at NaOH lot# added to samples, on/at | | | terracores? | | | | 14 |
| If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# | | | | - | | | |
| Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: H2SO4 lot# added to samples, on/at HCL lot# added to samples, on/at HNO3 lot# added to samples, on/at NaOH lot# added to samples, on/at Section 6: | | | | | | | j |
| Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: □ H2SO4 lot# added to samples on/at □ HCL lot# added to samples on/at □ HNO3 lot# added to samples on/at □ NaOH lot# added to samples on/at Section 6: | | ed? | By | Date | | | , |
| Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: H2SO4 lot# added to samples on/at HCL lot# added to samples on/at HNO3 lot# added to samples on/at NaOH lot# added to samples on/at Section 6: | | · · · · · · · · · · · · · · · · · · · | ······································ | <u> </u> | <u> Y</u> | ES NO | N/A |
| Did you document your preservative check? pH strip lot# | | | | tion 5) | | | |
| pH strip lot#, pH strip lot#, pH strip lot# Preservative added: □ H2SO4 lot# added to samples | | | sample? | | | | - |
| Preservative added: H2SO4 lots added to samples on/at HCL lots added to samples on/at HNO3 lots added to samples on/at NaOH lots added to samples on/at Section 6: | • | • | • | | . L | | |
| ☐ H2SO4 lot# added to samples on/at ☐ HCL lot# added to samples on/at ☐ HNO3 lot# added to samples on/at ☐ NaOH lot# added to samples on/at Saction 6: on/at | | pH strip lot#. | | , pH strip lot# | | · | |
| ☐ HCL lot# added to samples on/at ☐ HNO3 lot# added to samples on/at ☐ NaOH lot# added to samples on/at Section 6: on/at | | | | | 'an las | | |
| □ HNOS lot# added to samples on/at □ NaOH lot# added to samples on/at Section 6: | | | Market Street, | | | ····· | |
| □ NaOH lot# added to samples on/at Section 6: | | | | | | | · · · · · · · · · · · · · · · · · · · |
| Section 6: | | | | | | | · |
| | | acueu to semples | | | Oyer | | |
| Experience by Continuities. | | ۥ | | ! | | ٠. | |
| , · · · · · · · · · · · · · · · · · · · | den i se i se i se i se i se i se i se i | | | | | | |
| | • | | | | | | |
| · · · · · · · · · · · · · · · · · · · | • | , | | | | | |
| Date Logged in 3 27/19 By (print) AZ (sign) | Peta I canad in ? | 27 19 Bu (molant) | Λ | 7 (alam) | // | <u> </u> | |
| Property of A 12 A 6 i 3 Bretanded P / (alan) | | | |) | PA / | | _ |



Detections Summary for 308481

Results for any subcontracted analyses are not included in this summary.

Client : WSP

Project : 31401588.001 Location : Vallco Sears

Client Sample ID : PIPE-EAST Laboratory Sample ID : 308481-001

No Detections

Client Sample ID : PIPE-CAP Laboratory Sample ID : 308481-002

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|----|-----|-------|---------|-------|-----------|-------------|
| Motor Oil C24-C36 | 74 | | 25 | 7.5 | mg/Kg | As Recd | 5.000 | EPA 8015B | EPA 3550C |

Page 1 of 1 9.0



| | Total Extractable Hydrocarbons | | | | | | |
|-----------|--------------------------------|-----------|--------------|--|--|--|--|
| Lab #: | 308481 | Location: | Vallco Sears | | | | |
| Client: | WSP | Prep: | EPA 3550C | | | | |
| Project#: | 31401588.001 | Analysis: | EPA 8015B | | | | |
| Matrix: | Soil | Sampled: | 03/27/19 | | | | |
| Units: | mg/Kg | Received: | 03/27/19 | | | | |
| Basis: | as received | Prepared: | 04/02/19 | | | | |
| Batch#: | 269155 | Analyzed: | 04/03/19 | | | | |

Lab ID: Field ID: PIPE-EAST 308481-001 Diln Fac:

Type: SAMPLE 1.000

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|-----|
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 117 | 61-130 |

Field ID: PIPE-CAP Lab ID: 308481-002 בום בוט: Diln Fac: Type: SAMPLE 5.000

| Analyte | Result | RL | MDL |
|-------------------|--------|----|-----|
| Motor Oil C24-C36 | 74 | 25 | 7.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | DO | 61-130 | |

Type: BLANK Diln Fac: 1.000

Lab ID: QC970423

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|-----|
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 116 | 61-130 |

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1

2.3



Batch QC Report

| Total Extractable Hydrocarbons | | | | |
|--------------------------------|--------------|-----------|--------------|--|
| Lab #: | 308481 | Location: | Vallco Sears | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | 31401588.001 | Analysis: | EPA 8015B | |
| Type: | LCS | Diln Fac: | 1.000 | |
| Lab ID: | QC970424 | Batch#: | 269155 | |
| Matrix: | Soil | Prepared: | 04/02/19 | |
| Units: | mg/Kg | Analyzed: | 04/03/19 | |

| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 50.00 | 52.32 | 105 | 55-133 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 123 | 61-130 |

Page 1 of 1 3.0



Batch QC Report

| Total Extractable Hydrocarbons | | | | |
|--------------------------------|--------------|-----------|--------------|--|
| Lab #: | 308481 | Location: | Vallco Sears | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | 31401588.001 | Analysis: | EPA 8015B | |
| Field ID: | ZZZZZZZZZ | Batch#: | 269155 | |
| MSS Lab ID: | 308596-004 | Sampled: | 04/01/19 | |
| Matrix: | Soil | Received: | 04/01/19 | |
| Units: | mg/Kg | Prepared: | 04/02/19 | |
| Basis: | as received | Analyzed: | 04/03/19 | |
| Diln Fac: | 1.000 | | | |


Type: MS Lab ID: QC970425

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|----------------|------------|--------|--------|------|--------|
| Diesel C10-C24 | 2.641 | 49.96 | 50.86 | 97 | 56-125 |


| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 113 | 61-130 |

Type: MSD Lab ID: QC970426


| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------|--------|--------|------|--------|-----|-----|
| Diesel C10-C24 | 49.68 | 50.01 | 95 | 56-125 | 1 | 33 |



G:\ezchrom\Projects\GC27\Data\2019\093a014.dat, Front Signal



G:\ezchrom\Projects\GC27\Data\2019\093a003.dat, Front Signal



G:\ezchrom\Projects\GC27\Data\2019\093a004.dat, Front Signal

APPENDIX

SEARS AUTOMOTIVE CENTER CLOSURE PLAN



FIRE DEPARTMENT SANTA CLARA COUNTY



14700 Winchester Blvd., Los Gatos, CA 95032-1818 (408) 378-4010 • (408) 378-9342 (fax) • www.sccfd.org

| Location 10123 N. Wolfe Rd | | Cupert | ino |
|--|---|------------------------------|--|
| Name of Business VALLCO FAS | HION MALL - SEARS | | |
| THE BUSINESS LISTED ABOVE, HAVING APPLIED PURSUANT TO THE PROVISIONS OF Cupertino Municipal Code, Chapter 9.12 IS AUTHORIZED TO COMMENCE WITH THE FOLLOWING PROJ. Facility Closure AG HazMat Closure SUBJECT TO COMPLIANCE WITH APPLICABLE CODES AND ORD AND THE FOLLOWING CONDITIONS: | | JECT: | NOTICE. This permit does not take the place of any license required by law and is not transgrable. Any change in the use, or, occupancy of premises shall require a new permit. |
| ANY | TOLATION OF THESE PROVISIONS MAY BE GROUNDS | | RMIT |
| PERMIT 19 112 | 2 POST ON | vention Division Z, LORENZO | J. √. |
| | | | Form #91 |
| Mailing Address WSP USA | ;a | PERMIT | TISSUED: 4/11/19 |
| 2025 Gateway Place St | uite 348 | PERMIT | EXPIRES: 10/11/19 |
| San Jose, CA 95110 Attention Richard Freud | lenberger | FEE PAID: \$90.0 | |
| | • | DA | ATE PAID: 3/28/19 |
| FIRE PREVEN | TION COPY CUT OFF ABOVE AND F | LACE IN ADDRES | S FILF |
| Location 10123 WOLFE RD | Cupertino | ISSUED: | 11 April 2019 |
| Name of Business | Type of Activity | EXPIRES: | 11 October 2019 |
| VALLCO FASHION MALL - | AG HazMat Closure | إ _{FEE:} ' | \$90.00 |
| PERMIT 19 1 | 122 | PAID: | 28 March 2019 |
| Conditions | | | |

Organized as the Santa Clara County Central Fire Protection District



FIRE DEPARTMENT SANTA CLARA COUNTY



14700 Winchester Blvd., Los Gatos, CA 95032-1818 (408) 378-4010 • (408) 378-9342 (fax) • www.sccfd.org

| PLAN REVIEW No. | 19 | 1122 | |
|--------------------|----|------|--|
| BLDG PERMIT No. | | | |

PLAN REVIEW COMMENTS

This closure shall comply with the following:

- 1. 2016 California Fire Code (CFC), as adopted by the City of Cupertino,
- 2. Chapter 9.12 of the Cupertino Municipal Code (CMC)

The scope of this plan review includes the following:

• Former Sears Automotive Center Facility Closure-Please notify this office <u>immediately</u> if the above description is incorrect so that necessary changes to the plan review may be incorporated.

Inspections:

Comment #1: Visual inspections of the areas to verify that the facility and environment are free of hazardous materials as a result of previous use is required. Please call to schedule inspections to witness conditions and possible sampling of the elevator, piping, and hydraulic lifts including their respective areas. I must observe the sampling of the lead, oil-water separator, acid chamber, and tank potholing. Call 408-341-4443 to set times for facility appointments. [CFC 106.2]

Post Closure Report:

Comment #2: The post closure report containing the final disposition of hazardous materials and analytical results from sampling at Vallco Shopping Mall is required. [CFC 5001.6.3]

APPROVED subject to conditions noted above. Please call to arrange for an inspection at least 48 hours in advance. Applicant is also required to maintain copy of permit application and approval with conditions on site. [CFC 105.3.5]

The applicant and applicant's agents shall carry out the proposed activity in compliance with all laws and regulations applicable thereto, whether specified or not, and in complete accordance with approved plans and specifications. [CFC 105.3.6 and 105.4.4]

This approval shall not be construed to be an approval of a violation of the provisions of the California Fire Code or of other laws or regulations of the jurisdiction. Any inspections presuming to give authority to violate or waive provisions of such laws or regulations shall not be

| | | | | | | | | | | | | | | | 1 | | - |
|-------------|---------|------|-------|-------|----------|--------|----------------------------|--------|-------------------|---|-------------------|--------|---------------------|-------------|-----------|-----|---|
| City CUP | PLANS | SPEC | S NEW | RMDL | . А Г | is oc | CUPANCY | CON | ST. TYPE | Applic | antName Richar | d Fre | eudenberger | 04-11-2019 | PAGE 1 | | 1 |
| SEC/FLOOR | AREA | | | LOAD | | | т descrip IazMat | | ure | PROJECT TYPE OR SYSTEM Facility Closure | | | 1 | | OF | | |
| NAME OF PR | | HIO | N M | ALL - | - S | EARS | | | LOCATION 10123 | N. V | Volfe Rd | Cup | pertino | | 36 | | |
| TABULAR FI | RE FLOW | / | | | | | REDUCTION | ON FOR | FIRE SPRINKL | ERS | REQUIRED | FIRE F | FLOW @ 20 PSI | вч Perez | , Lorei | ızo | |
| | | | | Oı | rga | anized | as the S | Santa | Clara Co | unty | Central F | ire F | Protection District | | | | |





Tel.:+1 408 453-6100 Fax: +1 408 453-0496 wsp.com

March 26, 2019

Mr. Lorenzo Perez Hazardous Materials Specialist Santa Clara County Fire Department 14700 Winchester Blvd. Los Gatos, CA 95032

Subject: Closure Plan for Former Sears Automotive Center, Former Vallco Shopping Mall

Dear Mr. Perez,

This Closure Plan documents and presents a specific plan to address each of the items identified and discussed during your October 9, 2018 inspection of the former Sears Automotive Center located in the southwestern corner parking area of the former Vallco Shopping Mall (Site). It also includes items noted in your e-mail to Rick Freudenberger of WSP on March 12, 2019. The purpose of the inspection and the e-mail was to identify the items to be addressed in connection with final closure of the former service center. Present during the inspection were you, on behalf of the Santa Clara County Fire Department (SCCFD); and Rick Freudenberger; Mike Rohde of Sand Hill Property Company; and Paul Hansen of Sand Hill Construction Management.

PRE-DEMOLITION ACTIVITIES

Prior to demolition of the building, WSP will conduct the following activities to assure the proper identification and management of any potentially hazardous building materials during demolition activities:

- 1 <u>Elevator</u>: The elevator within the building has been decommissioned and the hydraulic oil removed for proper disposal. Documentation regarding this disposal will be provided to the SCCFD.
- 2 Battery Storage Areas: Wipe samples from the floors and lower portions of the walls in the battery storage areas in the basement and first floor will be collected and analyzed for lead. Locations of wipe samples are shown in the attached photo log. A total of approximately 52 wipe samples for analysis of lead are proposed. Results will be reported to the SCCFD and include comparisons to the applicable lead wipe standard of two hundred and fifty micrograms per square foot (250μg/ft2) for interior horizontal surfaces;. The results of the Report will provide the demolition contractor with the necessary information to ensure that any lead containing materials have been properly identified and will be safely removed and properly disposed of during demolition activities.
- 3 <u>Polychlorinated Biphenyls (PCBs)</u>: Samples will be taken of any caulk/building materials suspected of containing PCBs. Locations of material samples will be determined based on field observations. Results will be reported to the SCCFD and include comparisons to applicable PCB standards.
- 4 <u>Piping</u>: Piping that formerly distributed grease, oil, and other petroleum fluids remains along interior building walls, ceilings and the basement. In some areas, concrete floor and walls show staining from residual petroleum liquids, most notably in the basement. Oil stains on the floor were also observed in the area of two former air compressors. Major stained areas will be cleaned prior to demolition and the



- piping and oil stained concrete will be segregated and disposed of properly. Documentation for the disposal of any hazardous materials will be provided to the SCCFD.
- 5 <u>Hydraulic Lifts</u>: There are a number of former hydraulic lifts within the service bay. The lift cylinders have been removed and the steel casings filled with concrete. The lifts in the northern portion of the building do not extend into the basement and hydraulic fluid piping and reservoirs may remain in these lifts. The steel casings for all of the former hydraulic lifts will be removed and the area around/within the casings will be inspected to ensure that any residual piping/reservoirs are cleaned/removed and any residual oil is removed for proper disposal. Documentation for the disposal of any hazardous materials will be provided to the SCCFD.
- 6 Alleged Underground Storage Tank (UST) Location: Two exploratory trenches that are approximately 10 feet long will be excavated to about five feet below ground surface in the area of the alleged UST; the trenches will be perpendicular to each other to create an 'X' with the center of the 'X' located at a concrete square located west of the former Sears automotive building (Figure 1). This concrete square location has been presumed to be a possible access point for an alleged UST that would have been located east of and between two former oil USTs removed in 1994.
 - For your information, to address the possibility that any USTs remain onsite, WSP performed a geophysical GPR survey on January 25, 2019 around the former Sears Automotive Center. The survey consisted of a metal sweep performed with a Fisher TW-6 MiScope to determine the presence of any metal pipes leading to or from the suspected area of the former tanks removed in 1994 and a ground penetrating radar (GPR) scan performed with a MALA easy locator to determine if there were any indications of any underground storage tank present beneath the ground surface. The survey extended across the area proposed above for the exploratory trenches and showed no evidence of any existing underground tanks there or on the west or east sides of the Sears automotive building. The geophysical survey report is attached.

DURING DEMOLITION ACTIVITIES

WSP will conduct the following additional activities during demolition:

- 1 <u>Stained Equipment:</u> Any equipment/tanks/surfaces stained with petroleum products (not identified above) will be segregated and disposed of properly. Documentation for the disposal of any hazardous materials will be provided to the SCCFD.
- Oil-Water Separator and Acid Neutralization Chamber: A below-ground oil/water separator exists outside the northeast corner of the building and a former acid neutralization chamber (previously emptied and closed by and filling with gravel) is located near the southeastern corner of the building (Figure 1). The oil/water separator and the acid neutralization chamber will be cleaned, as necessary, and the units removed for proper disposal. Following removal of the oil-water separator and acid neutralization chamber and any associated piping, soil samples will be collected from beneath the units and along the underground piping paths to determine if there were any significant releases. Preliminary proposed sample locations are shown on Figure 1 (attached). The soil samples will be analyzed for the following constituents per Santa Clara County guidelines:
 - TPHG and TPHD by EPA method 8015 (fuel scan)
 - Hexane Extractable Materials by EPA 9071B



- Volatile Organic Compounds, w/chlorinated hydrocarbons (full scan) by EPA method 8260B
- PCB's by EPA method 8082A
- Cd, Cr, Pb, Ni, and Zn by EPA 6010B
- Semi Volatile Organic Compounds (SVOCs) including Polycyclic Aromatic Hydrocarbons (PAHs) by EPA method 8270
- Unknown UST: If any previously undetected UST and/or associated piping is discovered during the exploratory trenches proposed above, appropriates measures will be taken and regulatory permits will be obtained to arrange for removal and appropriate sampling of surrounding soils (beneath any piping and the UST) to obtain tank closure.

Documentation for the disposal of any hazardous materials removed during demolition activities will be provided to the SCCFD.

Following your review and approval of this Closure Plan, we will provide information concerning scheduling of the noted activities.

Please don't hesitate to contact us if you have any questions, comments, or require additional information.

Kind regards,

Ruhard E. Freudenberge Richard E. Freudenberger **Executive Vice President**

Encl.

cc: Mike Rohde, Sand Hill Property Company

Paul Hansen, Sand Hill Construction Management



| PHOTOGRAPHIC LOG | | | | | |
|----------------------|-----------------------|--------------|--|--|--|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 | | | |
| | Cupertino, California | | | | |


Photo No.Date1March 25, 2019Northeast corner of former Sears

Northeast corner of former Sears
Automotive Building, first floor.
Three wipe samples will be
collected along the floor and three
along the wall.



| Photo No. | Date |
|---------------|-----------------|
| 2 | March 25, 2019 |
| South portion | of former Sears |

South portion of former Sears
Automotive Building, first floor.
Former battery storage area. Three wipe samples will be collected along the floor and three along the wall.





| PHOTOGRAPHIC LOG | | | | | | |
|----------------------|-----------------------|--------------|--|--|--|--|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 | | | | |
| | Cupertino, California | | | | | |

| Photo No. | Date |
|------------------|---------------------|
| 3 | March 25, 2019 |
| Basement level o | of the former Sears |
| | |

Basement level of the former Sears
Automotive Center. Two wipe
samples to be collected in areas of
staining on the floor and two wipe
samples along the wall.



| Photo No. | Date |
|------------------|---------------------|
| 4 | March 25, 2019 |
| Basement level o | of the former Sears |

Automotive Center. Three wipe samples to be collected along the floor, adjacent to each side of the side walls and one in the corner.

Three wipe samples will be taken on the wall above where each floor sample is collected.





| PHOTOGRAPHIC LOG | | | | | |
|----------------------|-----------------------|--------------|--|--|--|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 | | | |
| | Cupertino, California | | | | |

| Photo No. | Date | |
|------------------------------------|---------------------|--|
| 5 | March 25, 2019 | |
| Basement level of the former Sears | | |
| Automotive Center. Two wipe | | |
| samples to be co | llected in areas of | |

staining on the floor and two wipe samples along the wall, above the areas of staining.





| PHOTOGRAPHIC LOG | | | | | |
|----------------------|-----------------------|--------------|--|--|--|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 | | | |
| | Cupertino, California | | | | |

| Photo No. | Date |
|------------------|--------------------|
| 6 | March 25, 2019 |
| Pagamant laval a | f the former Seers |

Basement level of the former Sears
Automotive Center. Two wipe
samples to be collected in areas of
staining on the floor and two wipe
samples along the wall, above the
areas of staining.



| Photo No. 7 Basement level o | Date | | |
|------------------------------|---------------------|--|--|
| 7 | March 25, 2019 | | |
| Basement level o | of the former Sears | | |
| Automotive Co | nton Thron wine | | |

Automotive Center. Three wipe samples to be collected in areas of staining on the floor and three wipe samples along the wall.





| PHOTOGRAPHIC LOG | | | | | | |
|----------------------|-----------------------|--------------|--|--|--|--|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 | | | | |
| | Cupertino, California | | | | | |

| Photo No. | Date | |
|------------------------------------|----------------|--|
| 8 | March 25, 2019 | |
| Basement level of the former Sears | | |
| | | |

Basement level of the former Sears
Automotive Center. Three wipe
samples to be collected in areas of
staining on the floor and three wipe
samples along the wall, above the
areas of staining.



| Photo No. | Date | |
|------------------------------------|----------------|--|
| 9 | March 25, 2019 | |
| Basement level of the former Sears | | |

Basement level of the former Sears
Automotive Center. Three wipe
samples to be collected in areas of
staining on the floor and three wipe
samples along the wall, above the
areas of staining.





| PHOTOGRAPHIC LOG | | |
|----------------------|-----------------------|--------------|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 |
| | Cupertino, California | |

| Photo No. | Date | |
|----------------------------------|--|--|
| 10 | March 25, 2019 | |
| Automotive C samples to be co | of the former Sears Center. Two wipe ollected on the floor ong the walls. | |
| | | |



APPROXIMATE SAMPLING LOCATIONS -SEARS AUTOMOTIVE CENTER

CUPERTINO, CALIFORNIA PREPARED FOR

SAND HILL PROPERTY COMPANY PALO ALTO, CALIFORNIA

Approved:

DWG Name: 314MN1588-009

California Utility Locators
PO Box 67066
Scotts Valley, CA 95067
831-239-6057

| | | Job Invoice | |
|--------------------------------|------------------------------------|------------------|--|
| | DATE ORDERED | ORDER TAKEN BY | |
| | 1-23-2019 | am | |
| SOLD TO | PHONE NO. | CUSTOMER ORDER # | |
| Sand Hill Property Company | 7 | 496 | |
| , | JOB LOCATION | 7 | |
| 965 Page Mill Rd. | Wolfe & Stevens Creek Blud Sandose | | |
| 3 | JOB PHONE | STARTING DATE | |
| Palo Alto, CA 94304 | | 1-28-2019 | |
| | TERMS | | |
| RickFreudenberger-408-878-0657 | 8:00-10 | 0:00 | |

| Rick Freudenberger-408-878-0657 | 8:00-10:00 | 1 722 |
|---|--------------------------------------|---------|
| QTY. MATERIAL UNIT AMOUNT | DESCRIPTION OF WORK | |
| - Scanned areas indicated on map provided by Chient for suspected UST's in crea | Scanfor UST'S W/GPR | |
| - Metal Sweep remarked with. Figher Tw-6 M. Scope and marked rewith which point. Marked out | MISCELL ANEQUE CHARCES | |
| of UST's in areas scanned. - GPR Scan performed with | MISCELLANEOUS CHARGES | |
| of UST's in areas scanned. - Results gone over consite. | | |
| | LABOR HRS. RATE | AMOUNTS |
| | | |
| Tech on site! Nicholas Buller -831-226-9052 | | |
| TOTAL MATERIALS | TOTAL LABOR | 330 00 |
| WORK ORDERED DATE ORDERED | TOTAL LABOR | 330 ∞ |
| DATE COMPLETED | TOTAL MATERIALS TOTAL MISCELLANEOUS | |
| CUSTOMER APPROVAL SIGNATURE | SUBTOTAL | |
| AUTHORIZED SIGNATURE 1.3.41. A-2817-3817 / T-3866 10-11 | GRAND TOTAL | 330 00 |





Enthalpy Analytical

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

Laboratory Job Number 308481 ANALYTICAL REPORT

WSP Project : 31401588.001 2025 Gateway Place Location : Vallco Sears

San Jose, CA 95110 Level : II

 Sample ID
 Lab ID

 PIPE-EAST
 308481-001

 PIPE-CAP
 308481-002

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature:

Patrick McCarthy
Project Manager
patrick.mccarthy@enthalpy.com
(510) 204-2236 ext 13115

CA ELAP# 2896, NELAP# 4044-001

Date: <u>04/04/2019</u>



CASE NARRATIVE

Laboratory number: 308481 Client: WSP

Project: 31401588.001
Location: Vallco Sears
Request Date: 03/27/19
Samples Received: 03/27/19

This data package contains sample and QC results for two soil samples, requested for the above referenced project on 03/27/19. The samples were received cold and intact.

TPH-Extractables by GC (EPA 8015B):

PIPE-CAP (lab # 308481-002) was diluted due to the dark and viscous nature of the sample extract. No other analytical problems were encountered.

CHAIN-OF-CUSTODY RECORD

308481

ō

Page

2 | 2 | 1 | 1 | Matix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (detail in comments -Frichde 3-Flags Patrick
Requested Jum-Around-Time Enthal pu 72 HR -aboratory Name & Location 또 Custody Seal Number(s) No. 12113 racking Number(s) ample Comments 48 HR 3-27-19 13 146 Number of Packages Shipment Method 13-27-19 1.57 × @wsp.com Number of Containers i Phy Collection Stop* Elena Robertson WSP USA Contact E-mail 408-878-0668 95110 Received By (Signature) elenainobertson WSP USA Contact Phone Date S BRUM 1045 3polla 1045 Collection Start*
Date Time 2025 Glateway P1. 4348 SanJose, 14 replies hame Sampler(s) Signature(s) Date Time 3-27-19 1'57 Date Time \circ Elena Roberton 31461588,001 Sampler(s) Name(s) Cupertino, (4 Valle - Sears Proe-East Pipe-(ap elinquished By (Signature) Relinquished By (Signature) /SP USA Office Address ample Identification

| Section 2: Login # | AMPLE RECEIPT CHE | CKLIST | . / 1 | 1 | | - 4 | |
|--|--|---|--|----------------------|-------------------|-------------|---------------------------------------|
| Data Racelved: 3 2 7 1 9 Project: INTERMEDIAN Section 3 below) Seathon 2: Samples received in a cooler? If yes, how many? | ection 1: Login# 2 | 18481 | Client: Val | 160-Se | ars | | 71 |
| Section 2: Samples received in a coolery Ves, how many? Signature of the property of the cooler Sample Temp (*C): Signature of the property of the cooler Samples received on ice directly from the field. Cooling process had begun shipping info (ff applicable). Are custody seals present? No, or Clyes. If yes, where? On cooler, On samples, On package how many Shipping Info (ff applicable). Are custody seals intect upon arrivel? Ves Signature, Clinitials, None Were custody seals intect upon arrivel? Ves Signature, Clinitials, None Were custody seals intect upon arrivel? Ves No ON/A Section 3: Notify PM If temperature exceeds 6°C or arrive Packing in cooler; (ff other, describe) Samples received on the directly from the field. Cooling process had begun Temperature blank(s) included? Yes, No Temperature measured using Thermometer ID. Or IR Gun # A B Signature, Clinitials Signature, Clinitials, None Signature, Clinit | Date Receiv | nd: 3-27-19 | | | | EN. | THALPY |
| If no cooler Sample Tenep (*C): | | | | □ No /skin Seci | tion 8 helow) | | |
| Samples received on lor directly from the field. Cooling process had begun | | | | | | | |
| If in cooler: Data Opened 3 2 7 | | received on ice directly from | n the field. Cooling r | incess had begun | | | |
| Shipping Info (if applicable) Are custody seals present? No, or Yes. If yes, where? | - | | · | (| | | |
| Are custody seals present? No, or Yes. If yes, where? on cooler, on samples, on package Deta: How many Signaturs, Initials, None Were custody seals intact upon arrival? Yes No O/A/A Section 3: Important: Notify PM if temperature exceeds 6°C or arrive Bubble Wrap, Foam blocks, Sags, None, Cloth material, Cardboard, Styrofoam, Paper towels Samples recalved on joc directly from the field. Cooling process had begun Type of ice used: Wet, Blue/Gel, None Temperature blank(s) included? Yes, No Temperature meastured using Thermometer ID: or iR Gun # A B Cooler Temp (*C): #1: #3: #4: #5: #5: #7: Section 4: YES NO Were custody papers dry, filled out properly, and the project identifiable YES NO Were custody papers dry, filled out properly, and the project identifiable YES NO Were sustody papers dry, filled out properly and the project identifiable YES NO Were sustody papers dry, filled out properly and the project identifiable YES NO Were sustody papers dry, filled out properly and the project identifiable YES NO Were sustody papers dry, filled out properly and the project identifiable YES NO Were sustody papers dry, filled out properly and the project identifiable YES NO Mare there any missing / extra samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the containers out match the COC? Does the container count match the COC? Does the container out from the ILIMS for preserved terracores? Are bubbles > Gram absent in VOA samples? By Date: YES NO Mare the samples appropriately preserved? (if N/A, skip the rest of section 5) Did you document your preservative check? PH Stof lots! added to samples On/at HOS Ordinaterion Doubles Doubles | · · · · · · · · · · · · · · · · · · · | | | (sign) | | | • |
| Deba: | Snipping im | о (п аррисаріе) | M | 2 FM | U | | |
| Ware custody seals intact upon arrival? Yes No CAN/A | - | | | | | n package | |
| Section 3: | | | | | _1 None | | |
| Packing in cooler: (if other, describe) Bubble Wirap, Foam blocks, Rags, None, Cloth material, Cardboard, Styrofoam, Paper towels Samples received on, ice directly from the field. Cooling process had begun Type of ice used: Met, Blue/Gel, None Temperature blank(s) included? Yes, No Temperature measured using Thermometer ID: or IR Gun# A B Cooler Temp (*C): #1: #3: #4: #5: #5: #7: Section 4: YES NO Were custody papers dry, filled out properly, and the project identifiable Were Method 5035 sampling containers present? If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopened? Are samples in the appropriate containers for indicated tests? Are sample inbels grees with custody papers? Are sample labels grees with custody papers? Are sample labels grees with custody papers? Was sufficient, amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VCAs? Did you change the hold time in LIMS for unpreserved VCAs? Did you change the hold time in LIMS for preserved versecores? Are bubbles > Green absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who wes called? By Date: Section 5: YES NO Date: Section 5: YES NO Date: Preservetive added: ph strip lot# Preservetive added: ph strip lot# added to samples on/at on/at On/at Date | | a custody seass intact upon | | | | | |
| □ Bubble Wrap, □ Foam blocks, □ Stags, □ None, □ Cloth material, □ Cardboard, □ Styrofoam, □ Paper towels □ Samples received on Joc directly from the field. Cooling process had begun Type of ice used: □ Wet, □ Blue/Gel, □ Non □ Temperature blank(s) included? □ Yes, □ No Temperature measurad using □ Thermometer ID: □ or IR Gun # □ A □ B Cooler Temp (*C): \$1: □ , | | | Importo | nt : Nocky PM if tem | becimie excises | P.COL MIN | re trozer |
| Samples received on ice directly from the field. Cooling process had begun Type of ice used: Wet, Blue/cel, None Temperature blank(s) included? Yes, No Temperature measured using Thermometer ID; or IR Gun # A B Cooler Temp (*C); #1; #2; #3: #4: #5: #5: #7: Section 4: YES NO Were custody papers dry, filled out properly, and the project identifiable Were Method 5035 sampling containers present? Were Method 5035 sampling containers present? | | | Jone II Oleth and a | to Donathanad D | | | |
| Type of ice used: | • • • | - / \ | | | Styroman, Li Paj | sel rismerz | |
| Temperature measured using Thermometer ID: | | | | | Marakadada 1771 V | ee 🗆 No | |
| Cooler Temp (*C): #1: | | | | | | ca, [] 140 | |
| Section 4: Were custody papers dry, filled out properly, and the project identifiable Were Method 5035 sampling containers present? If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopenad? Are there any missing / extra samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient emount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VOAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you check preservatives for all bottles for each sample? Did you decornent your preservative check? pH strip lottle | | | | | | | |
| Were custody papers dry, filled out properly, and the project identifiable Were Method 5035 sampling containers present? If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopened? Are there any missing / extre samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient emount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VOAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lots! | | | , 84, | , wa, w | | FS NO | N/A |
| Were Method 5035 sampling containers present? If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopened? Are there any missing / extra samples? Are samples in the appropriete containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient emount of sample sent for tests requested? Did you change the hold time in LIMS for preserved VOAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm elsent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: YES NO Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lots! | | ov filled out properly, and th | he amiect identifish | | | | |
| If YES, what time were they transferred to freezer? Did all bottles arrive unbroken/unopened? Are stense any missing / extre samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VQA samples? Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lots | | | na project identinas | | | | |
| Did all bottles arrive unbroken/unopened? Are there any missing / extra samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm elsent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# | | والتراث المحالة المحالية الم | ezer? | | | | |
| Are there any missing / extre samples? Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VQA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you chack preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# | | | | | | | |
| Are samples in the appropriate containers for indicated tests? Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient emount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: YES NO Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# pH strip lot# pH strip lot# preservative added: HASO4 lot# added to samples on/at On/at NaOH lot# added to samples on/at On/at NaOH lot# Section 6: | | | | | | | |
| Are sample labels present, in good condition and complete? Does the container count match the COC? Do the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: YES NO Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# Preservative added: HCL lot# added to samples on/at HNOS lot# added to samples on/at NaOH lot# added to samples on/at Section 6: | | | eted tests? | | 7 | | |
| Do the sample labels agree with custody papers? Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VQA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# | | | | | | | |
| Was sufficient amount of sample sent for tests requested? Did you change the hold time in LIMS for unpreserved VQAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VQA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: YES NO Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: H2SO4 lot# added to samples, pH strip lot#, pH strip lot#, pH strip lot#, pH added to samples, | oes the container cou | nt match the COC? | | | / | · | |
| Did you change the hold time in LIMS for unpreserved VOAs? Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# pH strip lot# pH strip lot# Preservative added: H2SO4 lot# added to samples on/at H1NO8 lot# added to samples on/at NaOH lot# added to samples on/at NaOH lot# Section 6: | | | | | | 7 | |
| Did you change the hold time in LIMS for preserved terracores? Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lots! preservative added: H2SO4 lots! added to samples on/at H1CL lots! added to samples on/at NaOH lots! added to samples on/at Section 6: | | | | | | | |
| Are bubbles > 6mm absent in VOA samples? Was the client contacted concerning this sample delivery? If YES, who was called? By Date: Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# pH strip lot# pH strip lot# Preservative added: H2SO4 lot# added to samples on/at H1CL lot# added to samples on/at H1CS lot# added to samples on/at NaOH lot# added to samples on/at | | | | | | | 1 |
| Was the client contacted concerning this sample delivery? If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: H2SO4 lot# added to samples, on/at HCL lot# added to samples, on/at HNO3 lot# added to samples, on/at NaOH lot# added to samples, on/at NaOH lot# added to samples, on/at | | | terracores? | | | | 14 |
| If YES, who was called? Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot# | | | | - | | | |
| Section 5: Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: H2SO4 lot# added to samples, on/at HCL lot# added to samples, on/at HNO3 lot# added to samples, on/at NaOH lot# added to samples, on/at Section 6: | | | | | | | j |
| Are the samples appropriately preserved? (If N/A, skip the rest of section 5) Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: □ H2SO4 lot# added to samples on/at □ HCL lot# added to samples on/at □ HNO3 lot# added to samples on/at □ NaOH lot# added to samples on/at Section 6: | | ed? | By | Date | | | , |
| Did you check preservatives for all bottles for each sample? Did you document your preservative check? pH strip lot#, pH strip lot#, pH strip lot# Preservative added: H2SO4 lot# added to samples on/at HCL lot# added to samples on/at HNO3 lot# added to samples on/at NaOH lot# added to samples on/at Section 6: | | · · · · · · · · · · · · · · · · · · · | ······································ | <u> </u> | <u> Y</u> | ES NO | N/A |
| Did you document your preservative check? pH strip lot# | | | | tion 5) | | | |
| pH strip lot#, pH strip lot#, pH strip lot# Preservative added: □ H2SO4 lot# added to samples | | | sample? | | | | - |
| Preservative added: H2SO4 lots added to samples on/at HCL lots added to samples on/at HNO3 lots added to samples on/at NaOH lots added to samples on/at Section 6: | • | • | • | | . L | | |
| □ H2SO4 lot# added to samples on/at □ HCL lot# added to samples on/at □ HNO3 lot# added to samples on/at □ NaOH lot# added to samples on/at Saction 6: on/at | | pH strip lot#. | | , pH strip lot# | | · | |
| ☐ HCL lot# added to samples on/at ☐ HNO3 lot# added to samples on/at ☐ NaOH lot# added to samples on/at Section 6: on/at | | | | | 'an las | | |
| □ HNOS lot# added to samples on/at □ NaOH lot# added to samples on/at Section 6: | | | Market Street, | | | ····· | |
| □ NaOH lot# added to samples on/at Section 6: | | | | | | | · · · · · · · · · · · · · · · · · · · |
| Section 6: | | | | | | | · |
| | | acueu to semples | | | Oyer | | |
| Experience by Continuities. | | ۥ | | ! | | ٠. | |
| , · · · · · · · · · · · · · · · · · · · | den i se i se i se i se i se i se i se i | | | | | | |
| | • | | | | | | |
| · · · · · · · · · · · · · · · · · · · | • | , | | | | | |
| Date Logged in 3 27/19 By (print) AZ (sign) | Peta I canad in ? | 27 19 Bu (molant) | Λ | 7 (alam) | // | <u> </u> | |
| Property of A 12 A 6 i 3 Bretanded P / (alan) | | | |) | PA / | | _ |



Detections Summary for 308481

Results for any subcontracted analyses are not included in this summary.

Client : WSP

Project : 31401588.001 Location : Vallco Sears

Client Sample ID : PIPE-EAST Laboratory Sample ID : 308481-001

No Detections

Client Sample ID : PIPE-CAP Laboratory Sample ID : 308481-002

| Analyte | Result | Flags | RL | MDL | Units | Basis | IDF | Method | Prep Method |
|-------------------|--------|-------|----|-----|-------|---------|-------|-----------|-------------|
| Motor Oil C24-C36 | 74 | | 25 | 7.5 | mg/Kg | As Recd | 5.000 | EPA 8015B | EPA 3550C |

Page 1 of 1 9.0



| Total Extractable Hydrocarbons | | | | |
|--------------------------------|--------------|-----------|--------------|--|
| Lab #: | 308481 | Location: | Vallco Sears | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | 31401588.001 | Analysis: | EPA 8015B | |
| Matrix: | Soil | Sampled: | 03/27/19 | |
| Units: | mg/Kg | Received: | 03/27/19 | |
| Basis: | as received | Prepared: | 04/02/19 | |
| Batch#: | 269155 | Analyzed: | 04/03/19 | |

Lab ID: Field ID: PIPE-EAST 308481-001 Diln Fac:

Type: SAMPLE 1.000

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|-----|
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 117 | 61-130 |

Field ID: PIPE-CAP Lab ID: 308481-002 בום בוט: Diln Fac: Type: SAMPLE 5.000

| Analyte | Result | RL | MDL |
|-------------------|--------|----|-----|
| Motor Oil C24-C36 | 74 | 25 | 7.5 |

| Surrogate | %REC | Limits | |
|-------------|------|--------|--|
| o-Terphenyl | DO | 61-130 | |

Type: BLANK Diln Fac: 1.000

Lab ID: QC970423

| Analyte | Result | RL | MDL |
|-------------------|--------|-----|-----|
| Motor Oil C24-C36 | ND | 5.0 | 1.5 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 116 | 61-130 |

DO= Diluted Out

ND= Not Detected at or above MDL

RL= Reporting Limit

MDL= Method Detection Limit

Page 1 of 1

2.3



Batch QC Report

| Total Extractable Hydrocarbons | | | | |
|--------------------------------|--------------|-----------|--------------|--|
| Lab #: | 308481 | Location: | Vallco Sears | |
| Client: | WSP | Prep: | EPA 3550C | |
| Project#: | 31401588.001 | Analysis: | EPA 8015B | |
| Type: | LCS | Diln Fac: | 1.000 | |
| Lab ID: | QC970424 | Batch#: | 269155 | |
| Matrix: | Soil | Prepared: | 04/02/19 | |
| Units: | mg/Kg | Analyzed: | 04/03/19 | |

| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 50.00 | 52.32 | 105 | 55-133 |

| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 123 | 61-130 |

Page 1 of 1 3.0



Batch QC Report

| Total Extractable Hydrocarbons | | | | | | |
|--------------------------------|--------------|-----------|--------------|--|--|--|
| Lab #: | 308481 | Location: | Vallco Sears | | | |
| Client: | WSP | Prep: | EPA 3550C | | | |
| Project#: | 31401588.001 | Analysis: | EPA 8015B | | | |
| Field ID: | ZZZZZZZZZ | Batch#: | 269155 | | | |
| MSS Lab ID: | 308596-004 | Sampled: | 04/01/19 | | | |
| Matrix: | Soil | Received: | 04/01/19 | | | |
| Units: | mg/Kg | Prepared: | 04/02/19 | | | |
| Basis: | as received | Analyzed: | 04/03/19 | | | |
| Diln Fac: | 1.000 | | | | | |


Type: MS Lab ID: QC970425

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|----------------|------------|--------|--------|------|--------|
| Diesel C10-C24 | 2.641 | 49.96 | 50.86 | 97 | 56-125 |


| Surrogate | %REC | Limits |
|-------------|------|--------|
| o-Terphenyl | 113 | 61-130 |

Type: MSD Lab ID: QC970426


| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------|--------|--------|------|--------|-----|-----|
| Diesel C10-C24 | 49.68 | 50.01 | 95 | 56-125 | 1 | 33 |



G:\ezchrom\Projects\GC27\Data\2019\093a014.dat, Front Signal



G:\ezchrom\Projects\GC27\Data\2019\093a003.dat, Front Signal



G:\ezchrom\Projects\GC27\Data\2019\093a004.dat, Front Signal

APPENDIX

CLOSURE LETTER REPORT – WEST SIDE OF MALL



FIRE DEPARTMENT SANTA CLARA COUNTY



14700 Winchester Blvd., Los Gatos, CA 95032-1818 (408) 378-4010 • (408) 378-9342 (fax) • www.sccfd.org

12 December, 2018

Vallco Shopping Mall Mr. Mike Rohde 10123 North Wolfe Road, Suite 1095 Cupertino, CA 95014

Re: Facility Closure and Post Closure Report

Demolition Area A at 10123 North Wolfe Road-Facility Closure

Dear Mr. Rohde:

Thank you for the Hazardous Materials Facility Closure and Post Closure Reports prepared by WSP USA, dated December 11, 2018. The reports include hazardous material activities performed under Permit 18-4463. The reports include disposal of hazardous materials and sampling results at Demolition Area A at 10123 North Wolfe Road. Based on the Facility Post Closure Report, it appears that no further action is required and that there is no threat to public health or the environment. Therefore, Fire Department closure requirements have been met and the Post Closure Report is approved as submitted. If you have any questions please feel free to contact me at (408) 378-4010.

Sincerely,

Lorenzo Perez

doreno fez

Hazardous Materials Specialist

Mid Pacific District District Management



06/20/19

KONE Inc. 2121 N. California Blvd Walnut Creek, CA 94596 Ph: 510-719-6717 www.us.kone.com

Subject: Vallco Shopping Mall, Cupertino, CA

Dear Mr. Kumar,

As you are aware, KONE was recently asked to drain the hydraulic fluid from the elevators at the above subject location. The product installed at that location uses steel piping that is sealed from end to end through valves and proper fittings. There would be no ability for hydraulic fluid to leak from that piping. Further, the waterproofing in the pits would act as containment if for some reason there was any sort fluid to enter the said area.

Within KONE we have not used hydraulic oils that contain VOC or PCB, so this should not be of concern.

Please feel free to reach out to me if you have any questions.

Sincerely,

Joe Harmeyer

District Vice President

KONE Inc





Tel.:+1 408 453-6100 Fax: +1 408 453-0496 wsp.com

December 11, 2018

Mr. Lorenzo Perez Hazardous Materials Specialist Santa Clara County Fire Department 14700 Winchester Boulevard Los Gatos, CA 95032

Subject: Vallco Shopping Mall, 10123 West Wolfe Road, Cupertino, CA: West Side Closure Plan

Dear Mr. Perez:

Per your inspections at the referenced site and interactions with Mr. Mike Rohde, General Manager of the Vallco Shopping Mall, WSP presents the following details regarding the hazardous materials closure plan for the West Side of the Vallco Shopping Mall.

1. Removal of Drums in Storage Area of West Garage

Attached is a letter documenting the removal of the seven (7) drums from the storage area within the west garage (identified during your site visit on October 5, 2018).

2. AMC Movie Theatres Inverter System

The batteries within the inverter system were removed the week of November 12 and the bill of lading for disposal/recycling is included as an attachment..

3. Elevators

Kone has decommissioned all the elevators. The removal of the hydraulic oil was completed on December 7, 2018 and the paperwork for its disposition is attached.

4. Grease Interceptors

All grease interceptors were cleaned and contents removed by December 5, 2018.

5. Mall Generator and Embedded Diesel Fuel Tank (Stairwell #3 Generator Room)

The generator was operated so as to empty the diesel fuel tank and the generator/tank skid wase removed by a third party during the week of December 3, 2018. Documentation concerning the removal of the generator/tank is included as an attachment.

6. Miscellaneous Paint and Other Waste

During your site inspection of December 4, 2018, various paint materials and other waste were identified. These wastes were removed on December 7, 2018 and the paperwork for the disposition of these materials is attached.

Additionally, for your information, we are attaching the Asbestos and Lead (Pb) Survey and Evaluation Report dated October 26, 2018 and the Limited Lead (Pb) Testing Report dated October 31, 2018, both



prepared by ProTech. The results of the Report provide the demolition contractor with the necessary information to ensure that these materials have been properly identified and will be safely removed and properly disposed of during demolition activities.

We are also providing for your additional information the attached report by Trillo Mechanical regarding the refrigerant recovery at the Mall.

Please do not hesitate to contact me if you have any questions or require additional information.

Sincerely Yours,

Richard E. Freudenberger
Executive Vice President

Attachment

cc: Mike Rohde, Vallco Shopping Mall

Paul Hansen, Sand Hill Construction Management

EPA Form 8700-22 (Rev. 12-17) Previous editions are obsolete.



Signature

SERVICE AGREEMENT

21 Great Oaks Boulevard San Jose, CA 95119

Phone: (408) 363-3678

| te information | | | | |
|--|---|---|---|--|
| te Information Customer: Site Address: City, State, and Zip Contact: Phone Number: | allio 1773 N Wol sperimo (6 | FW | Service Date: Project Number: | |
| cope of Work | | | | |
| DIV. | 01959484 | 22/10 | | |
| | The Control of the Control | Consideration and and and and and and and and and an | | |
| | | | | |
| | | | | |
| abor | | | Project Notes | |
| | | | | |
| | | | | |
| | | | | |
| | | | | uests All Clean to submit fest(s) to DTSC. |
| 보통 하다가 하는 이 사람들이 없는 것 같아 없다는 것 같아 보다 그 때문에 다른 것이다. | Poli OT Day | | └─ [│] copy of manif | fest(s) to DTSC. |
| 40 : D. 그리고 C. 그리고 있는데 10 : 10 : 10 : 10 : 10 : 10 : 10 : 10 | Qty Poly OT Drums UN1H2 - 55 Gal | Qty <u>Metal OT Drums</u> Qty UN1A2 - 55 Gal | └── copy of manif | fest(s) to DTSC. Qty Equipment |
| ty <u>Supplies</u> | | Qty <u>Metal OT Drums</u> Qty UN1A2 - 55 Gal UN1A2 - 30 Gal | copy of manif y <u>Fiber Drum/Boxes</u> UN1G = 55-Gal | est(s) to DTSC. Qty <u>Equipment</u> HEPA Vacuum |
| y <u>Supplies</u> PPE - Level D | UN1H2 - 55 Gal | UN1A2 - 55 Gal | └── copy of manif | Caty Equipment HEPA Vacuum Pump |
| y <u>Supplies</u> PPE - Level D PPE - Level C Nitrile Gloves, pair Box, Rags | UN1H2 - 55 Gal UN1H2 - 30 Gal UN1H2 - 20 Gal UN1H2 - 15 Gal | UN1A2 - 55 Gal UN1A2 - 30 Gal | y Fiber Drum/Boxes UN1G = 55-Gal 55 gal Labpacker | est(s) to DTSC. Qty <u>Equipment</u> HEPA Vacuum |
| Supplies PPE - Level D PPE - Level C Nitrile Gloves, pair Box, Rags Drum liner | UN1H2 - 55 Gal UN1H2 - 30 Gal UN1H2 - 20 Gal UN1H2 - 15 Gal UN1H2 - 5 Gal | UN1A2 - 55 Gal UN1A2 - 30 Gal UN1A2 - 20 Gal | y Fiber Drum/Boxes UN1G = 55-Gal 55 gal Labpacker 30 gal Labpacker | Qty Equipment HEPA Vacuum Pump Wet/Dry Vacuum |
| y Supplies PPE - Level D PPE - Level C Nitrile Gloves, pair Box, Rags Drum liner Simple Green, gal | UN1H2 - 55 Gal UN1H2 - 30 Gal UN1H2 - 20 Gal UN1H2 - 15 Gal UN1H2 - 5 Gal UN1H2 - 5 Gal UN1H2 - 2.5 Gal | UN1A2 - 55 Gal UN1A2 - 30 Gal UN1A2 - 20 Gal UN1A2 - 5 Gal | copy of manif y Fiber Drum/Boxes UN1G - 55-Gal 55 gal Labpacker 30 gal Labpacker 20 gal Labpacker | Qty Equipment HEPA Vacuum Pump Wet/Dry Vacuum Pressure Washe |
| Supplies PPE - Level D PPE - Level C Nitrile Gloves, pair Box, Rags Drum liner Simple Green, gal Bleach, gal | UN1H2 - 55 Gal UN1H2 - 30 Gal UN1H2 - 20 Gal UN1H2 - 15 Gal UN1H2 - 5 Gal UN1H2 - 5 Gal UN1H2 - 2.5 Gal UN1H2 - Overpack | UN1A2 - 55 Gal UN1A2 - 30 Gal UN1A2 - 20 Gal UN1A2 - 5 Gal UN1A2 - 5 Gal UN1A2 - Overpack Qty Metal CT Drums | copy of manif y Fiber Drum/Boxes UN1G = 55-Gal 55 gal Labpacker 30 gal Labpacker 20 gal Labpacker 10 gal Labpacker | Qty Equipment HEPA Vacuum Pump Wet/Dry Vacuum Pressure Washe Sawzall |
| Supplies PPE - Level D PPE - Level C Nitrile Gloves, pair Box, Rags Drum liner Simple Green, gal Bleach, gal IPA, gal | UN1H2 - 55 Gal UN1H2 - 30 Gal UN1H2 - 20 Gal UN1H2 - 15 Gal UN1H2 - 5 Gal UN1H2 - 2.5 Gal UN1H2 - Overpack Qty Poly CT Drums | UN1A2 - 55 Gal UN1A2 - 30 Gal UN1A2 - 20 Gal UN1A2 - 5 Gal UN1A2 - 5 Gal UN1A2 - Overpack | copy of manif y Fiber Drum/Boxes UN1G - 55-Gal 55 gal Labpacker 30 gal Labpacker 20 gal Labpacker 10 gal Labpacker 5 gal Labpacker | Qty Equipment HEPA Vacuum Pump Wet/Dry Vacuum Pressure Washe Sawzall Floor Buffer |
| Supplies PPE - Level D PPE - Level C Nitrile Gloves, pair Box, Rags Drum liner Simple Green, gal Bleach, gal IPA, gal Vermiculite, bag | UN1H2 - 55 Gal UN1H2 - 30 Gal UN1H2 - 20 Gal UN1H2 - 15 Gal UN1H2 - 5 Gal UN1H2 - 5 Gal UN1H2 - Overpack Qty Poly CT Drums UN1H1 - 55 Gal | UN1A2 - 55 Gal UN1A2 - 30 Gal UN1A2 - 20 Gal UN1A2 - 5 Gal UN1A2 - 5 Gal UN1A2 - Overpack Qty Metal CT Drums UN1A1 - 55 Gal UN1A1 - 30 Gal | copy of manif | Pest(s) to DTSC. Qty Equipment HEPA Vacuum Pump Wet/Dry Vacuum Pressure Washe Sawzall Floor Buffer Small Tools |
| Supplies PPE - Level D PPE - Level C Nitrile Gloves, pair Box, Rags Drum liner Simple Green, gal Bleach, gal IPA, gal Vermiculite, bag Preprinted Labels | UN1H2 - 55 Gal UN1H2 - 30 Gal UN1H2 - 20 Gal UN1H2 - 15 Gal UN1H2 - 5 Gal UN1H2 - 2.5 Gal UN1H2 - Overpack Qty Poly CT Drums UN1H1 - 55 Gal UN1H1 - 30 Gal | UN1A2 - 55 Gal UN1A2 - 30 Gal UN1A2 - 20 Gal UN1A2 - 5 Gal UN1A2 - 0 Verpack Qty Metal CT Drums UN1A1 - 55 Gal UN1A1 - 30 Gal UN1A1 - 20 Gal | copy of manif y Fiber Drum/Boxes UN1G - 55-Gal 55 gal Labpacker 30 gal Labpacker 20 gal Labpacker 10 gal Labpacker 5 gal Labpacker 8' Bulb drum 4' Bulb drum | Gest(s) to DTSC. Guy Equipment HEPA Vacuum Pump Wet/Dry Vacuum Pressure Washe Sawzall Floor Buffer Small Tools Air Compressor |
| PPE - Level D PPE - Level C Nitrile Gloves, pair Box, Rags Drum liner Simple Green, gal Bleach, gal IPA, gal Vermiculite, bag Preprinted Labels Respirator Cartridge, Single | UN1H2 - 55 Gal UN1H2 - 30 Gal UN1H2 - 20 Gal UN1H2 - 15 Gal UN1H2 - 5 Gal UN1H2 - 2.5 Gal UN1H2 - Overpack Oty Poly CT Drums UN1H1 - 55 Gal UN1H1 - 30 Gal UN1H1 - 20 Gal | UN1A2 - 55 Gal UN1A2 - 30 Gal UN1A2 - 20 Gal UN1A2 - 5 Gal UN1A2 - 5 Gal UN1A2 - Overpack Qty Metal CT Drums UN1A1 - 55 Gal UN1A1 - 30 Gal | copy of manif y Fiber Drum/Boxes UN1G = 55-Gal 55 gal Labpacker 30 gal Labpacker 20 gal Labpacker 10 gal Labpacker 5 gal Labpacker 8' Bulb drum 4' Bulb drum 8' Bulb box | Gest(s) to DTSC. Guy Equipment HEPA Vacuum Pump Wet/Dry Vacuum Pressure Washe Sawzall Floor Buffer Small Tools Air Compressor |
| PPE - Level D PPE - Level C Nitrile Gloves, pair Box, Rags Drum liner Simple Green, gal Bleach, gal IPA, gal Vermiculite, bag Preprinted Labels | UN1H2 - 55 Gal UN1H2 - 30 Gal UN1H2 - 20 Gal UN1H2 - 15 Gal UN1H2 - 5 Gal UN1H2 - 2.5 Gal UN1H2 - Overpack Qty Poly CT Drums UN1H1 - 55 Gal UN1H1 - 30 Gal | UN1A2 - 55 Gal UN1A2 - 30 Gal UN1A2 - 20 Gal UN1A2 - 5 Gal UN1A2 - 0 Verpack Qty Metal CT Drums UN1A1 - 55 Gal UN1A1 - 30 Gal UN1A1 - 20 Gal | copy of manif y Fiber Drum/Boxes UN1G = 55-Gal 55 gal Labpacker 30 gal Labpacker 20 gal Labpacker 10 gal Labpacker 5 gal Labpacker 8' Bulb drum 4' Bulb drum 8' Bulb box 4' Bulb box | Gest(s) to DTSC. Guy Equipment HEPA Vacuum Pump Wet/Dry Vacuum Pressure Washe Sawzall Floor Buffer Small Tools Air Compressor |

Guerrero

Print Name, Title



October 5, 2018

Mike Rohde Vallco Shopping Mall 10123 N. Wolfe Road, Suite 1095 Cupertino, CA 95014

Re: 7 - 55 Gallon Drums at 10123 N. Wolfe Road, Cupertino, CA 94015

Dear Mike,

Per our conversation on 10/5/18, seven drums will be picked up from the storage facility at 10123 N. Wolfe Road and taken to our yard at 1766 Rogers Ave, San Jose, CA 95112. All seven will no longer be onsite by 5PM on 10/5/18.

Please contact me should you have any questions, comments or concerns regarding this action item, or any other matter, by email at rvalentine@petalon.com, or mobile phone: (408) 595-1006.

Sincerely,

Ryan Valentine, Senior Account Manager Petalon Landscape Management, Inc.

Trillo Mechanical

YOUR EPA REFRIGERANT RECOVERY REPORT

To Meet Your Requirements Under Section 608 of the Clean Air Act



92Units/Circuits Recovered

O Cylinders Recovered



REFRIGERANT RECOVERED (LBS.)

| R-22 FOR RECLAMATION | 2511 |
|------------------------|------|
| R-502 FOR RECLAMATION | 48 |
| R-404A FOR RECLAMATION | 39 |
| R-410A FOR RECLAMATION | 25 |
| Total Recovered: | 2623 |

RECLAIM & RETURN SERVICE

Total RRS:

0

REFRIGERANT SALES

Total Refrigerant:

0

Thank You For Your Business!













RECOVERY DETAILS

11-09-2018

178457, 160081, 160082, 160083

Ref Order #: Jobsite Address 10123 North Wolfe Rd Cupertino, CA 95014

| Description | Make | Model# | Serial# | RapRec ID# | Recovered Refrigerant | Purity | Quantity |
|---------------------------------|--------------------|-----------------------|--------------------|------------|-----------------------|--------|----------|
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | TCD150C300 CA | R27103113D | 0985162 | | | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | SAHCC4040 | J84E71193 | 0983292 | | | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | SAHCC5040B | J84E71187 | 0983291 | | | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | SAHCC5040B 5 | J84E71189 | 0983290 | | | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | SAHGCC4040 | J84E71191 | 0983289 | | | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | SAHCC4040B | J84E71194 | 0983288 | | | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE - TRIPLE | SFHB2504HG | J84E81201 | 0983287 | | | 3 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | SAHCC5040B 53C | J84E71188 | 0983286 | | | 2 |
| REFRIGERANT RECOVERY SERVICE | GLASTENDER | PJB4-R1-GNH | 404122953N | 0985181 | | | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND - FLAT | RS47C2-1AA- 959 | ORD10378B | 0985180 | | | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND | C7AB-0200- TAC-001 | PLACARD MISSING | 0985179 | | | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND | CRD1-0200- PFV-270 | 00112210B | 0985178 | | | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND | E7AB-0200- TAC-001 | PLACARD MISSING | 0985177 | | | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND | E7AB-0200- TAC-001 | PLACARD MISSING | 0985176 | | | 1 |
| REFRIGERANT RECOVERY SERVICE | TECUMSEH | AK166ET- 038-J3 | AKA9462EXD | 0985175 | | | 1 |
| REFRIGERANT RECOVERY SERVICE | TECUMSEH - FLAT | AK176ET- 038-P2 | AKA9455EXD | 0985174 | | | 1 |
| | | | | | | | |





| REFRIGERANT RECOVERY SERVICE | TECUMSEH - FLAT | PLACARD MISSING | PLACARD MISSING | 0985173 | 1 |
|---------------------------------|---------------------|----------------------|--------------------|---------|---|
| REFRIGERANT RECOVERY SERVICE | COPELAND - FLAT | ARE59C3- CAA-103 | 12A27071E | 0985172 | 1 |
| REFRIGERANT RECOVERY SERVICE | TECUMSEH | AKA942BEXA | PLACARD MISSING | 0985171 | 1 |
| REFRIGERANT RECOVERY SERVICE | HOSHIZAKI | UPC12-F | J0339BJ | 0985170 | 1 |
| REFRIGERANT RECOVERY SERVICE | HASHIZAKI | UPC12-F | J03397J | 0985169 | 1 |
| REFRIGERANT RECOVERY SERVICE | HOSHIZAKI - FLAT | S-0454 | PLACARD MISSING | 0985168 | 1 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | YHC092A3EL A0JD0 | 22710052L | 0985167 | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE | TCD090C300 BC | R24101060D | 0985166 | 1 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | YHC120A3EL A05D0 | 232101700L | 0985165 | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE | YHC060A3EL A01D0 | Z3410022BL | 0985164 | 1 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | YHC092A3EL A0HD0 | 22210049BL | 0985163 | 2 |
| REFRIGERANT RECOVERY SERVICE | YORK - DUAL | XP102C0DN4 AAA5A | N1A2498727 | 0985182 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48AWD041- FQ611EE | 0208400688 | 0985183 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48HJD017- 6B1AA | 4907036660 | 0985184 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48HJD017- 6B1AA | 4807035934 | 0985185 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48AJD020LQ 611HH | 0508063481 | 0985186 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48AJD020LQ 611HH | 0508U03497 | 0985187 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER | 48DJD00761 0 | 1591G72349 | 0985188 | 1 |
| REFRIGERANT RECOVERY SERVICE | CARRIER | 48DJD00761 0 | 1591G72389 | 0985189 | 1 |
| REFRIGERANT RECOVERY SERVICE | CARRIER | 48DJD00761 0 | 1591G72351 | 0985190 | 1 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | SANCC5040 | J84F71186 | 0983294 | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | SANCC5040B | J84E-190 | 0983295 | 2 |
| REFRIGERANT RECOVERY SERVICE | TRANE - DUAL | SAN00404B | J84E1192 | 0983296 | 2 |





| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48AJD020 | 0508U03493 | 0983297 | 2 |
|---------------------------------|--------------------|-----------------------|--------------------|---------|---|
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48AJD020 | 0508U03495 | 0983298 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER | AH0781897 | R982655 | 0983299 | 1 |
| REFRIGERANT RECOVERY SERVICE | HEAT CRAFT | M0H120615 | 4419827 | 0983300 | 1 |
| REFRIGERANT RECOVERY SERVICE | HEAT CRAFT | MOH091618 | 4419663 | 0983301 | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND - FLAT | 3RA1031A- TAC800 | 09H63974R | 0985191 | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND - FLAT | 3RA10310- TAC | CT91C0937 | 0985192 | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND - FLAT | 3RA1-031A- TAC-800 | 08E66170R | 0985193 | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND - FLAT | PLACARD MISSING | PLACARD MISSING | 0985194 | 1 |
| REFRIGERANT RECOVERY SERVICE | COPELAND - FLAT | PLACARD MISSING | PLACARD MISSING | 0985195 | 1 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48ZNH060SF L600EH | 2906U16614 | 875997 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48ZNH070SH L600GJ | 2906U16617 | 875998 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48AJE030JP- 611HK | 3006U17410 | 875999 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48AJE030JP- 611HK | 3005U17408 | 8756000 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48ZNA070SG L60FH | 2906U16616 | 8756001 | 2 |
| REFRIGERANT RECOVERY SERVICE | CARRIER - DUAL | 48ZNH060SF L600EH | 2906U16615 | 8756002 | 2 |
| REFRIGERANT RECOVERY SERVICE | IMI CORNELLIUS | CR1200 | 63G0625BE00 5 | 8756003 | 1 |
| REFRIGERANT RECOVERY SERVICE | IMI CORNELLIUS | CR1200 | 63G031BE006 | 8756004 | 1 |
| REFRIGERANT RECOVERY SERVICE | IMI CORNELLIUS | CR1200 | 63G0625BE00 2 | 8756005 | 1 |
| REFRIGERANT RECOVERY SERVICE | RDI | PLACARD MISSING | PLACARD MISSING | 8756006 | 1 |
| REFRIGERANT RECOVERY SERVICE | RDI | PLACARD MISSING | PLACARD MISSING | 8756007 | 1 |
| REFRIGERANT RECOVERY SERVICE | RDI | PLACARD MISSING | PLACARD MISSING | 8756008 | 1 |
| REFRIGERANT RECOVERY SERVICE | CARRIER | 38HDF024- 301 | 1506X91977 | 8756009 | 1 |





| REFRIGERANT RECOVERY SERVICE | CARRIER | 38HDF024- 301 | 1506X9181 | 8756010 | | | 1 |
|---------------------------------|---------|------------------|-----------|---------|--|---------|------|
| R-22 FOR RECLAMATION | | | | | | 97-100% | 2511 |
| R-404A FOR RECLAMATION | | | | | | 97-100% | 39 |
| R-502 FOR RECLAMATION | | | | | | 97-100% | 48 |
| R-410A FOR RECLAMATION | | | | | | 97-100% | 25 |



EMPLOYEE CERTIFICATIONS



Program EPA Approved - December 28, 1993
Certified Technician as required by 40CFR part 82 subpart F



Technician's Name

EPA Certification#

Certification Level

Intertek 1717 Arlingate Lane Columbus, OH 43228



REFRIGERANT RECOVERY/RECYCLING EQUIPMENT **CERTIFICATION PROGRAM**

Program of the Air-Conditioning, Heating and Refrigeration Institute

INSPECTION REPORT

RRRE-16010-1-A REPORT SERIAL NUMBER:

INSPECTION STATUS: NO SUBSTANTIVE CHANGES - PASS TESTED FOR: AHRI Certification Program for

Refrigerant Recovery/Recycling Equipment

2111 Wilson Blvd., Suite 500

Arlington, VA 22201

UNIT INSPECTED: RAPREC SUPPORT, INC. (MODEL LP, LA PODEROSA)

UNIT SERIAL NUMBER: 60076 UNIT TYPE: RECOVERY

REFRIGERANTS: R-11, R-123, R-22 AND R-410A

COMPRESSOR MANUFACTURER:

2GVS/BLIS, WITH 31/4" DIA. PULLEY FOR LOW PRESSURE AND 63/4" DIA. PULLEY FOR COMPRESSOR MODEL:

HIGH PRESSURE

COMPRESSOR SERIAL NO.: 0715S415

MOTOR (BELT/DIRECT DRIVE): BELT DRIVE, DAYTON MODEL 1K067BB, 2 HP, 1725 RPM, WITH 43/4" DIA. PULLEY FOR

LOW PRESSURE AND 31/4" DIA. PULLEY FOR HIGH PRESSURE

INLET SEPARATOR TYPE:

TEMPRITE MODEL 502, 5%" PORTS, WITH BALL VALVE ON OIL RETURN PORT DISCHARGE SEPARATOR TYPE:

FLATPLATE HEAT EXCHANGER, 11½"H x 45%"W x 3½"D CONDENSER TYPE: CONDENSER FAN TYPE: NONE, WATER COOLED, GARDEN HOSE FITTINGS

RECEIVER: None

CRO VALVE SETTING/ VERIFIED: NONE, MANUALLY THROTTLED, VAPOR ONLY

LABELS: AHRI 740 LABEL, EPA STATEMENT

OTHER COMPONENTS: $\frac{1}{2}$ " AND (2x) $\frac{3}{8}$ " MFLARE HOSE SUCTION PORTS AND HOSES, $\frac{1}{2}$ " $\rightarrow \frac{3}{8}$ " MFLARE HOSE

DISCHARGE PORT, VALVES FOR PUMPOUT MODE, SQUARE TUBE FRAME ACTS AS

ACCUMULATOR

CONDITION OF UNIT: Unit appears to be new with no observable defects.

May 2, 2016 DATE INSPECTED:

INSPECTION PROCEDURE: Certification Program Operational Manual, OM-740 dated November 2014.

NOTICE: This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

and its Lient. Intertex is responsibility and liability are limited to the terms and conditions of the agreement. Intertex assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertex hame or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertex. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertex certification program.

Document Streamline Registered: G:\Engineering\740 RRRE\2016 tests\RapRe\RRE-\16010-1-A

SENIOR ASSOCIATE ENGINEER

Project Number G102551717

REVIEWED BY: MIKE LINDEMAN

REVIEWER

Intertek 1717 Arlingate Lane Columbus, OH 43228



REFRIGERANT RECOVERY/RECYCLING EQUIPMENT CERTIFICATION PROGRAM

Program of the Air-Conditioning, Heating and Refrigeration Institute

INSPECTION REPORT

REPORT SERIAL NUMBER: RRRE-16009-1-A

INSPECTION STATUS: NO SUBSTANTIVE CHANGES - PASS
TESTED FOR: AHRI Certification Program for

Refrigerant Recovery/Recycling Equipment

2111 Wilson Blvd., Suite 500

Arlington, VA 22201

UNIT INSPECTED: RAPREC SUPPORT, INC. (MODEL EM, EL MACHINO)

UNIT SERIAL NUMBER: 101129 UNIT TYPE: RECOVERY

REFRIGERANTS: R-114, R-134A, R-22, R-407C AND R-410A

COMPRESSOR MANUFACTURER: DORIN

COMPRESSOR MODEL: 2GVS/BLIS, WITH 61/8" DIA. PULLEY AND HENRY S-9010 OIL LEVEL CONTROLLER

COMPRESSOR SERIAL NO.: 0715S395

MOTOR (BELT/DIRECT DRIVE): BELT DRIVE THROUGH CLUTCH, HONDA GX270 GASOLINE POWERED ENGINE, 9.0 HP,

MOTOR PULLEY 41/4" DIA., MANUALLY THROTTLE CONTROLLED

INLET ACCUMULATOR TYPE: HENRY S-7061HE, 1/8" FPT PORTS, 1/2" MFLARE HEAT EXCHANGER PORTS

DISCHARGE SEPARATOR TYPE: HENRY S-5887, 1/8" FPT PORTS, 3/8" MFLARE OIL RETURN PORT

CONDENSER TYPE: (2x) FINNED TUBE, 3 ROWS, 14"W x 14"H, 3/8" DIA. TUBING

CONDENSER BLOWER TYPE: (2x) DAYTON, MODELS 5ZCN7A (CW) AND 5ZCP7A (CCW), 101/4" DIA., BELT-DRIVEN

BY HONDA ENGINE WITH 31/4" DIA. MOTOR PULLEY AND 5" DIA. BLOWER PULLEY

RECEIVER: NONE

CRO VALVE SETTING/ VERIFIED: MANUALLY THROTTLED BASED ON INCOMING AND DISCHARGE REFRIGERANT

PRESSURES, SUCTION – SPORLAN CROT-6 0/60, CONDENSER – SPORLAN ORI-6 65/225

LABELS: AHRI 740 LABEL, EPA STATEMENT

OTHER COMPONENTS: (2x) 1/2" MFLARE HOSE SUCTION PORTS AND HOSE, 3/4" MFLARE HOSE DISCHARGE

PORT AND HOSE, VALVES FOR PUMPOUT MODE

CONDITION OF UNIT: Unit appears to be new with no observable defects.

DATE INSPECTED: May 2, 2016

INSPECTION PROCEDURE: Certification Program Operational Manual, OM-740 dated November 2014.

NOTICE: This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek

and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Document Streamline Registered: G:\Engineering\740 RRRE\2016 tests\RapRe\RRRE\16009-1-A

SENIOR ASSOCIATE ENGINEER

Project Number G102551708

REVIEWED BY: MIKE LINDEMAN

REVIEWER



CERTIFICATE OF ABATEMENT

I hereby certify that all refrigerant was removed for **Trillo Mechanical** as detailed herein from the units and cylinders listed at the specified location(s) and on the specified date(s).

I also certify that:

- An EPA certified technician was used to perform the service and complete EPA documentation as required by the EPA Clean Air Act.
- ☑ EPA certified and AHRI certified equipment was used to recover the refrigerants.
- ☑ The units were recovered to EPA required levels.
- Recovered refrigerant was transported to an EPA certified reclamation facility.



Matt Jahn

Matt Jahn Trillo Mechanical – Rapid Recovery



Bill of lading:

11-29-2018

Batteries

The undersigned certifies taking possession of <u>60</u> batteries for reasons of recycling; from the former Vallco Mall, located at 10123 North Wolfe Road, Cupertino, CA.

Batteries to be freighted via Six Days on the Road and will be received by Jack Armistead of American Compactor.

Note:

The transporter will make certain that the batteries are loaded so as to prevent damage, leakage of lead or acid, or short circuits, and will comply with all U.S. Department of Transportation (DOT) regulations for hazardous materials.

Sincerely,

Jack Armistead President

American Compactor Equipment Sales



Bill of lading:

12-03-2018

Generator

The undersigned certifies taking possession of one generator modelD60FRH1 from the former Vallco Mall, located at 10123 North Wolfe Road, Cupertino, CA and acknowledges that the diesel fuel tank within the generator equipment has been emptied of all diesel fuel through consumption during the final use of the generator. Therefore, the generator being removed can no longer be considered as containing, or constitute, a hazardous waste under 22 CCR § 66261.7, summarized as follows:

If a portable or fixed tank for gasoline or diesel fuel is empty, meaning drained of all material that can be removed from the container by normal methods like pouring or pumping, and no more than one inch (or 3% by weight) of residue remains in the container, it can be disposed of as regular solid waste, can be recycled as scrap metal, or can be reused for its original purpose.

Sincerely.

Jack Armistead President

American Compactor Equipment Sales



1208 MAIN STREET, REDWOOD CITY, CA 94063 P: (650) 569-4020 • F: (650) 569-4023 • E: hazinspect@yahoo.com

LIMITED LEAD (PB) TESTING REPORT

DATE: October 31, 2018 PROJECT NO.: 578-MA18

REQUESTED BY: (CLIENT)

Sand Hill Construction Management 10123 N. Wolfe Road Suite 1043 Cupertino, CA 95014

PROJECT: Vallco Shopping Mall
10123 N. Wolfe Road
Cupertino, CA 95014

SERVICES AREA(S):

Sampling was conducted in areas required by Santa Clara Fire Department Hazardous Materials Division. Concrete floor lead wipes samples collected in the following areas:

- Section A, Macy's, areas 1-3
- Section B, JC Penney, areas 1-3
- Section C, Sears, areas 1-3

October 2018, ProTech Consulting and Engineering performed limited wipe sampling services. Sampling services were requested by the client to assess the presence (or non-presence) of lead on concrete floor surfaces in certain areas. Sampling was required by the Santa Clara Fire Department Hazardous Materials Division in areas that once housed lead-acid batteries.

Sampling was conducted as follows:

| | AFFECTED AREA | SUBSTRATE SAMPLED | SAMPLE TYPE | ANALYTE |
|---|---------------|----------------------|--------------------------|-----------|
| 1 | Section A 1-3 | Concrete floor | Wipe – 1'x1' sample area | Lead (Pb) |
| 2 | Section B 1-3 | Concrete floor | Wipe – 1'x1' sample area | Lead (Pb) |
| 3 | Section C 1-3 | Concrete floor | Wipe – 1'x1' sample area | Lead (Pb) |

Services provided by ProTech were limited to the specific items, tasks, and analytes described herein. No other services or analytes were intended or implied.

SERVICES REQUESTED & PERFORMED

ProTech performed the following services:

- Performed surface sampling of concrete floors potentially contaminated with lead.
- Performed a field assessment and floor surface wipe sampling in areas required by the Santa Clara Fire Department Hazardous Materials Division.
- Submitted lead wipe sample to a certified laboratory for analysis.
- Prepared and delivered a written report presenting an evaluation and assessment of the data.

INTENT

Consulting services were performed to obtain lead-related data in areas that once housed lead-acid battery power equipment. The Santa Clara Fire Department Hazardous Materials Division identified areas were they suspected potential lead contamination. Division authorities required lead sampling to obtain data documenting lead levels prior to demolition and recycling of the of the subject concrete.

CERTIFIED STAFF

Environmental consulting services were performed by ProTech's team of licensed and accredited inspectors as follows:

| CONSULTANT | DISCIPLINE | ISSUING AGENCY | CERTIFICATION NO. |
|-----------------|------------|----------------|-------------------|
| Ron Mason | Asbestos | Cal OSHA | 96-1903 |
| | Lead | CDPH | 198 |
| | IAQ | EAA | 1-10-03 |
| Emanuel Dounias | Asbestos | Cal OSHA | 00-2766 |
| | Lead | CDPH | 13059 |

RESULTS

| | LEAD (PB) HUD WIPE LABORATORY ANALYSIS | | | | | | | |
|------------------------|--|------------|-----------------------|------|--|--|--|--|
| | MATERIAL, SYSTEM, LOCATION | SAMPLE NO. | RESULT MG/KG (PPM) | TYPE | | | | |
| Section A (Macy's) | | | | | | | | |
| 1 | Loading dock area – right | LW-01 | <8 | Pass | | | | |
| 2 | Loading dock area – center | LW-02 | <8 | Pass | | | | |
| 3 | Loading dock area – left | LW-03 | <8 | Pass | | | | |
| Section B (JC Penny's) | | | | | | | | |
| 1 | Loading dock area – right | LW-01 | <8 | Pass | | | | |
| 2 | Loading dock area – center | LW-02 | 18 | Pass | | | | |
| 3 | Loading dock area – left | LW-03 | <8 | Pass | | | | |
| Section C (Sears) | | | | | | | | |
| 1 | Loading dock area – back | LW-01 | 23 | Pass | | | | |
| 2 | Loading dock area – right | LW-02 | 49 | Pass | | | | |
| 3 | Loading dock area – left | LW-03 | 14 | Pass | | | | |

<u>Lead abbreviations are as follows:</u> LBP = lead-based paint; LCM = Lead containing material, ND = no lead detected (paint chip lab analysis is needed to confirm).

Lead Clearance Standard:

The California Department of Public Works (CDPH) has not defined standards of clearance for commercial and industrial facilities. However, we believe that a reasonable clearance standard for this project is a surface concentration of lead in the amount of 250 μ m/ft². The 250 μ m/ft² standard is the interior horizontal surface standard developed by CDPH. This is the level of lead that would be allowed on horizontal surfaces above the floor in a residential setting. **All samples were significantly below this standard.**

The floor surface clearance standard in Child occupied facilities is $40~\mu m/ft^2$. All samples (excluding Section C, LW-02) were below $40~\mu m/ft^2$. Sample C - LW-02 was only slightly

above the child facility floor clearance standard.

CONCLUSIONS & RECOMMENDATIONS

All samples were below hazardous lead levels.

REPORT LIMITATION

Services performed by ProTech were limited. Hazmat items may exist that are not addressed in this report.

This report is for the exclusive use of ProTech and its client, and not for use by any other party. The survey and sampling discussed in this report may not be appropriate for uses beyond its intended purpose and stated scope.

Please feel free to call us with any comments or questions.

Respectfully Submitted,

Emanuel Dounias

CDPH Lead Inspector 13059

Emanuel Dounias



1208 MAIN STREET, REDWOOD CITY, CA 94063 P: (650) 569-4020 • F: (650) 569-4023 • E: info@protech-cal.com

SECTION A REPORT

ASBESTOS & LEAD (PB) REPORT

LIMITED PRE-DEMOLITION/RENOVATION SURVEY & EVALUATION

DATE:

Revised October 26, 2018

PROJECT No.:

578-MA18 Revision II FINAL

REQUESTED BY:

Sand Hill Construction Management

10123 N. Wolfe Road Suite 1043 Cupertino, CA 95014

PROJECT:

Vallco Shopping Mall 10123 N. Wolfe Road Cupertino, CA 95014

PROJECT DESCRIPTION:

Retail shopping mall, restaurants and adjacent businesses.

SERVICES AREA(S): SECTION A

- Macy's
- AMC Theater
- Dynasty restaurant
- TGIF Restaurant
- Alexander Steak House Restaurant
- Units 1002
- Unit 1011-1019
- Unit 1020
- Unit 1006
- Units 1023 A, B, & C
- Unit 1024
- Units 1025 A & B
- Units 1026
- Units 1027
- Units 1028 A & B
- Units 1029-1031
- Unit 1034
- Unit 1040
- Unit 1043
- Unit 2001
- Unit 2007
- Unit 2009
- Unit 2010
- Unit 2011
- Units 2013-2015
- 2nd floor common areas
- Unit 2056
- Section A Roofs (excluding Macy's & Theatre)
- Sears @ Section A connection

- Unit 2017
- Unit 2019
- Units 2020- 2023
- Units 2026-2028
- Unit 2031
- Unit 2032Unit 2034
- Unit 2044
- Unit 2044
- Units 2049-2057
- Unit 2100
- Units 2104-2108
- Units 2110-2118
- Units 2119 & 2119A
- Units 2120-2125
- Unit 2128
- Unit 2130
- Units 2132 2138
- Units 2140 2144
- Unit 2146
- Unit 2148
- Associated common areas
- Service Halls
- Mechanical rooms
- Storage rooms
- Exteriors
- Units 2125/2127
 - Old Maintenance Office and Adjacent rooms

SECTION A LIMITATIONS: Units 2134, 2135, 2136, 2137 are on elevated plywood floor platforms, there was no access to the concrete sub floor below.

Dynasty restaurant (1688) is a functioning operational space, intrusive inspection techniques were not possible.

Sears information in this Section A report is limited to the north connection at Section A.

During September & October 2018, ProTech Consulting & Engineering, Inc. performed a building survey to identify asbestos-containing materials (ACM) and presence of Lead based paint (Pb) at the subject project. The survey was conducted in an effort to comply with predemolition/renovation regulatory requirements.

Environmental consulting services were conducted by ProTech's licensed and accredited staff as follows:

| Consultant | DISCIPLINE | ISSUING AGENCY | CERTIFICATION NO. |
|-----------------|------------|----------------|-------------------|
| | Asbestos | Cal OSHA | 96-1903 |
| Ron Mason | Lead | CDPH | 198 |
| | IAQ | EAA | 1-10-03 |
| Emanuel Dounias | Asbestos | Cal OSHA | 00-2766 |
| Emanuel Dournas | Lead | CDPH | 13059 |
| Bob Newman | Asbestos | Cal OSHA | 00-2767 |
| Bob Newman | IAQ | UC Berkeley | 10-03 |
| Byon Cozort | Asbestos | Cal OSHA | 10-4634 |
| Ryan Cozart | Lead | CDPH | 26433 |

SERVICES REQUESTED BY CLIENT

Asbestos Survey

Consulting services were limited by the client to the following scope of services:

- Performed a visual survey of the project to identify, document, and assess suspect asbestoscontaining materials (ACM).
- Collected representative samples to confirm or rebut the presence of ACM.
- Submitted necessary samples to a certified laboratory for analysis by standard polarized light microscopy (PLM) to determine asbestos content.
- Assess the friability and abatement classification of identified ACM;
- Prepared this written report presenting an evaluation and assessment of the data.

ProTech is only responsible for the specific scope of work as stated. No other services are intended or implied.

LBP Survey

- Performed a visual survey of the project to identify, document, and assess suspect lead-based paint (LBP).
- Tested painted/coated surfaces using a calibrated X-ray fluorescence analyzer (XRF).

Job No. 578-MA18 Vallco Mall - Section A Page 2

APPENDIX

VAPOR ENCROACHMENT SCREEN

Former Vallco Mall 10123 North Wolfe Road Cupertino, CA 95014

Inquiry Number: 5701156.2s

June 28, 2019

EDR Vapor Encroachment Screen

Prepared using EDR's Vapor Encroachment Worksheet




TABLE OF CONTENTS

| SECTION | PAGE |
|-----------------------------|------|
| Executive Summary | ES1 |
| Primary Map | 2 |
| Secondary Map | 3 |
| Map Findings | 4 |
| Record Sources and Currency | GR-1 |

Thank you for your business. Please contact EDR at 1-800-352-0050

with any questions or comments.

Disclaimer - Copyright and Trademark Notice

The EDR Vapor Encroachment Worksheet enables EDR's customers to make certain online modifications that effects maps, text and calculations contained in this Report. As a result, maps, text and calculations contained in this Report may have been so modified. EDR has not taken any action to verify any such modifications, and this report and the findings set forth herein must be read in light of this fact. Environmental Data Resources shall not be responsible for any customer's decision to include or not include in any final report any records determined to be within the relevant minimum search distances.

This report contains information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANYSUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this report "AS IS". Any analyses, estimates, ratings, or risk codes provided in this report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or rediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can produce information regarding the environmental risk for any property. Additionally, the

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

information provided in this Report is not to be construed as legal advice.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by EDR. The report was designed to assist parties seeking to meet the search requirements of the ASTM Standard Practice for Assessment of Vapor Encroachment into Structures on Property Involved in Real Estate Transactions (E 2600).

| STANDARD ENVIRONMENTAL RECORDS | Default Area of Concern (Miles)* | property | 1/10 | > 1/10 |
|---|----------------------------------|----------|------|--------|
| Federal NPL site list | 1.0 | 0 | 0 | 1 |
| Federal Delisted NPL site list | 1.0 | 0 | 0 | 0 |
| Federal CERCLIS list | 0.5 | 0 | 0 | 1 |
| Federal CERCLIS NFRAP site list | 0.5 | 0 | 0 | 0 |
| Federal RCRA CORRACTS facilities list | 1.0 | 0 | 0 | 0 |
| Federal RCRA non-CORRACTS TSD facilities list | 0.5 | 0 | 0 | 0 |
| Federal RCRA generators list | 0.25 | 0 | 0 | 4 |
| Federal institutional controls / engineering controls registries | 0.5 | 0 | 0 | 1 |
| Federal ERNS list | property | 0 | - | - |
| State- and tribal - equivalent NPL | 1.0 | 0 | 0 | 0 |
| State- and tribal - equivalent CERCLIS | 1.0 | 0 | 0 | 1 |
| State and tribal landfill and/or solid waste disposal site lists | 0.5 | 0 | 0 | 0 |
| State and tribal leaking storage tank lists | 0.5 | 0 | 0 | 5 |
| State and tribal registered storage tank lists | 0.25 | 0 | 0 | 0 |
| State and tribal institutional control / engineering control registries | not searched | - | - | - |
| State and tribal voluntary cleanup sites | 0.5 | 0 | 0 | 0 |
| State and tribal Brownfields sites | 0.5 | 0 | 0 | 0 |

ADDITIONAL ENVIRONMENTAL RECORDS

| Local Brownfield lists | 0.5 | 0 | 0 | 0 |
|--|------|---|---|---|
| Local Lists of Landfill / Solid Waste Disposal Sites | 0.5 | 0 | 0 | 0 |
| Local Lists of Hazardous waste / Contaminated Sites | 1.0 | 0 | 0 | 2 |
| Local Lists of Registered Storage Tanks | 0.25 | 0 | 0 | 4 |
| Local Land Records | 0.5 | 0 | 0 | 0 |
| Records of Emergency Release Reports | 0.5 | 0 | 0 | 0 |
| Other Ascertainable Records | 1.0 | 0 | 0 | 7 |
| | | I | | |

EDR HIGH RISK HISTORICAL RECORDS

| EDR Exclusive Records | 1.0 | 0 | 0 | 0 |
|------------------------------------|----------|---|---|---|
| Exclusive Recovered Govt. Archives | property | 2 | - | - |

EDR RECOVERED GOVERNMENT ARCHIVES

| EDR Exclusive Records | 1.0 | 0 | 0 | 0 |
|------------------------------------|----------|---|---|---|
| Exclusive Recovered Govt. Archives | property | 2 | - | - |

^{*}The Default Area of Concern may be adjusted by the environmental professional using experience and professional judgement. Each category may include several databases, and each database may have a different distance. A list of individual databases is provided at the back of this report.

TARGET PROPERTY INFORMATION

ADDRESS

FORMER VALLCO MALL 10123 NORTH WOLFE ROAD CUPERTINO, CA 95014

COORDINATES

Latitude (North): 37.325722 - 37° 19′ 32.598267″ Longitude (West): 122.014995 - 122° 0′ 53.970337″

Elevation: 189 ft. above sea level

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records.

Site Database(s)

SEARS AUTOMOTIVE CENTER 10123 WOLFE RD N CUPERTINO, CA **RGA LUST** Facility ID:

SEARS AUTOMOTIVE CENTER 10123 N WOLFE RD **RGA LUST** Facility ID:

CUPERTINO, CA

SEARCH RESULTS

Unmappable (orphan) sites are not considered in the foregoing analysis.


STANDARD ENVIRONMENTAL RECORDS

| Name | Address | Dist/Dir | Map ID | Page |
|---|--|----------------|-------------|------|
| US ENG CONTROLS: US ENG CONTROLS ROD: ROD FINDS: FINDS ECHO: ECHO NPL: NPL PRP: PRP SEMS: SEMS RCRA-SQG: RCRA-SQG CERS: CERS CIWQS: CIWQS ENF: ENF HIST Cal-Sites: HIST CAL-SITES WDS: WDS CPS-SLIC: CPS-SLIC HAZNET: HAZNET ENVIROSTOR: ENVIROSTOR | 10900 N TANTAU AVE/19000 HOMESTEAD RD | 1/2 - 1 NE | Region | 10 |
| SEARS ROEBUCK & CO RCRA-SQG: RCRA-SQG SWEEPS UST: SWEEPS UST LUST: LUST CA FID UST: CA FID UST HIST UST: HIST UST HIST LUST: HIST LUST SANTA CLARA | 10101 WOLFE RD | 1/10 - 1/3 SSW | ▲ B3 | 38 |
| BAY CLUB SILICON VALLEY FINDS: FINDS ECHO CERS: CERS LUST: LUST HIST UST: HIST UST | 10101 N WOLFE RD | 1/10 - 1/3 SSW | ▲ B4 | 47 |
| J. C. PENNEY CO., INC. SWEEPS UST: SWEEPS UST LUST: LUST CA FID UST: CA FID UST HIST LUST: HIST LUST SANTA CLARA | 10150 N WOLFE RD | 1/10 - 1/3 NE | ◆ D5 | 49 |
| J. C. PENNEY CO., INC. CERS: CERS LUST: LUST HIST UST: HIST UST | 10150 N WOLFE RD | 1/10 - 1/3 NE | ◆ D6 | 51 |
| ONE HOUR MARTINIZING BY LEE FINDS: FINDS RCRA-SQG: RCRA-SQG ECHO: ECHO CERS: CERS HAZNET: HAZNET DRYCLEANERS: DRYCLEANERS | 10045 E ESTATES DR | 1/10 - 1/3 S | ▲ E8 | 54 |
| WARDROB CUSTOM CLEANERS | 19705 STEVENS CRK BLVD | 1/10 - 1/3 SW | 1 0 | 65 |

| Name ECHO: ECHO RCRA-SQG: RCRA-SQG FINDS: FINDS ADDITIONAL ENVIRONMENTAL RECORDS | Address | <u>Dist/Dir</u> | Map ID | <u>Page</u> |
|---|---|-------------------------------|------------------|-------------|
| INTERSIL INC./SIEMENS COMPONENTS US ENG CONTROLS: US ENG CONTROLS ROD: ROD FINDS: FINDS ECHO: ECHO NPL: NPL PRP: PRP SEMS: SEMS RCRA-SQG: RCRA-SQG CERS: CERS CIWQS: CIWQS ENF: ENF HIST Cal-Sites: HIST CAL-SITES WDS: WDS CPS-SLIC: CPS-SLIC HAZNET: HAZNET ENVIROSTOR: ENVIROSTOR | Address 10900 N TANTAU AVE/19000 HOMESTEAD RD | <u>Dist/Dir</u> 1/2 - 1 NE | Map ID Region | Page |
| SEARS ROEBUCK & CO RCRA-SQG: RCRA-SQG SWEEPS UST: SWEEPS UST LUST: LUST CA FID UST: CA FID UST HIST UST: HIST UST HIST LUST: HIST LUST SANTA CLARA | 10101 WOLFE RD | 1/10 - 1/3 SSW | ▲ B3 | 38 |
| BAY CLUB SILICON VALLEY FINDS: FINDS ECHO: ECHO CERS: CERS LUST: LUST HIST UST: HIST UST | 10101 N WOLFE RD | 1/10 - 1/3 SSW | ▲ B4 | 47 |
| J. C. PENNEY CO., INC. SWEEPS UST: SWEEPS UST LUST: LUST CA FID UST: CA FID UST HIST LUST: HIST LUST SANTA CLARA | 10150 N WOLFE RD | 1/10 - 1/3 NE | ♦ D5 | 49 |
| J. C. PENNEY CO., INC. CERS: CERS LUST: LUST HIST UST: HIST UST | 10150 N WOLFE RD | 1/10 - 1/3 NE | ◆ D6 | 51 |
| JC PENNEY HIST CORTESE: HIST CORTESE | 10150 WOLFE | 1/10 - 1/3 NE | ♦ D7 | 54 |
| ONE HOUR MARTINIZING BY LEE FINDS: FINDS RCRA-SQG: RCRA-SQG ECHO: ECHO CERS: CERS HAZNET: HAZNET DRYCLEANERS: DRYCLEANERS | 10045 E ESTATES DR | 1/10 - 1/3 S | ▲ E8 | 54 |

| Name | Address | Dist/Dir | Map ID | Page |
|---|-----------------------------|----------------------|----------------|-------------------|
| ONE HOUR CLEANERS BY LEE CERS: CERS CUPA Listings: CUPA CERS HAZ WASTE: CERS HAZ WASTE | 10045 ESTATES DR | 1/10 - 1/3 S | ▲ E9 | 59 |
| WARDROB CUSTOM CLEANERS ECHO: ECHO RCRA-SQG: RCRA-SQG FINDS: FINDS EDR HIGH RISK HISTORICAL RECORDS | 19705 STEVENS CRK BLVD | 1/10 - 1/3 SW | ▲ 10 | 65 |
| Name Not Reported EDR RECOVERED GOVERNMENT ARCHIVES | <u>Address</u> | <u>Dist/Dir</u> | Map ID | <u>Page</u> |
| Name SEARS AUTOMOTIVE CENTER RGA LUST: RGA LUST | Address 10123 WOLFE RD N | Dist/Dir Property | Map ID ▲ A1 | <u>Page</u> 36 |
| SEARS AUTOMOTIVE CENTER RGA LUST: RGA LUST | 10123 N WOLFE RD | Property | ▲ A2 | 37 |

PRIMARY MAP - 5701156.2S




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Former Vallco Mall ADDRESS: 10123 North Wolfe Road Cupertino CA 95014 LAT/LONG: 37.325722 / 122.014995 CLIENT: WSP USA Inc.
CONTACT: Richard Freudenberger

INQUIRY#: 5701156.2s

DATE: June 28, 2019 8:32 am

SECONDARY MAP - 5701156.2S



DATE: June 28, 2019 8:32 am

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

CLIENT:

SITE NAME: Former Vallco Mall

10123 North Wolfe Road Cupertino CA 95014

37.325722 / 122.014995

ADDRESS:

LAT/LONG:

WSP USA Inc.

CONTACT: Richard Freudenberger

INQUIRY#: 5701156.2s

LEGEND

| FACILITY NAME FACILITY ADDRESS, CITY, ST, ZIP EDR SITE ID NUMBER | | | | | | | |
|--|--|---------------------|--|--|--|--|--|
| ♦ MAP ID# | P ID# Direction Distance Range (Distance feet / miles) Relative Elevation Feet Above Sea Level | | ASTM 2600 Record Sources found in this report. Each database searched has been assigned to one or more categories. For detailed information about categorization, see the section of the report Records Searched and Currency. | | | | |
| Worksheet: Comments: Comments may be accomments may be accomments. | dded on the online Vapor Encro | oachment Worksheet. | | | | | |

DATABASE ACRONYM: Applicable categories (A hoverbox with database description).

| | EMENS COMPONENTS AVE/19000 HOMESTEAD | 1000218337 | |
|--------|---|------------------------|---|
| Region | NE 1/2 - 1 | (3794 ft. / 0.719 mi.) | Federal NPL site list Federal CERCLIS list Federal RCRA generators list Federal institutional controls / engineering controls registries State- and tribal - equivalent CERCLIS State and tribal leaking storage tank lists Local Lists of Hazardous waste / Contaminated Sites Other Ascertainable Records |

Worksheet:

NPL: Federal NPL site list

EPA ID: CAD041472341

 Cerclis ID:
 901325

 EPA Region:
 9

 Federal:
 N

 Final Date:
 1990-08-30 00:00:00

 Site Score:
 28.8999999999999

 Latitude:
 37.336100000000002

 Longitude:
 -122.00149999999999

Category Details:

NPL Status: Currently on the Final NPL
Category Description: Depth To Aquifer-> 100 Feet

Category Value: 130 FTBGS

NPL Status: Currently on the Final NPL

Category Description: Distance To Nearest Population-> 0 And <= 1/4 Mile

Category Value: 1300

Site Details:

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

Site Name: INTERSIL INC./SIEMENS COMPONENTS

Site Status:FinalSite Zip:95014Site City:CUPERTINO

Site State: CA Federal Site: No

Site County: SANTA CLARA

EPA Region: 09
Date Proposed: 06/24/88
Date Deleted: Not Reported
Date Finalized: 08/30/90

Substance Details:

NPL Status: Currently on the Final NPL

Substance ID: Not Reported Substance: Not Reported CAS #: Not Reported Pathway: Not Reported Scoring: Not Reported

NPL Status: Currently on the Final NPL

Substance ID: C069

Substance: ISOPROPANOL

CAS #: 67-63-0

Pathway: NO PATHWAY INDICATED

Scoring: 1

NPL Status: Currently on the Final NPL

Substance ID: C290

Substance: BUTYL ACETATE

CAS #: 123-86-4

Pathway: NO PATHWAY INDICATED

Scoring: 1

NPL Status: Currently on the Final NPL

Substance ID: C401

Substance: TRICHLOROBENZENE

CAS #: 12002-48-1

Pathway: NO PATHWAY INDICATED

Scoring: 1

NPL Status: Currently on the Final NPL

Substance ID: U078

Substance: DICHLOROETHENE, 1,1-

CAS #: 75-35-4

Pathway: NO PATHWAY INDICATED

Scoring:

NPL Status: Currently on the Final NPL

Substance ID: U121

Substance: TRICHLOROFLUOROMETHANE

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

CAS #: 75-69-4

Pathway: NO PATHWAY INDICATED

Scoring:

NPL Status: Currently on the Final NPL

Substance ID: U154
Substance: METHANOL
CAS #: 67-56-1

Pathway: NO PATHWAY INDICATED

Scoring:

NPL Status: Currently on the Final NPL

Substance ID: U210

Substance: TETRACHLOROETHENE

CAS #: 127-18-4

Pathway: NO PATHWAY INDICATED

Scoring: 1

NPL Status: Currently on the Final NPL

Substance ID: U220
Substance: TOLUENE
CAS #: 108-88-3

Pathway: NO PATHWAY INDICATED

Scoring:

NPL Status: Currently on the Final NPL

Substance ID: U226

Substance: TRICHLOROETHANE, 1,1,1-

CAS #: 71-55-6

Pathway: GROUND WATER PATHWAY

Scoring: 3

NPL Status: Currently on the Final NPL

Substance ID: U228

Substance: TRICHLOROETHYLENE (TCE)

CAS #: 79-01-6

Pathway: GROUND WATER PATHWAY

Scoring: 2

NPL Status: Currently on the Final NPL

Substance ID: U239
Substance: XYLENE
CAS #: 1330-20-7

Pathway: NO PATHWAY INDICATED

Scoring: 1

Summary Details:

Conditions at proposal June 24, 1988): Intersil, Inc., and Siemens

Components have manufactured semiconductors for several years on two locations

near one another covering 15 acres in Cupertino, Santa Clara County, California. The facilities are surrounded by residential, industrial, and

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

business areas. Investigations conducted in 1982 as part of the California Regional Water Quality Control Board s underground tank leak detection program found organic solvents, including trichloroethylene, 1,1,1-trichloroethane, tetrachloroethylene, trichlorofluoroethane, and 1,1-dichloroethylene, in soils on the site and in ground water on and off the site. Contamination is believed to have resulted from locali ed spills and from leaking underground storage tanks, piping, and other equipment involving the two companies. More than 300,000 people obtain drinking water from public wells within 3 miles of the site. Siemens and Intersil began remedial investigations at the site in 1982 and 1983, respectively, under State supervision. The underground storage tanks were removed, and in 1983 a system was installed to extract gases from soil; the system was expanded in 1985. In June 1986, the California Regional Water Quality Control Board issued Waste Discharge Requirements under the California Water Code requiring both companies to determine the extent of contamination in ground water and soils. In July 1986, a system was installed to pump contaminated ground water in the uppermost aquifer to the surface and treat it. Since April 1988, a pump and treat system for the two uppermost aquifers has been in full-scale operation. Intersil stopped operations in 1988, and all remaining underground equipment was removed. Status August 30, 1990): In February 1990, the two companies released draft reports of remedial investigations/feasibility studies for the site and off-site downgradient areas. Interim off-site remedial activities are scheduled to begin in June 1990. Also in June 1990, the State plans to issue tentative site cleanup requirements and hear public comments on the proposed remedial action plan.

Site Status Details:

NPL Status: Final
Proposed Date: 06/24/1988
Final Date: 08/30/1990
Deleted Date: Not Reported

Narratives Details:

NPL Name: INTERSIL INC./SIEMENS COMPONENTS

City: CUPERTINO

State: CA

SEMS: Federal CERCLIS list

Site ID: 0901325 EPA ID: CAD041472341

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

 Cong District:
 14,17

 FIPS Code:
 06085

 Latitude:
 +37.336100

 Longitude:
 -122.001500

FF: N

NPL: Currently on the Final NPL

Non NPL Status: Not Reported

SEMS Detail:

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 PA

 Action Name:
 PA

 SEQ:
 1

Start Date: 1987-03-01 05:00:00 Finish Date: 3/1/1987 5:00:00 AM

Qual:

Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 HR

 Action Name:
 HAZRANK

SEQ: 1

 Start Date:
 1987-06-01 04:00:00

 Finish Date:
 6/1/1987 4:00:00 AM

 Qual:
 Not Reported

 Current Action Lead:
 EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 CM

 Action Name:
 PCOR

 SEQ:
 1

Start Date: 1992-09-08 04:00:00 Finish Date: 9/8/1992 4:00:00 AM

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

Qual: Not Reported Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 DS

 Action Name:
 DISCVRY

SEQ: 1

 Start Date:
 1986-05-01 04:00:00

 Finish Date:
 5/1/1986 4:00:00 AM

 Qual:
 Not Reported

 Current Action Lead:
 EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 RS

Action Name: RV ASSESS

SEQ: 3

Start Date: 1990-08-14 04:00:00 Finish Date: 8/14/1990 4:00:00 AM

Qual: Not Reported Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 RS

Action Name: RV ASSESS

SEQ: 2

 Start Date:
 1989-08-07 04:00:00

 Finish Date:
 8/7/1989 4:00:00 AM

 Qual:
 Not Reported

 Current Action Lead:
 EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 NF

 Action Name:
 NPL FINL

SEQ:

Start Date: 1990-08-30 04:00:00 Finish Date: 8/30/1990 4:00:00 AM

Qual: Not Reported Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 NP

Action Name: PROPOSED

SEQ: 1

Start Date: 1988-06-24 04:00:00 Finish Date: 6/24/1988 4:00:00 AM

Qual: Not Reported Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 AR

Action Name: ADMIN REC

SEQ:

Start Date: 1990-11-26 05:00:00
Finish Date: Not Reported

Qual: E
Current Action Lead: EPA P

Current Action Lead: EPA Perf
Region: 09

Site ID: 0901325
EPA ID: CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 01

 Action Code:
 RO

 Action Name:
 ROD

 SEQ:
 1

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

Start Date: 1990-09-27 04:00:00 Finish Date: 9/27/1990 4:00:00 AM

Qual: R
Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 SI

 Action Name:
 SI

 SEQ:
 1

Start Date: 1987-06-01 04:00:00 Finish Date: 6/1/1987 4:00:00 AM

Qual:

Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 FE

 Action Name:
 5 YEAR

 SEQ:
 1

Start Date: 1995-09-28 04:00:00 Finish Date: 9/28/1995 4:00:00 AM

Qual: Not Reported Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 FE

 Action Name:
 5 YEAR

 SEQ:
 5

 Start Date:
 2014-11-05 05:00:00

 Finish Date:
 9/22/2015 5:00:00 AM

Qual: Not Reported Current Action Lead: EPA Perf

Region: 09 Site ID: 0901325

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

EPA ID: CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 FE

 Action Name:
 5 YEAR

 SFO:
 4

Start Date: 2010-09-30 04:00:00 Finish Date: 9/30/2010 4:00:00 AM

Qual: Not Reported Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 FE

 Action Name:
 5 YEAR

 SEQ:
 2

Start Date: 2000-08-01 04:00:00 Finish Date: 9/28/2000 4:00:00 AM

Qual: Not Reported Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 FE

 Action Name:
 5 YEAR

 SEQ:
 3

 Start Date:
 2004-12-31 05:00:00

 Finish Date:
 9/29/2005 4:00:00 AM

Qual: Not Reported Current Action Lead: EPA Perf

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 RS

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

Action Name: RV ASSESS

SEQ:

Start Date: 1992-12-29 05:00:00 Finish Date: 12/29/1992 5:00:00 AM

Qual: Not Reported Current Action Lead: EPA Perf

Region: 09
Site ID: 0901325
EPA ID: CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 01

 Action Code:
 BD

 Action Name:
 PRP RI/FS

SEQ:

Start Date: 1989-03-16 05:00:00 Finish Date: 9/27/1990 4:00:00 AM

Qual: Not Reported Current Action Lead: St Ovrsght

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 01

 Action Code:
 BE

 Action Name:
 PRP RD

 SEQ:
 1

Start Date: 1990-09-27 04:00:00 Finish Date: 9/27/1990 4:00:00 AM

Qual: Not Reported Current Action Lead: St Ovrsght

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 01

 Action Code:
 OM

 Action Name:
 OM

 SEQ:
 1

Start Date: 1990-09-27 04:00:00
Finish Date: Not Reported
Qual: Not Reported

Current Action Lead: St Ovrsght

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 01

 Action Code:
 BF

 Action Name:
 PRP RA

 SFO:
 1

 Start Date:
 1990-09-27 04:00:00

 Finish Date:
 9/8/1992 4:00:00 AM

 Qual:
 Not Reported

 Current Action Lead:
 St Ovrsght

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 00

 Action Code:
 MA

 Action Name:
 ST COOP

SEQ:

Start Date: 1989-09-15 04:00:00
Finish Date: Not Reported
Qual: Not Reported
Current Action Lead: St Ovrsght

 Region:
 09

 Site ID:
 0901325

 EPA ID:
 CAD041472341

Site Name: INTERSIL INC./SIEMENS COMPONENTS

 NPL:
 F

 FF:
 N

 OU:
 01

 Action Code:
 NA

 Action Name:
 PRP RI

 SEQ:
 1

Start Date: 2011-10-12 04:00:00 Finish Date: 11/19/2014 5:00:00 AM

Qual: Not Reported Current Action Lead: EPA Ovrsght

RCRA-SQG: Federal RCRA generators list

Date form received by agency: 09/01/1996
Facility name: INTERSIL INC

Facility address: 10900 N TANTAU AVE

CUPERTINO, CA 95014

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

EPA ID: CAD041472341

Mailing address: 10710 NORTH TANTAU AVENUE

CUPERTINO, CA 95014

Contact: Not Reported Contact address: Not Reported

Contact country: US

Contact telephone: Not Reported Contact email: Not Reported

EPA Region: 09

Classification: Small Small Quantity Generator

Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month

and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at

any time

Owner/Operator Summary:

Owner/operator name: INTERSIL INCORPORATED

Owner/operator address: NOT REQUIRED

NOT REQUIRED, ME 99999

Owner/operator country: Not Reported Owner/operator telephone: 415-555-1212 Owner/operator email: Not Reported Owner/operator fax: Not Reported Owner/operator extension: Not Reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not Reported Owner/Op end date: Not Reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED

NOT REQUIRED, ME 99999

Owner/operator country: Not Reported 415-555-1212 Owner/operator telephone: Owner/operator email: Not Reported Owner/operator fax: Not Reported Owner/operator extension: Not Reported Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not Reported Owner/Op end date: Not Reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No

INTERSIL INC./SIEMENS COMPONENTS, 10900 N TANTAU AVE/19000 HOMESTEAD RD, CUPERTINO, CA 95014 (Continued)

On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Historical Generators:

Date form received by agency: 02/29/1992
Site name: INTERSIL, INC.

Classification: Large Quantity Generator

Date form received by agency: 08/18/1980
Site name: INTERSIL INC

Classification: Large Quantity Generator

Violation Status: No violations found

US ENG CONTROLS: Federal institutional controls / engineering controls registries

EPA ID: CAD041472341 Site ID: 0901325

Name: INTERSIL INC./SIEMENS COMPONENTS
Address: 10900 N TANTAU AVE/19000 HOMESTEAD RD

CUPERTINO, CA 95014

EPA Region: 09

County: SANTA CLARA
Event Code: Not Reported
Actual Date: 09/30/1990
Contact Name: Not Reported
Contact Phone and Ext: Not Reported
Event Code Description: Not Reported

Action ID: 001

Action Name: RECORD OF DECISION

Action Completion date: 09/27/1990

Operable Unit: 01

Contaminated Media: Groundwater
Engineering Control: Air Stripping
Contact Name: Not Reported
Contact Phone and Ext: Not Reported
Event Code Description: Not Reported

Action ID: 001

Action Name: RECORD OF DECISION

Action Completion date: 09/27/1990

Operable Unit: 01

Contaminated Media : Groundwater Engineering Control: Discharge

APPENDIX

B RWQCB ENVIRONMENTAL SCREENING LEVELS FOR CONSTRUCTION WORKERS

| January 2019 (F | Rev. 1) | | | | | | Sı | ımmar | y of So | il ES | Ls (n | ng/kg) | | | | | |
|-----------------------------------|------------|-------------------------|--------------------------|---------------------------------|--------------------------|----------------|--|--|--|----------|-----------------------------------|---------------------------------------|--------------------------|-------------------------------|------------------------------|-----------------------|--------------|
| | | | Di | irect Exposure Risk Levels | | lth | | | Habitat Levels le S-2) | Groundwa | ning to ater Levels le S-3) | | Odd | or Nuisance Le (Table S-5) | vels | Soil Tier 1 ESL | |
| Chemicals | CAS No. | Resid Shallo Expo | w Soil | Comm Indus Shallo Expo | strial: w Soil | Any La | ion Worker: and Use/ Soil Exposure | Significantly Vegetated Area | Minimally Vegetated Area | Drinking | Non- | Gross Contamin- ation Levels | Res: | Com/Ind: | Any Land Use: | | Basis |
| | | Cancer Risk | Non- cancer Hazard | Cancer Risk | Non- cancer Hazard | Cancer Risk | Non- cancer Hazard | Examples: Parkland or single family homes with yards | Examples: High density residential or commercial/ industrial areas | Water | drinking Water | (Table S-4) | Shallow Soil Exposure | Shallow Soil Exposure | Any Soil Exposure (CW) | | |
| Acenaphthene [PAH] | 83-32-9 | | 3.6E+03 | | 4.5E+04 | | 1.0E+04 | 6.6E+03 | 4.6E+04 | 1.2E+01 | 1.2E+01 | 1.2E+02 | 1.0E+03 | 2.5E+03 | 2.5E+03 | 1.2E+01 | Leaching |
| Acenaphthylene [PAH] | 208-96-8 | | | | | | | | | 6.4E+00 | 6.4E+00 | 5.9E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 6.4E+00 | Leaching |
| Acetone | 67-64-1 | | 6.1E+04 | | 6.7E+05 | | 2.7E+05 | 5.6E+01 | 5.6E+01 | 9.2E-01 | 9.2E-01 | 1.1E+05 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 9.2E-01 | Leaching |
| Aldrin | 309-00-2 | 3.5E-02 | 2.1E+00 | 1.5E-01 | 2.9E+01 | 1.0E+00 | 7.4E+00 | 2.4E-03 | 1.0E-01 | 8.4E+00 | 8.4E+00 | 8.4E+00 | 1.0E+03 | 2.5E+03 | 2.5E+03 | 2.4E-03 | Terr Habitat |
| Anthracene [PAH] | 120-12-7 | | 1.8E+04 | | 2.3E+05 | | 5.0E+04 | 3.1E+00 | 4.0E+01 | 1.9E+00 | 1.9E+00 | 4.1E+00 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.9E+00 | Leaching |
| Antimony | 7440-36-0 | | 1.1E+01 | | 1.6E+02 | | 5.0E+01 | 2.5E+01 | 5.0E+01 | | | | | | | 1.1E+01 | NC-Hazard |
| Arsenic | 7440-38-2 | 6.7E-02 | 2.6E-01 | 3.1E-01 | 3.6E+00 | 2.0E+00 | 9.8E-01 | 2.5E+01 | 5.0E+01 | | | | | | | 6.7E-02 | Canc-Risk |
| Barium | 7440-39-3 | | 1.5E+04 | | 2.2E+05 | | 3.0E+03 | 3.9E+02 | 6.7E+02 | | | | | | | 3.9E+02 | Terr Habitat |
| Benzene | 71-43-2 | 3.3E-01 | 1.1E+01 | 1.4E+00 | 4.7E+01 | 3.3E+01 | 4.5E+01 | 6.0E+01 | 3.1E+02 | 2.5E-02 | 2.5E-02 | 1.9E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.5E-02 | Leaching |
| Benzo[a]anthracene [PAH] | 56-55-3 | 1.1E+00 | | 2.0E+01 | | 1.1E+02 | | 6.3E-01 | 1.3E+00 | 1.0E+01 | 1.0E+01 | 1.0E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 6.3E-01 | Terr Habitat |
| Benzo[a]pyrene [PAH] | 50-32-8 | 1.1E-01 | 1.8E+01 | 2.1E+00 | 2.2E+02 | 1.1E+01 | 1.0E+01 | 2.5E+01 | 9.0E+01 | 5.7E+00 | 5.7E+00 | 5.7E+00 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.1E-01 | Canc-Risk |
| Benzo[b]fluoranthene [PAH] | 205-99-2 | 1.1E+00 | | 2.1E+01 | | 1.1E+02 | - | | | 5.4E+00 | 7.5E+01 | 5.4E+00 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.1E+00 | Canc-Risk |
| Benzo[g,h,i]perylene [PAH] | 191-24-2 | | | | | | | 8.3E+00 | 1.7E+01 | 2.7E+01 | 2.7E+01 | 2.5E+00 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.5E+00 | Gross Contam |
| Benzo[k]fluoranthene [PAH] | 207-08-9 | 1.1E+01 | | 2.1E+02 | | 9.1E+02 | | 9.5E+00 | 1.9E+01 | 4.8E+00 | 3.9E+01 | 2.8E+00 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.8E+00 | Gross Contam |
| Beryllium | 7440-41-7 | 1.6E+03 | 1.6E+01 | 6.9E+03 | 2.3E+02 | 1.8E+02 | 2.7E+01 | 5.0E+00 | 1.0E+01 | | | | | | | 5.0E+00 | Terr Habitat |
| 1,1-Biphenyl | 92-52-4 | 6.8E+01 | 4.7E+01 | 2.9E+02 | 2.0E+02 | 1.7E+03 | 1.8E+02 | | | 4.2E-01 | 4.2E+00 | 2.3E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 4.2E-01 | Leaching |
| Bis(2-chloroethyl) ether | 111-44-4 | 1.0E-01 | | 4.7E-01 | | 6.4E+00 | | | | 3.4E-05 | 3.1E-02 | 5.0E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 3.4E-05 | Leaching |
| Bis(2-chloro-1-methylethyl) ether | 108-60-1 | 5.0E+00 | 3.1E+03 | 2.3E+01 | 4.7E+04 | 2.7E+02 | 1.4E+04 | | | 5.1E-03 | 8.7E-01 | 1.0E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 5.1E-03 | Leaching |
| Bis(2-ethylhexyl) phthalate | 117-81-7 | 3.9E+01 | 1.3E+03 | 1.6E+02 | 1.6E+04 | 9.5E+02 | 3.8E+03 | 8.0E-01 | 3.5E+01 | 1.9E+02 | 6.4E+02 | 1.9E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 8.0E-01 | Terr Habitat |
| Boron | 7440-42-8 | | 1.6E+04 | | 2.3E+05 | | 4.5E+04 | 1.2E+02 | 1.2E+02 | | | | | | | 1.2E+02 | Terr Habitat |
| Bromodichloromethane | 75-27-4 | 2.9E-01 | 1.6E+03 | 1.3E+00 | 2.3E+04 | 2.8E+01 | 7.1E+03 | | | 1.6E-02 | 1.6E-02 | 9.3E+02 | 1.0E+03 | 2.5E+03 | 2.5E+03 | 1.6E-02 | Leaching |
| Bromoform (Tribromomethane) | 75-25-2 | 1.8E+01 | 1.6E+03 | 8.0E+01 | 2.3E+04 | 1.2E+03 | 7.1E+03 | | | 6.9E-01 | 1.0E+00 | 9.2E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 6.9E-01 | Leaching |
| Bromomethane | 74-83-9 | | 6.9E+00 | | 3.0E+01 | | 2.9E+01 | | | 3.6E-01 | 8.3E-01 | 3.5E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 3.6E-01 | Leaching |
| Cadmium (soil) | 7440-43-9 | 9.1E+02 | 7.8E+01 | 4.0E+03 | 1.1E+03 | 1.1E+02 | 5.1E+01 | 1.9E+00 | 1.9E+00 | | | | | | | 1.9E+00 | Terr Habitat |
| Cadmium (water) | 7440-43-9 | | | | | | | | | | | | | | | | |
| Carbon tetrachloride | 56-23-5 | 1.0E-01 | 5.3E+01 | 4.4E-01 | 2.5E+02 | 1.0E+01 | 2.2E+02 | 7.3E+00 | 1.5E+01 | 1.1E-02 | 1.1E-02 | 4.5E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.1E-02 | Leaching |
| Chlordane | 12789-03-6 | 4.8E-01 | 3.6E+01 | 2.2E+00 | 5.0E+02 | 1.4E+01 | 1.3E+02 | 8.5E-03 | 8.5E-03 | 2.3E+01 | 2.3E+01 | 2.3E+01 | 1.0E+03 | 2.5E+03 | 2.5E+03 | 8.5E-03 | Terr Habitat |
| p-Chloroaniline | 106-47-8 | 3.5E+00 | 3.1E+02 | 1.6E+01 | 4.7E+03 | 1.2E+02 | 1.4E+03 | 2.5E+01 | 5.0E+01 | 6.7E-03 | 9.1E-02 | 3.0E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 6.7E-03 | Leaching |
| Chlorobenzene | 108-90-7 | | 2.7E+02 | | 1.3E+03 | | 1.2E+03 | 7.5E+00 | 1.5E+01 | 1.4E+00 | 1.4E+00 | 7.5E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.4E+00 | Leaching |
| Chloroethane | 75-00-3 | | 1.4E+04 | | 5.9E+04 | | 5.9E+04 | | | 1.2E+00 | 1.2E+01 | 2.1E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.2E+00 | Leaching |
| Chloroform | 67-66-3 | 3.2E-01 | 2.0E+02 | 1.4E+00 | 1.0E+03 | 3.4E+01 | 8.6E+02 | 4.3E+01 | 8.5E+01 | 2.3E-02 | 2.3E-02 | 2.6E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.3E-02 | Leaching |
| Chloromethane | 74-87-3 | | 1.1E+02 | | 4.7E+02 | | 4.7E+02 | | | 1.1E+01 | 1.5E+01 | 1.3E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 1.1E+01 | Leaching |
| 2-Chlorophenol | 95-57-8 | | 3.9E+02 | | 5.8E+03 | | 1.8E+03 | 2.0E+00 | 3.9E+00 | 1.2E-02 | 1.2E-01 | 2.7E+04 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 1.2E-02 | Leaching |
| Chromium (total) | 7440-47-3 | | | | | | | 1.6E+02 | 1.6E+02 | | | | | | | 1.6E+02 | Terr Habitat |
| Chromium III | 16065-83-1 | | 1.2E+05 | | 1.8E+06 | | 5.3E+05 | | | | | | | | | 1.2E+05 | NC-Hazard |
| Chromium VI | 18540-29-9 | 3.0E-01 | 2.3E+02 | 6.2E+00 | 3.5E+03 | 2.8E+00 | 4.0E+02 | 1.0E+01 | 1.0E+01 | | | | | | | 3.0E-01 | Canc-Risk |
| Chrysene [PAH] | 218-01-9 | 1.1E+02 | | 2.1E+03 | | 9.1E+03 | | 8.8E+00 | 1.8E+01 | 2.2E+00 | 1.0E+01 | 2.2E+00 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.2E+00 | Leaching |
| Cobalt | 7440-48-4 | 4.2E+02 | 2.3E+01 | 1.9E+03 | 3.5E+02 | 4.9E+01 | 2.8E+01 | 5.0E+01 | 1.0E+02 | | | | | | | 2.3E+01 | NC-Hazard |
| Copper | 7440-50-8 | | 3.1E+03 | | 4.7E+04 | | 1.4E+04 | 1.8E+02 | 3.0E+02 | | | | - | | | 1.8E+02 | Terr Habitat |
| Cyanide | 57-12-5 | | 5.5E+00 | | 2.5E+01 | | 2.2E+01 | 1.1E-01 | 1.1E-01 | 3.4E-03 | 3.4E-03 | 1.9E+04 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 3.4E-03 | Leaching |
| Dibenz[a,h]anthracene [PAH] | 53-70-3 | 1.1E-01 | | 2.1E+00 | | 1.1E+01 | - | | | 2.9E+01 | 3.9E+02 | 2.9E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.1E-01 | Canc-Risk |
| Dibromochloromethane | 124-48-1 | 8.3E+00 | 1.6E+03 | 3.9E+01 | 2.3E+04 | 2.9E+02 | 7.1E+03 | | | 3.5E-01 | 1.1E+01 | 8.0E+02 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 3.5E-01 | Leaching |
| 1,2-dibromo-3-chloropropane | 96-12-8 | 4.4E-03 | 4.8E+00 | 5.9E-02 | 2.6E+01 | 1.1E+00 | 2.0E+01 | | | 5.9E-04 | 5.9E-04 | 9.9E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 5.9E-04 | Leaching |
| 1,2-Dibromoethane | 106-93-4 | 3.6E-02 | 7.2E+00 | 1.6E-01 | 3.0E+01 | 3.3E+00 | 3.0E+01 | | | 5.3E-04 | 1.9E-03 | 1.3E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 5.3E-04 | Leaching |

8 of 16 Soil Summary

| January 2019 (Re | ev. 1) | | | | | | Sı | ımmar | y of So | il ES | Ls (n | ng/kg) | | | | | |
|---------------------------------------|---------------------|-------------------------|--------------------------|-------------------------------|------------------------------|----------------|--|--|--|--------------------|-----------------------------------|---------------------------------------|--------------------------|-------------------------------|------------------------------|-----------------------|----------------------|
| | | | Di | irect Exposure Risk Levels | e Human Hea s (Table S-1) | lth | | | labitat Levels le S-2) | Groundwa | ning to ater Levels le S-3) | | Odd | or Nuisance Le (Table S-5) | vels | | |
| Chemicals | CAS No. | Resid Shallo Expo | w Soil | Indus | w Soil | Any La | on Worker: nd Use/ soil Exposure | Significantly Vegetated Area | Minimally Vegetated Area | Drinking | Non- | Gross Contamin- ation Levels | Res: | Com/Ind: | Any Land Use: | Soil Tier 1 ESL | Basis |
| | | Cancer Risk | Non- cancer Hazard | Cancer Risk | Non- cancer Hazard | Cancer Risk | Non- cancer Hazard | Examples: Parkland or single family homes with yards | Examples: High density residential or commercial/ industrial areas | Water | drinking Water | (Table S-4) | Shallow Soil Exposure | Shallow Soil Exposure | Any Soil Exposure (CW) | | |
| 1,2-Dichlorobenzene | 95-50-1 | | 1.8E+03 | | 9.4E+03 | | 7.8E+03 | 4.3E+00 | 8.5E+00 | 1.0E+00 | 1.0E+00 | 3.8E+02 | 1.0E+03 | 2.5E+03 | 2.5E+03 | 1.0E+00 | Leaching |
| 1,3-Dichlorobenzene | 541-73-1 | | - | | | | | 6.0E+00 | 1.2E+01 | 7.4E+00 | 7.4E+00 | 6.1E+02 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 6.0E+00 | Terr Habitat |
| 1,4-Dichlorobenzene | 106-46-7 | 2.6E+00 | 3.4E+03 | 1.2E+01 | 2.6E+04 | 2.8E+02 | 1.5E+04 | 4.5E+00 | 9.0E+00 | 2.0E-01 | 2.0E-01 | 1.9E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.0E-01 | Leaching |
| 3,3-Dichlorobenzidine | 91-94-1 | 5.8E-01 | - | 2.7E+00 | | 2.0E+01 | | | | 2.5E-02 | 1.3E+02 | 6.0E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.5E-02 | Leaching |
| DDD | 72-54-8 | 2.7E+00 | | 1.2E+01 | | 8.1E+01 | | 8.5E+00 | 1.7E+01 | 6.5E+01 | 6.5E+01 | 6.5E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.7E+00 | Canc-Risk |
| DDE | 72-55-9 | 1.8E+00 | | 8.3E+00 | | 5.7E+01 | | 3.3E-01 | 6.5E-01 | 2.9E+01 | 2.9E+01 | 2.9E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 3.3E-01 | Terr Habitat |
| DDT | 50-29-3 | 1.9E+00 | 3.7E+01 | 8.5E+00 | 5.2E+02 | 5.7E+01 | 1.4E+02 | 1.1E-03 | 7.8E+00 | 5.6E+00 | 5.6E+00 | 5.6E+00 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.1E-03 | Terr Habitat |
| 1,1-Dichloroethane | 75-34-3 | 3.6E+00 | 1.6E+04 | 1.6E+01 | 2.3E+05 | 3.7E+02 | 7.1E+04 | 1.1E+01 | 2.1E+01 | 2.0E-01 | 3.1E-01 | 1.7E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.0E-01 | Leaching |
| 1,2-Dichloroethane | 107-06-2 | 4.7E-01 | 3.2E+01 | 2.1E+00 | 1.4E+02 | 4.5E+01 | 1.3E+02 | 2.9E+01 | 2.9E+01 | 7.0E-03 | 3.1E-02 | 3.0E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 7.0E-03 | Leaching |
| 1,1-Dichloroethene | 75-35-4 | | 8.3E+01 | | 3.5E+02 | | 3.5E+02 | 4.3E+01 | 1.3E+02 | 5.4E-01 | 4.2E+00 | 1.2E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 5.4E-01 | Leaching |
| cis-1,2-Dichloroethene | 156-59-2 | | 1.9E+01 | | 8.5E+01 | | 7.8E+01 | 8.4E+01 | 9.4E+02 | 1.9E-01 | 1.6E+00 | 2.4E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 1.9E-01 | Leaching |
| trans-1,2-Dichloroethene | 156-60-5 | | 1.3E+02 | | 6.0E+02 | | 5.7E+02 | 8.4E+01 | 9.4E+02 | 6.5E-01 | 1.4E+01 | 1.9E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 6.5E-01 | Leaching |
| 2,4-Dichlorophenol | 120-83-2 | | 2.3E+02 | | 3.5E+03 | | 1.1E+03 | 2.1E+00 | | 7.5E-03 | 7.5E-02 | 5.6E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 7.5E-03 | Leaching |
| 1,2-Dichloropropane | 78-87-5 | 1.0E+00 | 1.6E+01 | 4.4E+00 | 6.6E+01 | 9.9E+01 | 6.6E+01 | 3.1E+01 | 6.3E+01 | 6.5E-02 | 6.5E-02 | 1.4E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 6.5E-02 | Leaching |
| 1,3-Dichloropropene | 542-75-6 | 5.7E-01 | 7.2E+01 | 2.5E+00 | 3.1E+02 | 5.3E+01 | 3.0E+02 | 3.1E+01 | 6.3E+01 | 1.7E-02 | 4.0E-02 | 1.6E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.7E-02 | Leaching |
| Dieldrin | 60-57-1 | 3.7E-02 | 3.5E+00 | 1.6E-01 | 4.8E+01 | 1.1E+00 | 1.2E+01 | 9.6E-04 | 1.1E-01 | 4.6E-04 | 6.3E-03 | 2.4E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 4.6E-04 | Leaching |
| Diethyl phthalate Dimethyl phthalate | 84-66-2 131-11-3 | - | 5.1E+04 | | 6.6E+05 | | 1.5E+05 | 1.3E+01 2.1E+01 | 2.7E+01 4.2E+01 | 2.5E-02 3.5E-02 | 2.5E-02 3.5E-02 | 7.7E+02 4.7E+03 | 5.0E+02 5.0E+02 | 1.0E+03 1.0E+03 | 1.0E+03 1.0E+03 | 2.5E-02 3.5E-02 | Leaching Leaching |
| 2,4-Dimethylphenol | 105-67-9 | | 1.6E+03 | | 2.3E+04 | | 7.1E+03 | 2.1E+01 | 4.2E+01 | 8.1E+00 | 8.9E+00 | 4.7E+03 2.4E+04 | 1.0E+02 | 5.0E+03 | 5.0E+03 | 8.1E+00 | Leaching |
| 2,4-Dinitrophenol | 51-28-5 | | 1.6E+03 | | 2.3E+04 2.3E+03 | | 7.1E+03 7.1E+02 | | | 3.0E+00 | 5.7E+00 | 8.0E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 3.0E+00 | Leaching |
| 2,4-Dinitrophenoi | 121-14-2 | 2.2E+00 | 1.6E+02 | 1.1E+01 | 2.3E+03 2.3E+03 | 7.9E+01 | 7.1E+02 7.1E+02 | | | 2.3E-02 | 1.1E+01 | 7.2E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.3E-02 | Leaching |
| 1,4-Dioxane | 123-91-1 | 4.7E+00 | 8.1E+02 | 2.2E+01 | 4.5E+03 | 2.1E+02 | 3.4E+03 | 1.8E+00 | 1.8E+00 | 1.7E-04 | 8.4E-01 | 1.2E+05 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.7E-04 | Leaching |
| Dioxin (2,3,7,8-TCDD) | 1746-01-6 | 4.8E-06 | 5.1E-05 | 2.2E-05 | 7.2E-04 | 1.5E-04 | 2.0E-04 | 1.3E-05 | 9.9E-05 | 3.0E-01 | 3.0E-01 | 3.0E-01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 4.8E-06 | Canc-Risk |
| Endosulfan | 115-29-7 | 4.0L-00 | 4.2E+02 | 2.2L-03 | 5.8E+03 | 1.32-04 | 1.5E+03 | 2.3E-02 | 3.8E-01 | 9.8E-03 | 9.8E-03 | 1.3E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 9.8E-03 | Leaching |
| Endrin | 72-20-8 | | 2.1E+01 | | 2.9E+02 | | 7.4E+01 | 1.1E-03 | 1.1E-03 | 7.6E-03 | 7.6E-03 | 3.0E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.1E-03 | Terr Habitat |
| Ethylbenzene | 100-41-4 | 5.9E+00 | 3.4E+03 | 2.6E+01 | 2.1E+04 | 5.4E+02 | 1.5E+04 | 9.0E+01 | 4.3E+02 | 4.3E-01 | 4.3E-01 | 4.9E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 4.3E-01 | Leaching |
| Fluoranthene [PAH] | 206-44-0 | | 2.4E+03 | | 3.0E+04 | | 6.7E+03 | 6.9E-01 | 1.2E+05 | 8.6E+01 | 8.6E+01 | 8.6E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 6.9E-01 | Terr Habitat |
| Fluorene [PAH] | 86-73-7 | | 2.4E+03 | | 3.0E+04 | | 6.7E+03 | | | 6.0E+00 | 6.0E+00 | 9.4E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 6.0E+00 | Leaching |
| Heptachlor | 76-44-8 | 1.2E-01 | 3.5E+01 | 5.3E-01 | 4.8E+02 | 3.7E+00 | 1.2E+02 | 2.5E-01 | 5.0E-01 | 4.4E+01 | 4.4E+01 | 4.4E+01 | 1.0E+03 | 2.5E+03 | 2.5E+03 | 1.2E-01 | Canc-Risk |
| Heptachlor epoxide | 1024-57-3 | 6.2E-02 | 9.1E-01 | 2.8E-01 | 1.3E+01 | 1.9E+00 | 3.2E+00 | | | 1.8E-04 | 6.0E-03 | 1.2E+01 | 1.0E+03 | 2.5E+03 | 2.5E+03 | 1.8E-04 | Leaching |
| Hexachlorobenzene | 118-74-1 | 1.8E-01 | 5.6E+01 | 7.8E-01 | 7.7E+02 | 7.7E+00 | 2.0E+02 | 1.3E+02 | 2.5E+02 | 8.0E-04 | 8.2E-02 | 2.3E-01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 8.0E-04 | Leaching |
| Hexachlorobutadiene | 87-68-3 | 1.2E+00 | 7.8E+01 | 5.3E+00 | 1.2E+03 | 1.0E+02 | 3.5E+02 | | | 2.8E-02 | 6.2E-02 | 1.7E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.8E-02 | Leaching |
| g-Hexachlorocyclohexane (Lindane) | 58-89-9 | 5.5E-01 | 2.1E+01 | 2.5E+00 | 2.9E+02 | 1.6E+01 | 7.4E+01 | 7.4E+00 | 1.5E+01 | 7.4E-03 | 7.4E-03 | 1.2E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 7.4E-03 | Leaching |
| Hexachloroethane | 67-72-1 | 1.8E+00 | 3.8E+01 | 7.8E+00 | 3.7E+02 | 1.3E+02 | 1.2E+02 | | | 1.9E-02 | 9.2E-02 | 6.7E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.9E-02 | Leaching |
| Indeno[1,2,3-c,d]pyrene [PAH] | 193-39-5 | 1.1E+00 | | 2.1E+01 | | 1.1E+02 | | 4.8E-01 | 9.5E-01 | 1.6E+01 | 3.2E+01 | 2.3E+00 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 4.8E-01 | Terr Habitat |
| Lead | 7439-92-1 | 8.2E+01 | 8.0E+01 | 3.8E+02 | 3.2E+02 | 2.7E+03 | 1.6E+02 | 3.2E+01 | 3.2E+01 | 1 | | - | | | | 3.2E+01 | Terr Habitat |
| Mercury (elemental) | 7439-97-6 | | 1.3E+01 | | 1.9E+02 | | 4.4E+01 | 1.5E+01 | 2.0E+01 | - | | | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.3E+01 | NC-Hazard |
| Methoxychlor | 72-43-5 | | 3.5E+02 | | 4.8E+03 | | 1.2E+03 | 1.3E-01 | 4.1E+03 | 1.3E-02 | 1.3E-02 | 1.6E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.3E-02 | Leaching |
| Methylene chloride | 75-09-2 | 1.9E+00 | 3.1E+02 | 2.5E+01 | 2.5E+03 | 4.9E+02 | 1.4E+03 | 9.8E-01 | 2.0E+00 | 1.2E-01 | 1.9E-01 | 3.3E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.2E-01 | Leaching |
| Methyl ethyl ketone | 78-93-3 | | 2.7E+04 | | 2.0E+05 | | 1.2E+05 | 4.4E+01 | 8.8E+01 | 6.1E+00 | 1.5E+01 | 2.8E+04 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 6.1E+00 | Leaching |
| Methyl isobutyl ketone | 108-10-1 | | 3.4E+04 | | 1.4E+05 | | 1.4E+05 | | | 3.6E-01 | 5.1E-01 | 3.4E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 3.6E-01 | Leaching |
| Methyl mercury | 22967-92-6 | - | 6.3E+00 | | 8.2E+01 | | 1.9E+01 | 3.4E-02 | 3.4E-02 | 1 | | | 1.0E+02 | 5.0E+02 | 5.0E+02 | 3.4E-02 | Terr Habitat |
| 2-Methylnaphthalene | 91-57-6 | | 2.4E+02 | | 3.0E+03 | | 6.7E+02 | | | 8.8E-01 | 8.8E-01 | 3.8E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 8.8E-01 | Leaching |
| Methyl tertiary butyl ether (MTBE) | 1634-04-4 | 4.7E+01 | 1.6E+04 | 2.1E+02 | 6.6E+04 | 4.1E+03 | 6.5E+04 | 3.1E+01 | 6.3E+01 | 2.8E-02 | 2.5E+00 | 9.0E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 2.8E-02 | Leaching |

9 of 16 Soil Summary

| January 2019 (Re | ev. 1) | | | | | | Sı | ımmar | y of So | il ES | Ls (n | ng/kg) | | | | | |
|----------------------------------|----------------|----------------|------------------------------|---------------------------------|--------------------------|----------------|---------------------------------------|--|--|----------|----------------------------------|--|----------------------|-------------------------------|------------------------------|-----------------------|--------------|
| | | | D | irect Exposure Risk Levels | | lth | | | labitat Levels le S-2) | | ning to ater Levels e S-3) | | Odd | or Nuisance Le (Table S-5) | vels | | |
| Chemicals | CAS No. | | lential: ow Soil osure | Comm Indus Shallo Expo | strial: w Soil | Any La | on Worker: nd Use/ oil Exposure | Significantly Vegetated Area | Minimally Vegetated Area | Drinking | Non- drinking | Gross Contamin- ation Levels (Table S-4) | Res: Shallow Soil | Com/Ind: Shallow Soil | Any Land Use: Any Soil | Soil Tier 1 ESL | Basis |
| | | Cancer Risk | Non- cancer Hazard | Cancer Risk | Non- cancer Hazard | Cancer Risk | Non- cancer Hazard | Examples: Parkland or single family homes with yards | Examples: High density residential or commercial/ industrial areas | Water | Water | | Exposure | Exposure | Exposure (CW) | I | |
| Molybdenum | 7439-98-7 | | 3.9E+02 | | 5.8E+03 | | 1.8E+03 | 6.9E+00 | 4.0E+01 | | | | | | | 6.9E+00 | Terr Habitat |
| Naphthalene [PAH] | 91-20-3 | 3.8E+00 | 1.3E+02 | 1.7E+01 | 5.8E+02 | 4.0E+02 | 5.0E+02 | 7.5E-01 | 2.8E+01 | 4.2E-02 | 1.2E+00 | 2.8E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 4.2E-02 | Leaching |
| Nickel | 7440-02-0 | 1.5E+04 | 8.2E+02 | 6.4E+04 | 1.1E+04 | 1.7E+03 | 8.6E+01 | 1.3E+02 | 3.4E+02 | | | | | | | 8.6E+01 | NC-Hazard |
| Pentachlorophenol | 87-86-5 | 1.0E+00 | 2.5E+02 | 4.0E+00 | 2.8E+03 | 2.0E+01 | 5.6E+02 | 1.3E-02 | 3.9E+01 | 9.8E-02 | 7.7E-01 | 5.1E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.3E-02 | Terr Habitat |
| Perchlorate | 7790-98-9 | | 5.5E+01 | | 8.2E+02 | | 2.5E+02 | | | | | | | | | 5.5E+01 | NC-Hazard |
| Petroleum - Gasoline | | | 4.3E+02 | | 2.0E+03 | | 1.8E+03 | 1.2E+02 | 1.2E+02 | 1.1E+03 | 4.9E+03 | 1.0E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 1.0E+02 | Odor/Nuis |
| Petroleum - Stoddard Solvent | | | 2.6E+02 | | 1.4E+03 | | 1.1E+03 | 2.6E+02 | 2.6E+02 | 1.3E+03 | 8.0E+03 | 2.3E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 1.0E+02 | Odor/Nuis |
| Petroleum - Jet Fuel | | | 2.7E+02 | | 1.4E+03 | | 1.1E+03 | 2.6E+02 | 2.6E+02 | 1.3E+03 | 8.0E+03 | 2.3E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 1.0E+02 | Odor/Nuis |
| Petroleum - Diesel | | | 2.6E+02 | | 1.2E+03 | | 1.1E+03 | 2.6E+02 | 2.6E+02 | 1.1E+03 | 7.3E+03 | 2.3E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.6E+02 | NC-Hazard |
| Petroleum - HOPs | | | | | | | | | | | | | | | | - | |
| Petroleum - Motor Oil | | | 1.2E+04 | | 1.8E+05 | | 5.4E+04 | 1.6E+03 | 1.6E+03 | | | 5.1E+03 | | | | 1.6E+03 | Terr Habitat |
| Phenanthrene [PAH] | 85-01-8 | | | | | | | 7.8E+00 | 1.6E+01 | 1.1E+01 | 1.1E+01 | 6.9E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 7.8E+00 | Terr Habitat |
| Phenol | 108-95-2 | | 2.3E+04 | | 3.5E+05 | | 9.8E+04 | 9.4E+00 | 9.4E+00 | 1.6E-01 | 1.8E+01 | 1.0E+05 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.6E-01 | Leaching |
| Polychlorinated biphenyls (PCBs) | 1336-36-3 | 2.3E-01 | | 9.4E-01 | | 5.5E+00 | | 1.1E+00 | 1.1E+00 | 3.3E+02 | 3.3E+02 | 3.3E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.3E-01 | Canc-Risk |
| Pyrene [PAH] | 129-00-0 | | 1.8E+03 | | 2.3E+04 | | 5.0E+03 | 4.7E+03 | 9.9E+04 | 4.5E+01 | 4.5E+01 | 4.5E+01 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 4.5E+01 | Leaching |
| Selenium | 7782-49-2 | | 3.9E+02 | | 5.8E+03 | | 1.7E+03 | 2.4E+00 | 5.5E+00 | | | | | | | 2.4E+00 | Terr Habitat |
| Silver | 7440-22-4 | | 3.9E+02 | | 5.8E+03 | | 1.8E+03 | 2.5E+01 | 5.0E+01 | | | | | | | 2.5E+01 | Terr Habitat |
| Styrene | 100-42-5 | | 5.7E+03 | | 3.3E+04 | | 2.5E+04 | 2.2E+01 | 4.3E+01 | 9.2E-01 | 1.0E+01 | 8.7E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 9.2E-01 | Leaching |
| tert-Butyl alcohol | 75-65-0 | | | | | | | | | 7.5E-02 | 1.1E+02 | 3.2E+05 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 7.5E-02 | Leaching |
| 1,1,1,2-Tetrachloroethane | 630-20-6 | 2.0E+00 | 2.3E+03 | 8.9E+00 | 3.5E+04 | 1.9E+02 | 1.1E+04 | | | 1.7E-02 | 1.1E-01 | 7.0E+02 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 1.7E-02 | Leaching |
| 1,1,2,2-Tetrachloroethane | 79-34-5 | 6.1E-01 | 1.6E+03 | 2.7E+00 | 2.3E+04 | 4.9E+01 | 7.1E+03 | | | 1.8E-02 | 5.8E-02 | 1.9E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.8E-02 | Leaching |
| Tetrachloroethene | 127-18-4 | 5.9E-01 | 8.2E+01 | 2.7E+00 | 3.9E+02 | 3.3E+01 | 3.5E+02 | 4.5E+00 | 4.3E+01 | 8.0E-02 | 8.0E-02 | 1.7E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 8.0E-02 | Leaching |
| Thallium | 7440-28-0 | | 7.8E-01 | | 1.2E+01 | | 3.5E+00 | 1.8E+00 | 4.5E+00 | | | | | | | 7.8E-01 | NC-Hazard |
| Toluene | 108-88-3 | | 1.1E+03 | | 5.3E+03 | | 4.7E+03 | 1.4E+02 | 6.6E+02 | 3.2E+00 | 1.0E+01 | 8.1E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 3.2E+00 | Leaching |
| Toxaphene | 8001-35-2 | 5.1E-01 | | 2.2E+00 | - | 1.4E+01 | | | | 2.5E+02 | 2.5E+02 | 2.5E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 5.1E-01 | Canc-Risk |
| 1,2,4-Trichlorobenzene | 120-82-1 | 2.4E+01 | 5.9E+01 | 1.1E+02 | 2.6E+02 | 8.5E+02 | 2.4E+02 | 1.6E+01 | 3.0E+01 | 1.2E+00 | 6.0E+00 | 4.2E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.2E+00 | Leaching |
| 1,1,1-Trichloroethane | 71-55-6 | | 1.7E+03 | | 7.3E+03 | | 7.2E+03 | 2.2E+01 | 4.4E+01 | 7.0E+00 | 7.0E+00 | 6.5E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 7.0E+00 | Leaching |
| 1,1,2-Trichloroethane | 79-00-5 | 1.2E+00 | 1.5E+00 | 5.1E+00 | 6.4E+00 | 1.1E+02 | 6.3E+00 | 1.0E+02 | 2.0E+02 | 7.6E-02 | 7.9E-02 | 2.2E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 7.6E-02 | Leaching |
| Trichloroethene | 79-01-6 | 9.5E-01 | 4.2E+00 | 6.1E+00 | 1.9E+01 | 1.3E+02 | 1.8E+01 | 8.1E+00 | 2.5E+02 | 8.5E-02 | 8.5E-02 | 7.0E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 8.5E-02 | Leaching |
| 2,4,5-Trichlorophenol | 95-95-4 | | 7.8E+03 | | 1.2E+05 | - | 3.5E+04 | 5.5E+00 | 1.0E+01 | 2.9E+00 | 2.9E+00 | 1.2E+04 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.9E+00 | Leaching |
| 2,4,6-Trichlorophenol | 88-06-2 | 9.9E+00 | 7.8E+01 | 4.7E+01 | 1.2E+03 | 3.5E+02 | 3.5E+02 | 5.5E+00 | 1.0E+01 | 4.0E-02 | 3.1E+01 | 1.9E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 4.0E-02 | Leaching |
| 1,2,3-Trichloropropane | 96-18-4 | 2.3E-02 | 4.9E+00 | 1.1E-01 | 2.1E+01 | 8.3E-01 | 2.0E+01 | | | 1.1E-04 | 1.3E-04 | 1.4E+03 | 1.0E+02 | 5.0E+02 | 5.0E+02 | 1.1E-04 | Leaching |
| Vanadium | 7440-62-2 | | 3.9E+02 | | 5.8E+03 | | 4.7E+02 | 1.8E+01 | 1.8E+01 | | | | | | | 1.8E+01 | Terr Habitat |
| Vinyl chloride | 75-01-4 | 8.3E-03 | 7.0E+01 | 1.5E-01 | 3.8E+02 | 3.4E+00 | 3.0E+02 | 4.3E+00 | 8.5E+00 | 1.5E-03 | 1.5E-03 | 3.9E+03 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 1.5E-03 | Leaching |
| Xylenes | 1330-20-7 | | 5.8E+02 | | 2.5E+03 | | 2.4E+03 | 5.5E+01 | 2.1E+02 | 2.1E+00 | 1.0E+01 | 2.7E+02 | 5.0E+02 | 1.0E+03 | 1.0E+03 | 2.1E+00 | Leaching |
| Zinc | 7440-66-6 | | 2.3E+04 | | 3.5E+05 | | 1.1E+05 | 3.4E+02 | 3.4E+02 | | | | | | | 3.4E+02 | Terr Habitat |
| Notes: | - 1 | • | 1 | | | | | | 1 | | 1 | | 1 | | | | |

Abbreviations:

Canc - Cancer

Com/Ind - Commercial/Industrial

Contam - Contamination

CW - Construction Worker

DDD - Dichlorodiphenyldichloroethane DDE - Dichlorodiphenyldichloroethene

> 10 of 16 Soil Summary

 ⁻ Cadmium (Water): Groundwater levels do not apply to cadmium in soil so no soil level are listed.
 - Petroleum - HOPs: Soil ESLs have not been developed at this time.

| January 2019 (Rev | /. 1) | | | | | | Sı | ımmar | y of So | il ES | Ls (n | ng/kg) | | | | | |
|-------------------|--------------|----------------|---|-----------------|---|---|--|--|--|----------|-------------------------------------|--|----------|--------------------------|------------------------------|-----------------------|-------|
| | | D | rect Exposure Human Health Risk Levels (Table S-1) | | | Terrestrial Habitat Levels (Table S-2) | | Leaching to Groundwater Levels (Table S-3) | | | Odor Nuisance Levels (Table S-5) | | vels | | | | |
| Chemicals | CAS No. | Shallo | lential: ow Soil osure | Indu: Shallo | nerical/ strial: ow Soil osure | | ion Worker: and Use/ Soil Exposure | Significantly Vegetated Area | Minimally Vegetated Area | Drinking | Non- drinking | Gross Contamin- ation Levels (Table S-4) | Res: | Com/Ind: Shallow Soil | Any Land Use: Any Soil | Soil Tier 1 ESL | Basis |
| | | Cancer Risk | Non- cancer Hazard | Cancer Risk | Non- cancer Hazard | Cancer Risk | Non- cancer Hazard | Examples: Parkland or single family homes with yards | Examples: High density residential or commercial/ industrial areas | Water | Water | (Table 3-4) | Exposure | Exposure | Exposure (CW) | | |

DDT - Dichlorodiphenyltrichloroethane

Exp - Exposure

HOPs - Hydrocarbon Oxidation Products (biodegradation metabolites and photo-oxidation products of petroleum hydrocarbons). See User's Guide Chapter 4 for further information.

NC - Noncancer

Odor/Nuis - Odor Nuisance

PAH - Polycyclic aromatic hydrocarbon Res - Residential

TCDD - Tetrachlorodibenzodioxin Terr - Terrestrial

11 of 16 Soil Summary

APPENDIX

C SEARS AUTOMOTIVE CENTER CLOSURE PLAN



FIRE DEPARTMENT SANTA CLARA COUNTY



14700 Winchester Blvd., Los Gatos, CA 95032-1818 (408) 378-4010 • (408) 378-9342 (fax) • www.sccfd.org

| Location 10123 N. Wol | Cupert | ino | |
|---|--|------------------------------|--------------------------|
| Name of Business VALLCO FAS | HION MALL - SEARS | | |
| THE BUSINESS LISTED ABOVE THE PROVISIONS OF Cuperti IS AUTHORIZED TO COMME Facility Closure SUBJECT TO COMPLIANCE WAND THE FOLLOWING CONE | NOTICE. This permit does not take the place of any license required by law and is not transgrable. Any change in the use, or, occupancy of premises shall require a new permit. | | |
| ANY | TOLATION OF THESE PROVISIONS MAY BE GROUNDS | | RMIT |
| PERMIT 19 112 | 2 POST ON | vention Division Z, LORENZO | J. √. |
| | | | Form #91 |
| Mailing Address WSP USA | ;à | PERMIT | TISSUED: 4/11/19 |
| 2025 Gateway Place St | uite 348 | PERMIT | EXPIRES: 10/11/19 |
| San Jose, CA 95110 Attention Richard Freud | lenberger | I | FEE PAID: \$90.00 |
| | • | DA | ATE PAID: 3/28/19 |
| FIRE PREVEN | TION COPY CUT OFF ABOVE AND F | LACE IN ADDRES | S FILF |
| Location 10123 WOLFE RD | Cupertino | ISSUED: | 11 April 2019 |
| Name of Business | Type of Activity | EXPIRES: | 11 October 2019 |
| VALLCO FASHION MALL - | AG HazMat Closure | إ _{FEE:} ' | \$90.00 |
| PERMIT 19 1 | 122 | PAID: | 28 March 2019 |
| Conditions | | | |

Organized as the Santa Clara County Central Fire Protection District



FIRE DEPARTMENT SANTA CLARA COUNTY



14700 Winchester Blvd., Los Gatos, CA 95032-1818 (408) 378-4010 • (408) 378-9342 (fax) • www.sccfd.org

| PLAN REVIEW No. | 19 | 1122 | |
|--------------------|----|------|--|
| BLDG PERMIT No. | | | |

PLAN REVIEW COMMENTS

This closure shall comply with the following:

- 1. 2016 California Fire Code (CFC), as adopted by the City of Cupertino,
- 2. Chapter 9.12 of the Cupertino Municipal Code (CMC)

The scope of this plan review includes the following:

• Former Sears Automotive Center Facility Closure-Please notify this office <u>immediately</u> if the above description is incorrect so that necessary changes to the plan review may be incorporated.

Inspections:

Comment #1: Visual inspections of the areas to verify that the facility and environment are free of hazardous materials as a result of previous use is required. Please call to schedule inspections to witness conditions and possible sampling of the elevator, piping, and hydraulic lifts including their respective areas. I must observe the sampling of the lead, oil-water separator, acid chamber, and tank potholing. Call 408-341-4443 to set times for facility appointments. [CFC 106.2]

Post Closure Report:

Comment #2: The post closure report containing the final disposition of hazardous materials and analytical results from sampling at Vallco Shopping Mall is required. [CFC 5001.6.3]

APPROVED subject to conditions noted above. Please call to arrange for an inspection at least 48 hours in advance. Applicant is also required to maintain copy of permit application and approval with conditions on site. [CFC 105.3.5]

The applicant and applicant's agents shall carry out the proposed activity in compliance with all laws and regulations applicable thereto, whether specified or not, and in complete accordance with approved plans and specifications. [CFC 105.3.6 and 105.4.4]

This approval shall not be construed to be an approval of a violation of the provisions of the California Fire Code or of other laws or regulations of the jurisdiction. Any inspections presuming to give authority to violate or waive provisions of such laws or regulations shall not be

| | | | | | | | | | | | | | | | 1 | | - |
|-------------|---------|------|-------|-------|----------|--------|----------------------------|--------|-------------------|--------|-------------------|--------|---|-------------|-----------|-----|---|
| City CUP | PLANS | SPEC | S NEW | RMDL | . А Г | is oc | CUPANCY | CON | ST. TYPE | Applic | antName Richar | d Fre | eudenberger | 04-11-2019 | PAGE 1 | | 1 |
| SEC/FLOOR | AREA | | | LOAD | | | т descrip IazMat | | ure | | | | PROJECT TYPE OR SYSTEM Facility Closure | 1 | | OF | |
| NAME OF PR | | HIO | N M | ALL - | - S | EARS | | | LOCATION 10123 | N. V | Volfe Rd | Cup | pertino | | 36 | | |
| TABULAR FI | RE FLOW | / | | | | | REDUCTION | ON FOR | FIRE SPRINKL | ERS | REQUIRED | FIRE F | FLOW @ 20 PSI | вч Perez | , Lorei | ızo | |
| | | | | Oı | rga | anized | as the S | Santa | Clara Co | unty | Central F | ire F | Protection District | | | | |





Tel.:+1 408 453-6100 Fax: +1 408 453-0496 wsp.com

March 26, 2019

Mr. Lorenzo Perez Hazardous Materials Specialist Santa Clara County Fire Department 14700 Winchester Blvd. Los Gatos, CA 95032

Subject: Closure Plan for Former Sears Automotive Center, Former Vallco Shopping Mall

Dear Mr. Perez,

This Closure Plan documents and presents a specific plan to address each of the items identified and discussed during your October 9, 2018 inspection of the former Sears Automotive Center located in the southwestern corner parking area of the former Vallco Shopping Mall (Site). It also includes items noted in your e-mail to Rick Freudenberger of WSP on March 12, 2019. The purpose of the inspection and the e-mail was to identify the items to be addressed in connection with final closure of the former service center. Present during the inspection were you, on behalf of the Santa Clara County Fire Department (SCCFD); and Rick Freudenberger; Mike Rohde of Sand Hill Property Company; and Paul Hansen of Sand Hill Construction Management.

PRE-DEMOLITION ACTIVITIES

Prior to demolition of the building, WSP will conduct the following activities to assure the proper identification and management of any potentially hazardous building materials during demolition activities:

- 1 <u>Elevator</u>: The elevator within the building has been decommissioned and the hydraulic oil removed for proper disposal. Documentation regarding this disposal will be provided to the SCCFD.
- 2 Battery Storage Areas: Wipe samples from the floors and lower portions of the walls in the battery storage areas in the basement and first floor will be collected and analyzed for lead. Locations of wipe samples are shown in the attached photo log. A total of approximately 52 wipe samples for analysis of lead are proposed. Results will be reported to the SCCFD and include comparisons to the applicable lead wipe standard of two hundred and fifty micrograms per square foot (250μg/ft2) for interior horizontal surfaces;. The results of the Report will provide the demolition contractor with the necessary information to ensure that any lead containing materials have been properly identified and will be safely removed and properly disposed of during demolition activities.
- 3 <u>Polychlorinated Biphenyls (PCBs)</u>: Samples will be taken of any caulk/building materials suspected of containing PCBs. Locations of material samples will be determined based on field observations. Results will be reported to the SCCFD and include comparisons to applicable PCB standards.
- 4 <u>Piping</u>: Piping that formerly distributed grease, oil, and other petroleum fluids remains along interior building walls, ceilings and the basement. In some areas, concrete floor and walls show staining from residual petroleum liquids, most notably in the basement. Oil stains on the floor were also observed in the area of two former air compressors. Major stained areas will be cleaned prior to demolition and the



- piping and oil stained concrete will be segregated and disposed of properly. Documentation for the disposal of any hazardous materials will be provided to the SCCFD.
- 5 <u>Hydraulic Lifts</u>: There are a number of former hydraulic lifts within the service bay. The lift cylinders have been removed and the steel casings filled with concrete. The lifts in the northern portion of the building do not extend into the basement and hydraulic fluid piping and reservoirs may remain in these lifts. The steel casings for all of the former hydraulic lifts will be removed and the area around/within the casings will be inspected to ensure that any residual piping/reservoirs are cleaned/removed and any residual oil is removed for proper disposal. Documentation for the disposal of any hazardous materials will be provided to the SCCFD.
- 6 Alleged Underground Storage Tank (UST) Location: Two exploratory trenches that are approximately 10 feet long will be excavated to about five feet below ground surface in the area of the alleged UST; the trenches will be perpendicular to each other to create an 'X' with the center of the 'X' located at a concrete square located west of the former Sears automotive building (Figure 1). This concrete square location has been presumed to be a possible access point for an alleged UST that would have been located east of and between two former oil USTs removed in 1994.
 - For your information, to address the possibility that any USTs remain onsite, WSP performed a geophysical GPR survey on January 25, 2019 around the former Sears Automotive Center. The survey consisted of a metal sweep performed with a Fisher TW-6 MiScope to determine the presence of any metal pipes leading to or from the suspected area of the former tanks removed in 1994 and a ground penetrating radar (GPR) scan performed with a MALA easy locator to determine if there were any indications of any underground storage tank present beneath the ground surface. The survey extended across the area proposed above for the exploratory trenches and showed no evidence of any existing underground tanks there or on the west or east sides of the Sears automotive building. The geophysical survey report is attached.

DURING DEMOLITION ACTIVITIES

WSP will conduct the following additional activities during demolition:

- 1 <u>Stained Equipment:</u> Any equipment/tanks/surfaces stained with petroleum products (not identified above) will be segregated and disposed of properly. Documentation for the disposal of any hazardous materials will be provided to the SCCFD.
- Oil-Water Separator and Acid Neutralization Chamber: A below-ground oil/water separator exists outside the northeast corner of the building and a former acid neutralization chamber (previously emptied and closed by and filling with gravel) is located near the southeastern corner of the building (Figure 1). The oil/water separator and the acid neutralization chamber will be cleaned, as necessary, and the units removed for proper disposal. Following removal of the oil-water separator and acid neutralization chamber and any associated piping, soil samples will be collected from beneath the units and along the underground piping paths to determine if there were any significant releases. Preliminary proposed sample locations are shown on Figure 1 (attached). The soil samples will be analyzed for the following constituents per Santa Clara County guidelines:
 - TPHG and TPHD by EPA method 8015 (fuel scan)
 - Hexane Extractable Materials by EPA 9071B



- Volatile Organic Compounds, w/chlorinated hydrocarbons (full scan) by EPA method 8260B
- PCB's by EPA method 8082A
- Cd, Cr, Pb, Ni, and Zn by EPA 6010B
- Semi Volatile Organic Compounds (SVOCs) including Polycyclic Aromatic Hydrocarbons (PAHs) by EPA method 8270
- Unknown UST: If any previously undetected UST and/or associated piping is discovered during the exploratory trenches proposed above, appropriates measures will be taken and regulatory permits will be obtained to arrange for removal and appropriate sampling of surrounding soils (beneath any piping and the UST) to obtain tank closure.

Documentation for the disposal of any hazardous materials removed during demolition activities will be provided to the SCCFD.

Following your review and approval of this Closure Plan, we will provide information concerning scheduling of the noted activities.

Please don't hesitate to contact us if you have any questions, comments, or require additional information.

Kind regards,

Ruhard E. Freudenberge Richard E. Freudenberger **Executive Vice President**

Encl.

cc: Mike Rohde, Sand Hill Property Company

Paul Hansen, Sand Hill Construction Management



| PHOTOGRAPHIC LOG | | | | | | | | | |
|----------------------|-----------------------|--------------|--|--|--|--|--|--|--|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 | | | | | | | |
| | Cupertino, California | | | | | | | | |


Photo No.Date1March 25, 2019Northeast corner of former Sears

Northeast corner of former Sears
Automotive Building, first floor.
Three wipe samples will be
collected along the floor and three
along the wall.



| Photo No. | Date |
|---------------|-----------------|
| 2 | March 25, 2019 |
| South portion | of former Sears |

South portion of former Sears
Automotive Building, first floor.
Former battery storage area. Three wipe samples will be collected along the floor and three along the wall.





| | PHOTOGRAPHIC LOG | |
|----------------------|-----------------------|--------------|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 |
| | Cupertino, California | |

| Photo No. | Date |
|------------------|---------------------|
| 3 | March 25, 2019 |
| Basement level o | of the former Sears |
| | |

Basement level of the former Sears
Automotive Center. Two wipe
samples to be collected in areas of
staining on the floor and two wipe
samples along the wall.



| Photo No. | Date |
|------------------|---------------------|
| 4 | March 25, 2019 |
| Basement level o | of the former Sears |

Automotive Center. Three wipe samples to be collected along the floor, adjacent to each side of the side walls and one in the corner.

Three wipe samples will be taken on the wall above where each floor sample is collected.





| PHOTOGRAPHIC LOG | | | | | | | | | |
|----------------------|-----------------------|--------------|--|--|--|--|--|--|--|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 | | | | | | | |
| | Cupertino, California | | | | | | | | |

| Photo No. | Date | | |
|-------------------------------------|----------------|--|--|
| 5 | March 25, 2019 | | |
| Basement level of the former Sears | | | |
| Automotive Center. Two wipe | | | |
| samples to be collected in areas of | | | |

staining on the floor and two wipe samples along the wall, above the areas of staining.





| | PHOTOGRAPHIC LOG | |
|----------------------|-----------------------|--------------|
| Sand Hill Properties | Former Valico Mail | 31401588.001 |
| | Cupertino, California | |

| Photo No. | Date |
|------------------|--------------------|
| 6 | March 25, 2019 |
| Pagamant laval a | f the former Seers |

Basement level of the former Sears
Automotive Center. Two wipe
samples to be collected in areas of
staining on the floor and two wipe
samples along the wall, above the
areas of staining.



| Photo No. | Date | | |
|------------------------------------|----------------|--|--|
| 7 | March 25, 2019 | | |
| Basement level of the former Sears | | | |
| Automotive Contar Three wine | | | |

Automotive Center. Three wipe samples to be collected in areas of staining on the floor and three wipe samples along the wall.





| | PHOTOGRAPHIC LOG | |
|----------------------|-----------------------|--------------|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 |
| | Cupertino, California | |

| Photo No. | Date |
|------------------|--------------------|
| 8 | March 25, 2019 |
| Basement level o | f the former Sears |
| | |

Basement level of the former Sears
Automotive Center. Three wipe
samples to be collected in areas of
staining on the floor and three wipe
samples along the wall, above the
areas of staining.



| Photo No. | Date |
|------------------|--------------------|
| 9 | March 25, 2019 |
| Basement level o | f the former Sears |

Basement level of the former Sears
Automotive Center. Three wipe
samples to be collected in areas of
staining on the floor and three wipe
samples along the wall, above the
areas of staining.





| | PHOTOGRAPHIC LOG | |
|----------------------|-----------------------|--------------|
| Sand Hill Properties | Former Vallco Mall | 31401588.001 |
| | Cupertino, California | |

| Photo No. | Date | |
|----------------------------------|--|--|
| 10 | March 25, 2019 | |
| Automotive C samples to be co | of the former Sears Center. Two wipe ollected on the floor ong the walls. | |
| | | |



APPROXIMATE SAMPLING LOCATIONS -SEARS AUTOMOTIVE CENTER

CUPERTINO, CALIFORNIA PREPARED FOR

SAND HILL PROPERTY COMPANY PALO ALTO, CALIFORNIA

Approved:

DWG Name: 314MN1588-009

California Utility Locators
PO Box 67066
Scotts Valley, CA 95067
831-239-6057

| | | Job Invoice |
|--------------------------------|---------------|----------------------|
| | DATE ORDERED | ORDER TAKEN BY |
| | 1-23-2019 | am |
| SOLD TO | PHONE NO. | CUSTOMER ORDER # |
| Sand Hill Property Company | 7 | 496 |
| | JOB LOCATION | 7 |
| 965 Page Mill Rd. | Wolfe & steve | ascreek Blud Sandose |
| J | JOB PHONE | STARTING DATE |
| Palo Alto, CA 94304 | | 1-28-2019 |
| | TERMS | |
| RickFreudenberger-408-878-0657 | 8:00-10 | 0:00 |

| RickFreudenberger-H | 08-878 | -0657 | 8:00-10:0 | 0 | | |
|-------------------------------|------------------------------------|--|--|--------------|--------|----------|
| QTY. MATERIAL | UNIT | AMOUNT | DESCRIPT | ION OF WOR | K | g. 1. A. |
| - Scanned areas indicated | on ma | 3 | Scanfor us | T'S W | GPR | |
| provided by Chient for | | 1 | The same of the sa | | • | |
| UST's in area | | | | | | |
| Gaf | | | | | | |
| - Metal Sheep remarked | | | | | 8. | |
| Figher TW-6 M. Scope on | | 1 | | | | ÷ |
| results with whole parat. | | And the second s | MISCELLA | NEOUS CHAR | GES | |
| of UST's in areas scanne | | CAMON | | | 47.2 | |
| - GPR Scan performed with | | 97 | | | | 1.0 |
| MALA Facy Locator GPR. | No In | brahan | | 4 | | |
| of UST's in areas scan | | | | 4 | | |
| - Results gone over consit | د, | -7.1 | 1 | | _ | |
| | | | | MISCELLANEO | | |
| | | - A | LABOR | | | UNT |
| | 1 | | Locating w/GPE | 2 2 16 | 23 | 000 |
| | | | | | | |
| Tech on site! | | | | | | |
| Nicholas Buller -831-226-9052 | | | , | | | |
| | ATERIALS | | | TOTAL LAB | OR 330 | 00 |
| WORK ORDERED | | | | | | |
| · · | | | | TOTAL LAB | OR 330 | 00 |
| DATE ORDERED | | | Т | OTAL MATERIA | LS | |
| DATE COMPLETED | periodic control of the control of | | TOTAL | MISCELLANEO | us | |
| NIGTOMED | | | | SUBTO | TAL | |
| CUSTOMER APPROVAL SIGNATURE | | | | | AX | |
| AUTHORIZED SIGNATURE A. Bull | | | | | | |
| A-2817-3817 / T-3866 | | 10-11 | | GRAND TO | AL 330 | 000 |